

Youth Risk Behavior Surveillance System (YRBSS)



# 2013 YRBS Data User's Guide

June 2014

---

Where can I get more information? Visit [www.cdc.gov/yrbss](http://www.cdc.gov/yrbss) or call 800-CDC-INFO (800-232-4636).

---



National Center for HIV/AIDS, Viral Hepatitis, STD, and TB Prevention  
Division of Adolescent and School Health



## Table of Contents

|  |    |
|--|----|
| Introduction to the YRBSS .....            | 1  |
| Introduction.....                          | 1  |
| Uses of YRBSS Results.....                 | 1  |
| Components of the YRBSS .....              | 1  |
| Methods.....                               | 2  |
| For More Information .....                 | 2  |
| Sample Description.....                    | 3  |
| School Level Selection .....               | 3  |
| Class Level Selection.....                 | 3  |
| Response Rates .....                       | 3  |
| Data Edits.....                            | 4  |
| Introduction.....                          | 4  |
| Single Question Edits.....                 | 4  |
| Height and Weight Edits.....               | 4  |
| Body Mass Index (BMI) Edits.....           | 6  |
| Biologically Implausible Value Edits ..... | 6  |
| Logical Consistency Edits.....             | 6  |
| Edit Criteria.....                         | 7  |
| Subverting Records.....                    | 10 |
| Calculated Variables .....                 | 11 |
| Introduction.....                          | 11 |
| Race/Ethnicity.....                        | 11 |
| Percentile, Overweight, and Obese.....     | 12 |
| Dichotomous Variables.....                 | 13 |
| QN# Variables: .....                       | 13 |
| QNword Variables .....                     | 13 |
| Data Analysis Variables.....               | 15 |
| Weight.....                                | 15 |
| Stratum.....                               | 15 |
| PSU .....                                  | 15 |
| For More Information .....                 | 15 |
| Analysis Software Technical Notes .....    | 16 |
| Software Requirements.....                 | 16 |
| For More Information .....                 | 16 |
| Codebook .....                             | 17 |
| Introduction.....                          | 17 |
| Data Location.....                         | 17 |
| Variable Name .....                        | 17 |
| Question Code and Label.....               | 17 |
| Unweighted Frequency .....                 | 17 |

---

## 2013 YRBS Data User's Guide

---

|  |    |
|--|----|
| Weighted Frequency .....   | 17 |
| Appendix A: National High School YRBS Questions and Dichotomous Variables..... | 18 |
| Appendix B: National High School YRBS Supplemental (Qnword) Variables.....     | 46 |
| Appendix C: National High School YRBS Codebook .....                           | 58 |

---

## Introduction to the YRBSS

**Introduction** The YRBSS was developed in 1990 to monitor priority health risk behaviors that contribute markedly to the leading causes of death, disability, and social problems among youth and adults in the United States. These behaviors, often established during childhood and early adolescence, include

- Behaviors that contribute to unintentional injuries and violence.
- Sexual behaviors that contribute to unintended pregnancy and sexually transmitted infections, including HIV infection.
- Alcohol and other drug use.
- Tobacco use.
- Unhealthy dietary behaviors.
- Inadequate physical activity.

In addition, the YRBSS monitors the prevalence of obesity and asthma.

From 1991 through 2013, the YRBSS has collected data from more than 2.6 million high school students in more than 1,100 separate surveys.

---

### Uses of YRBSS Results

The YRBSS was designed to

- Determine the prevalence of health risk behaviors.
  - Assess whether health risk behaviors increase, decrease, or stay the same over time.
  - Examine the co-occurrence of health risk behaviors.
  - Provide comparable national, state, territorial, tribal, and local data.
  - Provide comparable data among subpopulations of youth.
  - Monitor progress toward achieving the Healthy People objectives and other program indicators.
- 

### Components of the YRBSS

The YRBSS includes national, state, territorial, tribal government, and local school-based surveys of representative samples of 9th through 12th grade students. These surveys are conducted every two years, usually during the spring semester. The national survey, conducted by CDC, provides data representative of 9th through 12th grade students in public and private schools in the United States. The state, territorial, tribal government, and local surveys, conducted by departments of health and education, provide data representative of mostly public high school students in each jurisdiction.

The YRBSS also includes additional surveys conducted by CDC:

- A middle school survey conducted by interested states, territories, tribal governments, and large urban school districts.

---

## 2013 YRBS Data User's Guide

---

- A 2010 study to measure physical activity and nutrition-related behaviors and determinants of these behaviors among a nationally representative sample of high school students.
  - A series of methods studies conducted in 1992, 2000, 2002, 2004, and 2008 to improve the quality and interpretation of the YRBSS data.
  - The National Alternative High School Youth Risk Behavior Survey conducted in 1998 among a representative sample of almost 9,000 students in alternative high schools.
  - The National College Health Risk Behavior Survey conducted in 1995 among a representative sample of about 5,000 undergraduate students.
- 

### **Methods**

The National Youth Risk Behavior Survey (YRBS) uses a three-stage cluster sample design to produce a representative sample of 9th through 12th grade students. The target population consisted of all public, Catholic, and other private school students in grades 9 through 12. A weighting factor was applied to each student record to adjust for nonresponse and the oversampling of black and Hispanic students in the sample. The final, overall weights were scaled so the weighted count of students was equal to the total sample size, and the weighted proportions of students in each grade matched population projections for each survey year. Because of the complexity of the cluster sampling design used, a statistical software package that can calculate sampling variance appropriately must be used. This document provides the information needed to correctly use and analyze data from the 2013 National YRBS.

---

### **For More Information**

Visit the YRBSS web site at [www.cdc.gov/yrbss](http://www.cdc.gov/yrbss) for more information on the YRBSS, its methodology, data analysis, and answers to frequently asked questions.

## Sample Description

**School Level Selection** All regular public, Catholic, and other private school students, in grades 9 through 12, in the 50 States and the District of Columbia were included in the sampling frame for the 2013 national YRBS. Puerto Rico, the trust territories, and the Virgin Islands were excluded from the frame. Schools were selected systematically with probability proportional to enrollment in grades 9 through 12 using a random start. One hundred and ninety-three schools were sampled.

---

**Class Level Selection** All classes in a required subject or all classes meeting during a particular period of the day, depending on the school, were included in the sampling frame. Systematic equal probability sampling with a random start was used to select classes from each school that participated in the survey.

---

**Response Rates** The 2013 national YRBS attained the following response rates:

School response rate - 148 of the 193 sampled schools participated.

$$148/193 = 77\% \text{ school response rate}$$

Student response rate – 13,633 of the 15,480 sampled students submitted questionnaires; 13,583 questionnaires were usable after data editing.

$$13,583/15,480 = 88\%$$

Overall response rate = School response rate \* Student response rate

$$77\% * 88\% = 68\%$$

---

## Data Edits

**Introduction** Data edits consist of checking responses for range, height/weight plausibility, and logical consistency. Data deemed invalid are set to missing.

- Single Question Edits**
- If the response to a question does not correspond to one of the possible responses, the response for that question is invalid and is set to missing. This can occur if the only response options for a question are “A” or “B” and the response recorded is “C”, “D”, “E”, “F”, “G”, or “H”, for example.
  - If more than one response is selected for a question, the response for that question will be considered invalid and set to missing. The one exception is the race question (Q5), which can have multiple responses.

**Height and Weight Edits** The following two questions collect height and weight, which are used to calculate BMI.

6. How tall are you without your shoes on?

Directions: Write your height in the shaded blank boxes. Fill in the matching oval below each number.

Example

| Height |        |
|--------|--------|
| Feet   | Inches |
| 5      | 7      |
| (3)    | (0)    |
| (4)    | (1)    |
|        | (2)    |
| (6)    | (3)    |
| (7)    | (4)    |
|        | (5)    |
|        | (6)    |
|        |        |
|        | (8)    |
|        | (9)    |
|        | (10)   |
|        | (11)   |

| Height |        |
|--------|--------|
| Feet   | Inches |
|        |        |
| (3)    | (0)    |
| (4)    | (1)    |
| (5)    | (2)    |
| (6)    | (3)    |
| (7)    | (4)    |
|        | (5)    |
|        | (6)    |
|        | (7)    |
|        | (8)    |
|        | (9)    |
|        | (10)   |
|        | (11)   |

7. How much do you weigh without your shoes on?

Directions: Write your weight in the shaded blank boxes. Fill in the matching oval below each number.

Example

| Weight |   |   |
|--------|---|---|
| Pounds |   |   |
| 1      | 5 | 2 |
| 0      | 0 | 0 |
| ●      | 1 | 1 |
| 2      | 2 | ● |
| 3      | 3 | 3 |
|        | 4 | 4 |
|        | ● | 5 |
|        | 6 | 6 |
|        | 7 | 7 |
|        | 8 | 8 |
|        | 9 | 9 |

| Weight |   |   |
|--------|---|---|
| Pounds |   |   |
|        |   |   |
| 0      | 0 | 0 |
| 1      | 1 | 1 |
| 2      | 2 | 2 |
| 3      | 3 | 3 |
|        | 4 | 4 |
|        | 5 | 5 |
|        | 6 | 6 |
|        | 7 | 7 |
|        | 8 | 8 |
|        | 9 | 9 |

Height is read as a three-column character variable. It is not compressed or justified by the scanning program. The possible responses for the first column range from “3” to “7” and indicate feet; the possible responses for the second and third columns range from “00” to “11” and indicate inches. The height in feet and inches is converted to height in meters using the formula below.

$$Height (in m) = [(feet \times 12) + inches] \times 0.0254 m/in$$

- If either feet or inches is not filled in or is unreadable, then Height is set to missing.
- If Weight is missing or set to missing, then Height is set to missing.

Weight is read as a three-column character variable. It is not compressed or justified by the scanning program. The first column indicates 100s of pounds ranging from “0” to “3”; the second column indicates 10s of pounds and ranges from “0” to “9”; the third column indicates single pounds and ranges from “0” to “9”. The weight in pounds is then converted to weight in kilograms using the following formula:

$$Weight (in kg) = Weight (in lbs) \times 0.4536 kg/lb$$



---

## 2013 YRBS Data User's Guide

---

- If the first column is left blank, it is assumed to be a “0”.
  - If the first column is unreadable, all columns are set to missing and Weight is set to missing.
  - If column two or column three is left blank or is unreadable, all columns are set to missing and Weight is set to missing.
  - If Height is missing or set to missing, then Weight is set to missing.
- 

### Body Mass Index (BMI) Edits

BMI is calculated using Height and Weight in the following formula:

$$BMI = kg/m^2 = Weight (in kg) / [Height (in m)^2]$$

- If Height or Weight are missing, BMI is set to missing
  - If age or sex is missing, Height, Weight, and BMI are set to missing because the biologically implausible limits (see section 2c) are based on age and sex.
- 

### Biologically Implausible Value Edits

When the basic edits for BMI are complete, further edits are applied to Height, Weight, and BMI to ensure the results are biologically plausible. Height, Weight, and BMI are set to missing when an observation lies outside the following limits developed by the Division of Nutrition, Physical Activity and Obesity, CDC.

| Age   | Males  | Females  |
|-------|--|--|
| ≤ 10  | Weight: 13.61-90.72 kg<br>Height: 0.94-1.68 m<br>BMI: 11.5 –41 | Weight: 13.61-90.72 kg<br>Height: 0.94-1.73 m<br>BMI: 11-40  |
| 11-12 | Weight: 20.41-136.08 kg<br>Height: 1.02-1.83 m<br>BMI: 11.5-41 | Weight: 15.88-136.08 kg<br>Height: 1.02-1.83 m<br>BMI: 11-40 |
| 13-14 | Weight: 27.22-181.44 kg<br>Height: 1.27-1.98 m<br>BMI: 13-55   | Weight: 27.22-181.44 kg<br>Height: 1.27-1.98 m<br>BMI: 13-55 |
| ≥ 15  | Weight: 31.75-181.44 kg<br>Height: 1.27-2.11 m<br>BMI: 13-55   | Weight: 27.22-181.44 kg<br>Height: 1.27-1.98 m<br>BMI: 13-55 |

---

### Logical Consistency Edits

The majority of the edit criteria compare two questions at a time to ensure logical consistency. If responses from two questions conflict logically, both questions are set to blank. (Exception – data from demographic questions are

not set to missing in this case.)

The list of the logical edits used for the 2013 national high school data follows. If the edit criteria are met, data from the questions are changed to missing, unless they are demographic questions.

---

### Edit Criteria

#### Weapon Carrying

1. Q11=A and Q12=B,C,D,E,F,G,H
2. Q12=A and Q11=B,C,D,E,F
3. Q13=A AND Q14=B,C,D,E
4. Q13=B AND Q14=C,D,E
5. Q13=C AND Q14=D,E
6. Q13=D AND Q14=E
7. Q13=A AND Q15=B,C,D,E
8. Q13=B AND Q15=C,D,E
9. Q13=C AND Q15=D,E
10. Q13=D AND Q15=E

#### Fighting

11. Q18=A AND Q19=B,C,D,E
12. Q18=B AND Q19=C,D,E
13. Q18=C AND Q19=D,E
14. Q18=D AND Q19=E
15. Q18=A AND Q20=B,C,D,E,F,G,H
16. Q18=B AND Q20=C,D,E,F,G,H
17. Q18=C AND Q20=D,E,F,G,H
18. Q18=D AND Q20=E,F,G,H
19. Q18=E AND Q20=F,G,H
20. Q18=F AND Q20=G,H
21. Q18=G AND Q20=H

#### Dating Violence

22. Q22=A AND Q23=B,C,D,E,F
23. Q23=A AND Q22=B,C,D,E,F

#### Suicide

24. Q29=A AND Q30=B,C
25. Q30=A AND Q29=B,C,D,E

#### Tobacco

26. Q1=A AND Q32=E,F,G
27. Q1=B AND Q32=F,G
28. Q1=C AND Q32=F,G
29. Q1=D AND Q32=G
30. Q1=E AND Q32=G
31. Q31=B AND Q32=B,C,D,E,F,G

- 32. Q31=B AND Q33=B,C,D,E,F,G
- 33. Q31=B AND Q34=B,C,D,E,F,G
- 34. Q31=B AND Q35=B,C,D,E,F,G,H
- 35. Q31=B AND Q36=B,C,D,E,F,G
- 36. Q31=B AND Q37=A
- 37. Q31=B AND Q38=B
- 38. Q32=A AND Q34=C,D,E,F,G
- 39. Q32=A AND Q37=A
- 40. Q32=A AND Q38=B
- 41. Q33=A AND Q34=B,C,D,E,F,G
- 42. Q33=A AND Q35=B,C,D,E,F,G,H
- 43. Q33=A AND Q36=B,C,D,E,F,G
- 44. Q33=B AND Q36=C,D,E,F,G
- 45. Q33=C AND Q36=D,E,F,G
- 46. Q33=D AND Q36=E,F,G
- 47. Q33=E AND Q36=F,G
- 48. Q33=F AND Q36=G
- 49. Q34=A AND Q33=B,C,D,E,F,G
- 50. Q34=A AND Q35=B,C,D,E,F,G,H
- 51. Q34=A AND Q36=B,C,D,E,F,G
- 52. Q35=A AND Q33=B,C,D,E,F,G
- 53. Q35=A AND Q34=B,C,D,E,F,G
- 54. Q35=A AND Q36=B,C,D,E,F,G
- 55. Q38=A AND Q33=B,C,D,E,F,G
- 56. Q38=A AND Q34=B,C,D,E,F,G
- 57. Q38=A AND Q35=B,C,D,E,F,G,H
- 58. Q38=A AND Q36=B,C,D,E,F,G

**Alcohol Use**

- 59. Q1=A AND Q42=E,F,G
- 60. Q1=B AND Q42=F,G
- 61. Q1=C AND Q42=F,G
- 62. Q1=D AND Q42=G
- 63. Q1=E AND Q42=G
- 64. Q41=A AND Q11=C,D,E,F
- 65. Q41=A AND Q43=B,C,D,E,F,G
- 66. Q41=B AND Q43=C,D,E,F,G
- 67. Q41=C AND Q43=E,F,G
- 68. Q41=D AND Q43=F,G
- 69. Q41=A AND Q44=B,C,D,E,F,G
- 70. Q41=B AND Q44=D,E,F,G
- 71. Q41=C AND Q44=F,G
- 72. Q41=D AND Q44=G
- 73. Q41=A AND Q45=B,C,D,E,F,G,H
- 74. Q41=A AND Q46=B,C,D,E,F,G,H
- 75. Q43=A AND Q11=C,D,E,F
- 76. Q43=A AND Q44=B,C,D,E,F,G

- 77. Q43=B AND Q44=D,E,F,G
- 78. Q43=C AND Q44=E,F,G
- 79. Q43=D AND Q44=F,G
- 80. Q43=E AND Q44=G
- 81. Q43=A AND Q45=B,C,D,E,F,G,H
- 82. Q43=A AND Q46=B,C,D,E,F,G,H
- 83. Q44=A AND Q45=E,F,G,H
- 84. Q45=A AND Q11=C,D,E,F
- 85. Q45=A AND Q43=B,C,D,E,F,G
- 86. Q46=A AND Q11=C,D,E,F
- 87. Q46=A AND Q43=B,C,D,E,F,G
- 88. Q46=A AND Q44=B,C,D,E,F,G
- 89. Q46=A AND Q45=B,C,D,E,F,G,H

**Marijuana Use**

- 90. Q1=A AND Q48=E,F,G
- 91. Q1=B AND Q48=F,G
- 92. Q1=C AND Q48=F,G
- 93. Q1=D AND Q48=G
- 94. Q1=E AND Q48=G
- 95. Q47=A AND Q48=B,C,D,E,F,G
- 96. Q47=A AND Q49=B,C,D,E,F
- 97. Q47=B AND Q49=C,D,E,F
- 98. Q47=C AND Q49=D,E,F
- 99. Q47=D AND Q49=E,F
- 100. Q47=E AND Q49=F
- 101. Q48=A AND Q47=B,C,D,E,F,G
- 102. Q48=A AND Q49=B,C,D,E,F

**Sexual Behaviors**

- 103. Q1=A AND Q60=D,E,F,G,H
- 104. Q1=B AND Q60=E,F,G,H
- 105. Q1=C AND Q60=F,G,H
- 106. Q1=D AND Q60=G,H
- 107. Q1=E AND Q60=H
- 108. Q59=A AND Q60=A
- 109. Q59=B AND Q60=B,C,D,E,F,G,H
- 110. Q59=A AND Q61=A
- 111. Q59=B AND Q61=B,C,D,E,F,G
- 112. Q59=A AND Q62=A
- 113. Q59=B AND Q62=B,C,D,E,F,G,H
- 114. Q59=A AND Q63=A
- 115. Q59=B AND Q63=B,C
- 116. Q59=A AND Q64=A
- 117. Q59=B AND Q64=B,C
- 118. Q59=A AND Q65=A
- 119. Q59=B AND Q65=B,C,D,E,F,G,H

120. Q60=A AND Q61=B,C,D,E,F,G
121. Q60=A AND Q62=B,C,D,E,F,G,H
122. Q60=A AND Q63=B,C
123. Q60=A AND Q64=B,C
124. Q60=A AND Q65=B,C,D,E,F,G,H
125. Q61=A AND Q60=B,C,D,E,F,G,H
126. Q61=A AND Q62=B,C,D,E,F,G,H
127. Q61=B AND Q62=D,E,F,G,H
128. Q61=C AND Q62=E,F,G,H
129. Q61=D AND Q62=F,G,H
130. Q61=E AND Q62=G,H
131. Q61=F AND Q62=H
132. Q61=A AND Q63=B,C
133. Q61=A AND Q64=B,C
134. Q61=A AND Q65=B,C,D,E,F,G,H
135. Q62=A AND Q60=B,C,D,E,F,G,H
136. Q62=A AND Q61=B,C,D,E,F,G
137. Q62=A AND Q63=B,C
138. Q62=A AND Q64=B,C
139. Q62=A AND Q65=B,C,D,E,F,G,H
140. Q63=A AND Q60=B,C,D,E,F,G,H
141. Q63=A AND Q61=B,C,D,E,F,G
142. Q63=A AND Q62=B,C,D,E,F,G,H
143. Q63=A AND Q64=B,C
144. Q63=A AND Q65=B,C,D,E,F,G,H
145. Q64=A AND Q60=B,C,D,E,F,G,H
146. Q64=A AND Q61=B,C,D,E,F,G
147. Q64=A AND Q62=B,C,D,E,F,G,H
148. Q64=A AND Q63=B,C
149. Q64=A AND Q65=B,C,D,E,F,G,H
150. Q64=C AND Q65=D
151. Q65=A AND Q60=B,C,D,E,F,G,H
152. Q65=A AND Q61=B,C,D,E,F,G
153. Q65=A AND Q62=B,C,D,E,F,G,H
154. Q65=A AND Q63=B,C
155. Q65=A AND Q64=B,C

---

**Subverting  
Records**

Subverting eliminates records that are judged too incomplete overall to be valid for analysis. Records are marked “subverted” when

- there are more than 50 total questions and if a student answers 20 or less questions or answers with b, c, d, e, f, g, or h 15 or more times in a row, all values except the demographic variables are set to missing.

## Calculated Variables

**Introduction** Describes how the race/ethnicity, overweight, obese, and dichotomous variables are calculated

---

**Race/Ethnicity** **Note:** The following description of creating the race/ethnicity variable is based on the standard response options for Q5. Sites may modify the response options to better represent their population. Data from sites that modify Q5 are processed in a manner comparable to the standard question.

Race/ethnicity (*raceeth*) for the 2013 YRBS is computed from two questions:

- 4. Are you Hispanic or Latino?
  - A. Yes
  - B. No
  
- 5. What is your race? (Select one or more responses.)
  - A. American Indian or Alaska Native
  - B. Asian
  - C. Black or African American
  - D. Native Hawaiian or Other Pacific Islander
  - E. White

Ethnicity (Q4) is scanned as a single column variable with either A or B as valid responses. Race (Q5) is the only YRBS question that permits the selection of more than one response. It is a “check all that apply” type question and is scanned as an eight-column character variable. If the student selected “A”, then the first column contains an “A”. If they selected “B”, then the second column contains a “B”, and so on.

Prior to 2007, a single question was used to ascertain race/ethnicity. To maintain comparability, Q4 and Q5 are combined to create the two-column *raceeth* variable. If the student selected “B” for Q4 and only one response option for Q5 then *raceeth* is set to a number between “1” and “5” depending on the Q5 option selected. If they selected “A” for Q4 and no response for Q5, *raceeth* is set to “6” indicating “Hispanic/Latino”. If they selected “A” for Q4 and one or more responses for Q5, then *raceeth* is set to “7” indicating “Multiple – Hispanic/Latino”. If they selected “B” for Q4 and more than one response for Q5, then *raceeth* is set to “8” indicating “Multiple – Non-Hispanic/Latino”. *Raceeth* is set to “missing” if they answered “B” to Q4 and left Q5 blank, or they left Q4 blank regardless of the response for Q5, or if Q4 or Q5 is out of range.

---

## 2013 YRBS Data User's Guide

---

| <i>Ethnicity</i> | <i>Race</i>             | <i>Raceeth (Values and Labels*)</i>           |
|------------------|-------------------------|---|
| B                | A                       | 1 (American Indian/Alaskan Native)            |
| B                | B                       | 2 (Asian)                                     |
| B                | C                       | 3 (Black or African American)                 |
| B                | D                       | 4 (Native Hawaiian or Other Pacific Islander) |
| B                | E                       | 5 (White)                                     |
| A                | Missing                 | 6 (Hispanic/Latino)                           |
| A                | 1 or more responses     | 7 (Multiple– Hispanic/Latino)                 |
| B                | 2 or more responses     | 8 (Multiple– Non-Hispanic/Latino)             |
| B                | Missing                 | Missing                                       |
| Missing          | Missing or Any response | Missing                                       |
| Out of range     | Any response            | Missing                                       |
| Any response     | Out of range            | Missing                                       |

\*Labels are based on standard response options. Labels will vary if the site modified the Q5 response options. The site may modify the Race question by adding response options up to a total of 8. The values for “Hispanic/ Latino”, “Multiple – Hispanic/Latino”, and “Multiple Non-Hispanic/Latino” will vary according to how many response options are included in Q5. For example, if a site has 7 response options for Q5, then the values for “Hispanic/Latino”, “Multiple – Hispanic/Latino”, and “Multiple Non-Hispanic/Latino” would be 8, 9, and 10, respectively.

### Percentile, Overweight, and Obese

Age (Q1), Sex (Q2), and BMI are used to determine *Overweight*\* (QNOWT) and *Obese*\* (QNOBESE). The student is considered overweight, and QNOWT is set to “1”, when BMI percentile is at or above the 85<sup>th</sup> percentile and below the 95<sup>th</sup> percentile for BMI by age and sex. The student is considered obese, and QNOBESE is set to “1”, when BMI percentile is at or above the 95<sup>th</sup> percentile for BMI by age and sex. If BMI is missing, then QNOWT and QNOBESE are set to missing. QNOWT and QNOBESE are mutually exclusive. The BMI percentile for age and sex (BMIPCT), QNOWT, and QNOBESE variables are included in the edited data set.

The “SAS Program for the 2000 CDC Growth Charts” developed by the CDC’s Division of Nutrition, Physical Activity, and Obesity has been used to calculate BMI and BMI percentile for age and sex, and to generate QNOWT and QNOBESE. This program and technical documentation for its use are posted at:

<http://www.cdc.gov/nccdphp/dnpa/growthcharts/resources/sas.htm>

---

\* Note: YRBS reports prior to 2009 used the terms "overweight" to describe those youth with a BMI  $\geq$ 95th percentile for age and sex and "at risk for overweight" for those with a BMI  $\geq$ 85th percentile and  $<$ 95th percentile. However, the terms "obese" and "overweight" were used in 2009 and forward in accordance with the 2007 recommendations from the Expert Committee on the Assessment, Prevention, and Treatment of Child and Adolescent Overweight and Obesity convened by the American Medical Association (AMA) and cofunded by AMA in collaboration with the Health Resources and Services Administration and the CDC.

and are available for use by anyone who would like to regenerate the variables. Note the units required by the SAS program are specified in the documentation available at the web site referenced above. YRBS data for height are stored in meters but the program requires height in centimeters. The program requires age in months but YRBS only has age in years. Therefore, age in months is approximated by adding six months to the age in years reported by the respondent. That is, if a YRBS respondent reports that they are 14 years of age, their age in months is calculated as (14 years \* 12 months) + 6 months = 174 months.

---

### Dichotomous Variables

There are two types of dichotomous variables - **QN#** and **QNword**. The dichotomous variables present the percentage of students answering the predetermined response(s) of interest (ROI). Students answering the ROI(s) are in the numerator. The denominator is either all students or a subset of students who have indicated they participate in a selected activity or behavior. Students must have provided valid data to be included in any dichotomous variable calculations. Therefore students with missing responses or who had their answers subverted are not included. The variables are created and added to the master datasets during editing. The results are presented in the summary tables and graphs in your YRBS report.

---

**QN# Variables:** Each standard question will have a corresponding dichotomous variable. The name of the dichotomous variable corresponds to the original question number. For example, the dichotomous variable for Q10 is named QN10. The table below provides the question and response options used for each standard Q# variable and related QN# variable. The bolded responses indicate the ROIs for that question. The ROIs are set to "1" for the QN# variables; the remaining responses are set to "2" or to "missing" for the QN# variable. The numerator and denominator are further defined below the responses. The summary text appearing in the title of the tables for each QN# variable is also listed. Site-added questions and the corresponding QN#s are not included in this document.

See Appendix A for the list of the standard high school YRBS questions and dichotomous variables.

---

### QNword Variables

**QNword** variables are supplemental, dichotomous variables that are calculated based on results from one or more than one question. You will not have the supplemental variables if you modified or deleted any of the questions needed for the calculation. How these variables are derived, including which students are used in the numerator and denominator, and the SAS program used are detailed in the following table. The values included in the SAS programs are numbers that correspond to the original responses; 1 = A, 2 = B, etc.



See Appendix B for the list of the standard high school YRBS supplemental (QNword) variables.

---

## Data Analysis Variables

**Weight** A weight based on student sex, race/ethnicity, and grade level was applied to each record to adjust for school and student nonresponse and oversampling of black and Hispanic students. The overall weights were scaled so that the weighted count of students equals the total sample size, and the weighted proportions of students in each grade match the national population proportions. Thus the data are representative of students in grades 9-12 in public and private schools in the United States. "WEIGHT" indicates the weight factor assigned to each student record.

---

**Stratum** The sample design employed a three-stage cluster sample stratified by racial/ethnic concentration and MSA status. "STRATUM" indicates the stratum the school the student attends was assigned to.

---

**PSU** PSUs consist of counties, groups of smaller adjacent counties, or sub-areas of very large counties. "PSU" indicates the PSU the school the student attends was assigned to.

---

**For More Information** See "Methodology of the YRBSS" and "Software for Analyzing YRBS Data" on the YRBS web site at [www.cdc.gov/yrbss](http://www.cdc.gov/yrbss) for more information.

---

## Analysis Software Technical Notes

**Software  
Requirements**

The YRBS uses a multi-stage cluster sample design. Statistical software used to analyze YRBS data should account for this design. Although the point estimates should always match, there will be small differences in the confidence intervals as different methods for calculating standard error are used. Many packages with this capability are available.

---

**For More  
Information**

For more information on five statistical packages (SUDAAN, SAS, STATA, SPSS, and Epi Info) that can be used to analyze the YRBS, see “Software for Analyzing YRBS Data” on the YRBS web site at [www.cdc.gov/yrbss](http://www.cdc.gov/yrbss).

---

## Codebook

**Introduction** The codebook documents the SAS, SPSS, MS Access, and ASCII data files available for public use. See Appendix C for the codebook information for each variable in the data files.

The columns in the codebook include the following information:

---

**Data Location** This column contains the numbers indicating the beginning and ending column position for each variable. The data location is relevant only when you are using the ASCII formatted data file; for the other files, you will reference data by variable name, not location.

---

**Variable Name** This column contains the variable names listed in the order that the variables appear in the data files. Please refer to Section 4 of this document for more details on variable types and dichotomous variables.

---

**Question Code and Label** This column contains information about each variable in the data file. For each question (Q1 through Q98), this column contains question text, response option codes, and response option text. For QN# and QNword variables, this column contains text that summarizes the “responses of interest”, and the codes “1” and “2” for “Yes” and “No” respectively to indicate whether or not the response was one of the “responses of interest”.

---

**Unweighted Frequency** This column contains the number of students who chose a specific response option or response of interest.

---

**Weighted Percentage** This column contains the percentage of students who chose a specific response option or response of interest. These percentages are weighted and represent students in the United States.

---

## Appendix A: National High School YRBS Questions and Dichotomous Variables

|   |
|---|
| <p>Q1. How old are you?</p> <ul style="list-style-type: none"> <li>A. 12 years old or younger</li> <li>B. 13 years old</li> <li>C. 14 years old</li> <li>D. 15 years old</li> <li>E. 16 years old</li> <li>F. 17 years old</li> <li>G. 18 years old or older</li> </ul> <p>Variable label: How old are you<br/>Dependence: Required by QNOWT, and QNOBESE</p> |
| <p>Q2. What is your sex?</p> <ul style="list-style-type: none"> <li>A. Female</li> <li>B. Male</li> </ul> <p>Variable label: What is your sex<br/>Dependence: Required by QNOWT and QNOBESE</p>   |
| <p>Q3. In what grade are you?</p> <ul style="list-style-type: none"> <li>A. 9th grade</li> <li>B. 10th grade</li> <li>C. 11th grade</li> <li>D. 12th grade</li> <li>E. Ungraded or other grade</li> </ul> <p>Variable label: In what grade are you</p>  |
| <p>Q4. Are you Hispanic or Latino?</p> <ul style="list-style-type: none"> <li>A. Yes</li> <li>B. No</li> </ul> <p>Variable label: Are you Hispanic/Latino</p>   |
| <p>Q5. What is your race? (<b>Select one or more responses.</b>)</p> <ul style="list-style-type: none"> <li>A. American Indian or Alaska Native</li> <li>B. Asian</li> <li>C. Black or African American</li> <li>D. Native Hawaiian or Other Pacific Islander</li> <li>E. White</li> </ul> <p>Variable label: What is your race</p>                           |
| <p>Q6. How tall are you without your shoes on?</p> <p>Variable label: How tall are you<br/>Dependence: Required by QNOWT and QNOBESE</p>  |
| <p>Q7. How much do you weigh without your shoes on?</p> <p>Variable label: How much do you weigh<br/>Dependence: Required by QNOWT and QNOBESE</p>  |

---

## 2013 YRBS Data User's Guide

---

**Q8.** When you rode a bicycle during the past 12 months, how often did you wear a helmet?

- A. I did not ride a bicycle during the past 12 months
- B. Never wore a helmet**
- C. Rarely wore a helmet**
- D. Sometimes wore a helmet
- E. Most of the time wore a helmet
- F. Always wore a helmet

Variable label: How often wear bicycle helmet

QN8\*: Numerator: Students who answered B or C for Q8  
Denominator: Students who answered B, C, D, E, or F for Q8  
Summary text: Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet  
QN variable label: Never/rarely wore bicycle helmet

**Q9.** How often do you wear a seat belt when **riding in** a car driven by someone else?

- A. Never**
- B. Rarely**
- C. Sometimes
- D. Most of the time
- E. Always

Variable label: How often wore a seat belt

QN9: Numerator: Students who answered A or B for Q9  
Denominator: Students who answered A, B, C, D, or E for Q9  
Summary text: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else  
QN variable label: Never/rarely wore seat belt

**Q10.** During the past 30 days, how many times did you **ride** in a car or other vehicle **driven by someone who had been drinking alcohol?**

- A. 0 times
- B. 1 time**
- C. 2 or 3 times**
- D. 4 or 5 times**
- E. 6 or more times**

Variable label: How often ride w/drinking driver 30 days

QN10: Numerator: Students who answered B, C, D, or E for Q10  
Denominator: Students who answered A, B, C, D, or E for Q10  
Summary text: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol  
QN variable label: Rode 1+ times with drinking driver

---

## 2013 YRBS Data User's Guide

---

**Q11.** During the past 30 days, how many times did you **drive** a car or other vehicle **when you had been drinking alcohol**?

- A. I did not drive a car or other vehicle during the past 30 days
- B. 0 times
- C. 1 time**
- D. 2 or 3 times**
- E. 4 or 5 times**
- F. 6 or more times**

Variable label: How often drive while drinking 30 days

QN11\*: Numerator: Students who answered C, D, E, or F for Q11  
Denominator: Students who answered B, C, D, E, or F for Q11  
Summary text: Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days  
QN variable label: Drove 1+ times when drinking

**Q12.** During the past 30 days, on how many days did you **text or e-mail** while **driving** a car or other vehicle?

- A. I did not drive a car or other vehicle during the past 30 days
- B. 0 days
- C. 1 or 2 days**
- D. 3 to 5 days**
- E. 6 to 9 days**
- F. 10 to 19 days**
- G. 20 to 29 days**
- H. All 30 days**

Variable label: Days text or e-mail while driving 30d

QN12\*: Numerator: Students who answered C, D, E, F, G, or H for Q12  
Denominator: Students who answered B, C, D, E, F, G, or H for Q12  
Summary text: Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving on one or more of the past 30 days  
QN variable label: Texted or e-mailed while driving

**Q13.** During the past 30 days, on how many days did you carry **a weapon** such as a gun, knife, or club?

- A. 0 days
- B. 1 day**
- C. 2 or 3 days**
- D. 4 or 5 days**
- E. 6 or more days**

Variable label: Carried weapon 30 days

QN13: Numerator: Students who answered B, C, D, or E for Q13  
Denominator: Students who answered A, B, C, D, or E for Q13  
Summary text: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days  
QN variable label: Carried weapon 1+ past 30 days

---

## 2013 YRBS Data User's Guide

---

**Q14.** During the past 30 days, on how many days did you carry a **gun**?

- A. 0 days
- B. 1 day**
- C. 2 or 3 days**
- D. 4 or 5 days**
- E. 6 or more days**

Variable label: Carried gun 30 days

QN14: Numerator: Students who answered B, C, D, or E for Q14  
Denominator: Students who answered A, B, C, D, or E for Q14  
Summary text: Percentage of students who carried a gun on one or more of the past 30 days  
QN variable label: Carried gun 1+ past 30 days

**Q15.** During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club **on school property**?

- A. 0 days
- B. 1 day**
- C. 2 or 3 days**
- D. 4 or 5 days**
- E. 6 or more days**

Variable label: Carried weapon at school 30 days

QN15: Numerator: Students who answered B, C, D, or E for Q15  
Denominator: Students who answered A, B, C, D, or E for Q15  
Summary text: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days  
QN variable label: Carried weapon school 1+ past 30 days

**Q16.** During the past 30 days, on how many days did you **not** go to school because you felt you would be unsafe at school or on your way to or from school?

- A. 0 days
- B. 1 day**
- C. 2 or 3 days**
- D. 4 or 5 days**
- E. 6 or more days**

Variable label: How many days feel unsafe@school 30 days

QN16: Numerator: Students who answered B, C, D, or E for Q16  
Denominator: Students who answered A, B, C, D, or E for Q16  
Summary text: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school  
QN variable label: Missed school b/c unsafe 1+ 30 days



---

## 2013 YRBS Data User's Guide

---

- Q17.** During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club **on school property?**
- A. 0 times
  - B. 1 time**
  - C. 2 or 3 times**
  - D. 4 or 5 times**
  - E. 6 or 7 times**
  - F. 8 or 9 times**
  - G. 10 or 11 times**
  - H. 12 or more times**

Variable label: How many times threatened@school 12 mos

- QN17: Numerator: Students who answered B, C, D, E, F, G, or H for Q17  
Denominator: Students who answered A, B, C, D, E, F, G, or H for Q17  
Summary text: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months  
QN variable label: Threatened at school 1+ times 12 mos

- Q18.** During the past 12 months, how many times were you in a physical fight?
- A. 0 times
  - B. 1 time**
  - C. 2 or 3 times**
  - D. 4 or 5 times**
  - E. 6 or 7 times**
  - F. 8 or 9 times**
  - G. 10 or 11 times**
  - H. 12 or more times**

Variable label: How many times in fight 12 mos

- QN18: Numerator: Students who answered B, C, D, E, F, G, or H for Q18  
Denominator: Students who answered A, B, C, D, E, F, G, or H for Q18  
Summary text: Percentage of students who were in a physical fight one or more times during the past 12 months  
QN variable label: Fought 1+ times 12 mos

- Q19.** During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?
- A. 0 times
  - B. 1 time**
  - C. 2 or 3 times**
  - D. 4 or 5 times**
  - E. 6 or more times**

Variable label: How many times injured in fight 12 mos

- QN19: Numerator: Students who answered B, C, D, or E for Q19  
Denominator: Students who answered A, B, C, D, or E for Q19  
Summary text: Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse  
QN variable label: Injured/treated 1+ times 12 mos

---

## 2013 YRBS Data User's Guide

---

**Q20.** During the past 12 months, how many times were you in a physical fight **on school property**?

- A. 0 times
- B. 1 time**
- C. 2 or 3 times**
- D. 4 or 5 times**
- E. 6 or 7 times**
- F. 8 or 9 times**
- G. 10 or 11 times**
- H. 12 or more times**

Variable label: How many times in fight @ school 12 mos

QN20: Numerator: Students who answered B, C, D, E, F, G, or H for Q20  
Denominator: Students who answered A, B, C, D, E, F, G, or H for Q20  
Summary text: Percentage of students who were in a physical fight on school property one or more times during the past 12 months  
QN variable label: Fought school 1+ times 12 mos

**Q21.** Have you ever been physically forced to have sexual intercourse when you did not want to?

- A. Yes**
- B. No

Variable label: Have you been forced to have sex

QN21: Numerator: Students who answered A for Q21  
Denominator: Students who answered A or B for Q21  
Summary text: Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to  
QN variable label: Forced to have sex

**Q22.** During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)

- A. I did not date or go out with anyone during the past 12 months
- B. 0 times
- C. 1 time**
- D. 2 or 3 times**
- E. 4 or 5 times**
- F. 6 or more times**

Variable label: Times physically hurt by dates 12 mos

QN22\*: Numerator: Students who answered C, D, E, or F for Q22  
Denominator: Students who answered B, C, D, E, or F for Q22  
Summary text: Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months  
QN variable label: Hurt by date 1+ times past 12 mos

---

## 2013 YRBS Data User's Guide

---

- Q23.** During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? (Count such things as kissing, touching, or being physically forced to have sexual intercourse.)
- A. I did not date or go out with anyone during the past 12 months
  - B. 0 times
  - C. 1 time**
  - D. 2 or 3 times**
  - E. 4 or 5 times**
  - F. 6 or more times**

Variable label: Forced to do sexual things by dates

QN23\*: Numerator: Students who answered C, D, E, or F for Q23  
Denominator: Students who answered B, C, D, E, or F for Q23  
Summary text: Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months  
QN variable label: Forced to do sexual by date past 12 mos

- Q24.** During the past 12 months, have you ever been bullied **on school property**?
- A. Yes**
  - B. No

Variable label: Have you been bullied @ school 12 mos

QN24: Numerator: Students who answered A for Q24  
Denominator: Students who answered A or B for Q24  
Summary text: Percentage of students who had ever been bullied on school property during the past 12 months  
QN variable label: Bullied at school 12 mos

- Q25.** During the past 12 months, have you ever been **electronically** bullied? (Include being bullied through e-mail, chat rooms, instant messaging, Web sites, or texting.)
- A. Yes**
  - B. No

Variable label: Ever been electronically bullied 12 mos

QN25: Numerator: Students who answered A for Q25  
Denominator: Students who answered A or B for Q25  
Summary text: Percentage of students who had ever been electronically bullied during the past 12 months  
QN variable label: Electronically bullied 12 mos

- Q26.** During the past 12 months, did you ever feel so sad or hopeless almost every day for **two weeks or more in a row** that you stopped doing some usual activities?

- A. Yes**
- B. No

Variable label: Ever feel sad or hopeless 12 mos

QN26: Numerator: Students who answered A for Q26  
Denominator: Students who answered A or B for Q26  
Summary text: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months  
QN variable label: Sad 2 wks past 12 mos

---

## 2013 YRBS Data User's Guide

---

|   |
|---|
| <p><b>Q27.</b> During the past 12 months, did you ever <b>seriously</b> consider attempting suicide?<br/><b>A. Yes</b><br/><b>B. No</b></p> <p>Variable label: Ever considered suicide 12 mos</p> <p>QN27: Numerator: Students who answered A for Q27<br/>Denominator: Students who answered A or B for Q27<br/>Summary text: Percentage of students who seriously considered attempting suicide during the past 12 months<br/>QN variable label: Considered suicide 12 mos</p>   |
| <p><b>Q28.</b> During the past 12 months, did you make a plan about how you would attempt suicide?<br/><b>A. Yes</b><br/><b>B. No</b></p> <p>Variable label: Ever make suicide plan 12 mos</p> <p>QN28: Numerator: Students who answered A for Q28<br/>Denominator: Students who answered A or B for Q28<br/>Summary text: Percentage of students who made a plan about how they would attempt suicide during the past 12 months<br/>QN variable label: Made suicide plan 12 mos</p>  |
| <p><b>Q29.</b> During the past 12 months, how many times did you actually attempt suicide?<br/><b>A. 0 times</b><br/><b>B. 1 time</b><br/><b>C. 2 or 3 times</b><br/><b>D. 4 or 5 times</b><br/><b>E. 6 or more times</b></p> <p>Variable label: How many times attempt suicide 12 mos</p> <p>QN29: Numerator: Students who answered B, C, D, or E for Q29<br/>Denominator: Students who answered A, B, C, D, or E for Q29<br/>Summary text: Percentage of students who actually attempted suicide one or more times during the past 12 months<br/>QN variable label: Attempted suicide 1+ times 12 mos</p>   |
| <p><b>Q30.</b> <b>If you attempted suicide</b> during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?<br/><b>A. I did not attempt suicide during the past 12 months</b><br/><b>B. Yes</b><br/><b>C. No</b></p> <p>Variable label: Ever injured from suicide attempt 12 mos</p> <p>QN30: Numerator: Students who answered B for Q30<br/>Denominator: Students who answered A, B, or C for Q30<br/>Summary text: Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse<br/>QN variable label: Suicide attempt w/injury 12 mos</p> |

---

## 2013 YRBS Data User's Guide

---

**Q31.** Have you ever tried cigarette smoking, even one or two puffs?

- A.** Yes
- B.** No

Variable label: Ever smoked

QN31: Numerator: Students who answered A for Q31  
Denominator: Students who answered A or B for Q31  
Summary text: Percentage of students who ever tried cigarette smoking, even one or two puffs  
QN variable label: Ever tried cigarettes

**Q32.** How old were you when you smoked a whole cigarette for the first time?

- A.** I have never smoked a whole cigarette
- B.** 8 years old or younger
- C.** 9 or 10 years old
- D.** 11 or 12 years old
- E.** 13 or 14 years old
- F.** 15 or 16 years old
- G.** 17 years old or older

Variable label: How old when first smoked

QN32: Numerator: Students who answered B, C, or D for Q32  
Denominator: Students who answered A, B, C, D, E, F, or G for Q32  
Summary text: Percentage of students who smoked a whole cigarette for the first time before age 13 years  
QN variable label: Smoked cigarette before 13

**Q33.** During the past 30 days, on how many days did you smoke cigarettes?

- A.** 0 days
- B.** 1 or 2 days
- C.** 3 to 5 days
- D.** 6 to 9 days
- E.** 10 to 19 days
- F.** 20 to 29 days
- G.** All 30 days

Variable label: How many days smoked 30 days

Dependence: Required by QN34, QN35, QN38, QNFRCIG, and QNANYTOB

QN33: Numerator: Students who answered B, C, D, E, F, or G for Q33  
Denominator: Students who answered A, B, C, D, E, F, or G for Q33  
Summary text: Percentage of students who smoked cigarettes on one or more of the past 30 days  
QN variable label: Smoked 1+ past 30 days

---

## 2013 YRBS Data User's Guide

---

**Q34.** During the past 30 days, on the days you smoked, how many cigarettes did you smoke **per day**?

- A. I did not smoke cigarettes during the past 30 days
- B. Less than 1 cigarette per day
- C. 1 cigarette per day
- D. 2 to 5 cigarettes per day
- E. 6 to 10 cigarettes per day
- F. 11 to 20 cigarettes per day**
- G. More than 20 cigarettes per day**

Variable label: How many cigarettes/day 30 days

QN34\*: Numerator: Students who answered F or G for Q34

Denominator: Students who answered B, C, D, E, F, or G for Q33 and answered B, C, D, E, F, or G for Q34

Summary text: Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days

QN variable label: Smoked >10 cigarettes/day past 30 days

Dependence: Depends on Q33

**Q35.** During the past 30 days, how did you **usually** get your own cigarettes? (Select only **one** response.)

- A. I did not smoke cigarettes during the past 30 days
- B. I bought them in a store such as a convenience store, supermarket, discount store, or gas station**
- C. I bought them from a vending machine
- D. I gave someone else money to buy them for me
- E. I borrowed (or bummed) them from someone else
- F. A person 18 years old or older gave them to me
- G. I took them from a store or family member
- H. I got them some other way

Variable label: How did you get cigarettes past 30 days

QN35\*: Numerator: Students who answered B for Q35

Denominator: Students who answered A, B, C, D, E, or F for Q1 and answered B, C, D, E, F, or G for Q33 and answered B, C, D, E, F, G, or H for Q35

Summary text: Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days

QN variable label: Got cigarettes in store 30 days

Dependence: Depends on Q1 and Q33

**Q36.** During the past 30 days, on how many days did you smoke cigarettes **on school property**?

- A. 0 days
- B. 1 or 2 days**
- C. 3 to 5 days**
- D. 6 to 9 days**
- E. 10 to 19 days**
- F. 20 to 29 days**
- G. All 30 days**

Variable label: How many days smoke @ school 30 days

QN36: Numerator: Students who answered B, C, D, E, F, or G for Q36

Denominator: Students who answered A, B, C, D, E, F, or G for Q36

Summary text: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days

QN variable label: Smoked at school 1+ past 30 days

---

## 2013 YRBS Data User's Guide

---

**Q37.** Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?

- A. **Yes**
- B. No

Variable label: Have you ever smoked daily

QN37: Numerator: Students who answered A for Q37

Denominator: Students who answered A or B for Q37

Summary text: Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days

QN variable label: Smoked daily for 30 days

**Q38.** During the past 12 months, did you ever try **to quit** smoking cigarettes?

- A. I did not smoke during the past 12 months
- B. **Yes**
- C. No

Variable label: Tried to quit smoking past 12 months

QN38\*: Numerator: Students who answered B for Q38

Denominator: Students who answered B, C, D, E, F, or G for Q33 and answered B or C for Q38

Summary text: Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months

QN variable label: Among smokers, tried to quit smoking

Dependence: Depends on Q33

**Q39.** During the past 30 days, on how many days did you use **chewing tobacco, snuff, or dip**, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?

- A. 0 days
- B. **1 or 2 days**
- C. **3 to 5 days**
- D. **6 to 9 days**
- E. **10 to 19 days**
- F. **20 to 29 days**
- G. **All 30 days**

Variable label: How many days use snuff past 30 days

Dependence: Required by QNANYTOB

QN39: Numerator: Students who answered B, C, D, E, F, or G for Q39

Denominator: Students who answered A, B, C, D, E, F, or G for Q39

Summary text: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days

QN variable label: Used snuff/dip 1+ past 30 days

---

## 2013 YRBS Data User's Guide

---

**Q40.** During the past 30 days, on how many days did you smoke **cigars, cigarillos, or little cigars?**

- A. 0 days
- B. 1 or 2 days**
- C. 3 to 5 days**
- D. 6 to 9 days**
- E. 10 to 19 days**
- F. 20 to 29 days**
- G. All 30 days**

Variable label: How many days smoke cigars 30 days

Dependence: Required by QNANYTOB

QN40: Numerator: Students who answered B, C, D, E, F, or G for Q40

Denominator: Students who answered A, B, C, D, E, F, or G for Q40

Summary text: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days

QN variable label: Smoked cigars 1+ past 30 days

**Q41.** During your life, on how many days have you had at least one drink of alcohol?

- A. 0 days
- B. 1 or 2 days**
- C. 3 to 9 days**
- D. 10 to 19 days**
- E. 20 to 39 days**
- F. 40 to 99 days**
- G. 100 or more days**

Variable label: How many days drink alcohol

QN41: Numerator: Students who answered B, C, D, E, F, or G for Q41

Denominator: Students who answered A, B, C, D, E, F, or G for Q41

Summary text: Percentage of students who had at least one drink of alcohol on one or more days during their life

QN variable label: Had 1 drink on 1+ days in life

**Q42.** How old were you when you had your first drink of alcohol other than a few sips?

- A. I have never had a drink of alcohol other than a few sips
- B. 8 years old or younger**
- C. 9 or 10 years old**
- D. 11 or 12 years old**
- E. 13 or 14 years old
- F. 15 or 16 years old
- G. 17 years old or older

Variable label: How old when first drank alcohol

QN42: Numerator: Students who answered B, C, or D for Q42

Denominator: Students who answered A, B, C, D, E, F, or G for Q42

Summary text: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years

QN variable label: Had first drink before 13



---

## 2013 YRBS Data User's Guide

---

**Q43.** During the past 30 days, on how many days did you have at least one drink of alcohol?

- A. 0 days
- B. 1 or 2 days**
- C. 3 to 5 days**
- D. 6 to 9 days**
- E. 10 to 19 days**
- F. 20 to 29 days**
- G. All 30 days**

Variable label: How many days drink alcohol 30 days

Dependence: Required by QN46

QN43: Numerator: Students who answered B, C, D, E, F, or G for Q43

Denominator: Students who answered A, B, C, D, E, F, or G for Q43

Summary text: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days

QN variable label: Had 1+ drinks past 30 days

---

**Q44.** During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?

- A. 0 days
- B. 1 day**
- C. 2 days**
- D. 3 to 5 days**
- E. 6 to 9 days**
- F. 10 to 19 days**
- G. 20 or more days**

Variable label: How many days have 5+ drinks 30 days

QN44: Numerator: Students who answered B, C, D, E, F, or G for Q44

Denominator: Students who answered A, B, C, D, E, F, or G for Q44

Summary text: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days

QN variable label: Five+ drinks 1+ past 30 days

---

**Q45.** During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?

- A. I did not drink alcohol during the past 30 days
- B. 1 or 2 drinks
- C. 3 drinks
- D. 4 drinks
- E. 5 drinks
- F. 6 or 7 drinks
- G. 8 or 9 drinks
- H. 10 or more drinks**

Variable label: Max # drinks in a row past 30 days

QN45: Numerator: Students who answered H for Q45

Denominator: Students who answered A, B, C, D, E, F, G, or H for Q45

Summary text: Percentage of students who had ten or more drinks of alcohol in a row, that is, within a couple of hours, during the past 30 days

QN variable label: 10+ drinks in a row past 30 days

---

## 2013 YRBS Data User's Guide

---

- Q46.** During the past 30 days, how did you **usually** get the alcohol you drank?
- A. I did not drink alcohol during the past 30 days
  - B. I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station
  - C. I bought it at a restaurant, bar, or club
  - D. I bought it at a public event such as a concert or sporting event
  - E. I gave someone else money to buy it for me
  - F. Someone gave it to me**
  - G. I took it from a store or family member
  - H. I got it some other way

Variable label: How did you get alcohol past 30 days

- QN46\*: Numerator: Students who answered F for Q46  
Denominator: Students who answered B, C, D, E, F, or G for Q43 and answered B, C, D, E, F, G, or H for Q46  
Summary text: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days  
QN variable label: Someone gave alcohol to me past 30 days  
Dependence: Depends on Q43

- Q47.** During your life, how many times have you used marijuana?
- A. 0 times
  - B. 1 or 2 times**
  - C. 3 to 9 times**
  - D. 10 to 19 times**
  - E. 20 to 39 times**
  - F. 40 to 99 times**
  - G. 100 or more times**

Variable label: How many times smoke marijuana

- QN47: Numerator: Students who answered B, C, D, E, F, or G for Q47  
Denominator: Students who answered A, B, C, D, E, F, or G for Q47  
Summary text: Percentage of students who used marijuana one or more times during their life  
QN variable label: Tried marijuana 1+ times in life

- Q48.** How old were you when you tried marijuana for the first time?
- A. I have never tried marijuana
  - B. 8 years old or younger**
  - C. 9 or 10 years old**
  - D. 11 or 12 years old**
  - E. 13 or 14 years old
  - F. 15 or 16 years old
  - G. 17 years old or older

Variable label: How old when first tried marijuana

- QN48: Numerator: Students who answered B, C, or D for Q48  
Denominator: Students who answered A, B, C, D, E, F, or G for Q48  
Summary text: Percentage of students who tried marijuana for the first time before age 13 years  
QN variable label: Tried marijuana before 13

---

## 2013 YRBS Data User's Guide

---

**Q49.** During the past 30 days, how many times did you use marijuana?

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 or more times**

Variable label: How many times use marijuana 30 days

QN49: Numerator: Students who answered B, C, D, E, or F for Q49  
Denominator: Students who answered A, B, C, D, E, or F for Q49  
Summary text: Percentage of students who used marijuana one or more times during the past 30 days  
QN variable label: Used marijuana 1+ times past 30 days

**Q50.** During your life, how many times have you used **any** form of cocaine, including powder, crack, or freebase?

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 or more times**

Variable label: How many times use cocaine

QN50: Numerator: Students who answered B, C, D, E, or F for Q50  
Denominator: Students who answered A, B, C, D, E, or F for Q50  
Summary text: Percentage of students who used any form of cocaine, including powder, crack, or freebase, one or more times during their life  
QN variable label: Used cocaine 1+ times in life

**Q51.** During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 or more times**

Variable label: How many times sniffed glue

QN51: Numerator: Students who answered B, C, D, E, or F for Q51  
Denominator: Students who answered A, B, C, D, E, or F for Q51  
Summary text: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life  
QN variable label: Sniffed glue 1+ times in life

---

## 2013 YRBS Data User's Guide

---

- Q52.** During your life, how many times have you used **heroin** (also called smack, junk, or China White)?
- A. 0 times
  - B. 1 or 2 times**
  - C. 3 to 9 times**
  - D. 10 to 19 times**
  - E. 20 to 39 times**
  - F. 40 or more times**

Variable label: How many times used heroin

- QN52: Numerator: Students who answered B, C, D, E, or F for Q52  
Denominator: Students who answered A, B, C, D, E, or F for Q52  
Summary text: Percentage of students who used heroin one or more times during their life  
QN variable label: Used heroin 1+ times in life

- Q53.** During your life, how many times have you used **methamphetamines** (also called speed, crystal, crank, or ice)?
- A. 0 times
  - B. 1 or 2 times**
  - C. 3 to 9 times**
  - D. 10 to 19 times**
  - E. 20 to 39 times**
  - F. 40 or more times**

Variable label: How many times used methamphetamines

- QN53: Numerator: Students who answered B, C, D, E, or F for Q53  
Denominator: Students who answered A, B, C, D, E, or F for Q53  
Summary text: Percentage of students who used methamphetamines one or more times during their life  
QN variable label: Used meth 1+ times in life

- Q54.** During your life, how many times have you used **ecstasy** (also called MDMA)?
- A. 0 times
  - B. 1 or 2 times**
  - C. 3 to 9 times**
  - D. 10 to 19 times**
  - E. 20 to 39 times**
  - F. 40 or more times**

Variable label: Ecstasy one or more time

- QN54: Numerator: Students who answered B, C, D, E, or F for Q54  
Denominator: Students who answered A, B, C, D, E, or F for Q54  
Summary text: Percentage of students who used ecstasy one or more times during their life  
QN variable label: Used ecstasy 1+ times in life

---

## 2013 YRBS Data User's Guide

---

- Q55.** During your life, how many times have you taken **steroid pills or shots** without a doctor's prescription?
- A. 0 times
  - B. 1 or 2 times**
  - C. 3 to 9 times**
  - D. 10 to 19 times**
  - E. 20 to 39 times**
  - F. 40 or more times**

Variable label: How many times used steroids

- QN55: Numerator: Students who answered B, C, D, E, or F for Q55  
Denominator: Students who answered A, B, C, D, E, or F for Q55  
Summary text: Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life  
QN variable label: Took steroids 1+ times in life

- Q56.** During your life, how many times have you taken a **prescription drug** (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?
- A. 0 times
  - B. 1 or 2 times**
  - C. 3 to 9 times**
  - D. 10 to 19 times**
  - E. 20 to 39 times**
  - F. 40 or more times**

Variable label: Times prescription drug wo prescription

- QN56: Numerator: Students who answered B, C, D, E, or F for Q56  
Denominator: Students who answered A, B, C, D, E, or F for Q56  
Summary text: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life  
QN variable label: Taken prescription drug wo prescription

- Q57.** During your life, how many times have you used a needle to inject any **illegal drug** into your body?
- A. 0 times
  - B. 1 time**
  - C. 2 or more times**

Variable label: How many times injected drugs

- QN57: Numerator: Students who answered B or C for Q57  
Denominator: Students who answered A, B, or C for Q57  
Summary text: Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life  
QN variable label: Injected drugs 1+ times in life

- Q58.** During the past 12 months, has anyone offered, sold, or given you an illegal drug **on school property**?
- A. Yes**
  - B. No

Variable label: Offered drugs @ school 12 mos

- QN58: Numerator: Students who answered A for Q58  
Denominator: Students who answered A or B for Q58  
Summary text: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months  
QN variable label: Offered/sold drugs at school 12 mos

---

## 2013 YRBS Data User's Guide

---

**Q59.** Have you ever had sexual intercourse?

- A. **Yes**
- B. No

Variable label: Ever had sex

QN59: Numerator: Students who answered A for Q59  
Denominator: Students who answered A or B for Q59  
Summary text: Percentage of students who ever had sexual intercourse  
QN variable label: Had sex ever

**Q60.** How old were you when you had sexual intercourse for the first time?

- A. I have never had sexual intercourse
- B. **11 years old or younger**
- C. **12 years old**
- D. 13 years old
- E. 14 years old
- F. 15 years old
- G. 16 years old
- H. 17 years old or older

Variable label: How old at first sex

QN60: Numerator: Students who answered B or C for Q60  
Denominator: Students who answered A, B, C, D, E, F, G, or H for Q60  
Summary text: Percentage of students who had sexual intercourse for the first time before age 13 years  
QN variable label: Had sex before 13

**Q61.** During your life, with how many people have you had sexual intercourse?

- A. I have never had sexual intercourse
- B. 1 person
- C. 2 people
- D. 3 people
- E. **4 people**
- F. **5 people**
- G. **6 or more people**

Variable label: How many sex partners

QN61: Numerator: Students who answered E, F, or G for Q61  
Denominator: Students who answered A, B, C, D, E, F, or G for Q61  
Summary text: Percentage of students who had sexual intercourse with four or more people during their life  
QN variable label: Had sex with 4+ people in life

---

## 2013 YRBS Data User's Guide

---

|   |
|---|
| <p><b>Q62.</b> During the past 3 months, with how many people did you have sexual intercourse?</p> <p>A. I have never had sexual intercourse<br/>B. I have had sexual intercourse, but not during the past 3 months<br/><b>C. 1 person</b><br/><b>D. 2 people</b><br/><b>E. 3 people</b><br/><b>F. 4 people</b><br/><b>G. 5 people</b><br/><b>H. 6 or more people</b></p> <p>Variable label: How many sex partners 3 mos<br/>Dependence: Required by QN63, QN64, QN65, QNOTHH, QNOTHHPL, and QNDUALBC</p> <p>QN62: Numerator: Students who answered C, D, E, F, G, or H for Q62<br/>Denominator: Students who answered A, B, C, D, E, F, G, or H for Q62<br/>Summary text: Percentage of students who had sexual intercourse with one or more people during the past three months<br/>QN variable label: Had sex with 1+ people 3 mos</p> |
| <p><b>Q63.</b> Did you drink alcohol or use drugs before you had sexual intercourse the <b>last time</b>?</p> <p>A. I have never had sexual intercourse<br/><b>B. Yes</b><br/>C. No</p> <p>Variable label: Did you use alcohol/drugs @ last sex</p> <p>QN63*: Numerator: Students who answered B for Q63<br/>Denominator: Students who answered C, D, E, F, G, or H for Q62 and answered B or C for Q63<br/>Summary text: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse<br/>QN variable label: Of current sex, used alcohol last time<br/>Dependence: Depends on Q62</p>  |
| <p><b>Q64.</b> The <b>last time</b> you had sexual intercourse, did you or your partner use a condom?</p> <p>A. I have never had sexual intercourse<br/><b>B. Yes</b><br/>C. No</p> <p>Variable label: Did you use condom @ last sex<br/>Dependence: Required by QNDUAL</p> <p>QN64*: Numerator: Students who answered B for Q64<br/>Denominator: Students who answered C, D, E, F, G, or H for Q62 and answered B or C for Q64<br/>Summary text: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse<br/>QN variable label: Of current sex, used condom last time<br/>Dependence: Depends on Q62</p>   |

**Q65.** The **last time** you had sexual intercourse, what **one** method did you or your partner use to **prevent pregnancy?** (Select only **one** response.)

- A. I have never had sexual intercourse
- B. No method was used to prevent pregnancy
- C. Birth control pills**
- D. Condoms
- E. An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)
- F. A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)
- G. Withdrawal or some other method
- H. Not sure

Variable label: What birth control @ last sex

Dependence: Required by QNOTHH, QNOTHHPL, and QNDUALBC

QN65\*: Numerator: Students who answered C for Q65

Denominator: Students who answered C, D, E, F, G, or H for Q62 and answered B, C, D, E, F, G, or H for Q65

Summary text: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse

QN variable label: Of current sex, used bc pills last sex

Dependence: Depends on Q62

**Q66.** How do **you** describe your weight?

- A. Very underweight
- B. Slightly underweight
- C. About the right weight
- D. Slightly overweight**
- E. Very overweight**

Variable label: How do you describe your weight

QN66: Numerator: Students who answered D or E for Q66

Denominator: Students who answered A, B, C, D, or E for Q66

Summary text: Percentage of students who described themselves as slightly or very overweight

QN variable label: Slightly/very overweight

**Q67.** Which of the following are you trying to do about your weight?

- A. Lose weight**
- B. Gain weight
- C. Stay the same weight
- D. I am not trying to do anything about my weight

Variable label: What are you trying to do about weight

QN67: Numerator: Students who answered A for Q67

Denominator: Students who answered A, B, C, or D for Q67

Summary text: Percentage of students who were trying to lose weight

QN variable label: Trying to lose weight



## 2013 YRBS Data User's Guide

**Q68.** During the past 30 days, did you **go without eating for 24 hours or more** (also called fasting) to lose weight or to keep from gaining weight?

**A. Yes**

**B. No**

Variable label: Did you fast to lose weight 30 days

QN68: Numerator: Students who answered A for Q68  
 Denominator: Students who answered A or B for Q68  
 Summary text: Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days  
 QN variable label: Fasted to lose weight past 30 days

**Q69.** During the past 30 days, did you **take any diet pills, powders, or liquids** without a doctor's advice to lose weight or to keep from gaining weight? (Do **not** include meal replacement products such as Slim Fast.)

**A. Yes**

**B. No**

Variable label: Did you take pill to lose weight 30 days

QN69: Numerator: Students who answered A for Q69  
 Denominator: Students who answered A or B for Q69  
 Summary text: Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days  
 QN variable label: Took pills to lose weight past 30 days

**Q70.** During the past 30 days, did you **vomit or take laxatives** to lose weight or to keep from gaining weight?

**A. Yes**

**B. No**

Variable label: Did you vomit to lose weight 30 days

QN70: Numerator: Students who answered A for Q70  
 Denominator: Students who answered A or B for Q70  
 Summary text: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days  
 QN variable label: Vomited to lose weight past 30 days

**Q71.** During the past 7 days, how many times did you drink **100% fruit juices** such as orange juice, apple juice, or grape juice? (Do **not** count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)

**A. I did not drink 100% fruit juice during the past 7 days**

**B. 1 to 3 times during the past 7 days**

**C. 4 to 6 times during the past 7 days**

**D. 1 time per day**

**E. 2 times per day**

**F. 3 times per day**

**G. 4 or more times per day**

Variable label: How many times fruit juice 7 days

Dependence: Required by QNFRVG, QNFRVG2, QNFRUIT, QNFR0, QNFR1, and QNFR3

QN71: Numerator: Students who answered B, C, D, E, F, or G for Q71  
 Denominator: Students who answered A, B, C, D, E, F, or G for Q71  
 Summary text: Percentage of students who drank 100% fruit juices one or more times during the past seven days  
 QN variable label: Drank fruit juice past 7 days

---

## 2013 YRBS Data User's Guide

---

**Q72.** During the past 7 days, how many times did you eat **fruit**? (Do **not** count fruit juice.)

- A. I did not eat fruit during the past 7 days
- B. 1 to 3 times during the past 7 days**
- C. 4 to 6 times during the past 7 days**
- D. 1 time per day**
- E. 2 times per day**
- F. 3 times per day**
- G. 4 or more times per day**

Variable label: How many times fruit 7 days

Dependence: Required by QNFRVG, QNFRVG2, QNFRUIT, QNFR0, QNFR1, and QNFR3

QN72: Numerator: Students who answered B, C, D, E, F, or G for Q72

Denominator: Students who answered A, B, C, D, E, F, or G for Q72

Summary text: Percentage of students who ate fruit one or more times during the past seven days

QN variable label: Ate fruit past 7 days

**Q73.** During the past 7 days, how many times did you eat **green salad**?

- A. I did not eat green salad during the past 7 days
- B. 1 to 3 times during the past 7 days**
- C. 4 to 6 times during the past 7 days**
- D. 1 time per day**
- E. 2 times per day**
- F. 3 times per day**
- G. 4 or more times per day**

Variable label: How many time green salad 7 days

Dependence: Required by QNFRVG, QNFRVG2, QNVEG, QNVEG0, QNVEG1, and QNVEG2

QN73: Numerator: Students who answered B, C, D, E, F, or G for Q73

Denominator: Students who answered A, B, C, D, E, F, or G for Q73

Summary text: Percentage of students who ate green salad one or more times during the past seven days

QN variable label: Ate green salad past 7 days

**Q74.** During the past 7 days, how many times did you eat **potatoes**? (Do **not** count french fries, fried potatoes, or potato chips.)

- A. I did not eat potatoes during the past 7 days
- B. 1 to 3 times during the past 7 days**
- C. 4 to 6 times during the past 7 days**
- D. 1 time per day**
- E. 2 times per day**
- F. 3 times per day**
- G. 4 or more times per day**

Variable label: How many times potatoes 7 days

Dependence: Required by QNFRVG, QNFRVG2, QNVEG, QNVEG0, QNVEG1, and QNVEG2

QN74: Numerator: Students who answered B, C, D, E, F, or G for Q74

Denominator: Students who answered A, B, C, D, E, F, or G for Q74

Summary text: Percentage of students who ate potatoes one or more times during the past seven days

QN variable label: Ate potatoes past 7 days

---

## 2013 YRBS Data User's Guide

---

**Q75.** During the past 7 days, how many times did you eat **carrots**?

- A. I did not eat carrots during the past 7 days
- B. 1 to 3 times during the past 7 days**
- C. 4 to 6 times during the past 7 days**
- D. 1 time per day**
- E. 2 times per day**
- F. 3 times per day**
- G. 4 or more times per day**

Variable label: How many times carrots 7 days

Dependence: Required by QNFRVG, QNFRVG2, QNVEG, QNVEG0, QNVEG1, and QNVEG2

QN75: Numerator: Students who answered B, C, D, E, F, or G for Q75

Denominator: Students who answered A, B, C, D, E, F, or G for Q75

Summary text: Percentage of students who ate carrots one or more times during the past seven days

QN variable label: Ate carrots past 7 days

**Q76.** During the past 7 days, how many times did you eat **other vegetables**? (Do **not** count green salad, potatoes, or carrots.)

- A. I did not eat other vegetables during the past 7 days
- B. 1 to 3 times during the past 7 days**
- C. 4 to 6 times during the past 7 days**
- D. 1 time per day**
- E. 2 times per day**
- F. 3 times per day**
- G. 4 or more times per day**

Variable label: How many times other vegetables 7 days

Dependence: Required by QNFRVG, QNFRVG2, QNVEG, QNVEG0, QNVEG1, and QNVEG2

QN76: Numerator: Students who answered B, C, D, E, F, or G for Q76

Denominator: Students who answered A, B, C, D, E, F, or G for Q76

Summary text: Percentage of students who ate other vegetables one or more times during the past seven days

QN variable label: Ate vegetables past 7 days

**Q77.** During the past 7 days, how many times did you drink a **can, bottle, or glass of soda or pop**, such as Coke, Pepsi, or Sprite? (Do **not** count diet soda or diet pop.)

- A. I did not drink soda or pop during the past 7 days
- B. 1 to 3 times during the past 7 days
- C. 4 to 6 times during the past 7 days
- D. 1 time per day**
- E. 2 times per day**
- F. 3 times per day**
- G. 4 or more times per day**

Variable label: How many times drink soda past 7 days

Dependence: Required by QNSODA0, QNSODA2, and QNSODA3

QN77: Numerator: Students who answered D, E, F, or G for Q77

Denominator: Students who answered A, B, C, D, E, F, or G for Q77

Summary text: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days

QN variable label: Drank soda 1+ times/day past 7 days

---

## 2013 YRBS Data User's Guide

---

- Q78.** During the past 7 days, how many **glasses of milk** did you drink? (Count the milk you drank in a glass or cup, from a carton, or with cereal. Count the half pint of milk served at school as equal to one glass.)
- A. I did not drink milk during the past 7 days
  - B. 1 to 3 glasses during the past 7 days
  - C. 4 to 6 glasses during the past 7 days
  - D. 1 glass per day
  - E. 2 glasses per day
  - F. 3 glasses per day**
  - G. 4 or more glasses per day**

Variable label: How many glass of milk 7 days  
Dependence: Required by QNMILK0, QNMILK1, and QNMILK2

- QN78: Numerator: Students who answered F or G for Q78  
Denominator: Students who answered A, B, C, D, E, F, or G for Q78  
Summary text: Percentage of students who drank three or more glasses per day of milk during the past seven days  
QN variable label: Drank 3+ glasses milk/day past 7 days

- Q79.** During the past 7 days, on how many days did you eat **breakfast**?
- A. 0 days
  - B. 1 day
  - C. 2 days
  - D. 3 days
  - E. 4 days
  - F. 5 days
  - G. 6 days
  - H. 7 days**

Variable label: How often ate breakfast past 7 days  
Dependence: Required by QNNOBKFT

- QN79: Numerator: Students who answered H for Q79  
Denominator: Students who answered A, B, C, D, E, F, G or H for Q79  
Summary text: Percentage of students who ate breakfast on all of the past seven days  
QN variable label: Ate breakfast on all of the past 7 days

- Q80.** During the past 7 days, on how many days were you physically active for a total of **at least 60 minutes per day**? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)
- A. 0 days
  - B. 1 day
  - C. 2 days
  - D. 3 days
  - E. 4 days
  - F. 5 days**
  - G. 6 days**
  - H. 7 days**

Variable label: Days active 60 min plus past 7 days  
Dependence: Required by QNPA0DAY and QNPA7DAY

- QN80: Numerator: Students who answered F, G, or H for Q80  
Denominator: Students who answered A, B, C, D, E, F, G, or H for Q80  
Summary text: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days  
QN variable label: Active 60 min on 5+ past 7 days

---

## 2013 YRBS Data User's Guide

---

**Q81.** On an average school day, how many hours do you watch TV?

- A. I do not watch TV on an average school day
- B. Less than 1 hour per day
- C. 1 hour per day
- D. 2 hours per day
- E. 3 hours per day**
- F. 4 hours per day**
- G. 5 or more hours per day**

Variable label: How many hours watch TV

QN81: Numerator: Students who answered E, F, or G for Q81  
Denominator: Students who answered A, B, C, D, E, F, or G for Q81  
Summary text: Percentage of students who watched three or more hours per day of TV on an average school day  
QN variable label: Watched 3+ hours of TV average day

**Q82.** On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent on things such as Xbox, PlayStation, an iPod, an iPad or other tablet, a smartphone, YouTube, Facebook or other social networking tools, and the Internet.)

- A. I do not play video or computer games or use a computer for something that is not school work
- B. Less than 1 hour per day
- C. 1 hour per day
- D. 2 hours per day
- E. 3 hours per day**
- F. 4 hours per day**
- G. 5 or more hours per day**

Variable label: How many hours/day play video games

QN82: Numerator: Students who answered E, F, or G for Q82  
Denominator: Students who answered A, B, C, D, E, F, or G for Q82  
Summary text: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day  
QN variable label: Played video games 3+ hours/day

**Q83.** In an average week when you are in school, on how many days do you go to physical education (PE) classes?

- A. 0 days
- B. 1 day**
- C. 2 days**
- D. 3 days**
- E. 4 days**
- F. 5 days**

Variable label: How many days go to PE class  
Dependence: Required by QNDLYPE

QN83: Numerator: Students who answered B, C, D, E, or F for Q83  
Denominator: Students who answered A, B, C, D, E, or F for Q83  
Summary text: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school  
QN variable label: Attended PE class 1+ days average week

---

## 2013 YRBS Data User's Guide

---

**Q84.** During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)

- A. 0 teams
- B. 1 team**
- C. 2 teams**
- D. 3 or more teams**

Variable label: On how many sports team 12 mos

QN84: Numerator: Students who answered B, C, or D for Q84  
Denominator: Students who answered A, B, C, or D for Q84  
Summary text: Percentage of students who played on one or more sports teams during the past 12 months

QN variable label: Played on 1+ sports teams past 12 mos

**Q85.** Have you ever been taught about AIDS or HIV infection in school?

- A. Yes**
- B. No
- C. Not sure

Variable label: Ever taught about AIDS/HIV @ school

QN85: Numerator: Students who answered A for Q85  
Denominator: Students who answered A, B, or C for Q85  
Summary text: Percentage of students who had ever been taught in school about AIDS or HIV infection

QN variable label: Taught about AIDS/HIV @ school

**Q86.** Has a doctor or nurse ever told you that you have asthma?

- A. Yes**
- B. No
- C. Not sure

Variable label: Ever been told you have asthma

QN86: Numerator: Students who answered A for Q86  
Denominator: Students who answered A, B, or C for Q86  
Summary text: Percentage of students who had ever been told by a doctor or nurse that they had asthma

QN variable label: Told by doctor/nurse they had asthma

**Q87.** During your life, how many times have you used **hallucinogenic drugs**, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms?

- A. 0 times
- B. 1 or 2 times**
- C. 3 to 9 times**
- D. 10 to 19 times**
- E. 20 to 39 times**
- F. 40 or more times**

Variable label: Ever used LSD

QN87: Numerator: Students who answered B, C, D, E, or F for Q87  
Denominator: Students who answered A, B, C, D, E, or F for Q87  
Summary text: Percentage of students who have used hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms, one or more times during their life

QN variable label: Used LSD 1+ times

## 2013 YRBS Data User's Guide

**Q88.** On how many of the past 7 days did you do exercises to **strengthen or tone your muscles**, such as push-ups, sit-ups, or weight lifting?

- A. 0 days
- B. 1 day
- C. 2 days
- D. 3 days**
- E. 4 days**
- F. 5 days**
- G. 6 days**
- H. 7 days**

Variable label: Strengthen muscles past 7 days

QN88: Numerator: Students who answered D, E, F, G, or H for Q88  
 Denominator: Students who answered A, B, C, D, E, F, G, or H for Q88  
 Summary text: Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days  
 QN variable label: Strengthened muscles 3+ of past 7 days

**Q89.** Have you ever been tested for HIV, the virus that causes AIDS? (Do **not** count tests done if you donated blood.)

- A. Yes**
- B. No
- C. Not sure

Variable label: Ever tested for HIV

QN89: Numerator: Students who answered A for Q89  
 Denominator: Students who answered A, B, or C for Q89  
 Summary text: Percentage of students who had ever been tested for HIV, the virus that causes AIDS  
 QN variable label: Tested for HIV

**Q90.** When you are outside for more than one hour on a sunny day, how often do you wear sunscreen with an SPF of 15 or higher?

- A. Never
- B. Rarely
- C. Sometimes
- D. Most of the time**
- E. Always**

Variable label: Sunscreen use outside

QN90: Numerator: Students who answered D or E for Q90  
 Denominator: Students who answered A, B, C, D, or E for Q90  
 Summary text: Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day  
 QN variable label: Mostly or always wear sunscreen

---

## 2013 YRBS Data User's Guide

---

- Q91.** During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? (Do **not** count getting a spray-on tan.)
- A. 0 times
  - B. 1 or 2 times**
  - C. 3 to 9 times**
  - D. 10 to 19 times**
  - E. 20 to 39 times**
  - F. 40 or more times**

Variable label: How many times indoor tanning

QN91: Numerator: Students who answered B, C, D, E, or F for Q91  
Denominator: Students who answered A, B, C, D, E, or F for Q91  
Summary text: Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months

QN variable label: Used 1+ times indoor tanning

- Q92.** On an average school night, how many hours of sleep do you get?
- A. 4 or less hours
  - B. 5 hours
  - C. 6 hours
  - D. 7 hours
  - E. 8 hours**
  - F. 9 hours**
  - G. 10 or more hours**

Variable label: Hours of sleep on school night

QN92: Numerator: Students who answered E, F, or G for Q92  
Denominator: Students who answered A, B, C, D, E, F, or G for Q92  
Summary text: Percentage of students who get eight or more hours of sleep on average school night

QN variable label: Get 8+ hours sleep



## Appendix B: National High School YRBS Supplemental (Qnword) Variables

|                    |   |
|--------------------|---|
| <b>QNFRDIG:</b>    |   |
| Numerator:         | Students who answered F or G for Q33  |
| Denominator:       | Students who answered A, B, C, D, E, F, or G for Q33  |
| Summary text:      | Percentage of students who smoked cigarettes on 20 or more of the past 30 days  |
| QN variable label: | Smoked on 20 past 30 days   |
| Dependence:        | Depends on Q33  |
| SAS code:          | if Q33 in ('6','7') then QNFRDIG=1;<br>else if Q33 in ('1','2','3','4','5') then QNFRDIG=2;   |
| <b>QNANYTOB:</b>   |   |
| Numerator:         | Students who answered B, C, D, E, F, or G for Q33, Q39, or Q40  |
| Denominator:       | Students who answered A, B, C, D, E, F, or G for Q33, Q39, and Q40\   |
| Summary text:      | Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days  |
| QN variable label: | Used any tobacco past 30 days   |
| Dependence:        | Depends on Q33, Q39, and Q40  |
| SAS code:          | QNANYTOB=2;<br><br>if Q33 in ('2','3','4','5','6','7') then QNANYTOB=1;<br>if Q39 in ('2','3','4','5','6','7') then QNANYTOB=1;<br>if Q40 in ('2','3','4','5','6','7') then QNANYTOB=1;<br>if Q33=' ' or Q39=' ' or Q40=' ' then QNANYTOB=. |
| <b>QNOTHH:</b>     |   |
| Numerator:         | Students who answered E or F for Q65  |
| Denominator:       | Students who answered C, D, E, F, G, or H for Q62 and answered B, C, D, E, G, or H for Q65  |
| Summary text:      | Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse                               |
| QN variable label: | Of current sex, used Depo last sex  |
| Dependence:        | Depends on Q62 and Q65  |
| SAS code:          | if q62 in ('3','4','5','6','7','8') then do;<br>if q65 in ('5','6') then QNOTHH=1;<br>else if q65 in ('2','3','4','7','8') then QNOTHH=2;<br>end;   |

## 2013 YRBS Data User's Guide

|                    |  |
|--------------------|--|
| <b>QNOTHHPL:</b>   |  |
| Numerator:         | Students who answered C, E, or F for Q65   |
| Denominator:       | Students who answered C, D, E, F, G, or H for Q62 and answered B, C, D, E, F, G, or H for Q65  |
| Summary text:      | Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse  |
| QN variable label: | Of current sex, birth ctrl/Depo last sex   |
| Dependence:        | Depends on Q62 and Q65   |
| SAS code:          | <pre>if q62 in ('3','4','5','6','7','8') then do;   if q65 in ('3','5','6') then QNOTHHPL=1;   else if q65 in ('2','4','7','8') then QNOTHHPL=2; end;</pre>  |
| <b>QNDUALBC:</b>   |  |
| Numerator:         | Students who answered B for Q64 and C, E, or F for Q65   |
| Denominator:       | Students who answered C, D, E, F, G, or H for Q62 and answered B or C for 64 and answered B, C, D, E, F, G, or H for Q65   |
| Summary text:      | Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse |
| QN variable label: | Of current sex, condom + birth ctrl/Depo   |
| Dependence:        | Depends on Q62, Q64, and Q65   |
| SAS code:          | <pre>if q62 in ('3','4','5','6','7','8') then do;   if q64='2' and q65 in ('3','5','6') then QNDUALBC=1;   else if q64 in (' ') or Q65 in (' ') then QNDUALBC=.;   else if q64 in ('3') or q65 in ('2','4','7','8') then QNDUALBC=2; end;</pre>                                      |
| <b>QNBCNONE:</b>   |  |
| Numerator:         | Students who answered B for Q65  |
| Denominator:       | Students who answered C, D, E, F, G, or H for Q62 and answered B, C, D, E, F, G, or H for Q65  |
| Summary text:      | Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse   |
| QN variable label: | Of current sex, no birth ctrl  |
| Dependence:        | Depends on Q62 and Q65   |
| SAS code:          | <pre>if q62 in ('3','4','5','6','7','8') then do;   if q65='2' then QNBCNONE=1;   else if q65 in ('3','4','5','6','7','8') then QNBCNONE=2; end;</pre>   |

---

## 2013 YRBS Data User's Guide

---

**QNFRVG:**

|                    |   |
|--------------------|---|
| Numerator:         | Calculated  |
| Denominator:       | Students who answered A, B, C, D, E, F, or G for Q71, Q72, Q73, Q74, Q75, and Q76   |
| Summary text:      | Percentage of students who ate fruits, drank 100% fruit juices, or ate vegetables five or more times per day during the past seven days   |
| QN variable label: | Ate 5+ fruits/vegetables/day 7 days   |
| Dependence:        | Depends on Q71, Q72, Q73, Q74, Q75, and Q76   |
| SAS code:          | <pre>length qfrvg1 qfrvg2 qfrvg3 qfrvg4 qfrvg5 qfrvg6 8; qfrvgtot=0; array qfv{6} q71 q72 q73 q74 q75 q76; array qfrvg{6} qfrvg1 qfrvg2 qfrvg3 qfrvg4 qfrvg5 qfrvg6; do i=1 to 6;   select (qfv{i});   when ('1') qfrvg{i}=0;   when ('2') qfrvg{i}=2/7;   when ('3') qfrvg{i}=5/7;   when ('4') qfrvg{i}=1;   when ('5') qfrvg{i}=2;   when ('6') qfrvg{i}=3;   when ('7') qfrvg{i}=4;   otherwise qfrvg{i}=.; end; qfrvgtot=qfrvgtot+qfrvg{i}; end; if qfrvgtot&gt;=5 then QNFRVG=1; else if qfrvgtot ne . then QNFRVG=2; else QNFRVG=.; drop qfrvg1-qfrvg6 qfrvgtot;</pre> |

---

## 2013 YRBS Data User's Guide

---

**QNFRUIT:**

|                    |  |
|--------------------|--|
| Numerator:         | Calculated   |
| Denominator:       | Students who answered A, B, C, D, E, F, or G for Q71 and Q72   |
| Summary text:      | Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days  |
| QN variable label: | Ate fruit/drank juice 2+ times/day   |
| Dependence:        | Depends on Q71 and Q72   |
| SAS code:          | <pre>length qfruit1 qfruit2 8; qfrtot=0; array qfr{2} q71 q72; array qfruit{2} qfruit1 qfruit2; do i=1 to 2;   select (qfr{i});   when ('1') qfruit{i}=0;   when ('2') qfruit{i}=2/7;   when ('3') qfruit{i}=5/7;   when ('4') qfruit{i}=1;   when ('5') qfruit{i}=2;   when ('6') qfruit{i}=3;   when ('7') qfruit{i}=4;   otherwise qfruit{i}=.; end; qfrtot=qfrtot+qfruit{i}; end; if qfrtot&gt;=2 then QNFRUIT=1; else if qfrtot ne . then QNFRUIT=2; else QNFRUIT=.; drop qfruit1-qfruit2 qfrtot;</pre> |

---

## 2013 YRBS Data User's Guide

---

**QNFR0:**

Numerator: Calculated  
Denominator: Students who answered A, B, C, D, E, F, or G for Q71 and Q72

Summary text: Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days

QN variable label: Ate fruit/drank juice 0 times/day  
Dependence: Depends on Q71 and Q72

SAS code: 

```
TOTALf=0;
array fruitq2a (*) q72 q73 ;
array summ2a (*) q72n q73n ;
do i = 1 to dim(fruitq2a);
if fruitq2a{i} = '1' then summ2a{i} = 0;
else if fruitq2a{i} = '2' then summ2a{i} = 2/7;
else if fruitq2a{i} = '3' then summ2a{i} = 5/7;
else if fruitq2a{i} = '4' then summ2a{i} = 1;
else if fruitq2a{i} = '5' then summ2a{i} = 2;
else if fruitq2a{i} = '6' then summ2a{i} = 3;
else if fruitq2a{i} = '7' then summ2a{i} = 4;
else summ2a{i}=.;
TOTALf=TOTALf+summ2a{i};
end;
if TOTALf = 0 then QNFR0=1;
else if TOTALf > 0 then QNFR0=2;
```

**QNFR1:**

Numerator: Calculated  
Denominator: Students who answered A, B, C, D, E, F, or G for Q71 and Q72

Summary text: Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days

QN variable label: Ate fruit/drank juice 1+ times/day  
Dependence: Depends on Q71 and Q72

SAS code: 

```
TOTALf=0;
array fruitq2a (*) q72 q73 ;
array summ2a (*) q72n q73n ;
do i = 1 to dim(fruitq2a);
if fruitq2a{i} = '1' then summ2a{i} = 0;
else if fruitq2a{i} = '2' then summ2a{i} = 2/7;
else if fruitq2a{i} = '3' then summ2a{i} = 5/7;
else if fruitq2a{i} = '4' then summ2a{i} = 1;
else if fruitq2a{i} = '5' then summ2a{i} = 2;
else if fruitq2a{i} = '6' then summ2a{i} = 3;
else if fruitq2a{i} = '7' then summ2a{i} = 4;
else summ2a{i}=.;
TOTALf=TOTALf+summ2a{i};
end;
if TOTALf GE 1 then QNFR1=1;
else if 0 LE TOTALf LT 1 then QNFR1=2;
```

---

## 2013 YRBS Data User's Guide

---

**QNFR3:**

|                    |  |
|--------------------|--|
| Numerator:         | Calculated   |
| Denominator:       | Students who answered A, B, C, D, E, F, or G for Q71 and Q72   |
| Summary text:      | Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days  |
| QN variable label: | Ate fruit/drank juice 3+ times/day   |
| Dependence:        | Depends on Q71 and Q72   |
| SAS code:          | <pre>TOTALf=0; array fruitq2a (*) q72 q73 ; array summ2a (*) q72n q73n ; do i = 1 to dim(fruitq2a); if fruitq2a{i} = '1' then summ2a{i} = 0; else if fruitq2a{i} = '2' then summ2a{i} = 2/7; else if fruitq2a{i} = '3' then summ2a{i} = 5/7; else if fruitq2a{i} = '4' then summ2a{i} = 1; else if fruitq2a{i} = '5' then summ2a{i} = 2; else if fruitq2a{i} = '6' then summ2a{i} = 3; else if fruitq2a{i} = '7' then summ2a{i} = 4; else summ2a{i}=.; TOTALf=TOTALf+summ2a{i}; end; if TOTALf GE 3 then QNFR3=1; else if 0 LE TOTALf LT 3 then QNFR3=2;</pre> |

**QNVEG:**

|                    |  |
|--------------------|--|
| Numerator:         | Calculated   |
| Denominator:       | Students who answered A, B, C, D, E, F, or G for Q73, Q74, Q75, and Q76  |
| Summary text:      | Percentage of students who ate vegetables three or more times per day during the past seven days   |
| QN variable label: | Ate 3+ vegetables/day 7 days   |
| Dependence:        | Depends on Q73, Q74, Q75, and Q76  |
| SAS code:          | <pre>length qveg1 qveg2 qveg3 qveg4 8; qvgtot=0; array qvg{4} q73 q74 q75 q76; array qveg{4} qveg1 qveg2 qveg3 qveg4; do i=1 to 4;   select (qvg{i});   when ('1') qveg{i}=0;   when ('2') qveg{i}=2/7;   when ('3') qveg{i}=5/7;   when ('4') qveg{i}=1;   when ('5') qveg{i}=2;   when ('6') qveg{i}=3;   when ('7') qveg{i}=4;   otherwise qveg{i}=.; end; qvgtot=qvgtot+qveg{i}; end; if qvgtot&gt;=3 then QNVEG=1; else if qvgtot ne . then QNVEG=2; else QNVEG=.; drop qveg1-qveg4 qvgtot;</pre> |

---

## 2013 YRBS Data User's Guide

---

### QNVEG0:

Numerator: Calculated  
Denominator: Students who answered A, B, C, D, E, F, or G for Q73, Q74, Q75, and Q76

Summary text: Percentage of students who ate vegetables 0 times per day during the past seven days  
QN variable label: Ate 0 vegetables/day 7 days

Dependence: Depends on Q73, Q74, Q75, and Q76

SAS code: 

```
TOTALv=0;
array fruitq3a (*) q74 q75 q76 q77;
array summ3a (*) q74n q75n q76n q77n;
do i = 1 to dim(fruitq3a);
if fruitq3a{i} = '1' then summ3a{i} = 0;
else if fruitq3a{i} = '2' then summ3a{i} = 2/7;
else if fruitq3a{i} = '3' then summ3a{i} = 5/7;
else if fruitq3a{i} = '4' then summ3a{i} = 1;
else if fruitq3a{i} = '5' then summ3a{i} = 2;
else if fruitq3a{i} = '6' then summ3a{i} = 3;
else if fruitq3a{i} = '7' then summ3a{i} = 4;
else summ3a{i}=.;
TOTALv=TOTALv+summ3a{i};
end;
if TOTALv = 0 then QNVEG0=1;
else if TOTALv > 0 then QNVEG0=2;
```

### QNVEG1:

Numerator: Calculated  
Denominator: Students who answered A, B, C, D, E, F, or G for Q73, Q74, Q75, and Q76

Summary text: Percentage of students who ate vegetables one or more times per day during the past seven days

QN variable label: Ate 1+ vegetables/day 7 days  
Dependence: Depends on Q73, Q74, Q75, and Q76

SAS code: 

```
TOTALv=0;
array fruitq3a (*) q74 q75 q76 q77;
array summ3a (*) q74n q75n q76n q77n;
do i = 1 to dim(fruitq3a);
if fruitq3a{i} = '1' then summ3a{i} = 0;
else if fruitq3a{i} = '2' then summ3a{i} = 2/7;
else if fruitq3a{i} = '3' then summ3a{i} = 5/7;
else if fruitq3a{i} = '4' then summ3a{i} = 1;
else if fruitq3a{i} = '5' then summ3a{i} = 2;
else if fruitq3a{i} = '6' then summ3a{i} = 3;
else if fruitq3a{i} = '7' then summ3a{i} = 4;
else summ3a{i}=.;
TOTALv=TOTALv+summ3a{i};
end;
if TOTALv GE 1 then QNVEG1=1;
else if 0 LE TOTALv LT 1 then QNVEG1=2;
```



## 2013 YRBS Data User's Guide

### **QNVEG2:**

Numerator: Calculated  
 Denominator: Students who answered A, B, C, D, E, F, or G for Q73, Q74, Q75, and Q76  
 Summary text: Percentage of students who ate vegetables two or more times per day during the past seven days

QN variable label: Ate 2+ vegetables/day 7 days  
 Dependence: Depends on Q73, Q74, Q75, and Q76  
 SAS code: TOTALv=0;  
 array fruitq3a (\*) q74 q75 q76 q77;  
 array summ3a (\*) q74n q75n q76n q77n;  
 do i = 1 to dim(fruitq3a);  
 if fruitq3a{i} = '1' then summ3a{i} = 0;  
 else if fruitq3a{i} = '2' then summ3a{i} = 2/7;  
 else if fruitq3a{i} = '3' then summ3a{i} = 5/7;  
 else if fruitq3a{i} = '4' then summ3a{i} = 1;  
 else if fruitq3a{i} = '5' then summ3a{i} = 2;  
 else if fruitq3a{i} = '6' then summ3a{i} = 3;  
 else if fruitq3a{i} = '7' then summ3a{i} = 4;  
 else summ3a{i}=.;  
 TOTALv=TOTALv+summ3a{i};  
 end;  
 if TOTALv GE 2 then QNVEG2=1;  
 else if 0 LE TOTALv LT 2 then QNVEG2=2;

### **QNFRVG2:**

Numerator: Students with 1 for QNFRUIT and 1 for QNVEG  
 Denominator: Students who answered A, B, C, D, E, F, or G for Q71, Q72, Q73, Q74, Q75, and Q76

Summary text: Percentage of students who ate fruits or drank 100% fruit juices two or more times per day and ate vegetables three or more times per day during the past seven days

QN variable label: Ate 2+fruits and 3+vegetables/day 7 days  
 Dependence: Depends on Q71, Q72, Q73, Q74, Q75, and Q76  
 SAS code: if QNFRUIT=1 AND QNVEG=1 then QNFRVG2=1;  
 Else if QNFRUIT in (1,2) and QNVEG in (1,2) then QNFRVG2=2;

### **QNSODA0:**

Numerator: Students who answered A for Q77  
 Denominator: Students who answered A, B, C, D, E, F, or G for Q77

Summary text: Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days

QN variable label: Drank soda 0 times/day past 7 days  
 Dependence: Depends on Q77  
 SAS code: if q77 in ('1') then QNSODA0=1;  
 else if q77 in ('2','3','4','5','6','7') then QNSODA0=2;

## 2013 YRBS Data User's Guide

|                    |  |
|--------------------|--|
| <b>QNSODA2:</b>    |  |
| Numerator:         | Students who answered E, F, or G for Q77   |
| Denominator:       | Students who answered A, B, C, D, E, F, or G for Q77   |
| Summary text:      | Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days   |
| QN variable label: | Drank soda 2+ times/day past 7 days  |
| Dependence:        | Depends on Q77   |
| SAS code:          | if q77 in ('5','6','7') then QNSODA2=1;<br>else if q77 in ('1','2','3','4') then QNSODA2=2;                                    |
| <b>QNSODA3:</b>    |  |
| Numerator:         | Students who answered F or G for Q77   |
| Denominator:       | Students who answered A, B, C, D, E, F, or G for Q77   |
| Summary text:      | Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days |
| QN variable label: | Drank soda 3+ times/day past 7 days  |
| Dependence:        | Depends on Q77   |
| SAS code:          | if q77 in ('6','7') then QNSODA3=1;<br>else if q77 in ('1','2','3','4','5') then QNSODA3=2;                                    |
| <b>QNMILK0:</b>    |  |
| Numerator:         | Students who answered A for Q78  |
| Denominator:       | Students who answered A, B, C, D, E, F, or G for Q78   |
| Summary text:      | Percentage of students who drank 0 glasses per day of milk during the past seven days  |
| QN variable label: | Drank 0 glasses milk/day past 7 days   |
| Dependence:        | Depends on Q78   |
| SAS code:          | if q78 in ('1') then QNMILK0=1;<br>else if q78 in ('2','3','4','5','6','7') then QNMILK0=2;                                    |
| <b>QNMILK1:</b>    |  |
| Numerator:         | Students who answered D, E, F, or G for Q78  |
| Denominator:       | Students who answered A, B, C, D, E, F, or G for Q78   |
| Summary text:      | Percentage of students who drank one or more glasses per day of milk during the past seven days                                |
| QN variable label: | Drank 1+ glasses milk/day past 7 days  |
| Dependence:        | Depends on Q78   |
| SAS code:          | if q78 in ('4','5','6','7') then QNMILK1=1;<br>else if q78 in ('1','2','3') then QNMILK1=2;                                    |

## 2013 YRBS Data User's Guide

|                    |   |
|--------------------|---|
| <b>QNMILK2:</b>    |   |
| Numerator:         | Students who answered E, F, or G for Q78  |
| Denominator:       | Students who answered A, B, C, D, E, F, or G for Q78  |
| Summary text:      | Percentage of students who drank two or more glasses per day of milk during the past seven days                             |
| QN variable label: | Drank 2+ glasses milk/day past 7 days   |
| Dependence:        | Depends on Q78  |
| SAS code:          | if q78 in ('5','6','7') then QNMILK2=1;<br>else if q78 in ('1','2','3','4') then QNMILK2=2;                                 |
| <b>QNNOBKFT:</b>   |   |
| Numerator:         | Students who answered A for Q79   |
| Denominator:       | Students who answered A, B, C, D, E, F, G or H for Q79  |
| Summary text:      | Percentage of students who ate breakfast on none of the past seven days   |
| QN variable label: | Ate breakfast on none of the past 7 days  |
| Dependence:        | Depends on Q79  |
| SAS code:          | if q79 in ('1') then QNNOBKFT=1;<br>else if q79 in ('2','3','4','5','6','7','8') then QNNOBKFT=2;                           |
| <b>QNDLYPE:</b>    |   |
| Numerator:         | Students who answered F for Q83   |
| Denominator:       | Students who answered A, B, C, D, E, or F for Q83   |
| Summary text:      | Percentage of students who attended physical education (PE) classes daily in an average week when they were in school       |
| QN variable label: | Attended PE classes daily   |
| Dependence:        | Depends on Q83  |
| SAS code:          | if Q83='6' then QNDLYPE=1;<br>else if Q83 in ('1','2','3','4','5') then QNDLYPE=2;  |
| <b>QNPA0DAY:</b>   |   |
| Numerator:         | Students who answered A for Q80   |
| Denominator:       | Students who answered A, B, C, D, E, F, G, or H for Q80   |
| Summary text:      | Percentage of students who were physically active for a total of at least 60 minutes per day on none of the past seven days |
| QN variable label: | Active 60 min on none of past 7 days  |
| Dependence:        | Depends on Q80  |
| SAS code:          | if q80='1' then QNPA0DAY=1;<br>else if q80 in ('2','3','4','5','6','7','8') then QNPA0DAY=2;<br>else QNPA0DAY=.             |

---

## 2013 YRBS Data User's Guide

---

|                    |  |
|--------------------|--|
| <b>QNPA7DAY:</b>   |  |
| Numerator:         | Students who answered H for Q80  |
| Denominator:       | Students who answered A, B, C, D, E, F, G, or H for Q80  |
| Summary text:      | Percentage of students who were physically active for a total of at least 60 minutes per day on all seven of the past seven days                     |
| QN variable label: | Active 60 min on all of past 7 days  |
| Dependence:        | Depends on Q80   |
| SAS code:          | if q80='8' then QNPA7DAY=1;<br>else if q80 in ('1','2','3','4','5','6','7') then QNPA7DAY=2;<br>else QNPA7DAY=.                                      |
| <b>QNOWT:</b>      |  |
| Summary text:      | Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex) |
| Dependence:        | Depends on Q1, Q2, Q6, and Q7  |
| QN variable label: | Overweight   |
| <b>QNOBESE:</b>    |  |
| Summary text:      | Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)                                    |
| Dependence:        | Depends on Q1, Q2, Q6, and Q7  |
| QN variable label: | Obese  |

## Appendix C: National High School YRBS Codebook

| Data Location | Variable Name | Question Code and Label     | Unweighted Frequency    | Weighted Percentage |      |
|---------------|---------------|-----------------------------|-------------------------|---------------------|------|
| 17-17         | Q1            | How old are you?            |                         |                     |      |
|               |               | 1                           | 12 years old or younger | 26                  | 0.2  |
|               |               | 2                           | 13 years old            | 18                  | 0.1  |
|               |               | 3                           | 14 years old            | 1,368               | 10.0 |
|               |               | 4                           | 15 years old            | 3,098               | 24.1 |
|               |               | 5                           | 16 years old            | 3,203               | 25.3 |
|               |               | 6                           | 17 years old            | 3,473               | 24.6 |
|               |               | 7                           | 18 years old or older   | 2,320               | 15.6 |
|               |               | Missing                     | 77                      |                     |      |
| 18-18         | Q2            | What is your sex?           |                         |                     |      |
|               |               | 1                           | Female                  | 6,621               | 50.0 |
|               |               | 2                           | Male                    | 6,950               | 50.0 |
|               |               |                             | Missing                 | 12                  |      |
| 19-19         | Q3            | In what grade are you?      |                         |                     |      |
|               |               | 1                           | 9th grade               | 3,588               | 27.3 |
|               |               | 2                           | 10th grade              | 3,152               | 25.7 |
|               |               | 3                           | 11th grade              | 3,184               | 23.8 |
|               |               | 4                           | 12th grade              | 3,557               | 23.1 |
|               |               | 5                           | Ungraded or other grade | 23                  | 0.1  |
|               |               | Missing                     | 79                      |                     |      |
| 20-20         | Q4            | Are you Hispanic or Latino? |                         |                     |      |
|               |               | 1                           | Yes                     | 3,424               | 21.2 |
|               |               | 2                           | No                      | 9,928               | 78.8 |
|               |               | Missing                     | 231                     |                     |      |

---

## 2013 YRBS Data User's Guide

---

| Data Location | Variable Name | Question Code and Label   | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 21-28         | Q5            | What is your race?  |                      |                     |
|               |               | H   | 1                    | 0.0                 |
|               |               | G   | 26                   | 0.2                 |
|               |               | F   | 4                    | 0.0                 |
|               |               | E   | 6,416                | 68.6                |
|               |               | D   | 258                  | 1.8                 |
|               |               | D G   | 4                    | 0.0                 |
|               |               | D F   | 1                    | 0.0                 |
|               |               | D E   | 25                   | 0.2                 |
|               |               | C   | 3,229                | 17.2                |
|               |               | C G   | 1                    | 0.0                 |
|               |               | C E   | 249                  | 2.1                 |
|               |               | CD  | 31                   | 0.2                 |
|               |               | CD G  | 1                    | 0.0                 |
|               |               | CDE   | 13                   | 0.1                 |
|               |               | B   | 552                  | 3.7                 |
|               |               | B G   | 1                    | 0.0                 |
|               |               | B E   | 68                   | 0.5                 |
|               |               | B D   | 39                   | 0.2                 |
|               |               | B DE  | 11                   | 0.1                 |
|               |               | BC  | 35                   | 0.2                 |
|               |               | BC E  | 8                    | 0.0                 |
|               |               | BCD   | 2                    | 0.0                 |
|               |               | BCD F   | 1                    | 0.0                 |
|               |               | BCDE  | 1                    | 0.0                 |
|               |               | A   | 323                  | 2.1                 |
|               |               | A E   | 163                  | 1.3                 |
|               |               | A D   | 8                    | 0.1                 |
|               |               | A DE  | 8                    | 0.1                 |
|               |               | A C   | 97                   | 0.4                 |
|               |               | A C E   | 81                   | 0.4                 |
|               |               | A CD  | 6                    | 0.0                 |
|               |               | A CDE   | 9                    | 0.0                 |
|               |               | AB  | 4                    | 0.0                 |
|               |               | AB E  | 3                    | 0.0                 |
|               |               | AB D  | 1                    | 0.0                 |
|               |               | AB DE   | 1                    | 0.0                 |
|               |               | ABC   | 6                    | 0.0                 |
|               |               | ABC E   | 6                    | 0.0                 |
|               |               | ABCD  | 3                    | 0.0                 |
|               |               | ABCDE   | 14                   | 0.1                 |
|               |               |   | 1,873                |                     |
| 29-32         | Q6            | How tall are you without your shoes on? (Note: Data are in meters.)         |                      |                     |
| 33-38         | Q7            | How much do you weigh without your shoes on? (Note: Data are in kilograms.) |                      |                     |

---

## 2013 YRBS Data User's Guide

---

| Data Location | Variable Name | Question Code and Label   | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 39-39         | Q8            | When you rode a bicycle during the past 12 months, how often did you wear a helmet?   |                      |                     |
|               |               | 1 I did not ride a bicycle during the past 12 months  | 4,549                | 33.0                |
|               |               | 2 Never wore a helmet   | 6,977                | 53.7                |
|               |               | 3 Rarely wore a helmet  | 713                  | 5.2                 |
|               |               | 4 Sometimes wore a helmet   | 341                  | 2.7                 |
|               |               | 5 Most of the time wore a helmet  | 293                  | 2.3                 |
|               |               | 6 Always wore a helmet  | 399                  | 3.1                 |
|               |               | Missing   | 311                  |                     |
| 40-40         | Q9            | How often do you wear a seat belt when riding in a car driven by someone else?  |                      |                     |
|               |               | 1 Never   | 343                  | 2.4                 |
|               |               | 2 Rarely  | 709                  | 5.3                 |
|               |               | 3 Sometimes   | 1,616                | 11.4                |
|               |               | 4 Most of the time  | 3,503                | 26.3                |
|               |               | 5 Always  | 7,388                | 54.7                |
|               |               | Missing   | 24                   |                     |
| 41-41         | Q10           | During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol? |                      |                     |
|               |               | 1 0 times   | 10,469               | 78.1                |
|               |               | 2 1 time  | 1,206                | 8.5                 |
|               |               | 3 2 or 3 times  | 1,083                | 7.9                 |
|               |               | 4 4 or 5 times  | 246                  | 1.9                 |
|               |               | 5 6 or more times   | 541                  | 3.6                 |
|               |               | Missing   | 38                   |                     |
| 42-42         | Q11           | During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?                |                      |                     |
|               |               | 1 I did not drive a car or other vehicle during the past 30 days  | 4,637                | 35.7                |
|               |               | 2 0 times   | 7,097                | 57.9                |
|               |               | 3 1 time  | 363                  | 3.3                 |
|               |               | 4 2 or 3 times  | 200                  | 1.6                 |
|               |               | 5 4 or 5 times  | 62                   | 0.6                 |
|               |               | 6 6 or more times   | 136                  | 0.9                 |
|               |               | Missing   | 1,088                |                     |

---

## 2013 YRBS Data User's Guide

---

| Data Location | Variable Name | Question Code and Label   | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 43-43         | Q12           | During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?  |                      |                     |
|               |               | 1 I did not drive a car or other vehicle during the past 30 days  | 4,646                | 35.3                |
|               |               | 2 0 days  | 4,792                | 37.9                |
|               |               | 3 1 or 2 days   | 925                  | 7.7                 |
|               |               | 4 3 to 5 days   | 493                  | 4.0                 |
|               |               | 5 6 to 9 days   | 311                  | 2.5                 |
|               |               | 6 10 to 19 days   | 373                  | 3.3                 |
|               |               | 7 20 to 29 days   | 298                  | 2.6                 |
|               |               | 8 All 30 days   | 827                  | 6.7                 |
|               |               | Missing   | 918                  |                     |
| 44-44         | Q13           | During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?   |                      |                     |
|               |               | 1 0 days  | 10,992               | 82.1                |
|               |               | 2 1 day   | 449                  | 3.4                 |
|               |               | 3 2 or 3 days   | 520                  | 4.0                 |
|               |               | 4 4 or 5 days   | 201                  | 1.5                 |
|               |               | 5 6 or more days  | 1,090                | 9.0                 |
|               |               | Missing   | 331                  |                     |
| 45-45         | Q14           | During the past 30 days, on how many days did you carry a gun?  |                      |                     |
|               |               | 1 0 days  | 12,570               | 94.5                |
|               |               | 2 1 day   | 214                  | 1.7                 |
|               |               | 3 2 or 3 days   | 202                  | 1.6                 |
|               |               | 4 4 or 5 days   | 72                   | 0.5                 |
|               |               | 5 6 or more days  | 250                  | 1.8                 |
|               |               | Missing   | 275                  |                     |
| 46-46         | Q15           | During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?                                  |                      |                     |
|               |               | 1 0 days  | 12,727               | 94.8                |
|               |               | 2 1 day   | 166                  | 1.4                 |
|               |               | 3 2 or 3 days   | 119                  | 0.9                 |
|               |               | 4 4 or 5 days   | 40                   | 0.3                 |
|               |               | 5 6 or more days  | 302                  | 2.6                 |
|               |               | Missing   | 229                  |                     |
| 47-47         | Q16           | During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school? |                      |                     |
|               |               | 1 0 days  | 12,500               | 92.9                |
|               |               | 2 1 day   | 552                  | 3.7                 |
|               |               | 3 2 or 3 days   | 278                  | 1.9                 |
|               |               | 4 4 or 5 days   | 63                   | 0.4                 |
|               |               | 5 6 or more days  | 161                  | 1.0                 |
|               |               | Missing   | 29                   |                     |



## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label   | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 48-48         | Q17           | During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property? |                      |                     |
|               |               | 1      0 times  | 12,557               | 93.1                |
|               |               | 2      1 time   | 418                  | 3.0                 |
|               |               | 3      2 or 3 times   | 253                  | 1.7                 |
|               |               | 4      4 or 5 times   | 91                   | 0.6                 |
|               |               | 5      6 or 7 times   | 50                   | 0.3                 |
|               |               | 6      8 or 9 times   | 27                   | 0.3                 |
|               |               | 7      10 or 11 times   | 18                   | 0.2                 |
|               |               | 8      12 or more times   | 141                  | 0.9                 |
|               | Missing       | 28  |                      |                     |
| 49-49         | Q18           | During the past 12 months, how many times were you in a physical fight?   |                      |                     |
|               |               | 1      0 times  | 9,712                | 75.3                |
|               |               | 2      1 time   | 1,543                | 10.4                |
|               |               | 3      2 or 3 times   | 1,205                | 8.4                 |
|               |               | 4      4 or 5 times   | 346                  | 2.3                 |
|               |               | 5      6 or 7 times   | 137                  | 1.0                 |
|               |               | 6      8 or 9 times   | 69                   | 0.5                 |
|               |               | 7      10 or 11 times   | 38                   | 0.2                 |
|               |               | 8      12 or more times   | 282                  | 1.9                 |
|               | Missing       | 251   |                      |                     |
| 50-50         | Q19           | During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?    |                      |                     |
|               |               | 1      0 times  | 12,914               | 96.9                |
|               |               | 2      1 time   | 325                  | 2.2                 |
|               |               | 3      2 or 3 times   | 62                   | 0.5                 |
|               |               | 4      4 or 5 times   | 22                   | 0.1                 |
|               |               | 5      6 or more times  | 59                   | 0.3                 |
|               | Missing       | 201   |                      |                     |
| 51-51         | Q20           | During the past 12 months, how many times were you in a physical fight on school property?  |                      |                     |
|               |               | 1      0 times  | 12,102               | 91.9                |
|               |               | 2      1 time   | 785                  | 5.2                 |
|               |               | 3      2 or 3 times   | 285                  | 1.9                 |
|               |               | 4      4 or 5 times   | 55                   | 0.3                 |
|               |               | 5      6 or 7 times   | 23                   | 0.1                 |
|               |               | 6      8 or 9 times   | 14                   | 0.1                 |
|               |               | 7      10 or 11 times   | 3                    | 0.0                 |
|               |               | 8      12 or more times   | 85                   | 0.5                 |
|               | Missing       | 231   |                      |                     |

## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label   | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 52-52         | Q21           | Have you ever been physically forced to have sexual intercourse when you did not want to?   |                      |                     |
|               |               | 1 Yes   | 1,028                | 7.3                 |
|               |               | 2 No  | 12,479               | 92.7                |
|               |               | Missing   | 76                   |                     |
| 53-53         | Q22           | During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?                                       |                      |                     |
|               |               | 1 I did not date or go out with anyone during the past 12 months  | 3,212                | 26.1                |
|               |               | 2 0 times   | 8,867                | 66.3                |
|               |               | 3 1 time  | 388                  | 2.6                 |
|               |               | 4 2 or 3 times  | 362                  | 2.7                 |
|               |               | 5 4 or 5 times  | 90                   | 0.7                 |
|               |               | 6 6 or more times   | 223                  | 1.6                 |
| Missing       | 441           |   |                      |                     |
| 54-54         | Q23           | During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?            |                      |                     |
|               |               | 1 I did not date or go out with anyone during the past 12 months  | 3,202                | 26.1                |
|               |               | 2 0 times   | 8,857                | 66.3                |
|               |               | 3 1 time  | 401                  | 2.9                 |
|               |               | 4 2 or 3 times  | 353                  | 2.6                 |
|               |               | 5 4 or 5 times  | 82                   | 0.6                 |
|               |               | 6 6 or more times   | 220                  | 1.6                 |
| Missing       | 468           |   |                      |                     |
| 55-55         | Q24           | During the past 12 months, have you ever been bullied on school property?   |                      |                     |
|               |               | 1 Yes   | 2,508                | 19.6                |
|               |               | 2 No  | 11,007               | 80.4                |
|               |               | Missing   | 68                   |                     |
| 56-56         | Q25           | During the past 12 months, have you ever been electronically bullied?   |                      |                     |
|               |               | 1 Yes   | 1,878                | 14.8                |
|               |               | 2 No  | 11,623               | 85.2                |
|               |               | Missing   | 82                   |                     |
| 57-57         | Q26           | During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? |                      |                     |
|               |               | 1 Yes   | 4,086                | 29.9                |
|               |               | 2 No  | 9,409                | 70.1                |
|               |               | Missing   | 88                   |                     |

## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label  | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 58-58         | Q27           | During the past 12 months, did you ever seriously consider attempting suicide?   |                      |                     |
|               |               | 1 Yes  | 2,259                | 17.0                |
|               |               | 2 No   | 11,232               | 83.0                |
|               |               | Missing  | 92                   |                     |
| 59-59         | Q28           | During the past 12 months, did you make a plan about how you would attempt suicide?  |                      |                     |
|               |               | 1 Yes  | 1,874                | 13.6                |
|               |               | 2 No   | 11,611               | 86.4                |
|               |               | Missing  | 98                   |                     |
| 60-60         | Q29           | During the past 12 months, how many times did you actually attempt suicide?  |                      |                     |
|               |               | 1 0 times  | 10,967               | 92.0                |
|               |               | 2 1 time   | 516                  | 4.0                 |
|               |               | 3 2 or 3 times   | 322                  | 2.6                 |
|               |               | 4 4 or 5 times   | 76                   | 0.6                 |
|               |               | 5 6 or more times  | 101                  | 0.8                 |
|               |               | Missing  | 1,601                |                     |
| 61-61         | Q30           | If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse? |                      |                     |
|               |               | 1 I did not attempt suicide during the past 12 months  | 10,750               | 92.0                |
|               |               | 2 Yes  | 324                  | 2.7                 |
|               |               | 3 No   | 676                  | 5.3                 |
|               |               | Missing  | 1,833                |                     |
| 62-62         | Q31           | Have you ever tried cigarette smoking, even one or two puffs?  |                      |                     |
|               |               | 1 Yes  | 5,360                | 41.1                |
|               |               | 2 No   | 7,843                | 58.9                |
| 63-63         | Q32           | How old were you when you smoked a whole cigarette for the first time?   |                      |                     |
|               |               | 1 I have never smoked a whole cigarette  | 9,120                | 69.4                |
|               |               | 2 8 years old or younger   | 274                  | 2.1                 |
|               |               | 3 9 or 10 years old  | 287                  | 2.6                 |
|               |               | 4 11 or 12 years old   | 551                  | 4.6                 |
|               |               | 5 13 or 14 years old   | 1,203                | 10.0                |
|               |               | 6 15 or 16 years old   | 1,101                | 8.8                 |
|               |               | 7 17 years old or older  | 359                  | 2.5                 |
|               |               | Missing  | 688                  |                     |

---

## 2013 YRBS Data User's Guide

---

| Data Location | Variable Name | Question Code and Label   | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 64-64         | Q33           | During the past 30 days, on how many days did you smoke cigarettes?                                 |                      |                     |
|               |               | 1 0 days  | 11,134               | 84.3                |
|               |               | 2 1 or 2 days   | 579                  | 4.7                 |
|               |               | 3 3 to 5 days   | 265                  | 2.1                 |
|               |               | 4 6 to 9 days   | 192                  | 1.7                 |
|               |               | 5 10 to 19 days   | 203                  | 1.6                 |
|               |               | 6 20 to 29 days   | 182                  | 1.6                 |
|               |               | 7 All 30 days   | 467                  | 4.0                 |
|               |               | Missing   | 561                  |                     |
| 65-65         | Q34           | During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?         |                      |                     |
|               |               | 1 I did not smoke cigarettes during the past 30 days  | 10,827               | 84.4                |
|               |               | 2 Less than 1 cigarette per day   | 452                  | 3.4                 |
|               |               | 3 1 cigarette per day   | 358                  | 3.0                 |
|               |               | 4 2 to 5 cigarettes per day   | 674                  | 5.9                 |
|               |               | 5 6 to 10 cigarettes per day  | 204                  | 1.9                 |
|               |               | 6 11 to 20 cigarettes per day   | 89                   | 1.0                 |
|               |               | 7 More than 20 cigarettes per day   | 60                   | 0.4                 |
|               |               | Missing   | 919                  |                     |
| 66-66         | Q35           | During the past 30 days, how did you usually get your own cigarettes?                               |                      |                     |
|               |               | 1 I did not smoke cigarettes during the past 30 days  | 10,766               | 84.5                |
|               |               | 2 I bought them in a store such as a convenience store, supermarket, discount store, or gas station | 573                  | 4.7                 |
|               |               | 3 I bought them from a vending machine  | 12                   | 0.1                 |
|               |               | 4 I gave someone else money to buy them for me  | 385                  | 3.7                 |
|               |               | 5 I borrowed (or bummed) them from someone else   | 397                  | 3.7                 |
|               |               | 6 A person 18 years old or older gave them to me  | 145                  | 1.1                 |
|               |               | 7 I took them from a store or family member   | 95                   | 0.8                 |
|               |               | 8 I got them some other way   | 201                  | 1.4                 |
|               |               | Missing   | 1,009                |                     |

## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label  | Unweighted Frequency                      | Weighted Percentage |      |
|---------------|---------------|--|---|---------------------|------|
| 67-67         | Q36           | During the past 30 days, on how many days did you smoke cigarettes on school property?   |   |                     |      |
|               |               | 1  | 0 days                                    | 12,568              | 96.2 |
|               |               | 2  | 1 or 2 days                               | 196                 | 1.7  |
|               |               | 3  | 3 to 5 days                               | 74                  | 0.7  |
|               |               | 4  | 6 to 9 days                               | 49                  | 0.4  |
|               |               | 5  | 10 to 19 days                             | 37                  | 0.3  |
|               |               | 6  | 20 to 29 days                             | 20                  | 0.2  |
|               |               | 7  | All 30 days                               | 98                  | 0.6  |
|               | Missing       | 541  |   |                     |      |
| 68-68         | Q37           | Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?  |   |                     |      |
|               |               | 1  | Yes                                       | 1,039               | 8.8  |
|               |               | 2  | No  | 11,902              | 91.2 |
|               |               |  | Missing                                   | 642                 |      |
| 69-69         | Q38           | During the past 12 months, did you ever try to quit smoking cigarettes?  |   |                     |      |
|               |               | 1  | I did not smoke during the past 12 months | 9,914               | 77.3 |
|               |               | 2  | Yes                                       | 1,261               | 10.2 |
|               |               | 3  | No  | 1,509               | 12.5 |
|               |               | Missing  | 899                                       |                     |      |
| 70-70         | Q39           | During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen? |   |                     |      |
|               |               | 1  | 0 days                                    | 12,334              | 91.2 |
|               |               | 2  | 1 or 2 days                               | 288                 | 2.6  |
|               |               | 3  | 3 to 5 days                               | 137                 | 1.1  |
|               |               | 4  | 6 to 9 days                               | 95                  | 0.8  |
|               |               | 5  | 10 to 19 days                             | 108                 | 1.0  |
|               |               | 6  | 20 to 29 days                             | 65                  | 0.6  |
|               |               | 7  | All 30 days                               | 318                 | 2.7  |
|               | Missing       | 238  |   |                     |      |
| 71-71         | Q40           | During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?  |   |                     |      |
|               |               | 1  | 0 days                                    | 11,657              | 87.4 |
|               |               | 2  | 1 or 2 days                               | 766                 | 6.2  |
|               |               | 3  | 3 to 5 days                               | 316                 | 2.3  |
|               |               | 4  | 6 to 9 days                               | 180                 | 1.3  |
|               |               | 5  | 10 to 19 days                             | 146                 | 1.0  |
|               |               | 6  | 20 to 29 days                             | 76                  | 0.5  |
|               |               | 7  | All 30 days                               | 201                 | 1.3  |
|               | Missing       | 241  |   |                     |      |

## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label   | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 72-72         | Q41           | During your life, on how many days have you had at least one drink of alcohol?  |                      |                     |
|               |               | 1 0 days  | 4,234                | 33.8                |
|               |               | 2 1 or 2 days   | 2,347                | 17.1                |
|               |               | 3 3 to 9 days   | 2,199                | 16.0                |
|               |               | 4 10 to 19 days   | 1,309                | 9.5                 |
|               |               | 5 20 to 39 days   | 1,144                | 8.7                 |
|               |               | 6 40 to 99 days   | 865                  | 6.9                 |
|               |               | 7 100 or more days  | 1,006                | 7.9                 |
|               |               | Missing   | 479                  |                     |
| 73-73         | Q42           | How old were you when you had your first drink of alcohol other than a few sips?  |                      |                     |
|               |               | 1 I have never had a drink of alcohol other than a few sips   | 4,621                | 36.6                |
|               |               | 2 8 years old or younger  | 831                  | 5.4                 |
|               |               | 3 9 or 10 years old   | 590                  | 4.2                 |
|               |               | 4 11 or 12 years old  | 1,200                | 9.0                 |
|               |               | 5 13 or 14 years old  | 2,771                | 21.7                |
|               |               | 6 15 or 16 years old  | 2,688                | 19.2                |
|               |               | 7 17 years old or older   | 607                  | 3.9                 |
|               |               | Missing   | 275                  |                     |
| 74-74         | Q43           | During the past 30 days, on how many days did you have at least one drink of alcohol?   |                      |                     |
|               |               | 1 0 days  | 7,915                | 65.1                |
|               |               | 2 1 or 2 days   | 2,204                | 17.3                |
|               |               | 3 3 to 5 days   | 1,035                | 8.2                 |
|               |               | 4 6 to 9 days   | 646                  | 5.4                 |
|               |               | 5 10 to 19 days   | 313                  | 2.7                 |
|               |               | 6 20 to 29 days   | 62                   | 0.6                 |
|               |               | 7 All 30 days   | 113                  | 0.8                 |
|               |               | Missing   | 1,295                |                     |
| 75-75         | Q44           | During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours? |                      |                     |
|               |               | 1 0 days  | 10,440               | 79.2                |
|               |               | 2 1 day   | 964                  | 7.3                 |
|               |               | 3 2 days  | 654                  | 5.3                 |
|               |               | 4 3 to 5 days   | 546                  | 4.5                 |
|               |               | 5 6 to 9 days   | 262                  | 2.4                 |
|               |               | 6 10 to 19 days   | 99                   | 0.8                 |
|               |               | 7 20 or more days   | 95                   | 0.6                 |
|               |               | Missing   | 523                  |                     |

## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label  | Unweighted Frequency  | Weighted Percentage |
|---------------|---------------|--|---|---------------------|
| 76-76         | Q45           | During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours? |   |                     |
|               |               | 1  | I did not drink alcohol during the past 30 days   | 8,028 65.4          |
|               |               | 2  | 1 or 2 drinks   | 1,560 11.4          |
|               |               | 3  | 3 drinks  | 475 3.5             |
|               |               | 4  | 4 drinks  | 338 2.6             |
|               |               | 5  | 5 drinks  | 433 3.5             |
|               |               | 6  | 6 or 7 drinks   | 538 4.6             |
|               |               | 7  | 8 or 9 drinks   | 316 2.8             |
|               |               | 8  | 10 or more drinks   | 675 6.1             |
|               |               | Missing  | 1,220   |                     |
| 77-77         | Q46           | During the past 30 days, how did you usually get the alcohol you drank?  |   |                     |
|               |               | 1  | I did not drink alcohol during the past 30 days   | 7,813 64.3          |
|               |               | 2  | I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station | 333 2.2             |
|               |               | 3  | I bought it at a restaurant, bar, or club   | 72 0.5              |
|               |               | 4  | I bought it at a public event such as a concert or sporting event   | 44 0.3              |
|               |               | 5  | I gave someone else money to buy it for me  | 970 8.3             |
|               |               | 6  | Someone gave it to me   | 1,833 14.8          |
|               |               | 7  | I took it from a store or family member   | 434 3.2             |
|               |               | 8  | I got it some other way   | 820 6.5             |
|               |               | Missing  | 1,264   |                     |
| 78-78         | Q47           | During your life, how many times have you used marijuana?  |   |                     |
|               |               | 1  | 0 times   | 7,462 59.3          |
|               |               | 2  | 1 or 2 times  | 1,218 8.6           |
|               |               | 3  | 3 to 9 times  | 1,094 7.5           |
|               |               | 4  | 10 to 19 times  | 618 4.0             |
|               |               | 5  | 20 to 39 times  | 619 4.5             |
|               |               | 6  | 40 to 99 times  | 634 4.7             |
|               |               | 7  | 100 or more times   | 1,599 11.3          |
|               |               | Missing  | 339   |                     |
| 79-79         | Q48           | How old were you when you tried marijuana for the first time?  |   |                     |
|               |               | 1  | I have never tried marijuana  | 7,473 59.2          |
|               |               | 2  | 8 years old or younger  | 226 1.5             |
|               |               | 3  | 9 or 10 years old   | 244 1.7             |
|               |               | 4  | 11 or 12 years old  | 759 5.4             |
|               |               | 5  | 13 or 14 years old  | 2,112 15.1          |
|               |               | 6  | 15 or 16 years old  | 2,028 14.1          |
|               |               | 7  | 17 years old or older   | 461 3.0             |
|               |               | Missing  | 280   |                     |

---

## 2013 YRBS Data User's Guide

---

| Data Location | Variable Name | Question Code and Label   | Unweighted Frequency | Weighted Percentage |      |
|---------------|---------------|---|----------------------|---------------------|------|
| 80-80         | Q49           | During the past 30 days, how many times did you use marijuana?  |                      |                     |      |
|               |               | 1   | 0 times              | 9,947               | 76.6 |
|               |               | 2   | 1 or 2 times         | 1,067               | 7.1  |
|               |               | 3   | 3 to 9 times         | 818                 | 5.6  |
|               |               | 4   | 10 to 19 times       | 450                 | 3.3  |
|               |               | 5   | 20 to 39 times       | 328                 | 2.4  |
|               |               | 6   | 40 or more times     | 704                 | 5.0  |
|               |               | Missing   | 269                  |                     |      |
| 81-81         | Q50           | During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?   |                      |                     |      |
|               |               | 1   | 0 times              | 12,708              | 94.5 |
|               |               | 2   | 1 or 2 times         | 334                 | 2.5  |
|               |               | 3   | 3 to 9 times         | 149                 | 1.1  |
|               |               | 4   | 10 to 19 times       | 65                  | 0.5  |
|               |               | 5   | 20 to 39 times       | 41                  | 0.3  |
|               |               | 6   | 40 or more times     | 160                 | 1.1  |
|               |               | Missing   | 126                  |                     |      |
| 82-82         | Q51           | During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high? |                      |                     |      |
|               |               | 1   | 0 times              | 12,191              | 91.1 |
|               |               | 2   | 1 or 2 times         | 577                 | 4.5  |
|               |               | 3   | 3 to 9 times         | 252                 | 1.8  |
|               |               | 4   | 10 to 19 times       | 138                 | 1.1  |
|               |               | 5   | 20 to 39 times       | 70                  | 0.6  |
|               |               | 6   | 40 or more times     | 141                 | 0.9  |
|               |               | Missing   | 214                  |                     |      |
| 83-83         | Q52           | During your life, how many times have you used heroin (also called smack, junk, or China White)?  |                      |                     |      |
|               |               | 1   | 0 times              | 12,952              | 97.8 |
|               |               | 2   | 1 or 2 times         | 99                  | 0.7  |
|               |               | 3   | 3 to 9 times         | 34                  | 0.3  |
|               |               | 4   | 10 to 19 times       | 40                  | 0.3  |
|               |               | 5   | 20 to 39 times       | 34                  | 0.3  |
|               |               | 6   | 40 or more times     | 96                  | 0.6  |
|               |               | Missing   | 328                  |                     |      |



---

## 2013 YRBS Data User's Guide

---

| Data Location | Variable Name | Question Code and Label   | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 84-84         | Q53           | During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?  |                      |                     |
|               |               | 1      0 times  | 12,942               | 96.8                |
|               |               | 2      1 or 2 times   | 145                  | 1.2                 |
|               |               | 3      3 to 9 times   | 77                   | 0.7                 |
|               |               | 4      10 to 19 times   | 48                   | 0.4                 |
|               |               | 5      20 to 39 times   | 23                   | 0.2                 |
|               |               | 6      40 or more times   | 122                  | 0.9                 |
|               |               | Missing   | 226                  |                     |
| 85-85         | Q54           | During your life, how many times have you used ecstasy (also called MDMA)?  |                      |                     |
|               |               | 1      0 times  | 12,415               | 93.4                |
|               |               | 2      1 or 2 times   | 469                  | 3.4                 |
|               |               | 3      3 to 9 times   | 191                  | 1.2                 |
|               |               | 4      10 to 19 times   | 91                   | 0.7                 |
|               |               | 5      20 to 39 times   | 50                   | 0.3                 |
|               |               | 6      40 or more times   | 138                  | 0.9                 |
|               |               | Missing   | 229                  |                     |
| 86-86         | Q55           | During your life, how many times have you taken steroid pills or shots without a doctor's prescription?   |                      |                     |
|               |               | 1      0 times  | 13,035               | 96.8                |
|               |               | 2      1 or 2 times   | 130                  | 0.9                 |
|               |               | 3      3 to 9 times   | 88                   | 0.7                 |
|               |               | 4      10 to 19 times   | 58                   | 0.5                 |
|               |               | 5      20 to 39 times   | 30                   | 0.3                 |
|               |               | 6      40 or more times   | 113                  | 0.8                 |
|               |               | Missing   | 129                  |                     |
| 87-87         | Q56           | During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription? |                      |                     |
|               |               | 1      0 times  | 11,092               | 82.2                |
|               |               | 2      1 or 2 times   | 830                  | 6.1                 |
|               |               | 3      3 to 9 times   | 629                  | 4.7                 |
|               |               | 4      10 to 19 times   | 357                  | 2.8                 |
|               |               | 5      20 to 39 times   | 185                  | 1.6                 |
|               |               | 6      40 or more times   | 350                  | 2.6                 |
|               |               | Missing   | 140                  |                     |
| 88-88         | Q57           | During your life, how many times have you used a needle to inject any illegal drug into your body?  |                      |                     |
|               |               | 1      0 times  | 13,112               | 98.3                |
|               |               | 2      1 time   | 98                   | 0.7                 |
|               |               | 3      2 or more times  | 147                  | 1.0                 |
|               |               | Missing   | 226                  |                     |

## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label   | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 89-89         | Q58           | During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property? |                      |                     |
|               |               | 1 Yes   | 3,140                | 22.1                |
|               |               | 2 No  | 10,280               | 77.9                |
|               |               | Missing   | 163                  |                     |
| 90-90         | Q59           | Have you ever had sexual intercourse?   |                      |                     |
|               |               | 1 Yes   | 6,420                | 46.8                |
|               |               | 2 No  | 6,494                | 53.2                |
|               |               | Missing   | 669                  |                     |
| 91-91         | Q60           | How old were you when you had sexual intercourse for the first time?                                  |                      |                     |
|               |               | 1 I have never had sexual intercourse   | 6,482                | 53.2                |
|               |               | 2 11 years old or younger   | 461                  | 2.9                 |
|               |               | 3 12 years old  | 423                  | 2.7                 |
|               |               | 4 13 years old  | 789                  | 5.4                 |
|               |               | 5 14 years old  | 1,455                | 11.0                |
|               |               | 6 15 years old  | 1,482                | 11.5                |
|               |               | 7 16 years old  | 1,198                | 9.1                 |
|               |               | 8 17 years old or older   | 607                  | 4.2                 |
| Missing       | 686           |   |                      |                     |
| 92-92         | Q61           | During your life, with how many people have you had sexual intercourse?                               |                      |                     |
|               |               | 1 I have never had sexual intercourse   | 6,482                | 53.4                |
|               |               | 2 1 person  | 2,155                | 16.8                |
|               |               | 3 2 people  | 1,218                | 8.8                 |
|               |               | 4 3 people  | 844                  | 6.0                 |
|               |               | 5 4 people  | 539                  | 4.0                 |
|               |               | 6 5 people  | 371                  | 2.5                 |
|               |               | 7 6 or more people  | 1,249                | 8.5                 |
| Missing       | 725           |   |                      |                     |
| 93-93         | Q62           | During the past 3 months, with how many people did you have sexual intercourse?                       |                      |                     |
|               |               | 1 I have never had sexual intercourse   | 6,480                | 53.3                |
|               |               | 2 I have had sexual intercourse, but not during the past 3 months                                     | 1,729                | 12.7                |
|               |               | 3 1 person  | 3,369                | 25.1                |
|               |               | 4 2 people  | 663                  | 4.9                 |
|               |               | 5 3 people  | 292                  | 1.9                 |
|               |               | 6 4 people  | 107                  | 0.6                 |
|               |               | 7 5 people  | 46                   | 0.3                 |
|               |               | 8 6 or more people  | 190                  | 1.1                 |
| Missing       | 707           |   |                      |                     |

## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label   | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 94-94         | Q63           | Did you drink alcohol or use drugs before you had sexual intercourse the last time?                         |                      |                     |
|               |               | 1 I have never had sexual intercourse   | 6,447                | 53.1                |
|               |               | 2 Yes   | 1,306                | 9.7                 |
|               |               | 3 No  | 5,096                | 37.2                |
|               |               | Missing   | 734                  |                     |
| 95-95         | Q64           | The last time you had sexual intercourse, did you or your partner use a condom?                             |                      |                     |
|               |               | 1 I have never had sexual intercourse   | 6,473                | 53.6                |
|               |               | 2 Yes   | 3,923                | 28.6                |
|               |               | 3 No  | 2,365                | 17.8                |
|               |               | Missing   | 822                  |                     |
| 96-96         | Q65           | The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? |                      |                     |
|               |               | 1 I have never had sexual intercourse   | 6,468                | 54.4                |
|               |               | 2 No method was used to prevent pregnancy   | 896                  | 6.5                 |
|               |               | 3 Birth control pills   | 894                  | 7.6                 |
|               |               | 4 Condoms   | 3,159                | 23.0                |
|               |               | 5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)                            | 91                   | 0.6                 |
|               |               | 6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)       | 263                  | 1.9                 |
|               |               | 7 Withdrawal or some other method   | 584                  | 4.4                 |
|               |               | 8 Not sure  | 233                  | 1.7                 |
|               |               | Missing   | 995                  |                     |
| 97-97         | Q66           | How do you describe your weight?  |                      |                     |
|               |               | 1 Very underweight  | 320                  | 2.2                 |
|               |               | 2 Slightly underweight  | 1,614                | 11.6                |
|               |               | 3 About the right weight  | 7,350                | 55.1                |
|               |               | 4 Slightly overweight   | 3,422                | 26.3                |
|               |               | 5 Very overweight   | 635                  | 4.8                 |
| Missing       | 242           |   |                      |                     |
| 98-98         | Q67           | Which of the following are you trying to do about your weight?  |                      |                     |
|               |               | 1 Lose weight   | 6,245                | 47.7                |
|               |               | 2 Gain weight   | 2,466                | 16.6                |
|               |               | 3 Stay the same weight  | 2,339                | 17.4                |
|               |               | 4 I am not trying to do anything about my weight  | 2,274                | 18.3                |
| Missing       | 259           |   |                      |                     |

## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label  | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 99-99         | Q68           | During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?       |                      |                     |
|               |               | 1 Yes  | 1,781                | 13.0                |
|               |               | 2 No   | 11,576               | 87.0                |
|               |               | Missing  | 226                  |                     |
| 100-100       | Q69           | During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight? |                      |                     |
|               |               | 1 Yes  | 685                  | 5.0                 |
|               |               | 2 No   | 12,651               | 95.0                |
|               |               | Missing  | 247                  |                     |
| 101-101       | Q70           | During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?  |                      |                     |
|               |               | 1 Yes  | 560                  | 4.4                 |
|               |               | 2 No   | 12,724               | 95.6                |
|               |               | Missing  | 299                  |                     |
| 102-102       | Q71           | During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?                          |                      |                     |
|               |               | 1 I did not drink 100% fruit juice during the past 7 days  | 2,955                | 23.3                |
|               |               | 2 1 to 3 times during the past 7 days  | 4,590                | 34.9                |
|               |               | 3 4 to 6 times during the past 7 days  | 2,294                | 17.1                |
|               |               | 4 1 time per day   | 938                  | 7.3                 |
|               |               | 5 2 times per day  | 1,057                | 7.6                 |
|               |               | 6 3 times per day  | 548                  | 3.8                 |
|               |               | 7 4 or more times per day  | 984                  | 5.9                 |
| 103-103       | Q72           | During the past 7 days, how many times did you eat fruit?  |                      |                     |
|               |               | 1 I did not eat fruit during the past 7 days   | 1,491                | 10.6                |
|               |               | 2 1 to 3 times during the past 7 days  | 4,481                | 34.3                |
|               |               | 3 4 to 6 times during the past 7 days  | 2,765                | 21.0                |
|               |               | 4 1 time per day   | 1,379                | 10.9                |
|               |               | 5 2 times per day  | 1,524                | 11.4                |
|               |               | 6 3 times per day  | 735                  | 5.2                 |
|               |               | 7 4 or more times per day  | 984                  | 6.6                 |
|               | Missing       | 224  |                      |                     |

## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label  | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 104-104       | Q73           | During the past 7 days, how many times did you eat green salad?      |                      |                     |
|               |               | 1 I did not eat green salad during the past 7 days                   | 5,293                | 39.1                |
|               |               | 2 1 to 3 times during the past 7 days                                | 4,968                | 37.7                |
|               |               | 3 4 to 6 times during the past 7 days                                | 1,367                | 10.8                |
|               |               | 4 1 time per day   | 930                  | 7.0                 |
|               |               | 5 2 times per day  | 373                  | 2.5                 |
|               |               | 6 3 times per day  | 123                  | 0.8                 |
|               |               | 7 4 or more times per day  | 285                  | 2.0                 |
|               |               | Missing  | 244                  |                     |
| 105-105       | Q74           | During the past 7 days, how many times did you eat potatoes?         |                      |                     |
|               |               | 1 I did not eat potatoes during the past 7 days                      | 4,558                | 32.7                |
|               |               | 2 1 to 3 times during the past 7 days                                | 6,138                | 47.3                |
|               |               | 3 4 to 6 times during the past 7 days                                | 1,306                | 10.8                |
|               |               | 4 1 time per day   | 651                  | 4.6                 |
|               |               | 5 2 times per day  | 293                  | 1.9                 |
|               |               | 6 3 times per day  | 125                  | 0.9                 |
|               |               | 7 4 or more times per day  | 278                  | 1.8                 |
|               |               | Missing  | 234                  |                     |
| 106-106       | Q75           | During the past 7 days, how many times did you eat carrots?          |                      |                     |
|               |               | 1 I did not eat carrots during the past 7 days                       | 7,283                | 52.7                |
|               |               | 2 1 to 3 times during the past 7 days                                | 4,212                | 33.5                |
|               |               | 3 4 to 6 times during the past 7 days                                | 821                  | 6.5                 |
|               |               | 4 1 time per day   | 492                  | 3.6                 |
|               |               | 5 2 times per day  | 229                  | 1.6                 |
|               |               | 6 3 times per day  | 104                  | 0.6                 |
|               |               | 7 4 or more times per day  | 205                  | 1.3                 |
|               |               | Missing  | 237                  |                     |
| 107-107       | Q76           | During the past 7 days, how many times did you eat other vegetables? |                      |                     |
|               |               | 1 I did not eat other vegetables during the past 7 days              | 2,531                | 18.6                |
|               |               | 2 1 to 3 times during the past 7 days                                | 4,822                | 36.2                |
|               |               | 3 4 to 6 times during the past 7 days                                | 2,934                | 22.3                |
|               |               | 4 1 time per day   | 1,380                | 10.6                |
|               |               | 5 2 times per day  | 855                  | 6.4                 |
|               |               | 6 3 times per day  | 326                  | 2.5                 |
|               |               | 7 4 or more times per day  | 485                  | 3.4                 |
|               |               | Missing  | 250                  |                     |

---

## 2013 YRBS Data User's Guide

---

| Data Location | Variable Name | Question Code and Label  | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 108-108       | Q77           | During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? |                      |                     |
|               |               | 1 I did not drink soda or pop during the past 7 days   | 2,961                | 22.3                |
|               |               | 2 1 to 3 times during the past 7 days  | 4,403                | 32.7                |
|               |               | 3 4 to 6 times during the past 7 days  | 2,370                | 18.0                |
|               |               | 4 1 time per day   | 1,002                | 7.6                 |
|               |               | 5 2 times per day  | 992                  | 8.1                 |
|               |               | 6 3 times per day  | 585                  | 4.3                 |
|               |               | 7 4 or more times per day  | 1,011                | 6.9                 |
|               |               | Missing  | 259                  |                     |
| 109-109       | Q78           | During the past 7 days, how many glasses of milk did you drink?  |                      |                     |
|               |               | 1 I did not drink milk during the past 7 days  | 2,818                | 19.4                |
|               |               | 2 1 to 3 glasses during the past 7 days  | 3,277                | 23.9                |
|               |               | 3 4 to 6 glasses during the past 7 days  | 2,104                | 16.4                |
|               |               | 4 1 glass per day  | 1,856                | 14.4                |
|               |               | 5 2 glasses per day  | 1,680                | 13.4                |
|               |               | 6 3 glasses per day  | 749                  | 6.4                 |
|               |               | 7 4 or more glasses per day  | 796                  | 6.1                 |
|               |               | Missing  | 303                  |                     |
| 110-110       | Q79           | During the past 7 days, on how many days did you eat breakfast?  |                      |                     |
|               |               | 1 0 days   | 1,945                | 13.7                |
|               |               | 2 1 day  | 963                  | 7.0                 |
|               |               | 3 2 days   | 1,479                | 10.5                |
|               |               | 4 3 days   | 1,326                | 9.8                 |
|               |               | 5 4 days   | 989                  | 7.3                 |
|               |               | 6 5 days   | 1,079                | 8.2                 |
|               |               | 7 6 days   | 667                  | 5.4                 |
|               |               | 8 7 days   | 4,875                | 38.1                |
|               |               | Missing  | 260                  |                     |
| 111-111       | Q80           | During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?              |                      |                     |
|               |               | 1 0 days   | 2,172                | 15.2                |
|               |               | 2 1 day  | 962                  | 6.8                 |
|               |               | 3 2 days   | 1,270                | 9.7                 |
|               |               | 4 3 days   | 1,451                | 11.3                |
|               |               | 5 4 days   | 1,265                | 9.7                 |
|               |               | 6 5 days   | 1,728                | 13.2                |
|               |               | 7 6 days   | 840                  | 6.9                 |
|               |               | 8 7 days   | 3,622                | 27.1                |
|               |               | Missing  | 273                  |                     |

---

## 2013 YRBS Data User's Guide

---

| Data Location | Variable Name | Question Code and Label   | Unweighted Frequency  | Weighted Percentage |      |
|---------------|---------------|---|---|---------------------|------|
| 112-112       | Q81           | On an average school day, how many hours do you watch TV?   |   |                     |      |
|               |               | 1   | I do not watch TV on an average school day  | 1,840               | 14.4 |
|               |               | 2   | Less than 1 hour per day  | 2,168               | 17.7 |
|               |               | 3   | 1 hour per day  | 1,750               | 14.4 |
|               |               | 4   | 2 hours per day   | 2,705               | 21.0 |
|               |               | 5   | 3 hours per day   | 2,139               | 15.3 |
|               |               | 6   | 4 hours per day   | 1,048               | 7.4  |
|               |               | 7   | 5 or more hours per day   | 1,595               | 9.8  |
|               |               | Missing   | 338   |                     |      |
| 113-113       | Q82           | On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? |   |                     |      |
|               |               | 1   | I do not play video or computer games or use a computer for something that is not school work | 1,993               | 14.7 |
|               |               | 2   | Less than 1 hour per day  | 1,918               | 15.4 |
|               |               | 3   | 1 hour per day  | 1,619               | 13.0 |
|               |               | 4   | 2 hours per day   | 2,056               | 15.7 |
|               |               | 5   | 3 hours per day   | 1,782               | 13.0 |
|               |               | 6   | 4 hours per day   | 1,134               | 8.4  |
|               |               | 7   | 5 or more hours per day   | 2,753               | 19.9 |
|               |               | Missing   | 328   |                     |      |
| 114-114       | Q83           | In an average week when you are in school, on how many days do you go to physical education (PE) classes?                             |   |                     |      |
|               |               | 1   | 0 days  | 6,955               | 52.0 |
|               |               | 2   | 1 day   | 284                 | 1.8  |
|               |               | 3   | 2 days  | 438                 | 4.8  |
|               |               | 4   | 3 days  | 1,079               | 7.5  |
|               |               | 5   | 4 days  | 481                 | 4.5  |
|               |               | 6   | 5 days  | 3,991               | 29.4 |
|               |               |   |   | Missing             | 355  |
| 115-115       | Q84           | During the past 12 months, on how many sports teams did you play?   |   |                     |      |
|               |               | 1   | 0 teams   | 6,151               | 46.0 |
|               |               | 2   | 1 team  | 3,426               | 25.2 |
|               |               | 3   | 2 teams   | 2,149               | 16.4 |
|               |               | 4   | 3 or more teams   | 1,469               | 12.4 |
|               |               |   |   | Missing             | 388  |
| 116-116       | Q85           | Have you ever been taught about AIDS or HIV infection in school?  |   |                     |      |
|               |               | 1   | Yes   | 11,239              | 85.3 |
|               |               | 2   | No  | 1,370               | 9.7  |
|               |               | 3   | Not sure  | 614                 | 4.9  |
|               |               | Missing   | 360   |                     |      |

---

## 2013 YRBS Data User's Guide

---

| Data Location | Variable Name | Question Code and Label   | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 117-117       | Q86           | Has a doctor or nurse ever told you that you have asthma?   |                      |                     |
|               |               | 1 Yes   | 2,828                | 21.0                |
|               |               | 2 No  | 9,797                | 74.5                |
|               |               | 3 Not sure  | 611                  | 4.6                 |
|               |               | Missing   | 347                  |                     |
| 118-118       | Q87           | During your life, how many times have you used hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms?     |                      |                     |
|               |               | 1 0 times   | 11,622               | 92.9                |
|               |               | 2 1 or 2 times  | 480                  | 3.8                 |
|               |               | 3 3 to 9 times  | 179                  | 1.6                 |
|               |               | 4 10 to 19 times  | 78                   | 0.6                 |
|               |               | 5 20 to 39 times  | 54                   | 0.4                 |
|               |               | 6 40 or more times  | 107                  | 0.8                 |
|               |               | Missing   | 1,063                |                     |
| 119-119       | Q88           | On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting? |                      |                     |
|               |               | 1 0 days  | 3,632                | 29.6                |
|               |               | 2 1 day   | 1,012                | 8.1                 |
|               |               | 3 2 days  | 1,305                | 10.6                |
|               |               | 4 3 days  | 1,468                | 12.1                |
|               |               | 5 4 days  | 1,059                | 8.5                 |
|               |               | 6 5 days  | 1,333                | 10.6                |
|               |               | 7 6 days  | 513                  | 4.3                 |
|               |               | 8 7 days  | 2,085                | 16.1                |
|               |               | Missing   | 1,176                |                     |
| 120-120       | Q89           | Have you ever been tested for HIV, the virus that causes AIDS?  |                      |                     |
|               |               | 1 Yes   | 1,831                | 12.9                |
|               |               | 2 No  | 9,426                | 76.7                |
|               |               | 3 Not sure  | 1,239                | 10.4                |
|               |               | Missing   | 1,087                |                     |
| 121-121       | Q90           | When you are outside for more than one hour on a sunny day, how often do you wear sunscreen with an SPF of 15 or higher?              |                      |                     |
|               |               | 1 Never   | 6,102                | 44.0                |
|               |               | 2 Rarely  | 3,443                | 29.0                |
|               |               | 3 Sometimes   | 1,967                | 16.9                |
|               |               | 4 Most of the time  | 781                  | 6.7                 |
|               |               | 5 Always  | 418                  | 3.4                 |
|               |               | Missing   | 872                  |                     |



## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label   | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 122-122       | Q91           | During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth?   |                      |                     |
|               |               | 1            0 times  | 11,297               | 87.2                |
|               |               | 2            1 or 2 times   | 372                  | 3.4                 |
|               |               | 3            3 to 9 times   | 317                  | 3.3                 |
|               |               | 4            10 to 19 times   | 241                  | 2.4                 |
|               |               | 5            20 to 39 times   | 151                  | 1.6                 |
|               |               | 6            40 or more times   | 211                  | 2.1                 |
|               |               | Missing   | 994                  |                     |
| 123-123       | Q92           | On an average school night, how many hours of sleep do you get?   |                      |                     |
|               |               | 1            4 or less hours  | 965                  | 7.4                 |
|               |               | 2            5 hours  | 1,480                | 11.2                |
|               |               | 3            6 hours  | 2,658                | 21.1                |
|               |               | 4            7 hours  | 3,461                | 28.5                |
|               |               | 5            8 hours  | 2,692                | 23.2                |
|               |               | 6            9 hours  | 763                  | 6.1                 |
|               |               | 7            10 or more hours   | 316                  | 2.4                 |
|               |               | Missing   | 1,248                |                     |
| 185-185       | QN8           | Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet   |                      |                     |
|               |               | 1            Yes  | 7,690                | 87.9                |
|               |               | 2            No   | 1,033                | 12.1                |
|               |               | Missing   | 4,860                |                     |
| 186-186       | QN9           | Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else   |                      |                     |
|               |               | 1            Yes  | 1,052                | 7.6                 |
|               |               | 2            No   | 12,507               | 92.4                |
|               |               | Missing   | 24                   |                     |
| 187-187       | QN10          | Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol                             |                      |                     |
|               |               | 1            Yes  | 3,076                | 21.9                |
|               |               | 2            No   | 10,469               | 78.1                |
|               |               | Missing   | 38                   |                     |
| 188-188       | QN11          | Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days |                      |                     |
|               |               | 1            Yes  | 761                  | 10.0                |
|               |               | 2            No   | 7,097                | 90.0                |
|               |               | Missing   | 5,725                |                     |

## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label   | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 189-189       | QN12          | Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving on one or more of the past 30 days       |                      |                     |
|               |               | 1 Yes   | 3,227                | 41.4                |
|               |               | 2 No  | 4,792                | 58.6                |
|               |               | Missing   | 5,564                |                     |
| 190-190       | QN13          | Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days  |                      |                     |
|               |               | 1 Yes   | 2,260                | 17.9                |
|               |               | 2 No  | 10,992               | 82.1                |
|               |               | Missing   | 331                  |                     |
| 191-191       | QN14          | Percentage of students who carried a gun on one or more of the past 30 days   |                      |                     |
|               |               | 1 Yes   | 738                  | 5.5                 |
|               |               | 2 No  | 12,570               | 94.5                |
|               |               | Missing   | 275                  |                     |
| 192-192       | QN15          | Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days                                       |                      |                     |
|               |               | 1 Yes   | 627                  | 5.2                 |
|               |               | 2 No  | 12,727               | 94.8                |
|               |               | Missing   | 229                  |                     |
| 193-193       | QN16          | Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school |                      |                     |
|               |               | 1 Yes   | 1,054                | 7.1                 |
|               |               | 2 No  | 12,500               | 92.9                |
|               |               | Missing   | 29                   |                     |
| 194-194       | QN17          | Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months  |                      |                     |
|               |               | 1 Yes   | 998                  | 6.9                 |
|               |               | 2 No  | 12,557               | 93.1                |
|               |               | Missing   | 28                   |                     |
| 195-195       | QN18          | Percentage of students who were in a physical fight one or more times during the past 12 months   |                      |                     |
|               |               | 1 Yes   | 3,620                | 24.7                |
|               |               | 2 No  | 9,712                | 75.3                |
|               |               | Missing   | 251                  |                     |

## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label   | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 196-196       | QN19          | Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse   |                      |                     |
|               |               | 1 Yes   | 468                  | 3.1                 |
|               |               | 2 No  | 12,914               | 96.9                |
|               |               | Missing   | 201                  |                     |
| 197-197       | QN20          | Percentage of students who were in a physical fight on school property one or more times during the past 12 months  |                      |                     |
|               |               | 1 Yes   | 1,250                | 8.1                 |
|               |               | 2 No  | 12,102               | 91.9                |
|               |               | Missing   | 231                  |                     |
| 198-198       | QN21          | Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to   |                      |                     |
|               |               | 1 Yes   | 1,028                | 7.3                 |
|               |               | 2 No  | 12,479               | 92.7                |
|               |               | Missing   | 76                   |                     |
| 199-199       | QN22          | Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months                           |                      |                     |
|               |               | 1 Yes   | 1,063                | 10.3                |
|               |               | 2 No  | 8,867                | 89.7                |
|               |               | Missing   | 3,653                |                     |
| 200-200       | QN23          | Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months |                      |                     |
|               |               | 1 Yes   | 1,056                | 10.4                |
|               |               | 2 No  | 8,857                | 89.6                |
|               |               | Missing   | 3,670                |                     |
| 201-201       | QN24          | Percentage of students who had ever been bullied on school property during the past 12 months   |                      |                     |
|               |               | 1 Yes   | 2,508                | 19.6                |
|               |               | 2 No  | 11,007               | 80.4                |
|               |               | Missing   | 68                   |                     |
| 202-202       | QN25          | Percentage of students who had ever been electronically bullied during the past 12 months   |                      |                     |
|               |               | 1 Yes   | 1,878                | 14.8                |
|               |               | 2 No  | 11,623               | 85.2                |
|               |               | Missing   | 82                   |                     |

## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label  | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 203-203       | QN26          | Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months |                      |                     |
|               |               | 1 Yes  | 4,086                | 29.9                |
|               |               | 2 No   | 9,409                | 70.1                |
|               |               | Missing  | 88                   |                     |
| 204-204       | QN27          | Percentage of students who seriously considered attempting suicide during the past 12 months   |                      |                     |
|               |               | 1 Yes  | 2,259                | 17.0                |
|               |               | 2 No   | 11,232               | 83.0                |
|               |               | Missing  | 92                   |                     |
| 205-205       | QN28          | Percentage of students who made a plan about how they would attempt suicide during the past 12 months  |                      |                     |
|               |               | 1 Yes  | 1,874                | 13.6                |
|               |               | 2 No   | 11,611               | 86.4                |
|               |               | Missing  | 98                   |                     |
| 206-206       | QN29          | Percentage of students who actually attempted suicide one or more times during the past 12 months  |                      |                     |
|               |               | 1 Yes  | 1,015                | 8.0                 |
|               |               | 2 No   | 10,967               | 92.0                |
|               |               | Missing  | 1,601                |                     |
| 207-207       | QN30          | Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse |                      |                     |
|               |               | 1 Yes  | 324                  | 2.7                 |
|               |               | 2 No   | 11,426               | 97.3                |
|               |               | Missing  | 1,833                |                     |
| 208-208       | QN31          | Percentage of students who ever tried cigarette smoking, even one or two puffs   |                      |                     |
|               |               | 1 Yes  | 5,360                | 41.1                |
|               |               | 2 No   | 7,843                | 58.9                |
|               |               | Missing  | 380                  |                     |
| 209-209       | QN32          | Percentage of students who smoked a whole cigarette for the first time before age 13 years   |                      |                     |
|               |               | 1 Yes  | 1,112                | 9.3                 |
|               |               | 2 No   | 11,783               | 90.7                |
|               |               | Missing  | 688                  |                     |
| 210-210       | QN33          | Percentage of students who smoked cigarettes on one or more of the past 30 days  |                      |                     |
|               |               | 1 Yes  | 1,888                | 15.7                |
|               |               | 2 No   | 11,134               | 84.3                |
|               |               | Missing  | 561                  |                     |

## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label  | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 211-211       | QN34          | Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days   |                      |                     |
|               |               | 1 Yes  | 144                  | 8.6                 |
|               |               | 2 No   | 1,665                | 91.4                |
|               |               | Missing  | 11,774               |                     |
| 212-212       | QN35          | Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days |                      |                     |
|               |               | 1 Yes  | 234                  | 18.1                |
|               |               | 2 No   | 1,110                | 81.9                |
|               |               | Missing  | 12,239               |                     |
| 213-213       | QN36          | Percentage of students who smoked cigarettes on school property on one or more of the past 30 days   |                      |                     |
|               |               | 1 Yes  | 474                  | 3.8                 |
|               |               | 2 No   | 12,568               | 96.2                |
|               |               | Missing  | 541                  |                     |
| 214-214       | QN37          | Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days   |                      |                     |
|               |               | 1 Yes  | 1,039                | 8.8                 |
|               |               | 2 No   | 11,902               | 91.2                |
|               |               | Missing  | 642                  |                     |
| 215-215       | QN38          | Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months  |                      |                     |
|               |               | 1 Yes  | 901                  | 48.0                |
|               |               | 2 No   | 867                  | 52.0                |
|               |               | Missing  | 11,815               |                     |
| 216-216       | QN39          | Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days  |                      |                     |
|               |               | 1 Yes  | 1,011                | 8.8                 |
|               |               | 2 No   | 12,334               | 91.2                |
|               |               | Missing  | 238                  |                     |
| 217-217       | QN40          | Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days  |                      |                     |
|               |               | 1 Yes  | 1,685                | 12.6                |
|               |               | 2 No   | 11,657               | 87.4                |
|               |               | Missing  | 241                  |                     |
| 218-218       | QN41          | Percentage of students who had at least one drink of alcohol on one or more days during their life   |                      |                     |
|               |               | 1 Yes  | 8,870                | 66.2                |
|               |               | 2 No   | 4,234                | 33.8                |
|               |               | Missing  | 479                  |                     |

## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label   | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 219-219       | QN42          | Percentage of students who had their first drink of alcohol other than a few sips before age 13 years   |                      |                     |
|               |               | 1 Yes   | 2,621                | 18.6                |
|               |               | 2 No  | 10,687               | 81.4                |
|               |               | Missing   | 275                  |                     |
| 220-220       | QN43          | Percentage of students who had at least one drink of alcohol on one or more of the past 30 days   |                      |                     |
|               |               | 1 Yes   | 4,373                | 34.9                |
|               |               | 2 No  | 7,915                | 65.1                |
|               |               | Missing   | 1,295                |                     |
| 221-221       | QN44          | Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days                   |                      |                     |
|               |               | 1 Yes   | 2,620                | 20.8                |
|               |               | 2 No  | 10,440               | 79.2                |
|               |               | Missing   | 523                  |                     |
| 222-222       | QN45          | Percentage of students who had ten or more drinks of alcohol in a row, that is, within a couple of hours, during the past 30 days                               |                      |                     |
|               |               | 1 Yes   | 675                  | 6.1                 |
|               |               | 2 No  | 11,688               | 93.9                |
|               |               | Missing   | 1,220                |                     |
| 223-223       | QN46          | Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days |                      |                     |
|               |               | 1 Yes   | 1,740                | 41.8                |
|               |               | 2 No  | 2,499                | 58.2                |
|               |               | Missing   | 9,344                |                     |
| 224-224       | QN47          | Percentage of students who used marijuana one or more times during their life   |                      |                     |
|               |               | 1 Yes   | 5,782                | 40.7                |
|               |               | 2 No  | 7,462                | 59.3                |
|               |               | Missing   | 339                  |                     |
| 225-225       | QN48          | Percentage of students who tried marijuana for the first time before age 13 years   |                      |                     |
|               |               | 1 Yes   | 1,229                | 8.6                 |
|               |               | 2 No  | 12,074               | 91.4                |
|               |               | Missing   | 280                  |                     |
| 226-226       | QN49          | Percentage of students who used marijuana one or more times during the past 30 days   |                      |                     |
|               |               | 1 Yes   | 3,367                | 23.4                |
|               |               | 2 No  | 9,947                | 76.6                |
|               |               | Missing   | 269                  |                     |

## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label  | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 227-227       | QN50          | Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life  |                      |                     |
|               |               | 1 Yes  | 749                  | 5.5                 |
|               |               | 2 No   | 12,708               | 94.5                |
|               |               | Missing  | 126                  |                     |
| 228-228       | QN51          | Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life                                      |                      |                     |
|               |               | 1 Yes  | 1,178                | 8.9                 |
|               |               | 2 No   | 12,191               | 91.1                |
|               |               | Missing  | 214                  |                     |
| 229-229       | QN52          | Percentage of students who used heroin one or more times during their life   |                      |                     |
|               |               | 1 Yes  | 303                  | 2.2                 |
|               |               | 2 No   | 12,952               | 97.8                |
|               |               | Missing  | 328                  |                     |
| 230-230       | QN53          | Percentage of students who used methamphetamines one or more times during their life   |                      |                     |
|               |               | 1 Yes  | 415                  | 3.2                 |
|               |               | 2 No   | 12,942               | 96.8                |
|               |               | Missing  | 226                  |                     |
| 231-231       | QN54          | Percentage of students who used ecstasy one or more times during their life  |                      |                     |
|               |               | 1 Yes  | 939                  | 6.6                 |
|               |               | 2 No   | 12,415               | 93.4                |
|               |               | Missing  | 229                  |                     |
| 232-232       | QN55          | Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life   |                      |                     |
|               |               | 1 Yes  | 419                  | 3.2                 |
|               |               | 2 No   | 13,035               | 96.8                |
|               |               | Missing  | 129                  |                     |
| 233-233       | QN56          | Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life |                      |                     |
|               |               | 1 Yes  | 2,351                | 17.8                |
|               |               | 2 No   | 11,092               | 82.2                |
|               |               | Missing  | 140                  |                     |
| 234-234       | QN57          | Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life  |                      |                     |
|               |               | 1 Yes  | 245                  | 1.7                 |
|               |               | 2 No   | 13,112               | 98.3                |
|               |               | Missing  | 226                  |                     |

## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label   | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 235-235       | QN58          | Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months   |                      |                     |
|               |               | 1 Yes   | 3,140                | 22.1                |
|               |               | 2 No  | 10,280               | 77.9                |
|               |               | Missing   | 163                  |                     |
| 236-236       | QN59          | Percentage of students who ever had sexual intercourse  |                      |                     |
|               |               | 1 Yes   | 6,420                | 46.8                |
|               |               | 2 No  | 6,494                | 53.2                |
|               |               | Missing   | 669                  |                     |
| 237-237       | QN60          | Percentage of students who had sexual intercourse for the first time before age 13 years  |                      |                     |
|               |               | 1 Yes   | 884                  | 5.6                 |
|               |               | 2 No  | 12,013               | 94.4                |
|               |               | Missing   | 686                  |                     |
| 238-238       | QN61          | Percentage of students who had sexual intercourse with four or more people during their life  |                      |                     |
|               |               | 1 Yes   | 2,159                | 15.0                |
|               |               | 2 No  | 10,699               | 85.0                |
|               |               | Missing   | 725                  |                     |
| 239-239       | QN62          | Percentage of students who had sexual intercourse with one or more people during the past three months  |                      |                     |
|               |               | 1 Yes   | 4,667                | 34.0                |
|               |               | 2 No  | 8,209                | 66.0                |
|               |               | Missing   | 707                  |                     |
| 240-240       | QN63          | Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse                   |                      |                     |
|               |               | 1 Yes   | 1,040                | 22.4                |
|               |               | 2 No  | 3,595                | 77.6                |
|               |               | Missing   | 8,948                |                     |
| 241-241       | QN64          | Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse                                 |                      |                     |
|               |               | 1 Yes   | 2,705                | 59.1                |
|               |               | 2 No  | 1,860                | 40.9                |
|               |               | Missing   | 9,018                |                     |
| 242-242       | QN65          | Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse |                      |                     |
|               |               | 1 Yes   | 749                  | 19.0                |
|               |               | 2 No  | 3,705                | 81.0                |
|               |               | Missing   | 9,129                |                     |



## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label   | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 243-243       | QN66          | Percentage of students who described themselves as slightly or very overweight  |                      |                     |
|               |               | 1 Yes   | 4,057                | 31.1                |
|               |               | 2 No  | 9,284                | 68.9                |
|               |               | Missing   | 242                  |                     |
| 244-244       | QN67          | Percentage of students who were trying to lose weight   |                      |                     |
|               |               | 1 Yes   | 6,245                | 47.7                |
|               |               | 2 No  | 7,079                | 52.3                |
|               |               | Missing   | 259                  |                     |
| 245-245       | QN68          | Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days                           |                      |                     |
|               |               | 1 Yes   | 1,781                | 13.0                |
|               |               | 2 No  | 11,576               | 87.0                |
|               |               | Missing   | 226                  |                     |
| 246-246       | QN69          | Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days |                      |                     |
|               |               | 1 Yes   | 685                  | 5.0                 |
|               |               | 2 No  | 12,651               | 95.0                |
|               |               | Missing   | 247                  |                     |
| 247-247       | QN70          | Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days  |                      |                     |
|               |               | 1 Yes   | 560                  | 4.4                 |
|               |               | 2 No  | 12,724               | 95.6                |
|               |               | Missing   | 299                  |                     |
| 248-248       | QN71          | Percentage of students who drank 100% fruit juices one or more times during the past seven days   |                      |                     |
|               |               | 1 Yes   | 10,411               | 76.7                |
|               |               | 2 No  | 2,955                | 23.3                |
|               |               | Missing   | 217                  |                     |
| 249-249       | QN72          | Percentage of students who ate fruit one or more times during the past seven days   |                      |                     |
|               |               | 1 Yes   | 11,868               | 89.4                |
|               |               | 2 No  | 1,491                | 10.6                |
|               |               | Missing   | 224                  |                     |
| 250-250       | QN73          | Percentage of students who ate green salad one or more times during the past seven days   |                      |                     |
|               |               | 1 Yes   | 8,046                | 60.9                |
|               |               | 2 No  | 5,293                | 39.1                |
|               |               | Missing   | 244                  |                     |

## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label   | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 251-251       | QN74          | Percentage of students who ate potatoes one or more times during the past seven days  |                      |                     |
|               |               | 1 Yes   | 8,791                | 67.3                |
|               |               | 2 No  | 4,558                | 32.7                |
|               |               | Missing   | 234                  |                     |
| 252-252       | QN75          | Percentage of students who ate carrots one or more times during the past seven days   |                      |                     |
|               |               | 1 Yes   | 6,063                | 47.3                |
|               |               | 2 No  | 7,283                | 52.7                |
|               |               | Missing   | 237                  |                     |
| 253-253       | QN76          | Percentage of students who ate other vegetables one or more times during the past seven days  |                      |                     |
|               |               | 1 Yes   | 10,802               | 81.4                |
|               |               | 2 No  | 2,531                | 18.6                |
|               |               | Missing   | 250                  |                     |
| 254-254       | QN77          | Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days        |                      |                     |
|               |               | 1 Yes   | 3,590                | 27.0                |
|               |               | 2 No  | 9,734                | 73.0                |
|               |               | Missing   | 259                  |                     |
| 255-255       | QN78          | Percentage of students who drank three or more glasses per day of milk during the past seven days                                   |                      |                     |
|               |               | 1 Yes   | 1,545                | 12.5                |
|               |               | 2 No  | 11,735               | 87.5                |
|               |               | Missing   | 303                  |                     |
| 256-256       | QN79          | Percentage of students who ate breakfast on all of the past seven days  |                      |                     |
|               |               | 1 Yes   | 4,875                | 38.1                |
|               |               | 2 No  | 8,448                | 61.9                |
|               |               | Missing   | 260                  |                     |
| 257-257       | QN80          | Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days |                      |                     |
|               |               | 1 Yes   | 6,190                | 47.3                |
|               |               | 2 No  | 7,120                | 52.7                |
|               |               | Missing   | 273                  |                     |
| 258-258       | QN81          | Percentage of students who watched three or more hours per day of TV on an average school day                                       |                      |                     |
|               |               | 1 Yes   | 4,782                | 32.5                |
|               |               | 2 No  | 8,463                | 67.5                |
|               |               | Missing   | 338                  |                     |

## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label  | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 259-259       | QN82          | Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day |                      |                     |
|               |               | 1 Yes  | 5,669                | 41.3                |
|               |               | 2 No   | 7,586                | 58.7                |
|               |               | Missing  | 328                  |                     |
| 260-260       | QN83          | Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school                                      |                      |                     |
|               |               | 1 Yes  | 6,273                | 48.0                |
|               |               | 2 No   | 6,955                | 52.0                |
|               |               | Missing  | 355                  |                     |
| 261-261       | QN84          | Percentage of students who played on one or more sports teams during the past 12 months  |                      |                     |
|               |               | 1 Yes  | 7,044                | 54.0                |
|               |               | 2 No   | 6,151                | 46.0                |
|               |               | Missing  | 388                  |                     |
| 262-262       | QN85          | Percentage of students who had ever been taught in school about AIDS or HIV infection  |                      |                     |
|               |               | 1 Yes  | 11,239               | 85.3                |
|               |               | 2 No   | 1,984                | 14.7                |
|               |               | Missing  | 360                  |                     |
| 263-263       | QN86          | Percentage of students who had ever been told by a doctor or nurse that they had asthma  |                      |                     |
|               |               | 1 Yes  | 2,828                | 21.0                |
|               |               | 2 No   | 10,408               | 79.0                |
|               |               | Missing  | 347                  |                     |
| 264-264       | QN87          | Percentage of students who have used hallucinogenic drugs, such as LSD, acid, PCP, angel dust, mescaline, or mushrooms, one or more times during their life              |                      |                     |
|               |               | 1 Yes  | 898                  | 7.1                 |
|               |               | 2 No   | 11,622               | 92.9                |
|               |               | Missing  | 1,063                |                     |
| 265-265       | QN88          | Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days      |                      |                     |
|               |               | 1 Yes  | 6,458                | 51.7                |
|               |               | 2 No   | 5,949                | 48.3                |
|               |               | Missing  | 1,176                |                     |
| 266-266       | QN89          | Percentage of students who had ever been tested for HIV, the virus that causes AIDS  |                      |                     |
|               |               | 1 Yes  | 1,831                | 12.9                |
|               |               | 2 No   | 10,665               | 87.1                |
|               |               | Missing  | 1,087                |                     |

## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label   | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 267-267       | QN90          | Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day  |                      |                     |
|               |               | 1 Yes   | 1,199                | 10.1                |
|               |               | 2 No  | 11,512               | 89.9                |
|               |               | Missing   | 872                  |                     |
| 268-268       | QN91          | Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months  |                      |                     |
|               |               | 1 Yes   | 1,292                | 12.8                |
|               |               | 2 No  | 11,297               | 87.2                |
|               |               | Missing   | 994                  |                     |
| 269-269       | QN92          | Percentage of students who get eight or more hours of sleep on average school night   |                      |                     |
|               |               | 1 Yes   | 3,771                | 31.7                |
|               |               | 2 No  | 8,564                | 68.3                |
|               |               | Missing   | 1,248                |                     |
| 350-350       | QNFRDIG       | Percentage of students who smoked cigarettes on 20 or more of the past 30 days  |                      |                     |
|               |               | 1 Yes   | 649                  | 5.6                 |
|               |               | 2 No  | 12,373               | 94.4                |
|               |               | Missing   | 561                  |                     |
| 351-351       | QNANYTOB      | Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days  |                      |                     |
|               |               | 1 Yes   | 2,668                | 22.4                |
|               |               | 2 No  | 10,156               | 77.6                |
|               |               | Missing   | 759                  |                     |
| 352-352       | QNOTHH        | Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse                       |                      |                     |
|               |               | 1 Yes   | 300                  | 6.3                 |
|               |               | 2 No  | 4,154                | 93.7                |
|               |               | Missing   | 9,129                |                     |
| 353-353       | QNOTHHPL      | Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse |                      |                     |
|               |               | 1 Yes   | 1,049                | 25.3                |
|               |               | 2 No  | 3,405                | 74.7                |
|               |               | Missing   | 9,129                |                     |

## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label  | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 354-354       | QNQUALBC      | Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse |                      |                     |
|               |               | 1 Yes  | 356                  | 8.8                 |
|               |               | 2 No   | 4,081                | 91.2                |
|               |               | Missing  | 9,146                |                     |
| 355-355       | QNBCNONE      | Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse   |                      |                     |
|               |               | 1 Yes  | 647                  | 13.7                |
|               |               | 2 No   | 3,807                | 86.3                |
|               |               | Missing  | 9,129                |                     |
| 356-356       | QNFRVG        | Percentage of students who ate fruits and vegetables five or more times per day during the past seven days   |                      |                     |
|               |               | 1 Yes  | 3,187                | 22.5                |
|               |               | 2 No   | 9,989                | 77.5                |
|               |               | Missing  | 407                  |                     |
| 357-357       | QNFRUIT       | Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days  |                      |                     |
|               |               | 1 Yes  | 4,674                | 33.2                |
|               |               | 2 No   | 8,648                | 66.8                |
|               |               | Missing  | 261                  |                     |
| 358-358       | QNFR0         | Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days  |                      |                     |
|               |               | 1 Yes  | 687                  | 5.0                 |
|               |               | 2 No   | 12,635               | 95.0                |
|               |               | Missing  | 261                  |                     |
| 359-359       | QNFR1         | Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days  |                      |                     |
|               |               | 1 Yes  | 8,453                | 62.6                |
|               |               | 2 No   | 4,869                | 37.4                |
|               |               | Missing  | 261                  |                     |
| 360-360       | QNFR3         | Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days  |                      |                     |
|               |               | 1 Yes  | 3,195                | 21.9                |
|               |               | 2 No   | 10,127               | 78.1                |
|               |               | Missing  | 261                  |                     |
| 361-361       | QNVEG         | Percentage of students who ate vegetables three or more times per day during the past seven days   |                      |                     |
|               |               | 1 Yes  | 2,161                | 15.7                |
|               |               | 2 No   | 11,066               | 84.3                |
|               |               | Missing  | 356                  |                     |

## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label  | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 362-362       | QNVEG0        | Percentage of students who ate vegetables 0 times per day during the past seven days   |                      |                     |
|               |               | 1 Yes  | 942                  | 6.6                 |
|               |               | 2 No   | 12,285               | 93.4                |
|               |               | Missing  | 356                  |                     |
| 363-363       | QNVEG1        | Percentage of students who ate vegetables one or more times per day during the past seven days   |                      |                     |
|               |               | 1 Yes  | 8,036                | 61.5                |
|               |               | 2 No   | 5,191                | 38.5                |
|               |               | Missing  | 356                  |                     |
| 364-364       | QNVEG2        | Percentage of students who ate vegetables two or more times per day during the past seven days   |                      |                     |
|               |               | 1 Yes  | 3,790                | 28.4                |
|               |               | 2 No   | 9,437                | 71.6                |
|               |               | Missing  | 356                  |                     |
| 365-365       | QNFRVG2       | Percentage of students who ate fruits or drank 100% fruit juices two or more times per day and ate vegetables three or more times per day during the past seven days |                      |                     |
|               |               | 1 Yes  | 1,586                | 11.3                |
|               |               | 2 No   | 11,590               | 88.7                |
|               |               | Missing  | 407                  |                     |
| 366-366       | QNSODA0       | Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days   |                      |                     |
|               |               | 1 Yes  | 2,961                | 22.3                |
|               |               | 2 No   | 10,363               | 77.7                |
|               |               | Missing  | 259                  |                     |
| 367-367       | QNSODA2       | Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days   |                      |                     |
|               |               | 1 Yes  | 2,588                | 19.4                |
|               |               | 2 No   | 10,736               | 80.6                |
|               |               | Missing  | 259                  |                     |
| 368-368       | QNSODA3       | Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days                                       |                      |                     |
|               |               | 1 Yes  | 1,596                | 11.2                |
|               |               | 2 No   | 11,728               | 88.8                |
|               |               | Missing  | 259                  |                     |
| 369-369       | QNMILK0       | Percentage of students who drank 0 glasses per day of milk during the past seven days  |                      |                     |
|               |               | 1 Yes  | 2,818                | 19.4                |
|               |               | 2 No   | 10,462               | 80.6                |
|               |               | Missing  | 303                  |                     |

## 2013 YRBS Data User's Guide

| Data Location | Variable Name | Question Code and Label  | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 370-370       | QNMILK1       | Percentage of students who drank one or more glasses per day of milk during the past seven days  |                      |                     |
|               |               | 1 Yes  | 5,081                | 40.3                |
|               |               | 2 No   | 8,199                | 59.7                |
|               |               | Missing  | 303                  |                     |
| 371-371       | QNMILK2       | Percentage of students who drank two or more glasses per day of milk during the past seven days  |                      |                     |
|               |               | 1 Yes  | 3,225                | 25.9                |
|               |               | 2 No   | 10,055               | 74.1                |
|               |               | Missing  | 303                  |                     |
| 372-372       | QNNOBKFT      | Percentage of students who ate breakfast on none of the past seven days  |                      |                     |
|               |               | 1 Yes  | 1,945                | 13.7                |
|               |               | 2 No   | 11,378               | 86.3                |
|               |               | Missing  | 260                  |                     |
| 373-373       | QNDLYPE       | Percentage of students who attended physical education (PE) classes daily in an average week when they were in school                                |                      |                     |
|               |               | 1 Yes  | 3,991                | 29.4                |
|               |               | 2 No   | 9,237                | 70.6                |
|               |               | Missing  | 355                  |                     |
| 374-374       | QNPA0DAY      | Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days                             |                      |                     |
|               |               | 1 Yes  | 2,172                | 15.2                |
|               |               | 2 No   | 11,138               | 84.8                |
|               |               | Missing  | 273                  |                     |
| 375-375       | QNPA7DAY      | Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days                             |                      |                     |
|               |               | 1 Yes  | 3,622                | 27.1                |
|               |               | 2 No   | 9,688                | 72.9                |
|               |               | Missing  | 273                  |                     |
| 376-376       | QNOWT         | Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex) |                      |                     |
|               |               | 1 Yes  | 2,064                | 16.6                |
|               |               | 2 No   | 10,515               | 83.4                |
|               |               | Missing  | 1,004                |                     |
| 377-377       | QNOBESE       | Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)                                    |                      |                     |
|               |               | 1 Yes  | 1,786                | 13.7                |
|               |               | 2 No   | 10,793               | 86.3                |
|               |               | Missing  | 1,004                |                     |
| 378-387       | WEIGHT        |  |                      |                     |

---

## 2013 YRBS Data User's Guide

---

| <b>Data Location</b> | <b>Variable Name</b> |   | <b>Question Code and Label</b> | <b>Unweighted Frequency</b> | <b>Weighted Percentage</b> |
|----------------------|----------------------|---|--------------------------------|-----------------------------|----------------------------|
| 388-390              | STRATUM              |   |                                |                             |                            |
| 391-396              | PSU                  |   |                                |                             |                            |
| 397-401              | BMIPCT               |   |                                |                             |                            |
| 402-403              | RACEETH              |   |                                |                             |                            |
|                      |                      | 1 | Am Indian / Alaska Native      | 121                         | 0.7                        |
|                      |                      | 2 | Asian                          | 491                         | 3.0                        |
|                      |                      | 3 | Black or African American      | 2,993                       | 14.3                       |
|                      |                      | 4 | Native Hawaiian/other PI       | 135                         | 0.8                        |
|                      |                      | 5 | White                          | 5,449                       | 55.6                       |
|                      |                      | 6 | Hispanic/Latino                | 1,734                       | 10.4                       |
|                      |                      | 7 | Multiple - Hispanic            | 1,661                       | 10.7                       |
|                      |                      | 8 | Multiple - Non-Hispanic        | 681                         | 4.4                        |
|                      |                      |   | Missing                        | 318                         |                            |
| 404-406              | Q6ORIG               |   |                                |                             |                            |
| 407-409              | Q7ORIG               |   |                                |                             |                            |