

PRAMS Health Indicator 5-Year Aggregate Report - Binge drinking 3 mos before pregnancy (Phase 6/7)- for the State of Hawaii, for the Year(s) 2009-2013

PRAMS Health Indicator 5-Year Aggregate Report - Binge drinking 3 mos before pregnancy (Phase 6/7)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Binge drinking 3 mos before pregnancy (Phase 6/7)	Binge drinking 3 months before pregnancy (Having four or more drinks on one occasion) (Phase 6 and 7)

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/23/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

PRAMS Health Indicator 5-Year Aggregate Report - Binge drinking 3 mos before pregnancy (Phase 6/7)- for the State of Hawaii, for the Year(s) 2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2009-2013	4,000	22.2	21.0 - 23.5	14,100	77.8	76.5 - 79.0	18,100



**PRAMS Health Indicator 5-Year Aggregate Report - Binge drinking 3 mos before pregnancy (Phase 6/7)- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	4,000	22.2	21.0 - 23.5	14,100	77.8	76.5 - 79.0	18,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	600	25.1	23.2 - 27.2	1,700	74.9	72.8 - 76.8	2,300
Honolulu	2,700	21.0	19.4 - 22.6	10,300	79.0	77.4 - 80.6	13,000
Kauai	200	27.0	24.7 - 29.5	600	73.0	70.5 - 75.3	800
Maui	500	25.1	23.3 - 27.1	1,500	74.9	72.9 - 76.7	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Binge drinking 3 mos before pregnancy (Phase 6/7)- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,100	25.6	23.1 - 28.2	3,300	74.4	71.8 - 76.9	4,400
Native Hawaiian	1,500	28.1	25.8 - 30.4	3,900	71.9	69.6 - 74.2	5,400
Chinese	100	10.3	7.0 - 15.0	700	89.7	85.0 - 93.0	800
Filipino	500	15.5	13.1 - 18.2	2,700	84.5	81.8 - 86.9	3,200
Japanese	300	19.0	15.3 - 23.2	1,400	81.0	76.8 - 84.7	1,700
Other	500	18.6	15.7 - 21.9	2,200	81.4	78.1 - 84.3	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	12.8	9.7 - 16.7	1,000	87.2	83.3 - 90.3	1,200
20-24	1,100	27.8	25.1 - 30.6	3,000	72.2	69.4 - 74.9	4,100
25-34	2,300	24.3	22.7 - 26.1	7,300	75.7	73.9 - 77.3	9,600
35+	400	12.2	10.3 - 14.5	2,800	87.8	85.5 - 89.7	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Binge drinking 3 mos before pregnancy (Phase 6/7)- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	2,000	21.9	20.3 - 23.7	7,200	78.1	76.3 - 79.7	9,200
Female	2,000	22.5	20.9 - 24.3	6,900	77.5	75.7 - 79.1	8,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	17.5	16.1 - 18.9	9,200	82.5	81.1 - 83.9	11,200
No	2,100	29.9	27.8 - 32.1	4,900	70.1	67.9 - 72.2	6,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,500	23.0	21.1 - 25.1	5,000	77.0	74.9 - 78.9	6,500
131-185%	700	25.5	22.3 - 28.9	2,100	74.5	71.1 - 77.7	2,800
186+%	1,600	21.5	19.7 - 23.4	5,800	78.5	76.6 - 80.3	7,400

PRAMS Health Indicator 5-Year Aggregate Report - Binge drinking 3 mos before pregnancy (Phase 6/7)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	20.6	18.8 - 22.6	1,000	79.4	77.4 - 81.2	1,300
Normal birth weight	3,800	22.4	21.1 - 23.7	13,000	77.6	76.3 - 78.9	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	35.9	30.7 - 41.5	700	64.1	58.5 - 69.3	1,200
No	3,600	21.3	20.1 - 22.5	13,200	78.7	77.5 - 79.9	16,800

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	41.8	38.6 - 45.1	2,000	58.2	54.9 - 61.4	3,500
No	2,500	17.5	16.3 - 18.8	11,900	82.5	81.2 - 83.7	14,500

PRAMS Health Indicator 5-Year Aggregate Report - Binge drinking 3 mos before pregnancy (Phase 6/7)- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	24.6	22.8 - 26.5	6,000	75.4	73.5 - 77.2	7,900
No	2,000	20.3	18.8 - 22.0	7,900	79.7	78.0 - 81.2	10,000