

**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- for the State of Hawaii, for the Year(s) 2009;2010;2011;2012;2013**

PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
Breastfeeding liquid supplement 1st week	Breastfeeding liquid supplement 1st week

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/28/17*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**


[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**

## PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- for the State of Hawaii, for the Year(s) 2009;2010;2011;2012;2013

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2009	6,000	35.9	32.8 - 39.2	10,600	64.1	60.8 - 67.2	16,600
2010	4,700	27.8	24.9 - 30.8	12,300	72.2	69.2 - 75.1	17,100
2011	5,400	31.4	28.4 - 34.6	11,800	68.6	65.4 - 71.6	17,300
2012	5,800	35.4	32.2 - 38.8	10,500	64.6	61.2 - 67.8	16,300
2013	4,600	28.0	24.9 - 31.4	11,800	72.0	68.6 - 75.1	16,400



**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	4,600	28.0	24.9 - 31.4	11,800	72.0	68.6 - 75.1	16,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	600	31.2	26.0 - 37.0	1,400	68.8	63.0 - 74.0	2,100
<b>Honolulu</b>	3,200	26.9	22.8 - 31.4	8,700	73.1	68.6 - 77.2	11,900
<b>Kauai</b>	100	19.6	15.5 - 24.5	600	80.4	75.5 - 84.5	700
<b>Maui</b>	600	35.5	30.1 - 41.3	1,100	64.5	58.7 - 69.9	1,800

**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	900	19.7	14.6 - 26.1	3,600	80.3	73.9 - 85.4	4,500
Native Hawaiian	1,200	25.2	20.3 - 30.7	3,600	74.8	69.3 - 79.7	4,800
Chinese	400	51.5	34.0 - 68.7	400	48.5	31.3 - 66.0	800
Filipino	1,100	40.5	31.9 - 49.7	1,600	59.5	50.3 - 68.1	2,600
Japanese	400	25.1	16.4 - 36.3	1,300	74.9	63.7 - 83.6	1,700
Other	600	30.6	21.6 - 41.3	1,500	69.4	58.7 - 78.4	2,100

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	42.1	27.4 - 58.3	400	57.9	41.7 - 72.6	800
20-24	800	20.1	15.0 - 26.3	3,100	79.9	73.7 - 85.0	3,800
25-34	2,500	27.7	23.4 - 32.5	6,500	72.3	67.5 - 76.6	9,000
35+	1,000	35.7	28.1 - 44.0	1,800	64.3	56.0 - 71.9	2,900

**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	2,100	26.3	22.1 - 31.0	5,900	73.7	69.0 - 77.9	8,000
<b>Female</b>	2,500	29.6	25.1 - 34.6	6,000	70.4	65.4 - 74.9	8,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,600	25.0	21.2 - 29.2	7,900	75.0	70.8 - 78.8	10,500
<b>No</b>	2,000	33.4	28.2 - 39.1	3,900	66.6	60.9 - 71.8	5,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	1,700	29.2	24.1 - 34.9	4,200	70.8	65.1 - 75.9	5,900
<b>131-185%</b>	800	35.0	26.1 - 45.2	1,500	65.0	54.8 - 73.9	2,200
<b>186+%</b>	1,700	25.5	20.8 - 30.8	4,900	74.5	69.2 - 79.2	6,600

**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	1,100	30.7	24.4 - 37.9	2,600	69.3	62.1 - 75.6	3,700
\$17,001-\$26,000	600	27.6	19.5 - 37.6	1,600	72.4	62.4 - 80.5	2,200
\$26,001-\$51,000	1,100	31.5	24.6 - 39.4	2,400	68.5	60.6 - 75.4	3,500
>=\$51,001	1,400	24.8	19.7 - 30.5	4,200	75.2	69.5 - 80.3	5,500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	41.8	36.5 - 47.2	700	58.2	52.8 - 63.5	1,100
Normal birth weight	4,100	27.0	23.7 - 30.6	11,200	73.0	69.4 - 76.3	15,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	29.6	17.6 - 45.3	600	70.4	54.7 - 82.4	800
No	4,300	28.0	24.8 - 31.5	11,000	72.0	68.5 - 75.2	15,200

**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	26.7	19.8 - 35.0	2,100	73.3	65.0 - 80.2	2,900
<b>No</b>	3,800	28.4	24.9 - 32.2	9,400	71.6	67.8 - 75.1	13,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,400	33.7	28.7 - 39.1	4,700	66.3	60.9 - 71.3	7,100
<b>No</b>	2,200	23.7	19.9 - 28.0	7,100	76.3	72.0 - 80.1	9,300

**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	5,800	35.4	32.2 - 38.8	10,500	64.6	61.2 - 67.8	16,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	700	33.0	28.0 - 38.5	1,400	67.0	61.5 - 72.0	2,100
<b>Honolulu</b>	4,200	35.8	31.5 - 40.4	7,500	64.2	59.6 - 68.5	11,700
<b>Kauai</b>	200	31.9	25.9 - 38.5	500	68.1	61.5 - 74.1	700
<b>Maui</b>	700	36.8	31.9 - 42.0	1,100	63.2	58.0 - 68.1	1,800



**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	700	20.7	15.6 - 26.9	2,900	79.3	73.1 - 84.4	3,600
Native Hawaiian	1,600	33.6	28.0 - 39.7	3,100	66.4	60.3 - 72.0	4,600
Chinese	400	43.6	30.0 - 58.3	600	56.4	41.7 - 70.0	1,000
Filipino	1,300	42.3	34.6 - 50.5	1,700	57.7	49.5 - 65.4	3,000
Japanese	700	49.2	37.8 - 60.7	800	50.8	39.3 - 62.2	1,500
Other	1,000	40.1	31.6 - 49.3	1,600	59.9	50.7 - 68.4	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	500	50.5	36.4 - 64.5	500	49.5	35.5 - 63.6	900
20-24	1,100	31.2	24.7 - 38.5	2,400	68.8	61.5 - 75.3	3,400
25-34	3,000	32.7	28.5 - 37.2	6,100	67.3	62.8 - 71.5	9,100
35+	1,300	43.9	36.1 - 52.1	1,600	56.1	47.9 - 63.9	2,900

**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	2,900	35.4	30.9 - 40.2	5,300	64.6	59.8 - 69.1	8,200
<b>Female</b>	2,900	35.4	30.9 - 40.2	5,300	64.6	59.8 - 69.1	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	3,400	33.5	29.4 - 37.8	6,700	66.5	62.2 - 70.6	10,100
<b>No</b>	2,400	38.6	33.4 - 44.1	3,800	61.4	55.9 - 66.6	6,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	2,300	40.2	34.6 - 46.0	3,400	59.8	54.0 - 65.4	5,700
<b>131-185%</b>	900	32.3	25.0 - 40.6	1,900	67.7	59.4 - 75.0	2,800
<b>186+%</b>	2,100	33.6	28.6 - 39.0	4,200	66.4	61.0 - 71.4	6,400

**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Income (2012+)</b>							
<b>&lt;=\$17,000</b>	1,600	43.0	35.9 - 50.5	2,100	57.0	49.5 - 64.1	3,600
<b>\$17,001-\$26,000</b>	700	34.3	25.9 - 43.8	1,300	65.7	56.2 - 74.1	2,000
<b>\$26,001-\$51,000</b>	1,200	31.7	25.5 - 38.6	2,600	68.3	61.4 - 74.5	3,800
<b>&gt;=\$51,001</b>	1,900	34.6	29.1 - 40.4	3,600	65.4	59.6 - 70.9	5,500

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Birthweight</b>							
<b>Low birth weight</b>	500	45.1	39.3 - 51.0	600	54.9	49.0 - 60.7	1,100
<b>Normal birth weight</b>	5,300	34.8	31.3 - 38.4	9,900	65.2	61.6 - 68.7	15,200

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Smoke 3rd Trimester</b>							
<b>Yes</b>	200	29.5	17.2 - 45.7	500	70.5	54.3 - 82.8	700
<b>No</b>	5,400	35.7	32.3 - 39.2	9,700	64.3	60.8 - 67.7	15,100

**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	28.6	21.6 - 36.8	1,800	71.4	63.2 - 78.4	2,500
<b>No</b>	4,900	36.7	33.1 - 40.5	8,400	63.3	59.5 - 66.9	13,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,900	39.6	34.6 - 44.7	4,400	60.4	55.3 - 65.4	7,300
<b>No</b>	2,900	32.3	28.1 - 36.7	6,000	67.7	63.3 - 71.9	8,900

**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	5,400	31.4	28.4 - 34.6	11,800	68.6	65.4 - 71.6	17,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	700	33.4	28.6 - 38.5	1,500	66.6	61.5 - 71.4	2,200
<b>Honolulu</b>	3,900	31.5	27.5 - 35.8	8,500	68.5	64.2 - 72.5	12,300
<b>Kauai</b>	200	25.8	20.6 - 31.7	600	74.2	68.3 - 79.4	800
<b>Maui</b>	600	31.0	26.7 - 35.5	1,300	69.0	64.5 - 73.3	1,800

**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	900	20.5	15.8 - 26.3	3,400	79.5	73.7 - 84.2	4,300
Native Hawaiian	1,600	32.8	27.5 - 38.6	3,300	67.2	61.4 - 72.5	4,900
Chinese	200	32.5	18.2 - 51.2	400	67.5	48.8 - 81.8	600
Filipino	1,200	40.7	33.3 - 48.6	1,800	59.3	51.4 - 66.7	3,100
Japanese	800	42.5	32.5 - 53.3	1,000	57.5	46.7 - 67.5	1,800
Other	700	27.9	20.5 - 36.8	1,900	72.1	63.2 - 79.5	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	36.6	25.4 - 49.4	600	63.4	50.6 - 74.6	900
20-24	1,300	32.7	26.4 - 39.6	2,700	67.3	60.4 - 73.6	4,000
25-34	2,700	29.2	25.3 - 33.5	6,600	70.8	66.5 - 74.7	9,300
35+	1,100	35.0	27.9 - 42.8	2,000	65.0	57.2 - 72.1	3,000

**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	2,600	29.9	25.8 - 34.3	6,200	70.1	65.7 - 74.2	8,800
Female	2,800	33.0	28.7 - 37.6	5,700	67.0	62.4 - 71.3	8,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	3,100	28.8	25.2 - 32.8	7,700	71.2	67.2 - 74.8	10,900
No	2,300	35.8	30.8 - 41.1	4,100	64.2	58.9 - 69.2	6,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	2,000	33.8	28.8 - 39.1	4,000	66.2	60.9 - 71.2	6,000
131-185%	700	25.6	18.8 - 34.0	1,900	74.4	66.0 - 81.2	2,600
186+%	2,500	31.9	27.4 - 36.8	5,200	68.1	63.2 - 72.6	7,700

**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,000	34.4	27.3 - 42.2	2,000	65.6	57.8 - 72.7	3,000
\$10,000-\$24,999	900	29.7	23.4 - 36.8	2,200	70.3	63.2 - 76.6	3,200
\$25,000-\$49,999	1,200	28.6	22.9 - 35.1	3,000	71.4	64.9 - 77.1	4,200
>=\$50,000	2,000	33.2	28.1 - 38.8	4,000	66.8	61.2 - 71.9	5,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	47.4	41.8 - 53.2	600	52.6	46.8 - 58.2	1,200
Normal birth weight	4,900	30.2	27.1 - 33.6	11,200	69.8	66.4 - 72.9	16,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	41.2	28.6 - 55.1	500	58.8	44.9 - 71.4	800
No	5,100	31.1	28.0 - 34.4	11,200	68.9	65.6 - 72.0	16,300



**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,100	34.2	27.5 - 41.6	2,100	65.8	58.4 - 72.5	3,300
<b>No</b>	4,300	31.0	27.6 - 34.5	9,600	69.0	65.5 - 72.4	13,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,500	33.4	28.9 - 38.3	5,100	66.6	61.7 - 71.1	7,600
<b>No</b>	2,900	30.1	26.1 - 34.4	6,700	69.9	65.6 - 73.9	9,500

**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	4,700	27.8	24.9 - 30.8	12,300	72.2	69.2 - 75.1	17,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	600	27.8	23.3 - 32.8	1,600	72.2	67.2 - 76.7	2,200
<b>Honolulu</b>	3,400	27.9	24.2 - 32.1	8,800	72.1	67.9 - 75.8	12,300
<b>Kauai</b>	200	24.5	19.6 - 30.2	600	75.5	69.8 - 80.4	700
<b>Maui</b>	500	27.8	23.6 - 32.4	1,400	72.2	67.6 - 76.4	1,900

**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	600	14.1	10.2 - 19.2	3,600	85.9	80.8 - 89.8	4,200
Native Hawaiian	1,600	30.8	25.6 - 36.6	3,500	69.2	63.4 - 74.4	5,100
Chinese	200	21.1	11.2 - 36.3	600	78.9	63.7 - 88.8	700
Filipino	1,200	39.8	32.5 - 47.6	1,800	60.2	52.4 - 67.5	3,000
Japanese	700	39.8	29.9 - 50.6	1,000	60.2	49.4 - 70.1	1,700
Other	600	23.7	16.9 - 32.3	1,900	76.3	67.7 - 83.1	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	27.0	17.4 - 39.5	800	73.0	60.5 - 82.6	1,100
20-24	1,100	26.5	20.9 - 32.9	3,000	73.5	67.1 - 79.1	4,000
25-34	2,400	27.2	23.4 - 31.5	6,500	72.8	68.5 - 76.6	8,900
35+	1,000	31.2	24.5 - 38.8	2,100	68.8	61.2 - 75.5	3,100

**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	2,500	28.8	24.8 - 33.2	6,100	71.2	66.8 - 75.2	8,600
Female	2,300	26.7	22.7 - 31.0	6,200	73.3	69.0 - 77.3	8,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,900	26.9	23.3 - 30.7	8,000	73.1	69.3 - 76.7	10,900
No	1,800	29.4	24.8 - 34.4	4,400	70.6	65.6 - 75.2	6,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,800	30.1	25.4 - 35.4	4,100	69.9	64.6 - 74.6	5,900
131-185%	800	29.7	22.6 - 38.1	2,000	70.3	61.9 - 77.4	2,800
186+%	1,900	25.8	21.7 - 30.4	5,500	74.2	69.6 - 78.3	7,400

**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	900	28.6	22.4 - 35.7	2,300	71.4	64.3 - 77.6	3,200
\$10,000-\$24,999	900	31.0	24.3 - 38.7	2,000	69.0	61.3 - 75.7	2,900
\$25,000-\$49,999	1,100	26.8	21.2 - 33.2	3,100	73.2	66.8 - 78.8	4,300
>=\$50,000	1,600	27.3	22.6 - 32.6	4,300	72.7	67.4 - 77.4	5,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	400	38.9	33.5 - 44.6	700	61.1	55.4 - 66.5	1,100
Normal birth weight	4,300	27.0	24.0 - 30.2	11,600	73.0	69.8 - 76.0	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	33.5	22.1 - 47.2	800	66.5	52.8 - 77.9	1,100
No	4,300	27.5	24.6 - 30.7	11,400	72.5	69.3 - 75.4	15,800

**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,200	33.4	26.9 - 40.7	2,300	66.6	59.3 - 73.1	3,400
<b>No</b>	3,600	26.5	23.4 - 29.9	9,900	73.5	70.1 - 76.6	13,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,300	31.1	26.7 - 35.9	5,100	68.9	64.1 - 73.3	7,300
<b>No</b>	2,500	25.6	22.0 - 29.7	7,100	74.4	70.3 - 78.0	9,600

**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	6,000	35.9	32.8 - 39.2	10,600	64.1	60.8 - 67.2	16,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	700	32.4	27.5 - 37.6	1,500	67.6	62.4 - 72.5	2,100
<b>Honolulu</b>	4,400	37.6	33.4 - 42.0	7,300	62.4	58.0 - 66.6	11,700
<b>Kauai</b>	200	22.0	17.2 - 27.7	600	78.0	72.3 - 82.8	800
<b>Maui</b>	700	35.3	30.8 - 40.0	1,300	64.7	60.0 - 69.2	2,000

**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,000	24.1	19.0 - 30.0	3,100	75.9	70.0 - 81.0	4,000
Native Hawaiian	1,800	35.7	30.2 - 41.6	3,200	64.3	58.4 - 69.8	5,000
Chinese	300	47.3	30.7 - 64.4	400	52.7	35.6 - 69.3	700
Filipino	1,400	45.0	37.5 - 52.7	1,700	55.0	47.3 - 62.5	3,100
Japanese	800	48.9	38.3 - 59.5	800	51.1	40.5 - 61.7	1,600
Other	700	32.7	24.4 - 42.3	1,500	67.3	57.7 - 75.6	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	600	35.5	26.2 - 46.2	1,100	64.5	53.8 - 73.8	1,700
20-24	1,300	33.6	27.3 - 40.5	2,500	66.4	59.5 - 72.7	3,700
25-34	2,700	32.3	28.1 - 36.8	5,600	67.7	63.2 - 71.9	8,300
35+	1,400	49.8	42.0 - 57.7	1,400	50.2	42.3 - 58.0	2,800



**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	3,100	35.2	30.9 - 39.7	5,700	64.8	60.3 - 69.1	8,800
<b>Female</b>	2,900	36.8	32.3 - 41.5	4,900	63.2	58.5 - 67.7	7,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	3,300	33.0	29.1 - 37.1	6,800	67.0	62.9 - 70.9	10,100
<b>No</b>	2,600	40.5	35.4 - 45.8	3,900	59.5	54.2 - 64.6	6,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	2,400	42.3	36.7 - 48.1	3,200	57.7	51.9 - 63.3	5,600
<b>131-185%</b>	800	30.0	23.0 - 38.1	1,800	70.0	61.9 - 77.0	2,600
<b>186+%</b>	2,300	33.3	28.7 - 38.2	4,600	66.7	61.8 - 71.3	7,000

**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,100	42.8	34.4 - 51.5	1,500	57.2	48.5 - 65.6	2,600
\$10,000-\$24,999	1,400	41.1	34.3 - 48.2	2,000	58.9	51.8 - 65.7	3,500
\$25,000-\$49,999	1,000	30.3	24.0 - 37.5	2,300	69.7	62.5 - 76.0	3,400
>=\$50,000	1,900	33.5	28.4 - 38.9	3,900	66.5	61.1 - 71.6	5,800

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	48.7	43.0 - 54.4	600	51.3	45.6 - 57.0	1,100
Normal birth weight	5,400	35.0	31.7 - 38.5	10,100	65.0	61.5 - 68.3	15,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	51.1	39.6 - 62.5	700	48.9	37.5 - 60.4	1,300
No	5,100	34.4	31.1 - 37.8	9,700	65.6	62.2 - 68.9	14,800

**PRAMS Health Indicator Report - Breastfeeding liquid supplement 1st week- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,400	42.5	35.5 - 49.8	1,900	57.5	50.2 - 64.5	3,300
<b>No</b>	4,400	34.1	30.6 - 37.7	8,500	65.9	62.3 - 69.4	12,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,400	36.7	31.8 - 41.9	4,100	63.3	58.1 - 68.2	6,500
<b>No</b>	3,300	35.0	30.9 - 39.3	6,200	65.0	60.7 - 69.1	9,500