

**PRAMS Health Indicator Report - Contraceptive use since giving birth- for the State of Hawaii, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
Contraceptive use since giving birth	Contraceptive use since giving birth

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/27/17*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**PRAMS Health Indicator Report - Contraceptive use since giving birth- for the State of Hawaii, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	13,200	77.9	75.9 - 79.7	3,800	22.1	20.3 - 24.1	17,000
2001	13,000	78.6	76.7 - 80.3	3,600	21.4	19.7 - 23.3	16,600
2002	12,800	76.1	73.6 - 78.4	4,000	23.9	21.6 - 26.4	16,800
2003	13,300	76.7	74.4 - 78.9	4,000	23.3	21.1 - 25.6	17,300
2004	13,800	78.4	76.6 - 80.2	3,800	21.6	19.8 - 23.4	17,600
2005	13,200	77.1	75.0 - 79.0	3,900	22.9	21.0 - 25.0	17,200
2006	14,200	78.0	75.9 - 79.9	4,000	22.0	20.1 - 24.1	18,200
2007	14,500	79.1	77.1 - 81.0	3,800	20.9	19.0 - 22.9	18,300
2008	14,700	78.5	76.5 - 80.3	4,000	21.5	19.7 - 23.5	18,700
2009	14,300	79.2	76.5 - 81.7	3,700	20.8	18.3 - 23.5	18,000
2010	14,300	78.1	75.3 - 80.7	4,000	21.9	19.3 - 24.7	18,200
2011	14,600	79.2	76.4 - 81.7	3,800	20.8	18.3 - 23.6	18,500
2012	13,900	75.7	72.7 - 78.4	4,500	24.3	21.6 - 27.3	18,300
2013	12,200	66.6	63.2 - 69.9	6,100	33.4	30.1 - 36.8	18,300

## PRAMS Health Indicator Report - Contraceptive use since giving birth- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*



**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	12,200	66.6	63.2 - 69.9	6,100	33.4	30.1 - 36.8	18,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,700	72.3	67.0 - 77.0	700	27.7	23.0 - 33.0	2,400
<b>Honolulu</b>	8,400	63.8	59.2 - 68.2	4,800	36.2	31.8 - 40.8	13,100
<b>Kauai</b>	600	77.2	72.4 - 81.3	200	22.8	18.7 - 27.6	800
<b>Maui</b>	1,500	73.9	68.8 - 78.5	500	26.1	21.5 - 31.2	2,000

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,700	74.4	67.8 - 80.0	1,300	25.6	20.0 - 32.2	4,900
Native Hawaiian	3,600	65.7	59.6 - 71.3	1,900	34.3	28.7 - 40.4	5,400
Chinese	500	52.2	36.0 - 67.9	400	47.8	32.1 - 64.0	900
Filipino	2,200	73.5	65.1 - 80.4	800	26.5	19.6 - 34.9	3,000
Japanese	1,100	60.8	49.0 - 71.5	700	39.2	28.5 - 51.0	1,800
Other	1,200	53.4	43.3 - 63.3	1,100	46.6	36.7 - 56.7	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	600	71.7	55.1 - 84.0	200	28.3	16.0 - 44.9	900
20-24	2,900	70.8	63.2 - 77.4	1,200	29.2	22.6 - 36.8	4,100
25-34	6,500	65.5	60.8 - 70.0	3,400	34.5	30.0 - 39.2	9,900
35+	2,200	63.3	55.6 - 70.4	1,300	36.7	29.6 - 44.4	3,400

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,900	66.3	61.4 - 70.9	3,000	33.7	29.1 - 38.6	8,900
Female	6,300	66.9	61.9 - 71.4	3,100	33.1	28.6 - 38.1	9,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,700	66.1	61.7 - 70.3	3,900	33.9	29.7 - 38.3	11,600
No	4,500	67.4	61.9 - 72.5	2,200	32.6	27.5 - 38.1	6,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,500	66.9	61.4 - 72.1	2,200	33.1	27.9 - 38.6	6,700
131-185%	1,900	74.1	64.9 - 81.6	600	25.9	18.4 - 35.1	2,500
186+%	4,800	65.0	59.4 - 70.2	2,600	35.0	29.8 - 40.6	7,300

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	2,700	63.8	56.7 - 70.4	1,500	36.2	29.6 - 43.3	4,200
\$17,001-\$26,000	1,800	73.2	63.7 - 80.9	700	26.8	19.1 - 36.3	2,400
\$26,001-\$51,000	2,800	70.1	62.6 - 76.6	1,200	29.9	23.4 - 37.4	3,900
>=\$51,001	4,000	64.4	58.4 - 70.1	2,200	35.6	29.9 - 41.6	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	70.8	66.1 - 75.1	400	29.2	24.9 - 33.9	1,300
Normal birth weight	11,300	66.3	62.6 - 69.8	5,700	33.7	30.2 - 37.4	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	67.6	53.3 - 79.2	300	32.4	20.8 - 46.7	1,000
No	11,200	66.4	62.8 - 69.8	5,700	33.6	30.2 - 37.2	16,900

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,000	61.0	52.5 - 68.9	1,300	39.0	31.1 - 47.5	3,300
<b>No</b>	9,900	67.7	63.9 - 71.3	4,700	32.3	28.7 - 36.1	14,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,300	66.4	61.2 - 71.2	2,700	33.6	28.8 - 38.8	8,000
<b>No</b>	6,900	66.9	62.2 - 71.3	3,400	33.1	28.7 - 37.8	10,300



**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	13,900	75.7	72.7 - 78.4	4,500	24.3	21.6 - 27.3	18,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,700	72.4	67.3 - 76.9	600	27.6	23.1 - 32.7	2,300
<b>Honolulu</b>	9,900	75.0	71.1 - 78.6	3,300	25.0	21.4 - 28.9	13,200
<b>Kauai</b>	600	76.4	70.5 - 81.4	200	23.6	18.6 - 29.5	800
<b>Maui</b>	1,600	83.5	79.5 - 87.0	300	16.5	13.0 - 20.5	1,900

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,300	78.9	72.8 - 83.9	900	21.1	16.1 - 27.2	4,200
Native Hawaiian	4,000	79.3	74.0 - 83.8	1,100	20.7	16.2 - 26.0	5,100
Chinese	900	84.8	72.2 - 92.3	200	15.2	7.7 - 27.8	1,100
Filipino	2,300	71.9	64.5 - 78.3	900	28.1	21.7 - 35.5	3,300
Japanese	1,100	68.7	57.5 - 78.1	500	31.3	21.9 - 42.5	1,600
Other	2,100	69.5	61.4 - 76.6	900	30.5	23.4 - 38.6	3,100

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	700	63.5	49.6 - 75.5	400	36.5	24.5 - 50.4	1,000
20-24	2,900	77.5	70.9 - 83.0	800	22.5	17.0 - 29.1	3,700
25-34	8,100	78.5	74.7 - 81.9	2,200	21.5	18.1 - 25.3	10,300
35+	2,300	68.5	61.0 - 75.1	1,000	31.5	24.9 - 39.0	3,300

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	7,100	78.2	74.1 - 81.8	2,000	21.8	18.2 - 25.9	9,100
<b>Female</b>	6,800	73.2	68.9 - 77.1	2,500	26.8	22.9 - 31.1	9,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	8,700	77.2	73.4 - 80.5	2,600	22.8	19.5 - 26.6	11,300
<b>No</b>	5,100	73.2	68.4 - 77.5	1,900	26.8	22.5 - 31.6	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	4,700	71.9	66.7 - 76.5	1,800	28.1	23.5 - 33.3	6,500
<b>131-185%</b>	2,500	80.6	73.5 - 86.2	600	19.4	13.8 - 26.5	3,100
<b>186+%</b>	5,600	80.1	75.5 - 84.0	1,400	19.9	16.0 - 24.5	7,000

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	2,800	66.5	59.6 - 72.7	1,400	33.5	27.3 - 40.4	4,200
\$17,001-\$26,000	1,800	79.2	70.6 - 85.8	500	20.8	14.2 - 29.4	2,200
\$26,001-\$51,000	3,600	82.7	77.2 - 87.1	800	17.3	12.9 - 22.8	4,400
>=\$51,001	4,700	78.1	73.0 - 82.5	1,300	21.9	17.5 - 27.0	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	70.7	65.6 - 75.4	400	29.3	24.6 - 34.4	1,200
Normal birth weight	13,000	76.1	73.0 - 78.9	4,100	23.9	21.1 - 27.0	17,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	69.4	54.6 - 81.0	200	30.6	19.0 - 45.4	700
No	12,800	75.6	72.5 - 78.4	4,100	24.4	21.6 - 27.5	16,900

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,200	75.7	68.4 - 81.7	700	24.3	18.3 - 31.6	2,900
<b>No</b>	11,100	75.2	71.9 - 78.3	3,700	24.8	21.7 - 28.1	14,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,100	73.2	68.7 - 77.2	2,200	26.8	22.8 - 31.3	8,300
<b>No</b>	7,700	77.9	73.9 - 81.4	2,200	22.1	18.6 - 26.1	9,900

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	14,600	79.2	76.4 - 81.7	3,800	20.8	18.3 - 23.6	18,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,900	80.2	75.8 - 83.9	500	19.8	16.1 - 24.2	2,400
<b>Honolulu</b>	10,400	78.8	75.0 - 82.1	2,800	21.2	17.9 - 25.0	13,200
<b>Kauai</b>	700	83.0	77.9 - 87.2	100	17.0	12.8 - 22.1	900
<b>Maui</b>	1,600	79.2	75.2 - 82.7	400	20.8	17.3 - 24.8	2,000

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,500	78.6	72.7 - 83.4	1,000	21.4	16.6 - 27.3	4,500
Native Hawaiian	4,400	84.1	79.2 - 88.0	800	15.9	12.0 - 20.8	5,300
Chinese	500	74.6	58.0 - 86.2	200	25.4	13.8 - 42.0	700
Filipino	2,600	79.6	72.7 - 85.1	700	20.4	14.9 - 27.3	3,300
Japanese	1,300	71.0	60.7 - 79.5	500	29.0	20.5 - 39.3	1,900
Other	2,100	77.3	69.1 - 83.8	600	22.7	16.2 - 30.9	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	77.5	63.8 - 87.1	200	22.5	12.9 - 36.2	1,100
20-24	3,600	82.9	77.1 - 87.4	800	17.1	12.6 - 22.9	4,400
25-34	7,900	79.9	76.1 - 83.2	2,000	20.1	16.8 - 23.9	9,800
35+	2,300	72.5	65.1 - 78.9	900	27.5	21.1 - 34.9	3,100

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,400	78.1	74.1 - 81.7	2,100	21.9	18.3 - 25.9	9,400
Female	7,200	80.3	76.3 - 83.8	1,800	19.7	16.2 - 23.7	9,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,100	78.8	75.2 - 82.0	2,400	21.2	18.0 - 24.8	11,500
No	5,500	79.9	75.3 - 83.8	1,400	20.1	16.2 - 24.7	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,300	80.7	76.1 - 84.6	1,300	19.3	15.4 - 23.9	6,600
131-185%	2,400	84.6	77.1 - 89.9	400	15.4	10.1 - 22.9	2,800
186+%	6,300	77.9	73.6 - 81.8	1,800	22.1	18.2 - 26.4	8,100



**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,600	78.5	71.5 - 84.2	700	21.5	15.8 - 28.5	3,400
\$10,000-\$24,999	2,700	79.6	73.0 - 84.9	700	20.4	15.1 - 27.0	3,400
\$25,000-\$49,999	3,800	83.8	78.2 - 88.1	700	16.2	11.9 - 21.8	4,600
>=\$50,000	4,900	78.3	73.3 - 82.5	1,300	21.7	17.5 - 26.7	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	81.8	77.3 - 85.7	200	18.2	14.3 - 22.7	1,300
Normal birth weight	13,500	79.0	76.0 - 81.7	3,600	21.0	18.3 - 24.0	17,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	76.9	64.8 - 85.7	200	23.1	14.3 - 35.2	900
No	13,700	79.2	76.3 - 81.8	3,600	20.8	18.2 - 23.7	17,300

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,800	78.5	72.3 - 83.7	800	21.5	16.3 - 27.7	3,600
<b>No</b>	11,700	79.2	76.1 - 82.1	3,100	20.8	17.9 - 23.9	14,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,800	81.6	77.5 - 85.1	1,500	18.4	14.9 - 22.5	8,300
<b>No</b>	7,700	77.0	73.1 - 80.5	2,300	23.0	19.5 - 26.9	10,000

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	14,300	78.1	75.3 - 80.7	4,000	21.9	19.3 - 24.7	18,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,900	85.3	81.3 - 88.5	300	14.7	11.5 - 18.7	2,300
<b>Honolulu</b>	10,100	76.6	72.7 - 80.0	3,100	23.4	20.0 - 27.3	13,200
<b>Kauai</b>	600	80.7	75.6 - 85.0	200	19.3	15.0 - 24.4	800
<b>Maui</b>	1,600	79.1	74.9 - 82.7	400	20.9	17.3 - 25.1	2,000

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,600	81.6	75.9 - 86.1	800	18.4	13.9 - 24.1	4,500
Native Hawaiian	4,400	80.4	75.3 - 84.6	1,100	19.6	15.4 - 24.7	5,500
Chinese	500	70.2	52.6 - 83.3	200	29.8	16.7 - 47.4	800
Filipino	2,500	75.4	68.3 - 81.4	800	24.6	18.6 - 31.7	3,300
Japanese	1,200	72.6	62.0 - 81.1	400	27.4	18.9 - 38.0	1,600
Other	2,100	76.6	67.9 - 83.5	600	23.4	16.5 - 32.1	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	83.2	72.1 - 90.4	200	16.8	9.6 - 27.9	1,100
20-24	3,600	81.6	75.6 - 86.4	800	18.4	13.6 - 24.4	4,400
25-34	7,400	78.2	74.3 - 81.7	2,100	21.8	18.3 - 25.7	9,400
35+	2,300	71.3	63.7 - 77.8	900	28.7	22.2 - 36.3	3,300

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,900	75.3	71.1 - 79.0	2,300	24.7	21.0 - 28.9	9,100
Female	7,400	80.9	77.0 - 84.3	1,700	19.1	15.7 - 23.0	9,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,000	79.5	75.8 - 82.7	2,300	20.5	17.3 - 24.2	11,400
No	5,200	75.8	71.1 - 80.1	1,700	24.2	19.9 - 28.9	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,000	78.3	73.4 - 82.6	1,400	21.7	17.4 - 26.6	6,300
131-185%	2,500	85.3	78.9 - 90.1	400	14.7	9.9 - 21.1	3,000
186+%	5,900	75.9	71.3 - 80.0	1,900	24.1	20.0 - 28.7	7,700

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,600	78.7	72.1 - 84.0	700	21.3	16.0 - 27.9	3,400
\$10,000-\$24,999	2,500	78.3	70.9 - 84.3	700	21.7	15.7 - 29.1	3,200
\$25,000-\$49,999	3,800	82.4	76.9 - 86.8	800	17.6	13.2 - 23.1	4,600
>=\$50,000	4,600	75.1	69.8 - 79.8	1,500	24.9	20.2 - 30.2	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	79.7	75.2 - 83.6	300	20.3	16.4 - 24.8	1,300
Normal birth weight	13,200	78.2	75.1 - 80.9	3,700	21.8	19.1 - 24.9	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	80.1	68.8 - 88.1	300	19.9	11.9 - 31.2	1,400
No	13,000	78.1	75.1 - 80.8	3,700	21.9	19.2 - 24.9	16,700

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	3,000	80.4	74.3 - 85.4	700	19.6	14.6 - 25.7	3,800
<b>No</b>	11,100	77.7	74.4 - 80.6	3,200	22.3	19.4 - 25.6	14,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,200	77.8	73.5 - 81.6	1,800	22.2	18.4 - 26.5	8,000
<b>No</b>	7,900	78.8	74.9 - 82.3	2,100	21.2	17.7 - 25.1	10,100

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	14,300	79.2	76.5 - 81.7	3,700	20.8	18.3 - 23.5	18,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,900	82.7	78.4 - 86.2	400	17.3	13.8 - 21.6	2,300
<b>Honolulu</b>	10,000	78.7	75.0 - 82.1	2,700	21.3	17.9 - 25.0	12,700
<b>Kauai</b>	700	81.9	76.8 - 86.1	200	18.1	13.9 - 23.2	800
<b>Maui</b>	1,600	77.0	72.9 - 80.7	500	23.0	19.3 - 27.1	2,100



**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,500	82.9	77.7 - 87.2	700	17.1	12.8 - 22.3	4,200
Native Hawaiian	4,600	80.2	75.3 - 84.3	1,100	19.8	15.7 - 24.7	5,800
Chinese	600	81.4	64.0 - 91.5	100	18.6	8.5 - 36.0	800
Filipino	2,600	82.8	76.6 - 87.6	500	17.2	12.4 - 23.4	3,100
Japanese	1,100	67.7	56.8 - 77.1	500	32.3	22.9 - 43.2	1,600
Other	1,800	72.6	64.1 - 79.7	700	27.4	20.3 - 35.9	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,400	77.1	67.1 - 84.7	400	22.9	15.3 - 32.9	1,800
20-24	3,300	79.9	73.8 - 84.8	800	20.1	15.2 - 26.2	4,100
25-34	7,200	79.7	75.9 - 83.1	1,800	20.3	16.9 - 24.1	9,000
35+	2,300	78.0	71.1 - 83.6	700	22.0	16.4 - 28.9	3,000

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	7,600	78.0	74.1 - 81.4	2,100	22.0	18.6 - 25.9	9,700
<b>Female</b>	6,700	80.7	76.7 - 84.1	1,600	19.3	15.9 - 23.3	8,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	8,300	78.6	75.0 - 81.7	2,300	21.4	18.3 - 25.0	10,600
<b>No</b>	6,000	80.1	75.8 - 83.9	1,500	19.9	16.1 - 24.2	7,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	5,100	78.9	74.1 - 82.9	1,400	21.1	17.1 - 25.9	6,400
<b>131-185%</b>	2,200	79.8	71.9 - 85.9	600	20.2	14.1 - 28.1	2,700
<b>186+%</b>	5,800	79.7	75.6 - 83.3	1,500	20.3	16.7 - 24.4	7,300

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,300	73.9	66.3 - 80.4	800	26.1	19.6 - 33.7	3,100
\$10,000-\$24,999	3,200	82.0	76.1 - 86.7	700	18.0	13.3 - 23.9	3,900
\$25,000-\$49,999	2,900	79.6	73.2 - 84.8	700	20.4	15.2 - 26.8	3,600
>=\$50,000	4,800	79.9	75.4 - 83.9	1,200	20.1	16.1 - 24.6	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	82.1	78.0 - 85.7	200	17.9	14.3 - 22.0	1,300
Normal birth weight	13,100	78.9	76.0 - 81.6	3,500	21.1	18.4 - 24.0	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	70.4	59.9 - 79.1	500	29.6	20.9 - 40.1	1,700
No	12,700	80.2	77.4 - 82.8	3,100	19.8	17.2 - 22.6	15,900

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,800	71.9	65.3 - 77.7	1,100	28.1	22.3 - 34.7	3,900
<b>No</b>	11,100	81.4	78.4 - 84.0	2,500	18.6	16.0 - 21.6	13,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,900	80.2	76.0 - 83.8	1,400	19.8	16.2 - 24.0	7,300
<b>No</b>	8,000	78.5	74.8 - 81.8	2,200	21.5	18.2 - 25.2	10,200

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	14,700	78.5	76.5 - 80.3	4,000	21.5	19.7 - 23.5	18,700

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	2,000	82.8	76.9 - 87.4	400	17.2	12.6 - 23.1	2,500
<b>Honolulu</b>	10,200	77.1	74.7 - 79.4	3,000	22.9	20.6 - 25.3	13,200
<b>Kauai</b>	700	80.9	71.1 - 88.0	200	19.1	12.0 - 28.9	900
<b>Maui</b>	1,800	80.8	74.6 - 85.7	400	19.2	14.3 - 25.4	2,200

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,500	79.5	75.3 - 83.1	900	20.5	16.9 - 24.7	4,400
Native Hawaiian	4,200	79.8	75.6 - 83.4	1,100	20.2	16.6 - 24.4	5,300
Chinese	500	76.5	70.4 - 81.7	100	23.5	18.3 - 29.6	600
Filipino	2,800	80.7	76.3 - 84.5	700	19.3	15.5 - 23.7	3,400
Japanese	1,500	73.0	66.5 - 78.7	600	27.0	21.3 - 33.5	2,100
Other	2,300	76.3	70.7 - 81.1	700	23.7	18.9 - 29.3	3,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	77.6	69.3 - 84.1	300	22.4	15.9 - 30.7	1,500
20-24	3,300	79.5	75.0 - 83.4	800	20.5	16.6 - 25.0	4,100
25-34	7,700	79.8	77.0 - 82.3	2,000	20.2	17.7 - 23.0	9,700
35+	2,600	73.9	69.1 - 78.2	900	26.1	21.8 - 30.9	3,500

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	7,800	79.2	76.5 - 81.7	2,000	20.8	18.3 - 23.5	9,900
<b>Female</b>	6,900	77.6	74.6 - 80.4	2,000	22.4	19.6 - 25.4	8,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	9,200	78.5	76.1 - 80.8	2,500	21.5	19.2 - 23.9	11,700
<b>No</b>	5,500	78.4	74.8 - 81.5	1,500	21.6	18.5 - 25.2	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	5,500	78.6	75.0 - 81.7	1,500	21.4	18.3 - 25.0	7,000
<b>131-185%</b>	2,200	82.7	77.5 - 87.0	500	17.3	13.0 - 22.5	2,700
<b>186+%</b>	6,200	77.8	74.8 - 80.5	1,800	22.2	19.5 - 25.2	8,000

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,300	72.9	67.1 - 78.0	900	27.1	22.0 - 32.9	3,200
\$10,000-\$24,999	3,300	80.7	76.2 - 84.5	800	19.3	15.5 - 23.8	4,100
\$25,000-\$49,999	3,500	81.4	77.3 - 84.9	800	18.6	15.1 - 22.7	4,300
>=\$50,000	5,000	78.8	75.5 - 81.7	1,300	21.2	18.3 - 24.5	6,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	74.1	65.3 - 81.3	300	25.9	18.7 - 34.7	1,300
Normal birth weight	13,800	78.9	76.9 - 80.8	3,700	21.1	19.2 - 23.1	17,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	69.9	61.4 - 77.2	500	30.1	22.8 - 38.6	1,600
No	13,400	79.7	77.6 - 81.6	3,400	20.3	18.4 - 22.4	16,800



**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,600	75.1	69.9 - 79.7	900	24.9	20.3 - 30.1	3,500
<b>No</b>	11,900	79.7	77.5 - 81.7	3,000	20.3	18.3 - 22.5	14,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,100	76.0	72.6 - 79.1	1,900	24.0	20.9 - 27.4	8,000
<b>No</b>	8,400	80.4	77.9 - 82.7	2,100	19.6	17.3 - 22.1	10,500

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	14,500	79.1	77.1 - 81.0	3,800	20.9	19.0 - 22.9	18,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	2,000	81.0	75.2 - 85.7	500	19.0	14.3 - 24.8	2,400
<b>Honolulu</b>	9,800	77.7	75.3 - 80.0	2,800	22.3	20.0 - 24.7	12,700
<b>Kauai</b>	900	84.7	76.1 - 90.6	200	15.3	9.4 - 23.9	1,000
<b>Maui</b>	1,800	82.8	76.6 - 87.6	400	17.2	12.4 - 23.4	2,200

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,400	81.3	77.1 - 84.9	800	18.7	15.1 - 22.9	4,100
Native Hawaiian	4,200	81.5	77.4 - 85.1	900	18.5	14.9 - 22.6	5,100
Chinese	500	74.0	67.6 - 79.4	200	26.0	20.6 - 32.4	700
Filipino	2,700	79.7	75.3 - 83.5	700	20.3	16.5 - 24.7	3,300
Japanese	1,600	74.2	67.8 - 79.7	600	25.8	20.3 - 32.2	2,100
Other	2,200	76.0	70.3 - 80.9	700	24.0	19.1 - 29.7	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	78.3	70.0 - 84.8	400	21.7	15.2 - 30.0	1,700
20-24	3,700	80.9	76.7 - 84.5	900	19.1	15.5 - 23.3	4,600
25-34	7,200	81.0	78.2 - 83.4	1,700	19.0	16.6 - 21.8	8,900
35+	2,300	71.8	66.7 - 76.3	900	28.2	23.7 - 33.3	3,100

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	7,500	79.4	76.6 - 82.0	1,900	20.6	18.0 - 23.4	9,400
<b>Female</b>	7,000	78.8	75.9 - 81.4	1,900	21.2	18.6 - 24.1	8,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	8,900	78.4	75.9 - 80.7	2,400	21.6	19.3 - 24.1	11,300
<b>No</b>	5,600	80.4	76.9 - 83.4	1,400	19.6	16.6 - 23.1	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	5,400	77.4	73.8 - 80.6	1,600	22.6	19.4 - 26.2	6,900
<b>131-185%</b>	2,400	87.0	82.4 - 90.4	400	13.0	9.6 - 17.6	2,700
<b>186+%</b>	5,900	77.7	74.6 - 80.4	1,700	22.3	19.6 - 25.4	7,600

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,200	71.8	65.9 - 77.1	900	28.2	22.9 - 34.1	3,100
\$10,000-\$24,999	3,100	80.5	76.0 - 84.3	800	19.5	15.7 - 24.0	3,800
\$25,000-\$49,999	3,700	85.6	82.0 - 88.7	600	14.4	11.3 - 18.0	4,300
>=\$50,000	4,700	77.4	74.0 - 80.5	1,400	22.6	19.5 - 26.0	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	71.7	63.7 - 78.4	400	28.3	21.6 - 36.3	1,500
Normal birth weight	13,400	79.8	77.8 - 81.7	3,400	20.2	18.3 - 22.2	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	76.8	68.3 - 83.5	400	23.2	16.5 - 31.7	1,500
No	13,100	79.3	77.2 - 81.2	3,400	20.7	18.8 - 22.8	16,500

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,900	79.1	74.2 - 83.3	800	20.9	16.7 - 25.8	3,600
<b>No</b>	11,400	79.1	76.8 - 81.1	3,000	20.9	18.9 - 23.2	14,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,200	81.2	78.0 - 84.0	1,400	18.8	16.0 - 22.0	7,600
<b>No</b>	8,000	77.7	75.0 - 80.1	2,300	22.3	19.9 - 25.0	10,300

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	14,200	78.0	75.9 - 79.9	4,000	22.0	20.1 - 24.1	18,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,700	76.9	70.0 - 82.6	500	23.1	17.4 - 30.0	2,200
<b>Honolulu</b>	10,300	77.5	75.1 - 79.8	3,000	22.5	20.2 - 24.9	13,200
<b>Kauai</b>	700	85.6	75.5 - 92.0	100	14.4	8.0 - 24.5	800
<b>Maui</b>	1,500	79.1	72.4 - 84.6	400	20.9	15.4 - 27.6	1,900

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,500	83.6	79.5 - 87.0	700	16.4	13.0 - 20.5	4,200
Native Hawaiian	4,000	80.0	75.6 - 83.7	1,000	20.0	16.3 - 24.4	5,000
Chinese	500	77.2	70.8 - 82.5	100	22.8	17.5 - 29.2	600
Filipino	2,700	79.1	74.5 - 83.2	700	20.9	16.8 - 25.5	3,300
Japanese	1,600	74.9	68.5 - 80.4	500	25.1	19.6 - 31.5	2,100
Other	1,900	67.3	61.1 - 73.0	900	32.7	27.0 - 38.9	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	76.6	67.9 - 83.5	400	23.4	16.5 - 32.1	1,600
20-24	3,500	78.1	73.5 - 82.1	1,000	21.9	17.9 - 26.5	4,400
25-34	7,100	79.5	76.6 - 82.1	1,800	20.5	17.9 - 23.4	8,900
35+	2,500	74.6	69.6 - 78.9	800	25.4	21.1 - 30.4	3,300



**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,300	78.3	75.3 - 80.9	2,000	21.7	19.1 - 24.7	9,300
Female	6,900	77.7	74.7 - 80.5	2,000	22.3	19.5 - 25.3	8,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,100	78.7	76.2 - 81.0	2,500	21.3	19.0 - 23.8	11,500
No	5,100	76.7	72.9 - 80.2	1,500	23.3	19.8 - 27.1	6,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,800	75.0	71.1 - 78.5	1,600	25.0	21.5 - 28.9	6,400
131-185%	2,000	81.0	75.2 - 85.6	500	19.0	14.4 - 24.8	2,500
186+%	6,700	80.6	77.7 - 83.2	1,600	19.4	16.8 - 22.3	8,300

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,300	72.1	66.2 - 77.4	900	27.9	22.6 - 33.8	3,100
\$10,000-\$24,999	2,900	77.0	72.1 - 81.2	900	23.0	18.8 - 27.9	3,800
\$25,000-\$49,999	3,500	81.1	76.9 - 84.7	800	18.9	15.3 - 23.1	4,400
>=\$50,000	4,900	80.8	77.5 - 83.8	1,200	19.2	16.2 - 22.5	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,200	77.8	70.0 - 84.0	300	22.2	16.0 - 30.0	1,500
Normal birth weight	13,000	78.1	75.9 - 80.1	3,600	21.9	19.9 - 24.1	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	80.5	72.9 - 86.4	300	19.5	13.6 - 27.1	1,700
No	12,600	77.7	75.5 - 79.7	3,600	22.3	20.3 - 24.5	16,200

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,900	77.0	72.0 - 81.4	900	23.0	18.6 - 28.0	3,800
<b>No</b>	11,000	78.2	75.9 - 80.4	3,100	21.8	19.6 - 24.1	14,100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,000	78.5	75.1 - 81.6	1,600	21.5	18.4 - 24.9	7,600
<b>No</b>	8,100	78.0	75.2 - 80.5	2,300	22.0	19.5 - 24.8	10,300

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	13,200	77.1	75.0 - 79.0	3,900	22.9	21.0 - 25.0	17,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,900	87.4	82.4 - 91.1	300	12.6	8.9 - 17.6	2,200
<b>Honolulu</b>	9,300	74.5	72.1 - 76.9	3,200	25.5	23.1 - 27.9	12,500
<b>Kauai</b>	600	79.7	69.0 - 87.4	100	20.3	12.6 - 31.0	700
<b>Maui</b>	1,400	81.0	74.2 - 86.4	300	19.0	13.6 - 25.8	1,700

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	83.0	78.8 - 86.5	600	17.0	13.5 - 21.2	3,700
Native Hawaiian	3,800	77.6	73.2 - 81.3	1,100	22.4	18.7 - 26.8	4,900
Chinese	500	74.4	68.5 - 79.6	200	25.6	20.4 - 31.5	600
Filipino	2,400	75.8	71.1 - 80.0	800	24.2	20.0 - 28.9	3,100
Japanese	1,700	74.3	68.3 - 79.4	600	25.7	20.6 - 31.7	2,300
Other	1,800	72.2	66.3 - 77.4	700	27.8	22.6 - 33.7	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	80.5	73.0 - 86.4	300	19.5	13.6 - 27.0	1,500
20-24	3,300	78.4	74.1 - 82.2	900	21.6	17.8 - 25.9	4,200
25-34	6,800	79.2	76.4 - 81.8	1,800	20.8	18.2 - 23.6	8,500
35+	1,900	66.8	61.4 - 71.8	1,000	33.2	28.2 - 38.6	2,900

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,700	76.7	73.7 - 79.4	2,000	23.3	20.6 - 26.3	8,700
Female	6,500	77.5	74.6 - 80.2	1,900	22.5	19.8 - 25.4	8,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,400	77.3	74.8 - 79.6	2,500	22.7	20.4 - 25.2	10,900
No	4,800	76.7	73.1 - 79.9	1,500	23.3	20.1 - 26.9	6,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,800	76.0	72.5 - 79.3	1,500	24.0	20.7 - 27.5	6,300
131-185%	1,400	77.9	71.3 - 83.3	400	22.1	16.7 - 28.7	1,900
186+%	6,200	79.6	76.7 - 82.2	1,600	20.4	17.8 - 23.3	7,800

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,100	70.4	64.8 - 75.4	900	29.6	24.6 - 35.2	3,000
\$10,000-\$24,999	2,900	80.3	76.0 - 84.1	700	19.7	15.9 - 24.0	3,700
\$25,000-\$49,999	3,300	81.0	76.9 - 84.6	800	19.0	15.4 - 23.1	4,000
>=\$50,000	4,200	77.5	74.0 - 80.7	1,200	22.5	19.3 - 26.0	5,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	68.8	60.1 - 76.4	400	31.2	23.6 - 39.9	1,200
Normal birth weight	12,300	77.7	75.6 - 79.6	3,500	22.3	20.4 - 24.4	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	75.3	67.1 - 82.0	400	24.7	18.0 - 32.9	1,400
No	11,900	77.1	75.0 - 79.1	3,500	22.9	20.9 - 25.0	15,500

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,800	77.0	72.1 - 81.2	800	23.0	18.8 - 27.9	3,600
<b>No</b>	10,200	77.1	74.8 - 79.3	3,000	22.9	20.7 - 25.2	13,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,700	78.6	75.4 - 81.5	1,600	21.4	18.5 - 24.6	7,300
<b>No</b>	7,300	76.6	73.9 - 79.2	2,200	23.4	20.8 - 26.1	9,600



**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	13,800	78.4	76.6 - 80.2	3,800	21.6	19.8 - 23.4	17,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,800	78.7	72.9 - 83.5	500	21.3	16.5 - 27.1	2,200
<b>Honolulu</b>	9,800	77.2	75.0 - 79.3	2,900	22.8	20.7 - 25.0	12,700
<b>Kauai</b>	700	83.1	73.8 - 89.6	100	16.9	10.4 - 26.2	800
<b>Maui</b>	1,500	84.4	78.8 - 88.8	300	15.6	11.2 - 21.2	1,800

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	81.9	78.1 - 85.2	700	18.1	14.8 - 21.9	3,900
Native Hawaiian	3,800	78.0	74.0 - 81.5	1,100	22.0	18.5 - 26.0	4,900
Chinese	500	76.0	71.9 - 79.7	200	24.0	20.3 - 28.1	700
Filipino	2,600	77.5	73.5 - 81.1	700	22.5	18.9 - 26.5	3,300
Japanese	1,800	80.9	75.5 - 85.3	400	19.1	14.7 - 24.5	2,300
Other	1,900	73.6	68.1 - 78.5	700	26.4	21.5 - 31.9	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,000	75.6	67.7 - 82.2	300	24.4	17.8 - 32.3	1,300
20-24	3,600	80.9	77.0 - 84.2	800	19.1	15.8 - 23.0	4,400
25-34	6,700	78.6	76.0 - 81.1	1,800	21.4	18.9 - 24.0	8,500
35+	2,500	75.8	71.4 - 79.6	800	24.2	20.4 - 28.6	3,300

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,500	78.4	75.9 - 80.8	2,100	21.6	19.2 - 24.1	9,600
Female	6,300	78.4	75.7 - 81.0	1,700	21.6	19.0 - 24.3	8,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,700	79.1	76.9 - 81.1	2,600	20.9	18.9 - 23.1	12,300
No	4,100	77.0	73.2 - 80.3	1,200	23.0	19.7 - 26.8	5,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,100	77.6	74.3 - 80.6	1,500	22.4	19.4 - 25.7	6,500
131-185%	1,700	82.9	77.6 - 87.1	400	17.1	12.9 - 22.4	2,100
186+%	6,100	79.6	77.0 - 82.0	1,600	20.4	18.0 - 23.0	7,700

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,100	76.2	70.9 - 80.9	700	23.8	19.1 - 29.1	2,700
\$10,000-\$24,999	3,400	77.8	73.8 - 81.3	1,000	22.2	18.7 - 26.2	4,400
\$25,000-\$49,999	3,600	81.5	77.9 - 84.6	800	18.5	15.4 - 22.1	4,400
>=\$50,000	3,900	79.7	76.4 - 82.7	1,000	20.3	17.3 - 23.6	4,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	76.6	68.5 - 83.1	300	23.4	16.9 - 31.5	1,100
Normal birth weight	13,000	78.6	76.7 - 80.4	3,500	21.4	19.6 - 23.3	16,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	72.0	64.1 - 78.8	400	28.0	21.2 - 35.9	1,400
No	12,600	79.0	77.1 - 80.8	3,300	21.0	19.2 - 22.9	15,900

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,700	75.4	70.8 - 79.5	900	24.6	20.5 - 29.2	3,600
<b>No</b>	10,900	79.2	77.2 - 81.1	2,900	20.8	18.9 - 22.8	13,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,100	78.7	75.7 - 81.3	1,700	21.3	18.7 - 24.3	7,800
<b>No</b>	7,400	78.5	76.0 - 80.8	2,000	21.5	19.2 - 24.0	9,400

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	13,300	76.7	74.4 - 78.9	4,000	23.3	21.1 - 25.6	17,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,400	73.0	68.7 - 76.9	500	27.0	23.1 - 31.3	2,000
<b>Honolulu</b>	9,800	77.2	74.1 - 80.0	2,900	22.8	20.0 - 25.9	12,700
<b>Kauai</b>	700	75.6	68.9 - 81.3	200	24.4	18.7 - 31.1	900
<b>Maui</b>	1,400	78.0	73.6 - 81.8	400	22.0	18.2 - 26.4	1,800

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	82.6	77.6 - 86.7	700	17.4	13.3 - 22.4	3,800
Native Hawaiian	3,600	75.2	72.5 - 77.7	1,200	24.8	22.3 - 27.5	4,700
Chinese	500	75.0	59.4 - 86.0	200	25.0	14.0 - 40.6	700
Filipino	2,900	76.1	70.1 - 81.1	900	23.9	18.9 - 29.9	3,800
Japanese	1,700	84.6	76.7 - 90.2	300	15.4	9.8 - 23.3	2,000
Other	1,600	65.6	57.0 - 73.2	800	34.4	26.8 - 43.0	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	76.4	69.3 - 82.3	400	23.6	17.7 - 30.7	1,500
20-24	3,100	76.7	71.9 - 80.9	1,000	23.3	19.1 - 28.1	4,100
25-34	6,800	77.9	74.5 - 81.0	1,900	22.1	19.0 - 25.5	8,800
35+	2,200	73.3	66.9 - 79.0	800	26.7	21.0 - 33.1	3,000

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	6,900	75.7	72.3 - 78.7	2,200	24.3	21.3 - 27.7	9,200
<b>Female</b>	6,400	77.9	74.5 - 81.0	1,800	22.1	19.0 - 25.5	8,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	8,900	78.5	75.5 - 81.2	2,500	21.5	18.8 - 24.5	11,400
<b>No</b>	4,400	73.4	69.5 - 76.9	1,600	26.6	23.1 - 30.5	6,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	5,700	73.3	69.7 - 76.7	2,100	26.7	23.3 - 30.3	7,800
<b>131-185%</b>	2,000	79.4	73.2 - 84.4	500	20.6	15.6 - 26.8	2,500
<b>186+%</b>	4,500	80.9	76.6 - 84.5	1,100	19.1	15.5 - 23.4	5,500



**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,900	70.0	64.8 - 74.6	1,300	30.0	25.4 - 35.2	4,200
\$15,001-\$25,000	1,700	76.0	69.2 - 81.8	500	24.0	18.2 - 30.8	2,200
\$25,001-\$40,000	2,600	80.1	74.6 - 84.6	600	19.9	15.4 - 25.4	3,200
>=\$40,001	5,300	80.1	76.2 - 83.5	1,300	19.9	16.5 - 23.8	6,600

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	74.1	64.1 - 82.1	300	25.9	17.9 - 35.9	1,200
Normal birth weight	12,400	76.9	74.5 - 79.2	3,700	23.1	20.8 - 25.5	16,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	76.7	69.3 - 82.7	400	23.3	17.3 - 30.7	1,600
No	11,800	76.7	74.2 - 79.1	3,600	23.3	20.9 - 25.8	15,400

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,700	76.3	71.2 - 80.6	800	23.7	19.4 - 28.8	3,500
<b>No</b>	10,300	76.8	74.0 - 79.3	3,100	23.2	20.7 - 26.0	13,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,500	74.8	71.2 - 78.1	1,800	25.2	21.9 - 28.8	7,300
<b>No</b>	7,700	78.2	74.9 - 81.1	2,200	21.8	18.9 - 25.1	9,900

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	12,800	76.1	73.6 - 78.4	4,000	23.9	21.6 - 26.4	16,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,500	78.0	74.1 - 81.5	400	22.0	18.5 - 25.9	2,000
<b>Honolulu</b>	9,400	75.7	72.5 - 78.7	3,000	24.3	21.3 - 27.5	12,400
<b>Kauai</b>	500	77.1	69.8 - 83.1	200	22.9	16.9 - 30.2	700
<b>Maui</b>	1,300	75.8	71.2 - 79.9	400	24.2	20.1 - 28.8	1,800

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	84.9	80.1 - 88.7	500	15.1	11.3 - 19.9	3,600
Native Hawaiian	3,600	77.2	74.6 - 79.7	1,000	22.8	20.3 - 25.4	4,600
Chinese	400	71.0	54.0 - 83.6	200	29.0	16.4 - 46.0	600
Filipino	2,600	76.1	69.7 - 81.4	800	23.9	18.6 - 30.3	3,400
Japanese	1,700	72.0	63.9 - 78.8	700	28.0	21.2 - 36.1	2,400
Other	1,500	65.2	56.0 - 73.5	800	34.8	26.5 - 44.0	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	70.3	62.0 - 77.4	500	29.7	22.6 - 38.0	1,500
20-24	3,300	78.4	73.7 - 82.5	900	21.6	17.5 - 26.3	4,200
25-34	6,500	77.0	73.3 - 80.3	1,900	23.0	19.7 - 26.7	8,400
35+	2,000	72.8	65.9 - 78.8	700	27.2	21.2 - 34.1	2,700

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,400	75.9	72.3 - 79.1	2,000	24.1	20.9 - 27.7	8,400
Female	6,400	76.2	72.7 - 79.4	2,000	23.8	20.6 - 27.3	8,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,900	77.5	74.4 - 80.3	2,600	22.5	19.7 - 25.6	11,500
No	3,900	73.0	68.8 - 76.8	1,400	27.0	23.2 - 31.2	5,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,900	74.2	70.3 - 77.8	1,700	25.8	22.2 - 29.7	6,600
131-185%	2,700	78.4	72.5 - 83.3	800	21.6	16.7 - 27.5	3,500
186+%	4,200	78.4	73.9 - 82.4	1,200	21.6	17.6 - 26.1	5,400

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,300	70.8	65.4 - 75.6	1,000	29.2	24.4 - 34.6	3,300
\$15,001-\$25,000	1,900	78.1	71.5 - 83.5	500	21.9	16.5 - 28.5	2,500
\$25,001-\$40,000	2,800	77.3	71.6 - 82.2	800	22.7	17.8 - 28.4	3,600
>=\$40,001	5,000	78.0	73.8 - 81.7	1,400	22.0	18.3 - 26.2	6,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	77.3	66.5 - 85.4	300	22.7	14.6 - 33.5	1,100
Normal birth weight	11,900	76.2	73.7 - 78.6	3,700	23.8	21.4 - 26.3	15,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	68.9	60.0 - 76.6	400	31.1	23.4 - 40.0	1,300
No	11,700	76.9	74.3 - 79.3	3,500	23.1	20.7 - 25.7	15,200

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,400	74.2	68.6 - 79.1	800	25.8	20.9 - 31.4	3,200
<b>No</b>	10,000	76.3	73.4 - 78.9	3,100	23.7	21.1 - 26.6	13,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,500	77.9	74.3 - 81.2	1,600	22.1	18.8 - 25.7	7,000
<b>No</b>	7,200	74.6	71.2 - 77.8	2,500	25.4	22.2 - 28.8	9,700

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	13,000	78.6	76.7 - 80.3	3,600	21.4	19.7 - 23.3	16,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,400	76.7	72.5 - 80.4	400	23.3	19.6 - 27.5	1,800
<b>Honolulu</b>	9,600	78.6	76.2 - 80.8	2,600	21.4	19.2 - 23.8	12,300
<b>Kauai</b>	600	77.7	70.8 - 83.4	200	22.3	16.6 - 29.2	800
<b>Maui</b>	1,400	80.9	76.6 - 84.6	300	19.1	15.4 - 23.4	1,700



**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	83.1	79.2 - 86.4	600	16.9	13.6 - 20.8	3,600
Native Hawaiian	3,500	77.3	75.2 - 79.3	1,000	22.7	20.7 - 24.8	4,500
Chinese	500	66.5	53.1 - 77.7	200	33.5	22.3 - 46.9	700
Filipino	2,700	78.3	73.4 - 82.5	800	21.7	17.5 - 26.6	3,500
Japanese	1,600	78.3	71.4 - 84.0	400	21.7	16.0 - 28.6	2,000
Other	1,800	78.7	72.6 - 83.7	500	21.3	16.3 - 27.4	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	76.9	71.8 - 81.4	400	23.1	18.6 - 28.2	1,600
20-24	3,400	79.4	75.8 - 82.5	900	20.6	17.5 - 24.2	4,300
25-34	6,400	79.4	76.6 - 81.9	1,700	20.6	18.1 - 23.4	8,000
35+	2,000	75.9	70.3 - 80.8	600	24.1	19.2 - 29.7	2,600

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,700	79.6	77.0 - 82.0	1,700	20.4	18.0 - 23.0	8,400
Female	6,300	77.5	74.7 - 80.0	1,800	22.5	20.0 - 25.3	8,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,800	79.3	76.9 - 81.6	2,300	20.7	18.4 - 23.1	11,100
No	4,200	77.0	73.9 - 79.8	1,300	23.0	20.2 - 26.1	5,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,000	79.8	77.0 - 82.3	1,300	20.2	17.7 - 23.0	6,300
131-185%	2,800	78.5	74.3 - 82.2	800	21.5	17.8 - 25.7	3,600
186+%	4,300	78.4	74.8 - 81.7	1,200	21.6	18.3 - 25.2	5,500

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,600	78.1	74.0 - 81.7	700	21.9	18.3 - 26.0	3,400
\$15,001-\$25,000	1,800	81.1	76.4 - 85.0	400	18.9	15.0 - 23.6	2,300
\$25,001-\$40,000	2,900	80.6	76.7 - 84.0	700	19.4	16.0 - 23.3	3,600
>=\$40,001	5,000	77.1	73.7 - 80.2	1,500	22.9	19.8 - 26.3	6,500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	68.6	59.7 - 76.2	300	31.4	23.8 - 40.3	1,100
Normal birth weight	12,200	79.3	77.4 - 81.1	3,200	20.7	18.9 - 22.6	15,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	74.6	68.7 - 79.7	400	25.4	20.3 - 31.3	1,600
No	11,600	79.1	77.1 - 81.0	3,100	20.9	19.0 - 22.9	14,700

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,600	77.8	73.9 - 81.3	700	22.2	18.7 - 26.1	3,400
<b>No</b>	10,000	79.0	76.8 - 81.1	2,700	21.0	18.9 - 23.2	12,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,400	76.9	74.0 - 79.5	1,600	23.1	20.5 - 26.0	7,000
<b>No</b>	7,500	79.9	77.3 - 82.3	1,900	20.1	17.7 - 22.7	9,400

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	13,200	77.9	75.9 - 79.7	3,800	22.1	20.3 - 24.1	17,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,600	80.5	76.5 - 83.9	400	19.5	16.1 - 23.5	1,900
<b>Honolulu</b>	9,800	77.1	74.6 - 79.4	2,900	22.9	20.6 - 25.4	12,700
<b>Kauai</b>	500	74.6	67.0 - 81.0	200	25.4	19.0 - 33.0	700
<b>Maui</b>	1,400	81.8	77.5 - 85.5	300	18.2	14.5 - 22.5	1,700

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,400	83.9	80.2 - 87.0	700	16.1	13.0 - 19.8	4,000
Native Hawaiian	3,700	81.6	79.6 - 83.5	800	18.4	16.5 - 20.4	4,600
Chinese	400	60.0	46.3 - 72.3	300	40.0	27.7 - 53.7	700
Filipino	2,600	75.1	69.8 - 79.6	900	24.9	20.4 - 30.2	3,400
Japanese	1,600	79.5	72.9 - 84.9	400	20.5	15.1 - 27.1	2,000
Other	1,500	67.5	60.4 - 73.9	700	32.5	26.1 - 39.6	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,500	82.4	77.7 - 86.3	300	17.6	13.7 - 22.3	1,900
20-24	3,300	81.0	77.3 - 84.3	800	19.0	15.7 - 22.7	4,100
25-34	6,400	78.6	75.6 - 81.2	1,700	21.4	18.8 - 24.4	8,100
35+	2,000	68.6	63.1 - 73.7	900	31.4	26.3 - 36.9	2,900

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,700	76.4	73.7 - 79.0	2,100	23.6	21.0 - 26.3	8,800
Female	6,500	79.4	76.5 - 82.0	1,700	20.6	18.0 - 23.5	8,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,200	78.4	75.9 - 80.6	2,500	21.6	19.4 - 24.1	11,700
No	4,100	76.7	73.4 - 79.7	1,200	23.3	20.3 - 26.6	5,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,600	77.6	74.6 - 80.2	1,600	22.4	19.8 - 25.4	7,300
131-185%	1,800	80.3	74.8 - 84.9	400	19.7	15.1 - 25.2	2,300
186+%	4,900	78.6	75.2 - 81.7	1,300	21.4	18.3 - 24.8	6,200

**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	3,000	76.2	72.2 - 79.7	900	23.8	20.3 - 27.8	4,000
\$15,001-\$25,000	2,100	78.9	73.7 - 83.4	600	21.1	16.6 - 26.3	2,700
\$25,001-\$40,000	2,600	79.9	75.5 - 83.7	700	20.1	16.3 - 24.5	3,200
>=\$40,001	4,900	78.4	75.0 - 81.4	1,400	21.6	18.6 - 25.0	6,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	82.9	75.8 - 88.2	200	17.1	11.8 - 24.2	1,100
Normal birth weight	12,200	77.5	75.4 - 79.4	3,600	22.5	20.6 - 24.6	15,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	72.2	65.3 - 78.3	400	27.8	21.7 - 34.7	1,400
No	11,800	78.2	76.1 - 80.2	3,300	21.8	19.8 - 23.9	15,100



**PRAMS Health Indicator Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012 +);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,500	76.8	72.5 - 80.6	800	23.2	19.4 - 27.5	3,300
<b>No</b>	10,200	77.9	75.6 - 80.0	2,900	22.1	20.0 - 24.4	13,100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,800	79.0	76.2 - 81.6	1,500	21.0	18.4 - 23.8	7,400
<b>No</b>	7,200	76.5	73.8 - 79.1	2,200	23.5	20.9 - 26.2	9,400