

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
No contraception at conception- didn't mind getting pregnant	No contraception at conception- didn't mind getting pregnant

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/27/17*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	2,500	44.1	40.3 - 47.9	3,100	55.9	52.1 - 59.7	5,600
2001	2,700	48.7	45.0 - 52.4	2,800	51.3	47.6 - 55.0	5,500
2002	3,100	55.5	50.8 - 60.1	2,500	44.5	39.9 - 49.2	5,600
2003	2,900	49.7	45.1 - 54.3	2,900	50.3	45.7 - 54.9	5,800
2004	2,300	46.2	42.1 - 50.4	2,700	53.8	49.6 - 57.9	5,000
2005	2,400	45.6	41.3 - 50.0	2,900	54.4	50.0 - 58.7	5,300
2006	2,400	44.7	40.2 - 49.3	3,000	55.3	50.7 - 59.8	5,400
2007	2,600	44.9	40.7 - 49.3	3,200	55.1	50.7 - 59.3	5,800
2008	2,500	47.9	43.4 - 52.5	2,700	52.1	47.5 - 56.6	5,200
2009	2,700	46.4	40.9 - 52.1	3,100	53.6	47.9 - 59.1	5,800
2010	3,100	55.1	49.2 - 60.9	2,500	44.9	39.1 - 50.8	5,500
2011	2,500	49.3	43.2 - 55.5	2,500	50.7	44.5 - 56.8	5,000
2012	2,800	50.7	44.7 - 56.6	2,700	49.3	43.4 - 55.3	5,500
2013	2,900	50.4	44.1 - 56.6	2,900	49.6	43.4 - 55.9	5,800

# PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,900	50.4	44.1 - 56.6	2,900	49.6	43.4 - 55.9	5,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	300	46.3	36.5 - 56.3	400	53.7	43.7 - 63.5	700
<b>Honolulu</b>	2,200	53.0	44.6 - 61.2	2,000	47.0	38.8 - 55.4	4,200
<b>Kauai</b>	100	49.4	39.5 - 59.4	100	50.6	40.6 - 60.5	200
<b>Maui</b>	200	38.3	29.3 - 48.2	400	61.7	51.8 - 70.7	600

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	700	55.5	41.1 - 69.1	500	44.5	30.9 - 58.9	1,200
Native Hawaiian	1,100	49.1	39.7 - 58.5	1,100	50.9	41.5 - 60.3	2,200
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	300
Filipino	400	48.8	33.3 - 64.6	400	51.2	35.4 - 66.7	900
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	600
Other	200	25.3	12.6 - 44.3	500	74.7	55.7 - 87.4	600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	33.1	15.7 - 56.8	300	66.9	43.2 - 84.3	400
20-24	800	47.4	36.1 - 59.0	900	52.6	41.0 - 63.9	1,800
25-34	1,500	52.3	43.2 - 61.3	1,300	47.7	38.7 - 56.8	2,800
35+	500	58.3	43.0 - 72.2	300	41.7	27.8 - 57.0	800

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	51.4	42.4 - 60.4	1,300	48.6	39.6 - 57.6	2,600
Female	1,600	49.5	40.9 - 58.1	1,600	50.5	41.9 - 59.1	3,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,800	61.0	51.7 - 69.5	1,100	39.0	30.5 - 48.3	2,900
No	1,200	39.9	31.9 - 48.4	1,800	60.1	51.6 - 68.1	2,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,100	41.0	32.5 - 50.0	1,600	59.0	50.0 - 67.5	2,800
131-185%	400	46.6	30.7 - 63.1	500	53.4	36.9 - 69.3	900
186+%	1,100	70.9	58.3 - 80.9	400	29.1	19.1 - 41.7	1,500

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	700	36.3	26.9 - 46.9	1,300	63.7	53.1 - 73.1	2,000
\$17,001-\$26,000	300	40.5	25.6 - 57.4	500	59.5	42.6 - 74.4	900
\$26,001-\$51,000	600	54.6	40.2 - 68.2	500	45.4	31.8 - 59.8	1,200
>=\$51,001	1,000	74.4	61.3 - 84.2	300	25.6	15.8 - 38.7	1,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	44.0	34.9 - 53.6	200	56.0	46.4 - 65.1	400
Normal birth weight	2,700	50.9	44.2 - 57.6	2,600	49.1	42.4 - 55.8	5,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	28.5	13.9 - 49.7	300	71.5	50.3 - 86.1	400
No	2,800	51.9	45.4 - 58.4	2,500	48.1	41.6 - 54.6	5,300

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	500	41.2	29.3 - 54.3	700	58.8	45.7 - 70.7	1,200
<b>No</b>	2,400	52.9	45.7 - 60.0	2,100	47.1	40.0 - 54.3	4,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,500	48.3	39.9 - 56.8	1,600	51.7	43.2 - 60.1	3,000
<b>No</b>	1,500	53.3	43.9 - 62.4	1,300	46.7	37.6 - 56.1	2,700



**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,800	50.7	44.7 - 56.6	2,700	49.3	43.4 - 55.3	5,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	400	52.9	43.8 - 61.9	400	47.1	38.1 - 56.2	800
<b>Honolulu</b>	1,900	49.8	41.8 - 57.8	2,000	50.2	42.2 - 58.2	3,900
<b>Kauai</b>	100	47.0	35.6 - 58.8	100	53.0	41.2 - 64.4	200
<b>Maui</b>	300	55.2	45.7 - 64.3	300	44.8	35.7 - 54.3	600

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	600	62.9	48.0 - 75.8	300	37.1	24.2 - 52.0	900
Native Hawaiian	900	50.7	40.8 - 60.6	900	49.3	39.4 - 59.2	1,800
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	200
Filipino	600	50.4	37.0 - 63.8	500	49.6	36.2 - 63.0	1,100
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	300
Other	400	35.9	24.2 - 49.6	800	64.1	50.4 - 75.8	1,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	32.4	15.9 - 54.7	300	67.6	45.3 - 84.1	500
20-24	500	38.4	27.8 - 50.2	900	61.6	49.8 - 72.2	1,400
25-34	1,500	56.0	47.5 - 64.1	1,200	44.0	35.9 - 52.5	2,700
35+	600	64.9	50.1 - 77.3	300	35.1	22.7 - 49.9	900

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,200	45.4	36.8 - 54.3	1,400	54.6	45.7 - 63.2	2,600
Female	1,600	55.2	47.1 - 63.0	1,300	44.8	37.0 - 52.9	3,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	61.2	52.3 - 69.5	1,000	38.8	30.5 - 47.7	2,600
No	1,200	41.0	33.4 - 49.1	1,700	59.0	50.9 - 66.6	2,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,100	42.4	34.3 - 50.9	1,500	57.6	49.1 - 65.7	2,700
131-185%	400	52.8	37.8 - 67.3	400	47.2	32.7 - 62.2	800
186+%	800	65.7	53.4 - 76.1	400	34.3	23.9 - 46.6	1,300

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	600	34.1	25.0 - 44.5	1,200	65.9	55.5 - 75.0	1,900
\$17,001-\$26,000	400	44.1	30.6 - 58.5	500	55.9	41.5 - 69.4	900
\$26,001-\$51,000	700	71.6	58.6 - 81.7	300	28.4	18.3 - 41.4	1,000
>=\$51,001	700	62.3	49.5 - 73.6	500	37.7	26.4 - 50.5	1,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	53.8	43.7 - 63.6	200	46.2	36.4 - 56.3	400
Normal birth weight	2,600	50.7	44.3 - 57.0	2,500	49.3	43.0 - 55.7	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	61.5	41.5 - 78.2	100	38.5	21.8 - 58.5	400
No	2,500	51.0	44.6 - 57.3	2,400	49.0	42.7 - 55.4	4,900

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	600	52.1	39.7 - 64.3	500	47.9	35.7 - 60.3	1,100
<b>No</b>	2,200	51.7	44.8 - 58.6	2,000	48.3	41.4 - 55.2	4,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,400	45.4	37.7 - 53.2	1,700	54.6	46.8 - 62.3	3,100
<b>No</b>	1,400	59.2	49.8 - 67.9	900	40.8	32.1 - 50.2	2,300

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,500	49.3	43.2 - 55.5	2,500	50.7	44.5 - 56.8	5,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	300	40.5	31.4 - 50.3	400	59.5	49.7 - 68.6	700
<b>Honolulu</b>	1,700	48.8	40.4 - 57.2	1,800	51.2	42.8 - 59.6	3,500
<b>Kauai</b>	200	55.0	43.9 - 65.7	100	45.0	34.3 - 56.1	300
<b>Maui</b>	300	60.8	51.9 - 68.9	200	39.2	31.1 - 48.1	500

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	600	58.3	44.5 - 70.9	400	41.7	29.1 - 55.5	1,000
Native Hawaiian	800	47.0	37.4 - 56.8	900	53.0	43.2 - 62.6	1,700
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	500	46.2	33.0 - 59.9	600	53.8	40.1 - 67.0	1,000
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	500
Other	300	40.3	24.6 - 58.4	400	59.7	41.6 - 75.4	700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	20.0	9.2 - 38.2	300	80.0	61.8 - 90.8	400
20-24	700	44.2	33.3 - 55.7	900	55.8	44.3 - 66.7	1,600
25-34	1,200	54.7	45.6 - 63.6	1,000	45.3	36.4 - 54.4	2,300
35+	400	59.5	44.0 - 73.3	300	40.5	26.7 - 56.0	700

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,400	53.7	45.0 - 62.1	1,200	46.3	37.9 - 55.0	2,500
Female	1,100	44.9	36.4 - 53.7	1,400	55.1	46.3 - 63.6	2,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	53.9	45.1 - 62.5	1,200	46.1	37.5 - 54.9	2,600
No	1,100	44.4	35.9 - 53.3	1,400	55.6	46.7 - 64.1	2,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	37.9	29.7 - 46.8	1,500	62.1	53.2 - 70.3	2,300
131-185%	500	70.4	53.9 - 82.9	200	29.6	17.1 - 46.1	600
186+%	1,000	61.5	50.5 - 71.4	600	38.5	28.6 - 49.5	1,700



**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	32.5	22.1 - 45.0	800	67.5	55.0 - 77.9	1,200
\$10,000-\$24,999	500	48.8	36.0 - 61.7	600	51.2	38.3 - 64.0	1,100
\$25,000-\$49,999	700	58.0	45.4 - 69.7	500	42.0	30.3 - 54.6	1,100
>=\$50,000	800	63.1	50.0 - 74.5	500	36.9	25.5 - 50.0	1,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	48.9	38.5 - 59.4	200	51.1	40.6 - 61.5	400
Normal birth weight	2,300	49.4	42.8 - 56.0	2,400	50.6	44.0 - 57.2	4,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	41.9	22.8 - 63.9	200	58.1	36.1 - 77.2	300
No	2,300	49.9	43.5 - 56.4	2,400	50.1	43.6 - 56.5	4,700

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	600	50.2	38.4 - 62.0	600	49.8	38.0 - 61.6	1,200
<b>No</b>	1,900	49.1	41.9 - 56.4	1,900	50.9	43.6 - 58.1	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,100	41.4	33.5 - 49.8	1,600	58.6	50.2 - 66.5	2,700
<b>No</b>	1,400	59.2	49.8 - 68.1	900	40.8	31.9 - 50.2	2,300

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	3,100	55.1	49.2 - 60.9	2,500	44.9	39.1 - 50.8	5,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	400	49.1	40.0 - 58.2	400	50.9	41.8 - 60.0	700
<b>Honolulu</b>	2,300	57.1	49.2 - 64.8	1,700	42.9	35.2 - 50.8	4,000
<b>Kauai</b>	100	42.5	32.3 - 53.4	100	57.5	46.6 - 67.7	200
<b>Maui</b>	300	54.3	45.5 - 62.8	300	45.7	37.2 - 54.5	600

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	600	49.2	36.6 - 61.9	600	50.8	38.1 - 63.4	1,200
Native Hawaiian	900	45.8	36.5 - 55.4	1,000	54.2	44.6 - 63.5	1,900
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	200
Filipino	600	61.7	47.8 - 73.9	400	38.3	26.1 - 52.2	1,000
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	200
Other	600	63.9	48.8 - 76.6	400	36.1	23.4 - 51.2	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	44.0	27.0 - 62.6	300	56.0	37.4 - 73.0	500
20-24	700	48.0	36.8 - 59.4	800	52.0	40.6 - 63.2	1,500
25-34	1,500	60.0	51.6 - 67.8	1,000	40.0	32.2 - 48.4	2,600
35+	600	59.4	43.8 - 73.2	400	40.6	26.8 - 56.2	900

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,400	50.4	42.2 - 58.6	1,400	49.6	41.4 - 57.8	2,700
Female	1,700	59.8	51.4 - 67.6	1,100	40.2	32.4 - 48.6	2,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,800	60.1	51.7 - 67.9	1,200	39.9	32.1 - 48.3	3,000
No	1,300	49.3	41.0 - 57.6	1,300	50.7	42.4 - 59.0	2,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,300	51.1	42.4 - 59.7	1,200	48.9	40.3 - 57.6	2,500
131-185%	400	54.8	38.7 - 70.0	300	45.2	30.0 - 61.3	700
186+%	1,200	62.4	51.9 - 71.8	700	37.6	28.2 - 48.1	1,900

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	600	44.9	33.7 - 56.7	700	55.1	43.3 - 66.3	1,300
\$10,000-\$24,999	600	55.3	41.4 - 68.4	500	44.7	31.6 - 58.6	1,100
\$25,000-\$49,999	800	59.2	47.5 - 69.9	500	40.8	30.1 - 52.5	1,300
>=\$50,000	900	62.5	50.3 - 73.4	500	37.5	26.6 - 49.7	1,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	45.1	34.8 - 55.9	200	54.9	44.1 - 65.2	300
Normal birth weight	2,900	55.8	49.5 - 61.9	2,300	44.2	38.1 - 50.5	5,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	58.6	42.3 - 73.2	300	41.4	26.8 - 57.7	700
No	2,600	54.3	47.9 - 60.6	2,200	45.7	39.4 - 52.1	4,800

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	51.9	41.3 - 62.3	800	48.1	37.7 - 58.7	1,600
<b>No</b>	2,200	56.1	48.9 - 63.0	1,700	43.9	37.0 - 51.1	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,500	52.4	44.4 - 60.3	1,400	47.6	39.7 - 55.6	2,900
<b>No</b>	1,500	58.4	49.5 - 66.8	1,100	41.6	33.2 - 50.5	2,600

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,700	46.4	40.9 - 52.1	3,100	53.6	47.9 - 59.1	5,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	300	38.3	30.1 - 47.2	500	61.7	52.8 - 69.9	800
<b>Honolulu</b>	1,900	46.8	39.2 - 54.4	2,200	53.2	45.6 - 60.8	4,100
<b>Kauai</b>	200	53.1	42.9 - 63.0	100	46.9	37.0 - 57.1	300
<b>Maui</b>	300	51.6	43.1 - 60.1	300	48.4	39.9 - 56.9	600



**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	61.2	47.3 - 73.4	300	38.8	26.6 - 52.7	800
Native Hawaiian	1,000	43.2	34.8 - 52.0	1,300	56.8	48.0 - 65.2	2,300
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	300
Filipino	300	33.6	22.4 - 47.0	600	66.4	53.0 - 77.6	1,000
Japanese	300	64.1	43.9 - 80.2	200	35.9	19.8 - 56.1	500
Other	400	44.1	30.4 - 58.6	500	55.9	41.4 - 69.6	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	22.4	13.3 - 35.2	700	77.6	64.8 - 86.7	900
20-24	700	42.7	32.6 - 53.4	900	57.3	46.6 - 67.4	1,600
25-34	1,400	57.5	49.0 - 65.7	1,000	42.5	34.3 - 51.0	2,500
35+	400	47.3	33.7 - 61.4	500	52.7	38.6 - 66.3	900

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,400	48.6	40.6 - 56.6	1,500	51.4	43.4 - 59.4	2,900
Female	1,300	44.3	36.7 - 52.2	1,600	55.7	47.8 - 63.3	2,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	62.4	54.0 - 70.2	1,000	37.6	29.8 - 46.0	2,600
No	1,100	33.7	27.1 - 40.9	2,200	66.3	59.1 - 72.9	3,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	33.7	26.6 - 41.6	1,900	66.3	58.4 - 73.4	2,900
131-185%	500	54.5	40.2 - 68.1	400	45.5	31.9 - 59.8	900
186+%	1,000	67.9	57.0 - 77.1	500	32.1	22.9 - 43.0	1,500

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	28.4	19.6 - 39.1	1,100	71.6	60.9 - 80.4	1,500
\$10,000-\$24,999	600	42.3	31.9 - 53.4	800	57.7	46.6 - 68.1	1,300
\$25,000-\$49,999	700	54.1	42.3 - 65.5	600	45.9	34.5 - 57.7	1,300
>=\$50,000	800	68.8	55.9 - 79.2	300	31.2	20.8 - 44.1	1,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	54.6	45.2 - 63.7	200	45.4	36.3 - 54.8	400
Normal birth weight	2,500	46.1	40.1 - 52.1	2,900	53.9	47.9 - 59.9	5,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	35.3	23.1 - 49.7	600	64.7	50.3 - 76.9	900
No	2,300	47.1	41.0 - 53.3	2,500	52.9	46.7 - 59.0	4,800

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	38.8	29.7 - 48.7	1,100	61.2	51.3 - 70.3	1,800
<b>No</b>	1,900	48.2	41.4 - 55.1	2,000	51.8	44.9 - 58.6	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,200	39.4	32.3 - 47.0	1,800	60.6	53.0 - 67.7	3,000
<b>No</b>	1,400	52.6	44.2 - 61.0	1,300	47.4	39.0 - 55.8	2,700

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,500	47.9	43.4 - 52.5	2,700	52.1	47.5 - 56.6	5,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	300	42.7	30.2 - 56.2	400	57.3	43.8 - 69.8	600
<b>Honolulu</b>	1,700	48.1	42.8 - 53.5	1,900	51.9	46.5 - 57.2	3,600
<b>Kauai</b>	n/r	n/r	n/r	n/r	n/r	n/r	300
<b>Maui</b>	300	49.0	36.4 - 61.7	400	51.0	38.3 - 63.6	700

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	51.6	41.2 - 61.9	400	48.4	38.1 - 58.8	900
Native Hawaiian	900	47.7	39.6 - 55.8	1,000	52.3	44.2 - 60.4	1,900
Chinese	100	56.5	41.6 - 70.3	100	43.5	29.7 - 58.4	100
Filipino	400	44.1	34.6 - 54.0	500	55.9	46.0 - 65.4	900
Japanese	300	59.7	44.5 - 73.2	200	40.3	26.8 - 55.5	500
Other	400	41.4	30.8 - 52.7	500	58.6	47.3 - 69.2	900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	41.9	28.0 - 57.2	300	58.1	42.8 - 72.0	500
20-24	500	37.1	29.0 - 46.1	900	62.9	53.9 - 71.0	1,400
25-34	1,400	54.7	48.1 - 61.1	1,100	45.3	38.9 - 51.9	2,500
35+	400	49.4	38.5 - 60.3	400	50.6	39.7 - 61.5	800

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,400	46.4	40.4 - 52.5	1,600	53.6	47.5 - 59.6	2,900
Female	1,100	49.9	43.1 - 56.7	1,100	50.1	43.3 - 56.9	2,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	52.8	46.7 - 58.9	1,300	47.2	41.1 - 53.3	2,700
No	1,100	42.7	36.1 - 49.5	1,400	57.3	50.5 - 63.9	2,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,200	45.0	38.6 - 51.6	1,500	55.0	48.4 - 61.4	2,700
131-185%	200	37.4	26.0 - 50.5	400	62.6	49.5 - 74.0	600
186+%	900	56.6	48.8 - 64.0	700	43.4	36.0 - 51.2	1,700

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	35.7	27.6 - 44.8	900	64.3	55.2 - 72.4	1,400
\$10,000-\$24,999	700	52.0	42.6 - 61.3	600	48.0	38.7 - 57.4	1,300
\$25,000-\$49,999	600	56.5	46.7 - 65.8	500	43.5	34.2 - 53.3	1,100
>=\$50,000	600	50.3	41.4 - 59.2	600	49.7	40.8 - 58.6	1,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	300
Normal birth weight	2,300	48.0	43.3 - 52.7	2,500	52.0	47.3 - 56.7	4,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	47.0	34.1 - 60.2	400	53.0	39.8 - 65.9	700
No	2,100	48.4	43.5 - 53.3	2,300	51.6	46.7 - 56.5	4,400



**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	50.8	41.3 - 60.1	600	49.2	39.9 - 58.7	1,300
<b>No</b>	1,800	47.3	42.1 - 52.6	2,000	52.7	47.4 - 57.9	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,300	45.2	38.9 - 51.6	1,500	54.8	48.4 - 61.1	2,800
<b>No</b>	1,200	51.9	45.3 - 58.5	1,100	48.1	41.5 - 54.7	2,300

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,600	44.9	40.7 - 49.3	3,200	55.1	50.7 - 59.3	5,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	300	33.2	23.4 - 44.8	600	66.8	55.2 - 76.6	900
<b>Honolulu</b>	1,800	45.2	40.1 - 50.4	2,200	54.8	49.6 - 59.9	3,900
<b>Kauai</b>	200	55.0	38.4 - 70.6	200	45.0	29.4 - 61.6	400
<b>Maui</b>	300	52.7	39.2 - 65.7	300	47.3	34.3 - 60.8	600

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	42.8	33.3 - 52.9	600	57.2	47.1 - 66.7	1,000
Native Hawaiian	900	45.2	37.5 - 53.2	1,100	54.8	46.8 - 62.5	2,000
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	500	46.3	37.0 - 55.8	500	53.7	44.2 - 63.0	1,000
Japanese	300	57.9	44.3 - 70.4	200	42.1	29.6 - 55.7	600
Other	400	36.6	27.6 - 46.6	700	63.4	53.4 - 72.4	1,100

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	22.0	13.2 - 34.3	700	78.0	65.7 - 86.8	900
20-24	600	34.8	27.6 - 42.8	1,100	65.2	57.2 - 72.4	1,700
25-34	1,400	55.4	49.0 - 61.6	1,100	44.6	38.4 - 51.0	2,500
35+	400	60.0	48.2 - 70.7	300	40.0	29.3 - 51.8	700

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,400	46.7	40.8 - 52.7	1,600	53.3	47.3 - 59.2	3,000
Female	1,200	43.0	37.0 - 49.3	1,600	57.0	50.7 - 63.0	2,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	59.3	53.2 - 65.2	1,100	40.7	34.8 - 46.8	2,700
No	1,000	32.9	27.4 - 38.8	2,100	67.1	61.2 - 72.6	3,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	33.0	27.5 - 39.0	2,000	67.0	61.0 - 72.5	3,000
131-185%	400	52.0	40.5 - 63.2	400	48.0	36.8 - 59.5	800
186+%	1,100	68.1	60.4 - 74.8	500	31.9	25.2 - 39.6	1,700

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	22.3	15.7 - 30.6	1,200	77.7	69.4 - 84.3	1,500
\$10,000-\$24,999	600	40.2	32.2 - 48.8	900	59.8	51.2 - 67.8	1,500
\$25,000-\$49,999	700	58.6	49.3 - 67.2	500	41.4	32.8 - 50.7	1,200
>=\$50,000	900	71.7	62.7 - 79.2	300	28.3	20.8 - 37.3	1,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	42.2	28.8 - 56.9	300	57.8	43.1 - 71.2	500
Normal birth weight	2,400	45.2	40.7 - 49.7	2,900	54.8	50.3 - 59.3	5,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	28.5	18.1 - 41.9	500	71.5	58.1 - 81.9	600
No	2,400	47.0	42.4 - 51.6	2,700	53.0	48.4 - 57.6	5,100

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	500	35.4	27.6 - 44.1	1,000	64.6	55.9 - 72.4	1,500
<b>No</b>	2,000	48.4	43.4 - 53.5	2,200	51.6	46.5 - 56.6	4,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,100	35.9	30.4 - 41.9	2,000	64.1	58.1 - 69.6	3,200
<b>No</b>	1,400	56.3	49.8 - 62.6	1,100	43.7	37.4 - 50.2	2,500

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,400	44.7	40.2 - 49.3	3,000	55.3	50.7 - 59.8	5,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	37.3	24.9 - 51.6	400	62.7	48.4 - 75.1	600
<b>Honolulu</b>	1,800	46.4	41.1 - 51.9	2,100	53.6	48.1 - 58.9	3,900
<b>Kauai</b>	n/r	n/r	n/r	n/r	n/r	n/r	300
<b>Maui</b>	300	41.6	28.9 - 55.4	400	58.4	44.6 - 71.1	600

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	600	61.8	50.8 - 71.8	400	38.2	28.2 - 49.2	900
Native Hawaiian	700	37.2	29.5 - 45.5	1,200	62.8	54.5 - 70.5	1,900
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	400	50.6	39.7 - 61.5	400	49.4	38.5 - 60.3	800
Japanese	200	49.5	34.3 - 64.9	200	50.5	35.1 - 65.7	500
Other	400	35.6	26.8 - 45.4	800	64.4	54.6 - 73.2	1,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	10.3	4.5 - 21.9	600	89.7	78.1 - 95.5	600
20-24	800	44.4	36.1 - 53.0	900	55.6	47.0 - 63.9	1,700
25-34	1,200	49.8	42.9 - 56.6	1,200	50.2	43.4 - 57.1	2,300
35+	400	58.9	47.2 - 69.7	300	41.1	30.3 - 52.8	700



**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,100	45.7	39.1 - 52.5	1,400	54.3	47.5 - 60.9	2,500
Female	1,300	43.8	37.7 - 50.0	1,600	56.2	50.0 - 62.3	2,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	51.5	45.2 - 57.8	1,300	48.5	42.2 - 54.8	2,700
No	1,000	37.9	31.7 - 44.6	1,700	62.1	55.4 - 68.3	2,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	36.3	30.0 - 43.1	1,600	63.7	56.9 - 70.0	2,500
131-185%	300	41.8	29.9 - 54.7	400	58.2	45.3 - 70.1	700
186+%	1,100	65.3	57.3 - 72.6	600	34.7	27.4 - 42.7	1,700

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	32.3	24.4 - 41.3	1,000	67.7	58.7 - 75.6	1,400
\$10,000-\$24,999	600	44.7	35.7 - 54.1	700	55.3	45.9 - 64.3	1,300
\$25,000-\$49,999	600	54.0	43.9 - 63.8	500	46.0	36.2 - 56.1	1,100
>=\$50,000	700	60.9	50.9 - 70.0	400	39.1	30.0 - 49.1	1,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	41.1	27.0 - 56.8	300	58.9	43.2 - 73.0	500
Normal birth weight	2,200	45.0	40.3 - 49.8	2,700	55.0	50.2 - 59.7	5,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	31.9	22.1 - 43.6	600	68.1	56.4 - 77.9	900
No	2,100	47.8	42.7 - 52.8	2,300	52.2	47.2 - 57.3	4,400

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	600	39.4	31.4 - 48.0	1,000	60.6	52.0 - 68.6	1,600
<b>No</b>	1,800	47.7	42.3 - 53.3	1,900	52.3	46.7 - 57.7	3,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,200	38.7	32.7 - 45.0	1,800	61.3	55.0 - 67.3	3,000
<b>No</b>	1,200	52.0	45.2 - 58.8	1,100	48.0	41.2 - 54.8	2,300

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,400	45.6	41.3 - 50.0	2,900	54.4	50.0 - 58.7	5,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	300	42.8	31.1 - 55.4	400	57.2	44.6 - 68.9	700
<b>Honolulu</b>	1,900	47.2	42.3 - 52.2	2,100	52.8	47.8 - 57.7	4,000
<b>Kauai</b>	n/r	n/r	n/r	n/r	n/r	n/r	200
<b>Maui</b>	200	37.1	23.3 - 53.4	300	62.9	46.6 - 76.7	400

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	45.7	35.1 - 56.6	500	54.3	43.4 - 64.9	900
Native Hawaiian	900	48.4	40.5 - 56.3	1,000	51.6	43.7 - 59.5	1,800
Chinese	100	55.9	41.5 - 69.3	100	44.1	30.7 - 58.5	100
Filipino	400	39.8	31.1 - 49.1	600	60.2	50.9 - 68.9	1,000
Japanese	300	54.0	41.1 - 66.3	300	46.0	33.7 - 58.9	600
Other	400	40.0	30.6 - 50.2	600	60.0	49.8 - 69.4	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	28.6	19.5 - 39.9	600	71.4	60.1 - 80.5	800
20-24	700	44.5	36.7 - 52.5	900	55.5	47.5 - 63.3	1,600
25-34	1,200	51.5	44.9 - 58.0	1,100	48.5	42.0 - 55.1	2,300
35+	300	49.5	37.8 - 61.3	300	50.5	38.7 - 62.2	600

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	47.3	41.3 - 53.3	1,500	52.7	46.7 - 58.7	2,800
Female	1,100	43.8	37.7 - 50.1	1,400	56.2	49.9 - 62.3	2,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	57.4	51.1 - 63.6	1,000	42.6	36.4 - 48.9	2,300
No	1,100	36.4	30.9 - 42.3	1,900	63.6	57.7 - 69.1	3,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	40.0	34.0 - 46.3	1,600	60.0	53.7 - 66.0	2,600
131-185%	200	47.3	34.1 - 60.9	300	52.7	39.1 - 65.9	500
186+%	900	59.7	51.8 - 67.0	600	40.3	33.0 - 48.2	1,500

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	600	38.3	30.5 - 46.7	900	61.7	53.3 - 69.5	1,500
\$10,000-\$24,999	600	44.0	35.5 - 52.9	700	56.0	47.1 - 64.5	1,300
\$25,000-\$49,999	500	43.1	34.2 - 52.4	600	56.9	47.6 - 65.8	1,100
>=\$50,000	600	71.5	61.5 - 79.8	300	28.5	20.2 - 38.5	900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	27.0	15.9 - 41.9	300	73.0	58.1 - 84.1	400
Normal birth weight	2,300	47.2	42.7 - 51.8	2,600	52.8	48.2 - 57.3	4,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	43.5	32.2 - 55.5	400	56.5	44.5 - 67.8	800
No	2,000	46.0	41.4 - 50.8	2,400	54.0	49.2 - 58.6	4,400

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	45.8	38.2 - 53.6	900	54.2	46.4 - 61.8	1,800
<b>No</b>	1,500	45.8	40.5 - 51.2	1,800	54.2	48.8 - 59.5	3,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,100	39.2	33.5 - 45.2	1,700	60.8	54.8 - 66.5	2,800
<b>No</b>	1,300	54.2	47.7 - 60.6	1,100	45.8	39.4 - 52.3	2,300



**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,300	46.2	42.1 - 50.4	2,700	53.8	49.6 - 57.9	5,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	30.3	21.0 - 41.6	500	69.7	58.4 - 79.0	700
<b>Honolulu</b>	1,700	49.5	44.5 - 54.4	1,700	50.5	45.6 - 55.5	3,500
<b>Kauai</b>	n/r	n/r	n/r	n/r	n/r	n/r	200
<b>Maui</b>	300	45.5	33.5 - 58.0	300	54.5	42.0 - 66.5	600

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	48.4	38.3 - 58.7	400	51.6	41.3 - 61.7	800
Native Hawaiian	700	43.5	36.0 - 51.3	1,000	56.5	48.7 - 64.0	1,700
Chinese	100	73.9	64.0 - 81.9	<50	26.1	18.1 - 36.0	100
Filipino	500	49.7	41.4 - 57.9	500	50.3	42.1 - 58.6	1,000
Japanese	300	52.3	39.3 - 65.0	200	47.7	35.0 - 60.7	500
Other	300	37.7	28.1 - 48.3	500	62.3	51.7 - 71.9	900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	19.1	10.9 - 31.4	400	80.9	68.6 - 89.1	500
20-24	700	39.5	32.5 - 47.0	1,000	60.5	53.0 - 67.5	1,700
25-34	1,100	58.3	51.7 - 64.7	800	41.7	35.3 - 48.3	1,900
35+	400	49.4	39.4 - 59.5	400	50.6	40.5 - 60.6	800

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	47.7	42.2 - 53.4	1,400	52.3	46.6 - 57.8	2,800
Female	1,000	44.3	38.2 - 50.6	1,200	55.7	49.4 - 61.8	2,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	54.2	48.7 - 59.6	1,300	45.8	40.4 - 51.3	2,800
No	800	36.2	30.2 - 42.6	1,400	63.8	57.4 - 69.8	2,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	38.2	32.4 - 44.3	1,500	61.8	55.7 - 67.6	2,400
131-185%	300	53.3	41.3 - 64.9	300	46.7	35.1 - 58.7	600
186+%	900	59.1	51.8 - 66.0	600	40.9	34.0 - 48.2	1,500

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	31.7	24.0 - 40.6	800	68.3	59.4 - 76.0	1,200
\$10,000-\$24,999	600	43.8	36.2 - 51.7	800	56.2	48.3 - 63.8	1,400
\$25,000-\$49,999	600	56.9	48.1 - 65.3	500	43.1	34.7 - 51.9	1,100
>=\$50,000	500	61.4	51.8 - 70.3	300	38.6	29.7 - 48.2	900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	34.8	19.9 - 53.5	200	65.2	46.5 - 80.1	300
Normal birth weight	2,200	46.7	42.5 - 51.0	2,500	53.3	49.0 - 57.5	4,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	34.6	24.4 - 46.4	500	65.4	53.6 - 75.6	700
No	2,000	48.2	43.7 - 52.7	2,200	51.8	47.3 - 56.3	4,200

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	600	39.5	32.1 - 47.4	900	60.5	52.6 - 67.9	1,500
<b>No</b>	1,700	49.2	44.3 - 54.2	1,800	50.8	45.8 - 55.7	3,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,100	42.3	36.7 - 48.1	1,600	57.7	51.9 - 63.3	2,700
<b>No</b>	1,100	51.8	45.5 - 58.0	1,000	48.2	42.0 - 54.5	2,100

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,900	49.7	45.1 - 54.3	2,900	50.3	45.7 - 54.9	5,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	300	49.5	42.0 - 57.1	300	50.5	42.9 - 58.0	700
<b>Honolulu</b>	2,100	50.0	43.9 - 56.0	2,100	50.0	44.0 - 56.1	4,200
<b>Kauai</b>	100	43.1	31.9 - 55.0	200	56.9	45.0 - 68.1	300
<b>Maui</b>	300	51.7	43.4 - 59.9	300	48.3	40.1 - 56.6	600

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	55.7	42.5 - 68.2	400	44.3	31.8 - 57.5	900
Native Hawaiian	900	42.5	38.0 - 47.1	1,200	57.5	52.9 - 62.0	2,000
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	200
Filipino	600	42.9	32.7 - 53.7	800	57.1	46.3 - 67.3	1,300
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	400
Other	600	57.8	44.2 - 70.2	400	42.2	29.8 - 55.8	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	18.4	11.8 - 27.6	700	81.6	72.4 - 88.2	900
20-24	900	47.7	39.7 - 55.8	900	52.3	44.2 - 60.3	1,800
25-34	1,400	59.8	52.4 - 66.8	900	40.2	33.2 - 47.6	2,400
35+	500	60.2	46.6 - 72.4	300	39.8	27.6 - 53.4	800

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,700	53.1	47.0 - 59.2	1,500	46.9	40.8 - 53.0	3,200
Female	1,200	45.4	38.5 - 52.4	1,400	54.6	47.6 - 61.5	2,600

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,800	61.4	54.5 - 67.9	1,100	38.6	32.1 - 45.5	2,900
No	1,100	38.0	32.2 - 44.1	1,800	62.0	55.9 - 67.8	2,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,500	45.5	39.7 - 51.5	1,800	54.5	48.5 - 60.3	3,300
131-185%	500	63.4	50.1 - 75.0	300	36.6	25.0 - 49.9	700
186+%	600	61.6	49.7 - 72.3	400	38.4	27.7 - 50.3	1,100



**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	800	38.6	31.5 - 46.3	1,300	61.4	53.7 - 68.5	2,100
\$15,001-\$25,000	400	52.8	41.4 - 63.8	300	47.2	36.2 - 58.6	700
\$25,001-\$40,000	600	63.8	52.2 - 73.9	400	36.2	26.1 - 47.8	1,000
>=\$40,001	900	61.4	51.2 - 70.6	500	38.6	29.4 - 48.8	1,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	43.8	28.0 - 60.9	300	56.2	39.1 - 72.0	500
Normal birth weight	2,700	50.2	45.5 - 55.0	2,700	49.8	45.0 - 54.5	5,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	39.0	28.3 - 51.0	500	61.0	49.0 - 71.7	900
No	2,500	51.9	46.8 - 56.9	2,300	48.1	43.1 - 53.2	4,900

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	44.3	36.2 - 52.7	900	55.7	47.3 - 63.8	1,700
<b>No</b>	2,000	51.1	45.4 - 56.8	1,900	48.9	43.2 - 54.6	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,400	43.6	37.8 - 49.6	1,800	56.4	50.4 - 62.2	3,200
<b>No</b>	1,500	58.1	50.9 - 65.0	1,100	41.9	35.0 - 49.1	2,600

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	3,100	55.5	50.8 - 60.1	2,500	44.5	39.9 - 49.2	5,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	400	51.5	44.4 - 58.6	400	48.5	41.4 - 55.6	700
<b>Honolulu</b>	2,300	58.0	51.8 - 64.1	1,700	42.0	35.9 - 48.2	4,000
<b>Kauai</b>	100	43.2	30.6 - 56.8	100	56.8	43.2 - 69.4	200
<b>Maui</b>	300	48.1	39.8 - 56.6	300	51.9	43.4 - 60.2	600

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	600	57.1	45.1 - 68.3	500	42.9	31.7 - 54.9	1,100
Native Hawaiian	1,000	51.2	46.6 - 55.9	1,000	48.8	44.1 - 53.4	2,000
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	600	62.6	49.9 - 73.9	400	37.4	26.1 - 50.1	1,000
Japanese	300	53.6	35.6 - 70.8	200	46.4	29.2 - 64.4	500
Other	500	56.4	41.8 - 69.9	400	43.6	30.1 - 58.2	900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	33.2	23.3 - 44.7	600	66.8	55.3 - 76.7	800
20-24	1,000	56.5	48.5 - 64.2	800	43.5	35.8 - 51.5	1,700
25-34	1,300	60.2	52.3 - 67.7	900	39.8	32.3 - 47.7	2,200
35+	500	63.2	51.0 - 74.0	300	36.8	26.0 - 49.0	800

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,400	53.4	46.7 - 60.0	1,300	46.6	40.0 - 53.3	2,700
Female	1,700	57.4	50.8 - 63.8	1,200	42.6	36.2 - 49.2	2,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,100	67.0	60.3 - 73.1	1,000	33.0	26.9 - 39.7	3,100
No	1,000	41.4	35.2 - 47.9	1,500	58.6	52.1 - 64.8	2,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,300	47.6	41.3 - 54.0	1,400	52.4	46.0 - 58.7	2,700
131-185%	700	64.5	52.6 - 74.8	400	35.5	25.2 - 47.4	1,100
186+%	800	73.0	62.3 - 81.5	300	27.0	18.5 - 37.7	1,100

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	700	41.7	34.0 - 49.9	1,000	58.3	50.1 - 66.0	1,700
\$15,001-\$25,000	500	62.9	50.6 - 73.8	300	37.1	26.2 - 49.4	800
\$25,001-\$40,000	700	54.3	43.8 - 64.5	600	45.7	35.5 - 56.2	1,300
>=\$40,001	1,000	72.9	63.3 - 80.7	400	27.1	19.3 - 36.7	1,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	300	61.7	43.6 - 77.1	200	38.3	22.9 - 56.4	400
Normal birth weight	2,900	55.0	50.1 - 59.8	2,300	45.0	40.2 - 49.9	5,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	50.8	39.4 - 62.2	400	49.2	37.8 - 60.6	800
No	2,700	56.8	51.6 - 61.8	2,100	43.2	38.2 - 48.4	4,800

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	50.1	41.7 - 58.4	800	49.9	41.6 - 58.3	1,600
<b>No</b>	2,300	59.1	53.3 - 64.7	1,600	40.9	35.3 - 46.7	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,400	49.5	42.9 - 56.0	1,500	50.5	44.0 - 57.1	2,900
<b>No</b>	1,700	62.0	55.3 - 68.3	1,000	38.0	31.7 - 44.7	2,700

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,700	48.7	45.0 - 52.4	2,800	51.3	47.6 - 55.0	5,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	400	53.9	46.5 - 61.2	300	46.1	38.8 - 53.5	700
<b>Honolulu</b>	1,800	47.4	42.6 - 52.3	2,000	52.6	47.7 - 57.4	3,800
<b>Kauai</b>	200	48.7	37.6 - 59.9	200	51.3	40.1 - 62.4	400
<b>Maui</b>	300	50.9	42.5 - 59.2	300	49.1	40.8 - 57.5	600



**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	65.2	55.6 - 73.6	300	34.8	26.4 - 44.4	800
Native Hawaiian	800	43.9	40.2 - 47.7	1,100	56.1	52.3 - 59.8	1,900
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	200
Filipino	600	46.2	37.5 - 55.1	700	53.8	44.9 - 62.5	1,300
Japanese	300	64.3	49.4 - 76.9	200	35.7	23.1 - 50.6	500
Other	200	30.2	21.0 - 41.4	600	69.8	58.6 - 79.0	800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	24.8	19.0 - 31.8	700	75.2	68.2 - 81.0	900
20-24	800	44.9	38.6 - 51.3	900	55.1	48.7 - 61.4	1,700
25-34	1,300	55.7	49.5 - 61.7	1,000	44.3	38.3 - 50.5	2,300
35+	400	66.0	54.6 - 75.9	200	34.0	24.1 - 45.4	600

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	48.1	42.9 - 53.4	1,500	51.9	46.6 - 57.1	2,800
Female	1,300	49.3	44.1 - 54.5	1,400	50.7	45.5 - 55.9	2,700

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,900	63.7	58.4 - 68.7	1,100	36.3	31.3 - 41.6	3,000
No	800	31.3	27.2 - 35.7	1,700	68.7	64.3 - 72.8	2,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,100	42.9	38.0 - 47.9	1,500	57.1	52.1 - 62.0	2,600
131-185%	500	49.3	41.3 - 57.4	600	50.7	42.6 - 58.7	1,100
186+%	800	66.1	57.5 - 73.8	400	33.9	26.2 - 42.5	1,200

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	600	40.6	34.4 - 47.0	900	59.4	53.0 - 65.6	1,500
\$15,001-\$25,000	400	45.1	36.3 - 54.1	400	54.9	45.9 - 63.7	800
\$25,001-\$40,000	600	47.0	39.2 - 55.0	600	53.0	45.0 - 60.8	1,200
>=\$40,001	1,000	64.6	57.2 - 71.4	500	35.4	28.6 - 42.8	1,500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	47.4	34.3 - 60.8	200	52.6	39.2 - 65.7	400
Normal birth weight	2,500	48.9	45.0 - 52.8	2,600	51.1	47.2 - 55.0	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	42.2	33.7 - 51.1	500	57.8	48.9 - 66.3	800
No	2,300	50.0	45.8 - 54.2	2,300	50.0	45.8 - 54.2	4,500

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	44.3	37.8 - 51.0	900	55.7	49.0 - 62.2	1,500
<b>No</b>	1,900	51.1	46.5 - 55.7	1,800	48.9	44.3 - 53.5	3,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,200	44.2	39.4 - 49.1	1,500	55.8	50.9 - 60.6	2,800
<b>No</b>	1,400	53.3	47.6 - 58.9	1,300	46.7	41.1 - 52.4	2,700

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	2,500	44.1	40.3 - 47.9	3,100	55.9	52.1 - 59.7	5,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	300	40.5	33.1 - 48.3	400	59.5	51.7 - 66.9	700
<b>Honolulu</b>	1,800	43.8	39.1 - 48.6	2,300	56.2	51.4 - 60.9	4,100
<b>Kauai</b>	100	48.6	35.0 - 62.4	100	51.4	37.6 - 65.0	200
<b>Maui</b>	300	48.3	39.8 - 56.9	300	51.7	43.1 - 60.2	600

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	51.2	41.9 - 60.4	400	48.8	39.6 - 58.1	900
Native Hawaiian	700	36.4	32.7 - 40.3	1,200	63.6	59.7 - 67.3	1,800
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	600	44.7	35.9 - 53.8	700	55.3	46.2 - 64.1	1,300
Japanese	300	59.9	45.0 - 73.2	200	40.1	26.8 - 55.0	500
Other	400	41.7	30.8 - 53.4	500	58.3	46.6 - 69.2	900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	25.4	19.4 - 32.6	800	74.6	67.4 - 80.6	1,100
20-24	600	37.8	31.5 - 44.5	1,000	62.2	55.5 - 68.5	1,600
25-34	1,200	55.7	49.1 - 62.1	900	44.3	37.9 - 50.9	2,100
35+	400	51.3	40.7 - 61.8	400	48.7	38.2 - 59.3	700

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	42.9	38.0 - 47.9	1,800	57.1	52.1 - 62.0	3,100
Female	1,100	45.5	39.8 - 51.4	1,400	54.5	48.6 - 60.2	2,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	53.0	47.6 - 58.4	1,400	47.0	41.6 - 52.4	3,000
No	900	33.5	28.7 - 38.7	1,700	66.5	61.3 - 71.3	2,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,300	40.1	35.3 - 45.0	2,000	59.9	55.0 - 64.7	3,300
131-185%	300	55.3	44.8 - 65.4	300	44.7	34.6 - 55.2	600
186+%	700	58.4	49.9 - 66.5	500	41.6	33.5 - 50.1	1,200

**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	600	31.9	26.2 - 38.2	1,300	68.1	61.8 - 73.8	2,000
\$15,001-\$25,000	500	47.5	38.9 - 56.2	600	52.5	43.8 - 61.1	1,100
\$25,001-\$40,000	500	57.2	48.5 - 65.5	400	42.8	34.5 - 51.5	900
>=\$40,001	700	57.3	49.0 - 65.2	500	42.7	34.8 - 51.0	1,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	47.5	33.9 - 61.5	200	52.5	38.5 - 66.1	400
Normal birth weight	2,200	43.7	39.9 - 47.7	2,900	56.3	52.3 - 60.1	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	44.3	34.4 - 54.5	300	55.7	45.5 - 65.6	600
No	2,100	44.7	40.6 - 48.9	2,600	55.3	51.1 - 59.4	4,700



**PRAMS Health Indicator Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income  
(2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the  
Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	600	40.3	33.6 - 47.4	900	59.7	52.6 - 66.4	1,400
<b>No</b>	1,800	46.4	41.8 - 51.1	2,100	53.6	48.9 - 58.2	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,100	38.2	33.3 - 43.3	1,800	61.8	56.7 - 66.7	2,900
<b>No</b>	1,300	51.2	45.4 - 56.9	1,200	48.8	43.1 - 54.6	2,600