

PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
No contraception at conception- husband/partner didn't want to	No contraception at conception- husband/partner didn't want to

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/10/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	800	14.5	12.1 - 17.4	4,800	85.5	82.6 - 87.9	5,600
2001	1,100	20.7	17.7 - 24.0	4,300	79.3	76.0 - 82.3	5,500
2002	900	15.9	12.7 - 19.8	4,700	84.1	80.2 - 87.3	5,600
2003	1,000	18.0	14.8 - 21.8	4,800	82.0	78.2 - 85.2	5,800
2004	1,000	20.8	17.6 - 24.4	3,900	79.2	75.6 - 82.4	5,000
2005	900	16.2	13.2 - 19.6	4,500	83.8	80.4 - 86.8	5,300
2006	1,100	21.2	17.6 - 25.3	4,300	78.8	74.7 - 82.4	5,400
2007	900	15.0	12.2 - 18.3	5,000	85.0	81.7 - 87.8	5,800
2008	800	15.7	12.6 - 19.3	4,400	84.3	80.7 - 87.4	5,200
2009	1,200	21.4	17.0 - 26.5	4,600	78.6	73.5 - 83.0	5,800
2010	1,100	19.3	15.1 - 24.3	4,500	80.7	75.7 - 84.9	5,500
2011	1,000	19.1	14.5 - 24.7	4,100	80.9	75.3 - 85.5	5,000
2012	1,000	19.0	14.8 - 24.1	4,500	81.0	75.9 - 85.2	5,500
2013	800	14.3	10.4 - 19.4	5,000	85.7	80.6 - 89.6	5,800

PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	800	14.3	10.4 - 19.4	5,000	85.7	80.6 - 89.6	5,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	19.5	12.8 - 28.7	600	80.5	71.3 - 87.2	700
Honolulu	600	14.7	9.7 - 21.7	3,600	85.3	78.3 - 90.3	4,200
Kauai	<50	11.6	6.6 - 19.8	200	88.4	80.2 - 93.4	200
Maui	<50	7.0	3.3 - 13.9	600	93.0	86.1 - 96.7	600

PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	8.6	3.4 - 20.4	1,100	91.4	79.6 - 96.6	1,200
Native Hawaiian	400	17.9	11.3 - 27.1	1,800	82.1	72.9 - 88.7	2,200
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	300
Filipino	200	18.2	9.1 - 33.1	700	81.8	66.9 - 90.9	900
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	600
Other	100	8.4	2.2 - 27.0	600	91.6	73.0 - 97.8	600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	4.8	1.4 - 15.7	400	95.2	84.3 - 98.6	400
20-24	300	15.2	8.6 - 25.4	1,500	84.8	74.6 - 91.4	1,800
25-34	500	16.5	10.7 - 24.6	2,300	83.5	75.4 - 89.3	2,800
35+	100	9.4	3.2 - 24.5	700	90.6	75.5 - 96.8	800

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	16.5	10.6 - 24.8	2,200	83.5	75.2 - 89.4	2,600
Female	400	12.6	7.9 - 19.5	2,800	87.4	80.5 - 92.1	3,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	11.9	7.3 - 18.9	2,500	88.1	81.1 - 92.7	2,900
No	500	16.7	11.0 - 24.6	2,400	83.3	75.4 - 89.0	2,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	17.3	11.5 - 25.3	2,300	82.7	74.7 - 88.5	2,800
131-185%	100	16.0	6.6 - 33.8	700	84.0	66.2 - 93.4	900
186+%	200	12.6	6.4 - 23.2	1,300	87.4	76.8 - 93.6	1,500

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	300	14.8	8.7 - 24.0	1,700	85.2	76.0 - 91.3	2,000
\$17,001-\$26,000	200	18.7	8.7 - 35.8	700	81.3	64.2 - 91.3	900
\$26,001-\$51,000	200	19.0	9.9 - 33.4	1,000	81.0	66.6 - 90.1	1,200
>=\$51,001	100	10.5	4.9 - 21.3	1,100	89.5	78.7 - 95.1	1,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	12.2	7.6 - 19.1	300	87.8	80.9 - 92.4	400
Normal birth weight	800	14.4	10.2 - 19.9	4,600	85.6	80.1 - 89.8	5,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	12.4	3.1 - 38.4	400	87.6	61.6 - 96.9	400
No	700	14.1	10.1 - 19.3	4,500	85.9	80.7 - 89.9	5,300

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	12.7	6.0 - 24.7	1,100	87.3	75.3 - 94.0	1,200
No	600	14.2	9.9 - 20.1	3,800	85.8	79.9 - 90.1	4,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	16.5	11.0 - 24.1	2,500	83.5	75.9 - 89.0	3,000
No	300	12.1	7.2 - 19.6	2,400	87.9	80.4 - 92.8	2,700

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,000	19.0	14.8 - 24.1	4,500	81.0	75.9 - 85.2	5,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	21.5	14.8 - 30.1	600	78.5	69.9 - 85.2	800
Honolulu	700	19.0	13.4 - 26.1	3,200	81.0	73.9 - 86.6	3,900
Kauai	100	20.3	12.4 - 31.4	200	79.7	68.6 - 87.6	200
Maui	100	15.5	9.7 - 23.8	500	84.5	76.2 - 90.3	600

PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	12.1	5.3 - 25.3	800	87.9	74.7 - 94.7	900
Native Hawaiian	400	22.8	15.4 - 32.4	1,400	77.2	67.6 - 84.6	1,800
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	200
Filipino	200	21.4	12.3 - 34.6	900	78.6	65.4 - 87.7	1,100
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	300
Other	200	15.6	8.3 - 27.2	1,000	84.4	72.8 - 91.7	1,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	23.8	11.3 - 43.2	400	76.2	56.8 - 88.7	500
20-24	300	21.6	13.4 - 33.0	1,100	78.4	67.0 - 86.6	1,400
25-34	400	15.9	10.7 - 23.0	2,300	84.1	77.0 - 89.3	2,700
35+	200	21.6	11.5 - 36.9	700	78.4	63.1 - 88.5	900

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	17.0	11.3 - 24.6	2,100	83.0	75.4 - 88.7	2,600
Female	600	20.8	15.0 - 28.1	2,300	79.2	71.9 - 85.0	3,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	15.9	10.4 - 23.7	2,200	84.1	76.3 - 89.6	2,600
No	600	21.8	16.0 - 29.1	2,300	78.2	70.9 - 84.0	2,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	20.7	14.7 - 28.2	2,100	79.3	71.8 - 85.3	2,700
131-185%	100	16.1	7.9 - 30.1	700	83.9	69.9 - 92.1	800
186+%	100	10.6	4.9 - 21.5	1,100	89.4	78.5 - 95.1	1,300

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	400	19.5	12.8 - 28.5	1,500	80.5	71.5 - 87.2	1,900
\$17,001-\$26,000	200	24.3	13.9 - 39.0	700	75.7	61.0 - 86.1	900
\$26,001-\$51,000	200	15.6	7.7 - 29.0	900	84.4	71.0 - 92.3	1,000
>=\$51,001	100	7.5	3.3 - 16.3	1,100	92.5	83.7 - 96.7	1,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	19.8	12.9 - 29.2	300	80.2	70.8 - 87.1	400
Normal birth weight	1,000	18.6	14.1 - 24.0	4,200	81.4	76.0 - 85.9	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	20.0	8.2 - 41.2	300	80.0	58.8 - 91.8	400
No	900	18.1	13.7 - 23.5	4,000	81.9	76.5 - 86.3	4,900

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	24.7	15.6 - 36.9	800	75.3	63.1 - 84.4	1,100
No	700	16.5	12.0 - 22.3	3,500	83.5	77.7 - 88.0	4,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	20.8	15.2 - 27.7	2,500	79.2	72.3 - 84.8	3,100
No	400	17.0	10.9 - 25.6	1,900	83.0	74.4 - 89.1	2,300

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,000	19.1	14.5 - 24.7	4,100	80.9	75.3 - 85.5	5,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	15.9	9.9 - 24.4	600	84.1	75.6 - 90.1	700
Honolulu	700	20.3	14.1 - 28.2	2,800	79.7	71.8 - 85.9	3,500
Kauai	100	20.7	13.2 - 31.0	200	79.3	69.0 - 86.8	300
Maui	100	14.5	9.4 - 21.8	500	85.5	78.2 - 90.6	500

PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	13.6	5.9 - 28.6	900	86.4	71.4 - 94.1	1,000
Native Hawaiian	400	20.5	13.2 - 30.3	1,400	79.5	69.7 - 86.8	1,700
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	200	23.6	13.6 - 37.8	800	76.4	62.2 - 86.4	1,000
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	500
Other	100	18.0	8.4 - 34.5	500	82.0	65.5 - 91.6	700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	19.9	9.2 - 37.7	300	80.1	62.3 - 90.8	400
20-24	400	24.2	15.1 - 36.5	1,200	75.8	63.5 - 84.9	1,600
25-34	400	17.8	11.9 - 25.9	1,900	82.2	74.1 - 88.1	2,300
35+	100	11.3	4.4 - 26.1	700	88.7	73.9 - 95.6	700

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	17.8	11.8 - 25.9	2,100	82.2	74.1 - 88.2	2,500
Female	500	20.4	14.0 - 28.8	2,000	79.6	71.2 - 86.0	2,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	15.6	10.2 - 23.2	2,200	84.4	76.8 - 89.8	2,600
No	600	22.8	15.9 - 31.5	1,900	77.2	68.5 - 84.1	2,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	22.0	15.2 - 30.8	1,800	78.0	69.2 - 84.8	2,300
131-185%	200	30.4	16.1 - 49.9	400	69.6	50.1 - 83.9	600
186+%	200	12.0	6.5 - 21.1	1,500	88.0	78.9 - 93.5	1,700

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	29.7	19.0 - 43.3	800	70.3	56.7 - 81.0	1,200
\$10,000-\$24,999	200	19.3	10.6 - 32.7	900	80.7	67.3 - 89.4	1,100
\$25,000-\$49,999	200	19.1	10.9 - 31.2	900	80.9	68.8 - 89.1	1,100
>=\$50,000	100	10.9	4.9 - 22.5	1,100	89.1	77.5 - 95.1	1,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	18.4	11.7 - 27.9	300	81.6	72.1 - 88.3	400
Normal birth weight	900	19.1	14.3 - 25.2	3,800	80.9	74.8 - 85.7	4,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	17.5	4.1 - 51.2	200	82.5	48.8 - 95.9	300
No	900	19.3	14.5 - 25.1	3,800	80.7	74.9 - 85.5	4,700

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	19.5	11.0 - 32.2	900	80.5	67.8 - 89.0	1,200
No	700	19.0	13.8 - 25.6	3,100	81.0	74.4 - 86.2	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	26.7	19.6 - 35.3	2,000	73.3	64.7 - 80.4	2,700
No	200	10.7	6.2 - 17.7	2,000	89.3	82.3 - 93.8	2,300

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,100	19.3	15.1 - 24.3	4,500	80.7	75.7 - 84.9	5,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	16.3	10.5 - 24.3	600	83.7	75.7 - 89.5	700
Honolulu	800	19.0	13.6 - 26.0	3,200	81.0	74.0 - 86.4	4,000
Kauai	100	23.2	15.2 - 33.6	200	76.8	66.4 - 84.8	200
Maui	100	23.3	16.7 - 31.5	500	76.7	68.5 - 83.3	600

PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	20.7	11.9 - 33.5	1,000	79.3	66.5 - 88.1	1,200
Native Hawaiian	400	23.3	16.0 - 32.5	1,400	76.7	67.5 - 84.0	1,900
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	200
Filipino	200	23.0	13.5 - 36.4	800	77.0	63.6 - 86.5	1,000
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	200
Other	100	9.7	4.4 - 20.0	900	90.3	80.0 - 95.6	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	48.0	30.5 - 66.1	300	52.0	33.9 - 69.5	500
20-24	400	24.6	16.2 - 35.5	1,200	75.4	64.5 - 83.8	1,500
25-34	400	14.1	9.3 - 20.8	2,200	85.9	79.2 - 90.7	2,600
35+	100	9.6	3.6 - 23.1	900	90.4	76.9 - 96.4	900

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	15.3	10.3 - 22.2	2,300	84.7	77.8 - 89.7	2,700
Female	600	23.2	16.9 - 30.9	2,100	76.8	69.1 - 83.1	2,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	18.5	12.9 - 25.7	2,400	81.5	74.3 - 87.1	3,000
No	500	20.2	14.3 - 27.6	2,000	79.8	72.4 - 85.7	2,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	25.3	18.6 - 33.5	1,900	74.7	66.5 - 81.4	2,500
131-185%	100	16.9	8.0 - 32.4	600	83.1	67.6 - 92.0	700
186+%	300	13.5	7.7 - 22.6	1,600	86.5	77.4 - 92.3	1,900

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	24.7	16.1 - 35.9	1,000	75.3	64.1 - 83.9	1,300
\$10,000-\$24,999	200	22.2	13.1 - 35.0	900	77.8	65.0 - 86.9	1,100
\$25,000-\$49,999	200	18.2	10.9 - 28.9	1,100	81.8	71.1 - 89.1	1,300
>=\$50,000	200	14.6	7.7 - 25.8	1,200	85.4	74.2 - 92.3	1,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	20.3	13.2 - 30.0	300	79.7	70.0 - 86.8	300
Normal birth weight	1,000	19.2	14.8 - 24.6	4,200	80.8	75.4 - 85.2	5,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	13.8	6.0 - 28.7	600	86.2	71.3 - 94.0	700
No	1,000	20.3	15.7 - 25.9	3,800	79.7	74.1 - 84.3	4,800

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	22.4	14.6 - 32.9	1,200	77.6	67.1 - 85.4	1,600
No	700	18.3	13.5 - 24.3	3,200	81.7	75.7 - 86.5	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	21.2	15.5 - 28.3	2,200	78.8	71.7 - 84.5	2,900
No	500	17.8	11.9 - 25.7	2,100	82.2	74.3 - 88.1	2,600

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,200	21.4	17.0 - 26.5	4,600	78.6	73.5 - 83.0	5,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	13.3	8.3 - 20.7	700	86.7	79.3 - 91.7	800
Honolulu	1,000	23.2	17.3 - 30.4	3,100	76.8	69.6 - 82.7	4,100
Kauai	<50	12.4	7.1 - 20.8	300	87.6	79.2 - 92.9	300
Maui	200	23.8	17.2 - 32.0	500	76.2	68.0 - 82.8	600

PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	12.8	6.3 - 24.3	700	87.2	75.7 - 93.7	800
Native Hawaiian	600	25.1	17.9 - 34.0	1,800	74.9	66.0 - 82.1	2,300
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	300
Filipino	200	22.9	13.3 - 36.6	700	77.1	63.4 - 86.7	1,000
Japanese	100	25.1	11.6 - 46.1	400	74.9	53.9 - 88.4	500
Other	200	18.7	10.0 - 32.0	800	81.3	68.0 - 90.0	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	36.1	23.2 - 51.3	600	63.9	48.7 - 76.8	900
20-24	300	22.0	14.2 - 32.5	1,200	78.0	67.5 - 85.8	1,600
25-34	500	19.7	13.6 - 27.8	2,000	80.3	72.2 - 86.4	2,500
35+	100	9.6	4.2 - 20.7	800	90.4	79.3 - 95.8	900

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	700	25.4	18.9 - 33.2	2,200	74.6	66.8 - 81.1	2,900
Female	500	17.3	12.0 - 24.4	2,400	82.7	75.6 - 88.0	2,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	17.7	12.0 - 25.2	2,100	82.3	74.8 - 88.0	2,600
No	800	24.3	18.2 - 31.6	2,500	75.7	68.4 - 81.8	3,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	30.3	23.1 - 38.6	2,000	69.7	61.4 - 76.9	2,900
131-185%	100	14.1	6.8 - 26.8	700	85.9	73.2 - 93.2	900
186+%	200	12.2	6.7 - 21.2	1,300	87.8	78.8 - 93.3	1,500

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	28.5	19.1 - 40.2	1,100	71.5	59.8 - 80.9	1,500
\$10,000-\$24,999	400	26.3	17.2 - 38.0	1,000	73.7	62.0 - 82.8	1,300
\$25,000-\$49,999	300	20.1	12.0 - 31.7	1,100	79.9	68.3 - 88.0	1,300
>=\$50,000	100	10.8	5.4 - 20.5	1,000	89.2	79.5 - 94.6	1,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	23.0	16.1 - 31.7	300	77.0	68.3 - 83.9	400
Normal birth weight	1,200	21.4	16.7 - 26.9	4,200	78.6	73.1 - 83.3	5,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	16.1	7.5 - 31.1	700	83.9	68.9 - 92.5	900
No	1,100	23.0	18.0 - 28.7	3,700	77.0	71.3 - 82.0	4,800

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	19.2	12.4 - 28.5	1,500	80.8	71.5 - 87.6	1,800
No	900	23.2	17.7 - 29.8	3,000	76.8	70.2 - 82.3	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	23.7	17.5 - 31.2	2,300	76.3	68.8 - 82.5	3,000
No	500	20.0	13.9 - 27.7	2,100	80.0	72.3 - 86.1	2,700

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	800	15.7	12.6 - 19.3	4,400	84.3	80.7 - 87.4	5,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	13.7	6.8 - 25.6	600	86.3	74.4 - 93.2	600
Honolulu	500	14.2	10.8 - 18.4	3,100	85.8	81.6 - 89.2	3,600
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	300
Maui	200	24.9	15.3 - 37.9	500	75.1	62.1 - 84.7	700

PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	9.0	4.5 - 17.2	800	91.0	82.8 - 95.5	900
Native Hawaiian	300	17.6	12.2 - 24.8	1,500	82.4	75.2 - 87.8	1,900
Chinese	<50	12.7	5.5 - 26.5	100	87.3	73.5 - 94.5	100
Filipino	200	21.5	14.4 - 30.7	700	78.5	69.3 - 85.6	900
Japanese	100	11.2	4.9 - 23.8	400	88.8	76.2 - 95.1	500
Other	100	15.2	8.8 - 25.0	700	84.8	75.0 - 91.2	900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	19.2	10.1 - 33.4	400	80.8	66.6 - 89.9	500
20-24	300	18.3	12.4 - 26.1	1,100	81.7	73.9 - 87.6	1,400
25-34	400	14.8	10.7 - 20.1	2,100	85.2	79.9 - 89.3	2,500
35+	100	11.7	6.1 - 21.1	700	88.3	78.9 - 93.9	800

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	14.9	11.1 - 19.8	2,500	85.1	80.2 - 88.9	2,900
Female	400	16.6	12.1 - 22.4	1,900	83.4	77.6 - 87.9	2,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	18.4	14.1 - 23.8	2,200	81.6	76.2 - 85.9	2,700
No	300	12.7	8.8 - 17.9	2,200	87.3	82.1 - 91.2	2,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	19.7	15.0 - 25.4	2,100	80.3	74.6 - 85.0	2,600
131-185%	100	13.7	6.8 - 25.6	600	86.3	74.4 - 93.2	600
186+%	200	10.7	6.8 - 16.6	1,500	89.3	83.4 - 93.2	1,700

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	21.4	15.0 - 29.6	1,100	78.6	70.4 - 85.0	1,400
\$10,000-\$24,999	200	16.1	10.4 - 24.3	1,100	83.9	75.7 - 89.6	1,300
\$25,000-\$49,999	100	13.1	7.8 - 21.3	1,000	86.9	78.7 - 92.2	1,100
>=\$50,000	100	11.9	7.0 - 19.3	1,100	88.1	80.7 - 93.0	1,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	300
Normal birth weight	700	15.2	12.1 - 18.9	4,100	84.8	81.1 - 87.9	4,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	22.9	13.6 - 35.9	500	77.1	64.1 - 86.4	700
No	600	14.7	11.5 - 18.5	3,800	85.3	81.5 - 88.5	4,400

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	17.7	11.6 - 26.1	1,100	82.3	73.9 - 88.4	1,300
No	600	15.1	11.7 - 19.2	3,200	84.9	80.8 - 88.3	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	16.1	11.9 - 21.4	2,300	83.9	78.6 - 88.1	2,800
No	300	14.4	10.4 - 19.6	2,000	85.6	80.4 - 89.6	2,300

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	900	15.0	12.2 - 18.3	5,000	85.0	81.7 - 87.8	5,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	11.1	5.7 - 20.5	800	88.9	79.5 - 94.3	900
Honolulu	600	15.2	11.9 - 19.3	3,300	84.8	80.7 - 88.1	3,900
Kauai	100	20.4	10.1 - 36.8	300	79.6	63.2 - 89.9	400
Maui	100	15.4	7.6 - 28.6	500	84.6	71.4 - 92.4	600

PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	8.3	4.1 - 16.0	900	91.7	84.0 - 95.9	1,000
Native Hawaiian	300	16.4	11.3 - 23.3	1,700	83.6	76.7 - 88.7	2,000
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	200	20.5	13.8 - 29.2	800	79.5	70.8 - 86.2	1,000
Japanese	100	17.5	9.5 - 29.8	500	82.5	70.2 - 90.5	600
Other	100	12.4	7.2 - 20.5	1,000	87.6	79.5 - 92.8	1,100

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	19.4	11.5 - 30.9	700	80.6	69.1 - 88.5	900
20-24	300	17.1	11.8 - 24.1	1,400	82.9	75.9 - 88.2	1,700
25-34	300	11.9	8.4 - 16.6	2,200	88.1	83.4 - 91.6	2,500
35+	100	15.5	8.8 - 25.9	600	84.5	74.1 - 91.2	700

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	15.7	11.9 - 20.6	2,600	84.3	79.4 - 88.1	3,000
Female	400	14.2	10.3 - 19.1	2,400	85.8	80.9 - 89.7	2,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	14.0	10.3 - 18.8	2,300	86.0	81.2 - 89.7	2,700
No	500	15.8	11.8 - 20.8	2,700	84.2	79.2 - 88.2	3,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	17.4	13.2 - 22.6	2,500	82.6	77.4 - 86.8	3,000
131-185%	100	13.7	7.7 - 23.2	700	86.3	76.8 - 92.3	800
186+%	200	11.0	7.0 - 16.8	1,500	89.0	83.2 - 93.0	1,700

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	21.4	15.0 - 29.6	1,200	78.6	70.4 - 85.0	1,500
\$10,000-\$24,999	200	14.3	9.3 - 21.4	1,300	85.7	78.6 - 90.7	1,500
\$25,000-\$49,999	200	12.5	7.8 - 19.5	1,100	87.5	80.5 - 92.2	1,200
>=\$50,000	100	10.1	5.8 - 16.9	1,100	89.9	83.1 - 94.2	1,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	25.1	14.4 - 40.1	400	74.9	59.9 - 85.6	500
Normal birth weight	700	14.0	11.2 - 17.5	4,600	86.0	82.5 - 88.8	5,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	23.3	13.8 - 36.5	500	76.7	63.5 - 86.2	600
No	700	14.2	11.3 - 17.7	4,400	85.8	82.3 - 88.7	5,100

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	18.9	13.0 - 26.7	1,200	81.1	73.3 - 87.0	1,500
No	600	13.9	10.8 - 17.7	3,600	86.1	82.3 - 89.2	4,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	14.7	11.0 - 19.5	2,700	85.3	80.5 - 89.0	3,200
No	400	14.6	10.7 - 19.7	2,200	85.4	80.3 - 89.3	2,500

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,100	21.2	17.6 - 25.3	4,300	78.8	74.7 - 82.4	5,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	20.7	11.4 - 34.7	500	79.3	65.3 - 88.6	600
Honolulu	800	21.5	17.3 - 26.3	3,000	78.5	73.7 - 82.7	3,900
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	300
Maui	100	22.4	12.7 - 36.3	500	77.6	63.7 - 87.3	600

PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	9.0	4.4 - 17.2	800	91.0	82.8 - 95.6	900
Native Hawaiian	400	23.9	17.5 - 31.8	1,400	76.1	68.2 - 82.5	1,900
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	200	26.0	17.5 - 36.7	600	74.0	63.3 - 82.5	800
Japanese	100	20.0	10.0 - 35.8	400	80.0	64.2 - 90.0	500
Other	300	23.9	16.5 - 33.4	900	76.1	66.6 - 83.5	1,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	41.0	28.0 - 55.3	400	59.0	44.7 - 72.0	600
20-24	400	26.0	19.2 - 34.1	1,300	74.0	65.9 - 80.8	1,700
25-34	300	12.9	8.9 - 18.3	2,000	87.1	81.7 - 91.1	2,300
35+	100	19.4	11.7 - 30.5	600	80.6	69.5 - 88.3	700

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	19.9	15.0 - 26.0	2,000	80.1	74.0 - 85.0	2,500
Female	600	22.3	17.5 - 28.1	2,300	77.7	71.9 - 82.5	2,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	17.1	12.8 - 22.4	2,200	82.9	77.6 - 87.2	2,700
No	700	25.3	19.8 - 31.7	2,000	74.7	68.3 - 80.2	2,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	26.4	20.8 - 33.0	1,900	73.6	67.0 - 79.2	2,500
131-185%	100	19.3	11.1 - 31.5	600	80.7	68.5 - 88.9	700
186+%	200	14.5	9.7 - 21.2	1,400	85.5	78.8 - 90.3	1,700

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	28.5	20.9 - 37.5	1,000	71.5	62.5 - 79.1	1,400
\$10,000-\$24,999	200	18.4	12.2 - 26.8	1,100	81.6	73.2 - 87.8	1,300
\$25,000-\$49,999	300	25.1	17.3 - 34.9	800	74.9	65.1 - 82.7	1,100
>=\$50,000	100	13.0	7.6 - 21.4	900	87.0	78.6 - 92.4	1,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	31.8	18.9 - 48.1	300	68.2	51.9 - 81.1	500
Normal birth weight	1,000	20.2	16.6 - 24.4	4,000	79.8	75.6 - 83.4	5,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	25.3	16.3 - 37.2	600	74.7	62.8 - 83.7	900
No	900	20.6	16.7 - 25.0	3,500	79.4	75.0 - 83.3	4,400

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	24.2	17.5 - 32.4	1,200	75.8	67.6 - 82.5	1,600
No	700	20.1	16.0 - 24.9	3,000	79.9	75.1 - 84.0	3,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	25.2	20.1 - 31.2	2,200	74.8	68.8 - 79.9	3,000
No	400	15.4	11.0 - 21.1	2,000	84.6	78.9 - 89.0	2,300

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	900	16.2	13.2 - 19.6	4,500	83.8	80.4 - 86.8	5,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	19.1	11.1 - 30.9	500	80.9	69.1 - 88.9	700
Honolulu	700	17.4	14.0 - 21.5	3,300	82.6	78.5 - 86.0	4,000
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	200
Maui	<50	6.1	1.6 - 21.0	400	93.9	79.0 - 98.4	400

PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	8.3	3.9 - 16.7	800	91.7	83.3 - 96.1	900
Native Hawaiian	300	17.6	12.3 - 24.5	1,500	82.4	75.5 - 87.7	1,800
Chinese	<50	11.8	5.2 - 24.5	100	88.2	75.5 - 94.8	100
Filipino	200	19.1	12.8 - 27.5	800	80.9	72.5 - 87.2	1,000
Japanese	100	19.0	10.8 - 31.2	500	81.0	68.8 - 89.2	600
Other	200	16.4	10.3 - 25.2	800	83.6	74.8 - 89.7	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	21.1	13.3 - 31.8	600	78.9	68.2 - 86.7	800
20-24	200	14.4	9.7 - 20.9	1,400	85.6	79.1 - 90.3	1,600
25-34	300	14.7	10.6 - 20.0	1,900	85.3	80.0 - 89.4	2,300
35+	100	19.6	11.5 - 31.4	500	80.4	68.6 - 88.5	600

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	16.7	12.7 - 21.7	2,300	83.3	78.3 - 87.3	2,800
Female	400	15.6	11.6 - 20.7	2,100	84.4	79.3 - 88.4	2,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	12.9	9.2 - 17.8	2,000	87.1	82.2 - 90.8	2,300
No	600	18.7	14.6 - 23.8	2,400	81.3	76.2 - 85.4	3,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	21.2	16.6 - 26.8	2,100	78.8	73.2 - 83.4	2,600
131-185%	100	17.2	9.1 - 30.2	400	82.8	69.8 - 90.9	500
186+%	100	8.7	5.2 - 14.2	1,400	91.3	85.8 - 94.8	1,500

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	25.4	18.8 - 33.2	1,100	74.6	66.8 - 81.2	1,500
\$10,000-\$24,999	200	15.1	9.7 - 22.7	1,100	84.9	77.3 - 90.3	1,300
\$25,000-\$49,999	200	14.0	8.6 - 21.8	1,000	86.0	78.2 - 91.4	1,100
>=\$50,000	100	9.9	5.2 - 18.2	800	90.1	81.8 - 94.8	900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	24.6	13.9 - 39.7	300	75.4	60.3 - 86.1	400
Normal birth weight	800	15.4	12.4 - 19.0	4,100	84.6	81.0 - 87.6	4,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	20.5	12.5 - 31.8	600	79.5	68.2 - 87.5	800
No	700	15.2	12.1 - 18.9	3,700	84.8	81.1 - 87.9	4,400

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	17.5	12.4 - 24.2	1,400	82.5	75.8 - 87.6	1,800
No	500	15.3	11.8 - 19.6	2,900	84.7	80.4 - 88.2	3,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	18.1	13.9 - 23.1	2,300	81.9	76.9 - 86.1	2,800
No	300	12.4	8.6 - 17.4	2,000	87.6	82.6 - 91.4	2,300

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,000	20.8	17.6 - 24.4	3,900	79.2	75.6 - 82.4	5,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	200	25.3	16.6 - 36.6	500	74.7	63.4 - 83.4	700
Honolulu	700	20.4	16.7 - 24.7	2,800	79.6	75.3 - 83.3	3,500
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	200
Maui	100	15.4	8.4 - 26.5	500	84.6	73.5 - 91.6	600

PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	21.1	13.9 - 30.7	600	78.9	69.3 - 86.1	800
Native Hawaiian	400	21.5	15.8 - 28.6	1,300	78.5	71.4 - 84.2	1,700
Chinese	<50	12.7	7.3 - 21.1	100	87.3	78.9 - 92.7	100
Filipino	300	24.9	18.4 - 32.7	800	75.1	67.3 - 81.6	1,000
Japanese	100	20.2	11.5 - 33.1	400	79.8	66.9 - 88.5	500
Other	100	16.0	9.6 - 25.6	700	84.0	74.4 - 90.4	900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	27.1	17.3 - 39.9	400	72.9	60.1 - 82.7	500
20-24	400	22.3	16.7 - 29.0	1,300	77.7	71.0 - 83.3	1,700
25-34	400	18.9	14.2 - 24.7	1,600	81.1	75.3 - 85.8	1,900
35+	100	18.0	11.5 - 27.2	700	82.0	72.8 - 88.5	800

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	21.0	16.8 - 26.0	2,200	79.0	74.0 - 83.2	2,800
Female	500	20.6	15.9 - 26.2	1,800	79.4	73.8 - 84.1	2,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	20.3	16.2 - 25.0	2,200	79.7	75.0 - 83.8	2,800
No	500	21.5	16.6 - 27.4	1,700	78.5	72.6 - 83.4	2,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	24.5	19.6 - 30.3	1,800	75.5	69.7 - 80.4	2,400
131-185%	100	23.9	15.1 - 35.6	400	76.1	64.4 - 84.9	600
186+%	200	14.9	10.4 - 20.9	1,300	85.1	79.1 - 89.6	1,500

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	33.2	25.3 - 42.2	800	66.8	57.8 - 74.7	1,200
\$10,000-\$24,999	300	18.2	12.8 - 25.1	1,200	81.8	74.9 - 87.2	1,400
\$25,000-\$49,999	200	19.3	13.3 - 27.1	900	80.7	72.9 - 86.7	1,100
>=\$50,000	100	14.4	8.8 - 22.6	700	85.6	77.4 - 91.2	900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	22.9	11.4 - 40.6	200	77.1	59.4 - 88.6	300
Normal birth weight	1,000	20.7	17.4 - 24.5	3,700	79.3	75.5 - 82.6	4,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	23.3	14.8 - 34.7	500	76.7	65.3 - 85.2	700
No	900	20.7	17.3 - 24.6	3,400	79.3	75.4 - 82.7	4,200

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	26.5	20.1 - 34.1	1,100	73.5	65.9 - 79.9	1,500
No	600	18.7	15.2 - 22.9	2,800	81.3	77.1 - 84.8	3,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	21.6	17.2 - 26.8	2,100	78.4	73.2 - 82.8	2,700
No	400	19.2	14.8 - 24.7	1,700	80.8	75.3 - 85.2	2,100

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,000	18.0	14.8 - 21.8	4,800	82.0	78.2 - 85.2	5,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	19.2	14.0 - 25.8	500	80.8	74.2 - 86.0	700
Honolulu	700	17.4	13.3 - 22.6	3,500	82.6	77.4 - 86.7	4,200
Kauai	<50	13.3	7.4 - 22.8	300	86.7	77.2 - 92.6	300
Maui	100	23.0	16.8 - 30.7	500	77.0	69.3 - 83.2	600

PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	19.1	10.9 - 31.3	700	80.9	68.7 - 89.1	900
Native Hawaiian	400	19.3	16.0 - 23.2	1,600	80.7	76.8 - 84.0	2,000
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	200
Filipino	300	20.3	12.7 - 30.8	1,100	79.7	69.2 - 87.3	1,300
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	400
Other	100	12.7	6.0 - 24.9	900	87.3	75.1 - 94.0	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	24.0	16.0 - 34.5	700	76.0	65.5 - 84.0	900
20-24	400	23.9	17.6 - 31.7	1,400	76.1	68.3 - 82.4	1,800
25-34	400	15.3	10.7 - 21.4	2,000	84.7	78.6 - 89.3	2,400
35+	<50	5.1	1.5 - 15.7	700	94.9	84.3 - 98.5	800

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	17.5	13.5 - 22.4	2,700	82.5	77.6 - 86.5	3,200
Female	500	18.6	13.6 - 25.0	2,100	81.4	75.0 - 86.4	2,600

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	15.8	11.3 - 21.6	2,400	84.2	78.4 - 88.7	2,900
No	600	20.2	15.8 - 25.6	2,300	79.8	74.4 - 84.2	2,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	20.5	16.0 - 25.8	2,600	79.5	74.2 - 84.0	3,300
131-185%	100	9.6	4.8 - 18.3	700	90.4	81.7 - 95.2	700
186+%	100	13.2	7.0 - 23.4	900	86.8	76.6 - 93.0	1,100

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	400	20.8	15.3 - 27.8	1,700	79.2	72.2 - 84.7	2,100
\$15,001-\$25,000	200	24.6	15.9 - 36.0	500	75.4	64.0 - 84.1	700
\$25,001-\$40,000	100	13.4	7.3 - 23.2	900	86.6	76.8 - 92.7	1,000
>=\$40,001	200	12.6	7.3 - 20.9	1,200	87.4	79.1 - 92.7	1,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	20.2	10.2 - 36.2	400	79.8	63.8 - 89.8	500
Normal birth weight	1,000	17.9	14.5 - 21.8	4,400	82.1	78.2 - 85.5	5,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	22.0	13.9 - 33.1	700	78.0	66.9 - 86.1	900
No	800	17.4	13.9 - 21.6	4,000	82.6	78.4 - 86.1	4,900

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	16.6	11.5 - 23.3	1,400	83.4	76.7 - 88.5	1,700
No	700	18.9	14.8 - 23.9	3,200	81.1	76.1 - 85.2	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	19.8	15.5 - 25.0	2,600	80.2	75.0 - 84.5	3,200
No	400	15.1	10.6 - 21.0	2,200	84.9	79.0 - 89.4	2,600

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	900	15.9	12.7 - 19.8	4,700	84.1	80.2 - 87.3	5,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	13.4	9.2 - 19.1	600	86.6	80.9 - 90.8	700
Honolulu	600	16.0	11.8 - 21.3	3,400	84.0	78.7 - 88.2	4,000
Kauai	<50	22.3	12.9 - 35.8	200	77.7	64.2 - 87.1	200
Maui	100	16.3	11.0 - 23.5	500	83.7	76.5 - 89.0	600

PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	17.6	10.0 - 29.2	900	82.4	70.8 - 90.0	1,100
Native Hawaiian	300	15.2	12.1 - 18.8	1,700	84.8	81.2 - 87.9	2,000
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	200	18.3	10.1 - 30.7	800	81.7	69.3 - 89.9	1,000
Japanese	<50	4.2	1.4 - 11.6	500	95.8	88.4 - 98.6	500
Other	200	18.8	9.8 - 33.2	700	81.2	66.8 - 90.2	900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	16.6	9.6 - 27.3	700	83.4	72.7 - 90.4	800
20-24	300	16.6	11.5 - 23.4	1,500	83.4	76.6 - 88.5	1,700
25-34	400	16.9	11.7 - 23.8	1,800	83.1	76.2 - 88.3	2,200
35+	100	11.0	4.6 - 24.2	700	89.0	75.8 - 95.4	800

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	14.9	10.6 - 20.5	2,300	85.1	79.5 - 89.4	2,700
Female	500	16.9	12.4 - 22.6	2,400	83.1	77.4 - 87.6	2,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	17.8	12.9 - 24.0	2,500	82.2	76.0 - 87.1	3,100
No	300	13.7	10.2 - 18.0	2,200	86.3	82.0 - 89.8	2,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	18.4	14.0 - 24.0	2,200	81.6	76.0 - 86.0	2,700
131-185%	300	23.9	14.6 - 36.6	800	76.1	63.4 - 85.4	1,100
186+%	100	5.1	2.0 - 12.6	1,100	94.9	87.4 - 98.0	1,100

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	300	15.6	11.0 - 21.7	1,400	84.4	78.3 - 89.0	1,700
\$15,001-\$25,000	100	16.4	8.7 - 28.7	700	83.6	71.3 - 91.3	800
\$25,001-\$40,000	300	25.7	17.1 - 36.6	900	74.3	63.4 - 82.9	1,300
>=\$40,001	100	9.3	5.0 - 16.5	1,200	90.7	83.5 - 95.0	1,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	7.3	3.1 - 16.3	400	92.7	83.7 - 96.9	400
Normal birth weight	900	16.6	13.2 - 20.8	4,300	83.4	79.2 - 86.8	5,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	17.0	10.8 - 25.6	600	83.0	74.4 - 89.2	800
No	800	15.9	12.3 - 20.3	4,000	84.1	79.7 - 87.7	4,800

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	12.4	8.5 - 17.7	1,400	87.6	82.3 - 91.5	1,600
No	600	16.2	12.1 - 21.2	3,200	83.8	78.8 - 87.9	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	18.9	14.0 - 25.0	2,300	81.1	75.0 - 86.0	2,900
No	300	12.6	8.8 - 17.7	2,400	87.4	82.3 - 91.2	2,700

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	1,100	20.7	17.7 - 24.0	4,300	79.3	76.0 - 82.3	5,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	18.7	13.5 - 25.4	600	81.3	74.6 - 86.5	700
Honolulu	900	22.7	18.8 - 27.1	3,000	77.3	72.9 - 81.2	3,800
Kauai	<50	13.3	7.4 - 22.8	300	86.7	77.2 - 92.6	400
Maui	100	14.3	9.4 - 21.1	500	85.7	78.9 - 90.6	600

PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	11.2	6.2 - 19.3	700	88.8	80.7 - 93.8	800
Native Hawaiian	400	19.8	17.0 - 23.1	1,500	80.2	76.9 - 83.0	1,900
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	200
Filipino	400	27.7	20.2 - 36.6	900	72.3	63.4 - 79.8	1,300
Japanese	100	17.3	8.5 - 32.1	400	82.7	67.9 - 91.5	500
Other	200	23.7	15.1 - 35.1	600	76.3	64.9 - 84.9	800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	23.9	18.3 - 30.5	700	76.1	69.5 - 81.7	900
20-24	500	27.2	21.4 - 33.7	1,200	72.8	66.3 - 78.6	1,700
25-34	400	15.5	11.2 - 20.9	1,900	84.5	79.1 - 88.8	2,300
35+	100	16.7	9.6 - 27.5	500	83.3	72.5 - 90.4	600

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	22.2	18.1 - 27.0	2,200	77.8	73.0 - 81.9	2,800
Female	500	19.0	15.1 - 23.8	2,200	81.0	76.2 - 84.9	2,700

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	18.2	14.2 - 22.9	2,400	81.8	77.1 - 85.8	2,900
No	600	23.6	19.4 - 28.3	1,900	76.4	71.7 - 80.6	2,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	24.5	20.2 - 29.3	2,000	75.5	70.7 - 79.8	2,600
131-185%	200	18.7	12.9 - 26.3	900	81.3	73.7 - 87.1	1,100
186+%	200	15.1	9.4 - 23.3	1,000	84.9	76.7 - 90.6	1,200

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	400	24.9	19.5 - 31.2	1,100	75.1	68.8 - 80.5	1,500
\$15,001-\$25,000	200	24.8	17.3 - 34.1	600	75.2	65.9 - 82.7	800
\$25,001-\$40,000	200	17.5	11.9 - 25.0	1,000	82.5	75.0 - 88.1	1,200
>=\$40,001	200	16.2	11.1 - 23.1	1,300	83.8	76.9 - 88.9	1,500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	16.7	8.7 - 29.6	300	83.3	70.4 - 91.3	400
Normal birth weight	1,100	21.0	17.9 - 24.5	4,000	79.0	75.5 - 82.1	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	20.2	14.1 - 28.1	700	79.8	71.9 - 85.9	800
No	900	20.5	17.2 - 24.2	3,600	79.5	75.8 - 82.8	4,500

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	20.9	16.0 - 26.9	1,200	79.1	73.1 - 84.0	1,500
No	700	20.2	16.5 - 24.4	2,900	79.8	75.6 - 83.5	3,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	22.5	18.6 - 27.0	2,100	77.5	73.0 - 81.4	2,800
No	500	18.7	14.5 - 23.8	2,200	81.3	76.2 - 85.5	2,700

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	800	14.5	12.1 - 17.4	4,800	85.5	82.6 - 87.9	5,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	15.6	10.6 - 22.3	600	84.4	77.7 - 89.4	700
Honolulu	600	14.7	11.7 - 18.3	3,500	85.3	81.7 - 88.3	4,100
Kauai	<50	21.0	11.5 - 35.3	200	79.0	64.7 - 88.5	200
Maui	100	10.3	6.2 - 16.7	500	89.7	83.3 - 93.8	600

PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	15.7	10.1 - 23.6	800	84.3	76.4 - 89.9	900
Native Hawaiian	300	15.2	12.6 - 18.3	1,600	84.8	81.7 - 87.4	1,800
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	200	18.3	12.3 - 26.2	1,100	81.7	73.8 - 87.7	1,300
Japanese	<50	3.8	1.3 - 10.5	500	96.2	89.5 - 98.7	500
Other	100	13.4	7.1 - 23.9	800	86.6	76.1 - 92.9	900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	21.6	15.7 - 28.8	800	78.4	71.2 - 84.3	1,100
20-24	300	16.2	11.9 - 21.8	1,400	83.8	78.2 - 88.1	1,600
25-34	300	12.0	8.3 - 17.0	1,900	88.0	83.0 - 91.7	2,100
35+	100	8.0	4.7 - 13.2	700	92.0	86.8 - 95.3	700

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	14.9	11.9 - 18.5	2,600	85.1	81.5 - 88.1	3,100
Female	300	14.1	10.4 - 18.8	2,100	85.9	81.2 - 89.6	2,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	12.9	9.9 - 16.7	2,600	87.1	83.3 - 90.1	3,000
No	400	16.4	12.8 - 20.9	2,100	83.6	79.1 - 87.2	2,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	17.6	14.0 - 21.8	2,700	82.4	78.2 - 86.0	3,300
131-185%	100	11.2	6.9 - 17.9	500	88.8	82.1 - 93.1	600
186+%	100	8.6	5.3 - 13.7	1,100	91.4	86.3 - 94.7	1,200

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	400	19.8	15.0 - 25.5	1,600	80.2	74.5 - 85.0	2,000
\$15,001-\$25,000	100	12.5	8.0 - 19.0	1,000	87.5	81.0 - 92.0	1,100
\$25,001-\$40,000	100	14.0	8.8 - 21.6	800	86.0	78.4 - 91.2	900
>=\$40,001	100	8.6	5.4 - 13.2	1,100	91.4	86.8 - 94.6	1,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	16.6	9.4 - 27.5	300	83.4	72.5 - 90.6	400
Normal birth weight	700	14.4	11.8 - 17.3	4,400	85.6	82.7 - 88.2	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	10.2	6.2 - 16.4	500	89.8	83.6 - 93.8	600
No	700	14.8	12.1 - 17.9	4,000	85.2	82.1 - 87.9	4,700

**PRAMS Health Indicator Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	14.5	10.5 - 19.6	1,200	85.5	80.4 - 89.5	1,400
No	500	14.2	11.3 - 17.7	3,300	85.8	82.3 - 88.7	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	18.5	14.9 - 22.7	2,400	81.5	77.3 - 85.1	2,900
No	200	9.7	6.9 - 13.4	2,300	90.3	86.6 - 93.1	2,600