

PRAMS Health Indicator Report - No contraception at conception- problems getting it- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
No contraception at conception- problems getting it	No contraception at conception- problems getting it

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/10/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


PRAMS Health Indicator Report - No contraception at conception- problems getting it- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	200	4.4	3.2 - 6.1	5,300	95.6	93.9 - 96.8	5,600
2001	200	4.3	3.1 - 5.9	5,200	95.7	94.1 - 96.9	5,500
2002	200	4.3	2.8 - 6.7	5,400	95.7	93.3 - 97.2	5,600
2003	200	2.7	1.8 - 4.1	5,700	97.3	95.9 - 98.2	5,800
2004	300	5.2	3.6 - 7.4	4,700	94.8	92.6 - 96.4	5,000
2005	300	5.3	3.6 - 7.7	5,000	94.7	92.3 - 96.4	5,300
2006	200	3.9	2.4 - 6.2	5,200	96.1	93.8 - 97.6	5,400
2007	400	6.2	4.3 - 8.7	5,500	93.8	91.3 - 95.7	5,800
2008	300	5.2	3.5 - 7.7	4,900	94.8	92.3 - 96.5	5,200
2009	200	3.7	2.1 - 6.5	5,600	96.3	93.5 - 97.9	5,800
2010	200	3.7	2.0 - 6.4	5,300	96.3	93.6 - 98.0	5,500
2011	100	2.5	1.3 - 4.8	4,900	97.5	95.2 - 98.7	5,000
2012	100	2.5	1.1 - 5.3	5,400	97.5	94.7 - 98.9	5,500
2013	200	2.7	1.5 - 4.7	5,600	97.3	95.3 - 98.5	5,800

PRAMS Health Indicator Report - No contraception at conception- problems getting it- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	200	2.7	1.5 - 4.7	5,600	97.3	95.3 - 98.5	5,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	11.8	6.6 - 20.1	700	88.2	79.9 - 93.4	700
Honolulu	<50	1.0	0.2 - 5.0	4,100	99.0	95.0 - 99.8	4,200
Kauai	<50	5.0	1.9 - 12.2	200	95.0	87.8 - 98.1	200
Maui	<50	2.3	0.6 - 8.1	600	97.7	91.9 - 99.4	600

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	<50	2.8	1.2 - 6.5	1,200	97.2	93.5 - 98.8	1,200
Native Hawaiian	100	3.5	1.3 - 9.2	2,100	96.5	90.8 - 98.7	2,200
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	300
Filipino	<50	4.3	1.8 - 9.8	800	95.7	90.2 - 98.2	900
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	600
Other	0	0.0	-	600	100.0	-	600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	19.6	7.3 - 43.1	300	80.4	56.9 - 92.7	400
20-24	<50	1.1	0.4 - 3.3	1,800	98.9	96.7 - 99.6	1,800
25-34	100	1.8	0.9 - 3.6	2,800	98.2	96.4 - 99.1	2,800
35+	<50	1.4	0.2 - 8.3	800	98.6	91.7 - 99.8	800

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	100	2.5	1.3 - 4.6	2,500	97.5	95.4 - 98.7	2,600
Female	100	2.9	1.2 - 6.7	3,100	97.1	93.3 - 98.8	3,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	1.4	0.6 - 3.1	2,800	98.6	96.9 - 99.4	2,900
No	100	4.0	1.9 - 8.0	2,800	96.0	92.0 - 98.1	2,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	100	3.5	1.5 - 7.8	2,700	96.5	92.2 - 98.5	2,800
131-185%	<50	2.6	0.8 - 8.1	900	97.4	91.9 - 99.2	900
186+%	<50	1.0	0.3 - 3.6	1,500	99.0	96.4 - 99.7	1,500

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Income (2012+)							
<=\$17,000	100	4.0	1.5 - 10.0	1,900	96.0	90.0 - 98.5	2,000
\$17,001-\$26,000	<50	1.3	0.2 - 7.9	800	98.7	92.1 - 99.8	900
\$26,001-\$51,000	<50	1.9	0.6 - 6.0	1,200	98.1	94.0 - 99.4	1,200
>=\$51,001	<50	1.8	0.6 - 5.2	1,300	98.2	94.8 - 99.4	1,300

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Birthweight							
Low birth weight	<50	4.6	1.4 - 14.3	400	95.4	85.7 - 98.6	400
Normal birth weight	100	2.6	1.4 - 4.7	5,300	97.4	95.3 - 98.6	5,400

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Smoke 3rd Trimester							
Yes	<50	2.9	0.7 - 11.2	400	97.1	88.8 - 99.3	400
No	100	2.7	1.5 - 5.0	5,200	97.3	95.0 - 98.5	5,300

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	3.4	1.4 - 8.1	1,200	96.6	91.9 - 98.6	1,200
No	100	2.6	1.3 - 5.1	4,400	97.4	94.9 - 98.7	4,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	2.5	1.4 - 4.4	2,900	97.5	95.6 - 98.6	3,000
No	100	3.0	1.1 - 7.5	2,600	97.0	92.5 - 98.9	2,700

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	100	2.5	1.1 - 5.3	5,400	97.5	94.7 - 98.9	5,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	0.9	0.1 - 5.1	800	99.1	94.9 - 99.9	800
Honolulu	100	2.3	0.8 - 6.8	3,800	97.7	93.2 - 99.2	3,900
Kauai	<50	3.6	1.1 - 11.7	200	96.4	88.3 - 98.9	200
Maui	<50	5.2	2.1 - 12.4	500	94.8	87.6 - 97.9	600

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	<50	2.9	0.4 - 17.6	900	97.1	82.4 - 99.6	900
Native Hawaiian	100	3.2	1.0 - 9.6	1,700	96.8	90.4 - 99.0	1,800
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	200
Filipino	<50	0.4	0.1 - 2.1	1,100	99.6	97.9 - 99.9	1,100
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	300
Other	<50	4.0	1.0 - 14.3	1,100	96.0	85.7 - 99.0	1,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	8.1	1.7 - 30.6	500	91.9	69.4 - 98.3	500
20-24	<50	1.1	0.4 - 3.2	1,400	98.9	96.8 - 99.6	1,400
25-34	100	2.9	1.0 - 8.0	2,600	97.1	92.0 - 99.0	2,700
35+	0	0.0	-	900	100.0	-	900

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	<50	1.5	0.4 - 5.7	2,500	98.5	94.3 - 99.6	2,600
Female	100	3.3	1.3 - 8.2	2,900	96.7	91.8 - 98.7	3,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	1.4	0.3 - 5.6	2,600	98.6	94.4 - 99.7	2,600
No	100	3.4	1.4 - 8.4	2,800	96.6	91.6 - 98.6	2,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	100	3.6	1.4 - 8.9	2,600	96.4	91.1 - 98.6	2,700
131-185%	<50	1.6	0.4 - 6.1	800	98.4	93.9 - 99.6	800
186+%	<50	2.0	0.3 - 12.6	1,300	98.0	87.4 - 99.7	1,300

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Income (2012+)							
<=\$17,000	100	4.5	1.6 - 12.3	1,800	95.5	87.7 - 98.4	1,900
\$17,001-\$26,000	<50	1.3	0.4 - 4.8	900	98.7	95.2 - 99.6	900
\$26,001-\$51,000	<50	1.3	0.3 - 5.0	1,000	98.7	95.0 - 99.7	1,000
>=\$51,001	<50	2.2	0.3 - 13.4	1,200	97.8	86.6 - 99.7	1,200

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Birthweight							
Low birth weight	0	0.0	-	400	100.0	-	400
Normal birth weight	100	2.6	1.2 - 5.6	5,000	97.4	94.4 - 98.8	5,100

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Smoke 3rd Trimester							
Yes	<50	8.4	1.3 - 39.8	300	91.6	60.2 - 98.7	400
No	100	2.0	0.8 - 4.7	4,800	98.0	95.3 - 99.2	4,900

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	4.4	1.1 - 15.6	1,000	95.6	84.4 - 98.9	1,100
No	100	2.0	0.7 - 5.3	4,100	98.0	94.7 - 99.3	4,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	3.2	1.3 - 7.7	3,000	96.8	92.3 - 98.7	3,100
No	<50	1.5	0.3 - 6.5	2,300	98.5	93.5 - 99.7	2,300

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	100	2.5	1.3 - 4.8	4,900	97.5	95.2 - 98.7	5,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	4.3	1.7 - 10.3	600	95.7	89.7 - 98.3	700
Honolulu	100	1.7	0.5 - 5.6	3,500	98.3	94.4 - 99.5	3,500
Kauai	<50	1.7	0.3 - 9.0	300	98.3	91.0 - 99.7	300
Maui	<50	6.5	3.3 - 12.2	500	93.5	87.8 - 96.7	500

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	<50	3.2	0.7 - 13.5	1,000	96.8	86.5 - 99.3	1,000
Native Hawaiian	<50	2.5	1.3 - 4.8	1,700	97.5	95.2 - 98.7	1,700
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	<50	0.9	0.3 - 3.2	1,000	99.1	96.8 - 99.7	1,000
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	500
Other	<50	0.9	0.1 - 5.1	700	99.1	94.9 - 99.9	700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	1.2	0.2 - 6.7	400	98.8	93.3 - 99.8	400
20-24	<50	2.9	0.9 - 8.4	1,600	97.1	91.6 - 99.1	1,600
25-34	100	3.1	1.3 - 7.4	2,200	96.9	92.6 - 98.7	2,300
35+	<50	0.6	0.1 - 3.7	700	99.4	96.3 - 99.9	700

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	100	2.9	1.4 - 6.2	2,500	97.1	93.8 - 98.6	2,500
Female	100	2.1	0.7 - 6.2	2,400	97.9	93.8 - 99.3	2,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	2.5	0.8 - 7.6	2,500	97.5	92.4 - 99.2	2,600
No	100	2.6	1.5 - 4.5	2,400	97.4	95.5 - 98.5	2,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	<50	2.1	1.1 - 4.0	2,300	97.9	96.0 - 98.9	2,300
131-185%	<50	6.1	1.7 - 19.5	600	93.9	80.5 - 98.3	600
186+%	<50	2.1	0.4 - 9.9	1,600	97.9	90.1 - 99.6	1,700

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	<50	1.7	0.6 - 4.9	1,100	98.3	95.1 - 99.4	1,200
\$10,000-\$24,999	<50	1.9	0.8 - 4.9	1,100	98.1	95.1 - 99.2	1,100
\$25,000-\$49,999	<50	4.0	1.3 - 11.6	1,100	96.0	88.4 - 98.7	1,100
>=\$50,000	<50	2.7	0.5 - 12.9	1,200	97.3	87.1 - 99.5	1,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	3.5	1.0 - 11.8	300	96.5	88.2 - 99.0	400
Normal birth weight	100	2.5	1.2 - 4.9	4,600	97.5	95.1 - 98.8	4,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	4.3	1.1 - 15.4	300	95.7	84.6 - 98.9	300
No	100	2.4	1.2 - 4.9	4,600	97.6	95.1 - 98.8	4,700

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	5.6	2.4 - 12.5	1,100	94.4	87.5 - 97.6	1,200
No	100	1.6	0.6 - 4.2	3,800	98.4	95.8 - 99.4	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	2.1	1.2 - 3.8	2,600	97.9	96.2 - 98.8	2,700
No	100	3.0	1.0 - 8.6	2,200	97.0	91.4 - 99.0	2,300

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	200	3.7	2.0 - 6.4	5,300	96.3	93.6 - 98.0	5,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	3.0	1.0 - 8.3	700	97.0	91.7 - 99.0	700
Honolulu	100	3.7	1.7 - 7.8	3,800	96.3	92.2 - 98.3	4,000
Kauai	<50	5.2	2.0 - 13.1	200	94.8	86.9 - 98.0	200
Maui	<50	3.9	1.6 - 9.1	600	96.1	90.9 - 98.4	600

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	4.6	1.7 - 11.6	1,100	95.4	88.4 - 98.3	1,200
Native Hawaiian	100	4.7	1.8 - 11.8	1,800	95.3	88.2 - 98.2	1,900
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	200
Filipino	<50	0.6	0.1 - 3.3	1,000	99.4	96.7 - 99.9	1,000
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	200
Other	<50	3.7	0.8 - 15.8	1,000	96.3	84.2 - 99.2	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	7.2	1.7 - 25.3	500	92.8	74.7 - 98.3	500
20-24	100	5.2	2.1 - 12.4	1,500	94.8	87.6 - 97.9	1,500
25-34	100	3.4	1.4 - 8.0	2,500	96.6	92.0 - 98.6	2,600
35+	0	0.0	-	900	100.0	-	900

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	<50	1.6	0.8 - 3.2	2,700	98.4	96.8 - 99.2	2,700
Female	200	5.7	2.8 - 11.2	2,600	94.3	88.8 - 97.2	2,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	0.3	0.1 - 1.1	3,000	99.7	98.9 - 99.9	3,000
No	200	7.6	4.2 - 13.4	2,300	92.4	86.6 - 95.8	2,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	6.5	3.4 - 12.1	2,300	93.5	87.9 - 96.6	2,500
131-185%	<50	1.4	0.4 - 5.2	700	98.6	94.8 - 99.6	700
186+%	<50	1.3	0.2 - 8.7	1,900	98.7	91.3 - 99.8	1,900

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	8.5	3.8 - 18.1	1,200	91.5	81.9 - 96.2	1,300
\$10,000-\$24,999	100	4.6	1.6 - 12.5	1,000	95.4	87.5 - 98.4	1,100
\$25,000-\$49,999	<50	2.7	0.6 - 10.5	1,300	97.3	89.5 - 99.4	1,300
>=\$50,000	0	0.0	-	1,400	100.0	-	1,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	6.0	2.5 - 13.6	300	94.0	86.4 - 97.5	300
Normal birth weight	200	3.5	1.9 - 6.5	5,000	96.5	93.5 - 98.1	5,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	5.7	1.4 - 20.7	700	94.3	79.3 - 98.6	700
No	200	3.4	1.8 - 6.3	4,600	96.6	93.7 - 98.2	4,800

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	5.9	2.6 - 13.1	1,500	94.1	86.9 - 97.4	1,600
No	100	2.8	1.2 - 6.1	3,800	97.2	93.9 - 98.8	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	5.2	2.8 - 9.5	2,700	94.8	90.5 - 97.2	2,900
No	100	2.1	0.5 - 7.8	2,600	97.9	92.2 - 99.5	2,600

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	200	3.7	2.1 - 6.5	5,600	96.3	93.5 - 97.9	5,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	3.4	1.4 - 8.2	800	96.6	91.8 - 98.6	800
Honolulu	100	3.5	1.5 - 7.8	4,000	96.5	92.2 - 98.5	4,100
Kauai	<50	6.3	2.7 - 13.9	300	93.7	86.1 - 97.3	300
Maui	<50	4.9	2.2 - 10.5	600	95.1	89.5 - 97.8	600

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	<50	6.3	1.8 - 20.0	700	93.7	80.0 - 98.2	800
Native Hawaiian	100	4.5	2.0 - 10.0	2,200	95.5	90.0 - 98.0	2,300
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	300
Filipino	<50	4.9	1.4 - 16.3	900	95.1	83.7 - 98.6	1,000
Japanese	0	0.0	-	500	100.0	-	500
Other	<50	1.8	0.6 - 5.0	900	98.2	95.0 - 99.4	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	8.0	2.5 - 22.3	800	92.0	77.7 - 97.5	900
20-24	100	4.1	1.5 - 10.6	1,500	95.9	89.4 - 98.5	1,600
25-34	100	3.1	1.3 - 7.2	2,400	96.9	92.8 - 98.7	2,500
35+	<50	0.5	0.1 - 2.9	900	99.5	97.1 - 99.9	900

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	100	3.5	1.5 - 8.0	2,800	96.5	92.0 - 98.5	2,900
Female	100	4.0	1.9 - 8.4	2,800	96.0	91.6 - 98.1	2,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	1.7	0.9 - 3.1	2,600	98.3	96.9 - 99.1	2,600
No	200	5.4	2.7 - 10.5	3,100	94.6	89.5 - 97.3	3,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	100	3.8	1.7 - 8.3	2,800	96.2	91.7 - 98.3	2,900
131-185%	100	5.9	1.8 - 17.9	800	94.1	82.1 - 98.2	900
186+%	100	3.3	1.0 - 10.9	1,500	96.7	89.1 - 99.0	1,500

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	5.4	2.0 - 14.1	1,500	94.6	85.9 - 98.0	1,500
\$10,000-\$24,999	<50	1.9	0.8 - 4.2	1,300	98.1	95.8 - 99.2	1,300
\$25,000-\$49,999	100	6.5	2.5 - 16.1	1,300	93.5	83.9 - 97.5	1,300
>=\$50,000	<50	1.3	0.3 - 4.8	1,100	98.7	95.2 - 99.7	1,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	5.6	2.6 - 11.6	400	94.4	88.4 - 97.4	400
Normal birth weight	200	3.6	1.9 - 6.7	5,200	96.4	93.3 - 98.1	5,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	4.7	1.1 - 17.9	800	95.3	82.1 - 98.9	900
No	200	3.7	2.0 - 6.8	4,600	96.3	93.2 - 98.0	4,800

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	7.3	3.3 - 15.3	1,700	92.7	84.7 - 96.7	1,800
No	100	2.2	1.0 - 4.8	3,800	97.8	95.2 - 99.0	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	5.2	2.7 - 10.0	2,900	94.8	90.0 - 97.3	3,000
No	100	2.3	0.8 - 6.4	2,600	97.7	93.6 - 99.2	2,700

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	300	5.2	3.5 - 7.7	4,900	94.8	92.3 - 96.5	5,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	4.4	1.2 - 15.4	600	95.6	84.6 - 98.8	600
Honolulu	200	5.2	3.2 - 8.3	3,400	94.8	91.7 - 96.8	3,600
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	300
Maui	100	7.8	3.2 - 17.6	600	92.2	82.4 - 96.8	700

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	<50	3.7	1.3 - 10.5	900	96.3	89.5 - 98.7	900
Native Hawaiian	100	7.6	4.3 - 13.3	1,700	92.4	86.7 - 95.7	1,900
Chinese	<50	9.9	3.8 - 23.6	100	90.1	76.4 - 96.2	100
Filipino	<50	2.3	0.6 - 8.1	900	97.7	91.9 - 99.4	900
Japanese	<50	5.4	1.4 - 18.9	400	94.6	81.1 - 98.6	500
Other	<50	3.9	1.3 - 11.3	900	96.1	88.7 - 98.7	900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	9.5	3.5 - 22.9	500	90.5	77.1 - 96.5	500
20-24	100	8.0	4.2 - 14.6	1,300	92.0	85.4 - 95.8	1,400
25-34	100	3.8	2.0 - 7.1	2,400	96.2	92.9 - 98.0	2,500
35+	<50	2.0	0.3 - 11.9	800	98.0	88.1 - 99.7	800

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	5.3	3.1 - 8.9	2,800	94.7	91.1 - 96.9	2,900
Female	100	5.1	2.7 - 9.1	2,200	94.9	90.9 - 97.3	2,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	5.2	3.0 - 8.8	2,600	94.8	91.2 - 97.0	2,700
No	100	5.2	2.9 - 9.3	2,400	94.8	90.7 - 97.1	2,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	7.1	4.4 - 11.4	2,500	92.9	88.6 - 95.6	2,700
131-185%	<50	6.2	2.1 - 16.9	600	93.8	83.1 - 97.9	600
186+%	<50	2.5	1.0 - 6.2	1,600	97.5	93.8 - 99.0	1,700

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	5.5	2.7 - 11.0	1,300	94.5	89.0 - 97.3	1,400
\$10,000-\$24,999	100	7.9	4.0 - 15.3	1,200	92.1	84.7 - 96.0	1,300
\$25,000-\$49,999	100	5.4	2.3 - 12.1	1,000	94.6	87.9 - 97.7	1,100
>=\$50,000	<50	2.6	0.9 - 7.6	1,200	97.4	92.4 - 99.1	1,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	300
Normal birth weight	300	5.6	3.7 - 8.2	4,600	94.4	91.8 - 96.3	4,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	8.4	3.3 - 19.8	600	91.6	80.2 - 96.7	700
No	200	4.8	3.1 - 7.4	4,200	95.2	92.6 - 96.9	4,400

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	8.6	4.6 - 15.6	1,200	91.4	84.4 - 95.4	1,300
No	200	4.2	2.5 - 7.0	3,700	95.8	93.0 - 97.5	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	5.5	3.2 - 9.3	2,600	94.5	90.7 - 96.8	2,800
No	100	4.6	2.5 - 8.5	2,200	95.4	91.5 - 97.5	2,300

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	400	6.2	4.3 - 8.7	5,500	93.8	91.3 - 95.7	5,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	7.6	3.3 - 16.8	800	92.4	83.2 - 96.7	900
Honolulu	200	5.8	3.7 - 9.0	3,700	94.2	91.0 - 96.3	3,900
Kauai	100	13.9	6.1 - 28.8	300	86.1	71.2 - 93.9	400
Maui	<50	1.9	0.3 - 11.4	600	98.1	88.6 - 99.7	600

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	10.4	5.7 - 18.4	900	89.6	81.6 - 94.3	1,000
Native Hawaiian	100	5.7	3.0 - 10.9	1,900	94.3	89.1 - 97.0	2,000
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	100	7.5	3.7 - 14.4	900	92.5	85.6 - 96.3	1,000
Japanese	<50	5.4	1.4 - 18.3	500	94.6	81.7 - 98.6	600
Other	<50	2.8	0.7 - 10.0	1,100	97.2	90.0 - 99.3	1,100

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	7.7	3.0 - 18.3	800	92.3	81.7 - 97.0	900
20-24	100	7.7	4.4 - 13.1	1,600	92.3	86.9 - 95.6	1,700
25-34	200	6.3	3.8 - 10.4	2,400	93.7	89.6 - 96.2	2,500
35+	0	0.0	-	700	100.0	-	700

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	5.4	3.2 - 9.0	2,900	94.6	91.0 - 96.8	3,000
Female	200	6.9	4.3 - 11.0	2,600	93.1	89.0 - 95.7	2,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	5.6	3.3 - 9.4	2,500	94.4	90.6 - 96.7	2,700
No	200	6.6	4.1 - 10.4	3,000	93.4	89.6 - 95.9	3,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	9.2	6.2 - 13.4	2,800	90.8	86.6 - 93.8	3,000
131-185%	<50	3.0	0.8 - 10.6	700	97.0	89.4 - 99.2	800
186+%	<50	1.6	0.4 - 5.7	1,600	98.4	94.3 - 99.6	1,700

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	9.2	5.2 - 15.7	1,400	90.8	84.3 - 94.8	1,500
\$10,000-\$24,999	100	9.1	5.2 - 15.5	1,400	90.9	84.5 - 94.8	1,500
\$25,000-\$49,999	<50	4.0	1.6 - 9.9	1,200	96.0	90.1 - 98.4	1,200
>=\$50,000	0	0.0	-	1,200	100.0	-	1,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	2.4	0.4 - 13.9	500	97.6	86.1 - 99.6	500
Normal birth weight	300	6.5	4.5 - 9.2	5,000	93.5	90.8 - 95.5	5,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	7.7	3.0 - 18.3	600	92.3	81.7 - 97.0	600
No	300	6.1	4.1 - 8.8	4,800	93.9	91.2 - 95.9	5,100

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	7.4	4.0 - 13.3	1,400	92.6	86.7 - 96.0	1,500
No	200	5.8	3.8 - 8.9	4,000	94.2	91.1 - 96.2	4,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.0	6.1 - 13.2	2,900	91.0	86.8 - 93.9	3,200
No	100	2.3	1.0 - 5.2	2,500	97.7	94.8 - 99.0	2,500

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	200	3.9	2.4 - 6.2	5,200	96.1	93.8 - 97.6	5,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	4.8	1.3 - 16.7	600	95.2	83.3 - 98.7	600
Honolulu	100	3.5	1.9 - 6.2	3,700	96.5	93.8 - 98.1	3,900
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	300
Maui	<50	5.1	1.4 - 17.5	600	94.9	82.5 - 98.6	600

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	<50	4.3	1.5 - 12.0	900	95.7	88.0 - 98.5	900
Native Hawaiian	100	4.2	1.8 - 9.3	1,800	95.8	90.7 - 98.2	1,900
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	<50	1.5	0.2 - 9.3	800	98.5	90.7 - 99.8	800
Japanese	<50	4.7	1.2 - 16.3	400	95.3	83.7 - 98.8	500
Other	100	4.7	1.9 - 11.0	1,200	95.3	89.0 - 98.1	1,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	2.5	0.4 - 14.9	600	97.5	85.1 - 99.6	600
20-24	100	6.2	3.0 - 12.1	1,600	93.8	87.9 - 97.0	1,700
25-34	100	2.8	1.3 - 6.2	2,300	97.2	93.8 - 98.7	2,300
35+	<50	2.9	0.8 - 10.4	700	97.1	89.6 - 99.2	700

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	100	3.6	1.7 - 7.4	2,400	96.4	92.6 - 98.3	2,500
Female	100	4.1	2.2 - 7.5	2,800	95.9	92.5 - 97.8	2,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	3.4	1.7 - 6.7	2,600	96.6	93.3 - 98.3	2,700
No	100	4.3	2.2 - 8.1	2,600	95.7	91.9 - 97.8	2,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	100	4.1	2.1 - 7.9	2,400	95.9	92.1 - 97.9	2,500
131-185%	<50	5.1	1.7 - 14.2	700	94.9	85.8 - 98.3	700
186+%	100	3.1	1.1 - 8.1	1,600	96.9	91.9 - 98.9	1,700

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	3.9	1.5 - 9.7	1,400	96.1	90.3 - 98.5	1,400
\$10,000-\$24,999	100	3.7	1.4 - 9.3	1,300	96.3	90.7 - 98.6	1,300
\$25,000-\$49,999	100	6.4	2.9 - 13.6	1,100	93.6	86.4 - 97.1	1,100
>=\$50,000	<50	1.4	0.2 - 8.5	1,100	98.6	91.5 - 99.8	1,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	5.9	1.5 - 20.1	400	94.1	79.9 - 98.5	500
Normal birth weight	200	3.7	2.2 - 6.1	4,800	96.3	93.9 - 97.8	5,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	2.9	0.8 - 10.4	800	97.1	89.6 - 99.2	900
No	200	4.1	2.5 - 6.8	4,300	95.9	93.2 - 97.5	4,400

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	3.3	1.3 - 8.2	1,600	96.7	91.8 - 98.7	1,600
No	200	4.2	2.4 - 7.2	3,500	95.8	92.8 - 97.6	3,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	4.2	2.2 - 7.7	2,900	95.8	92.3 - 97.8	3,000
No	100	3.4	1.6 - 7.3	2,200	96.6	92.7 - 98.4	2,300

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	300	5.3	3.6 - 7.7	5,000	94.7	92.3 - 96.4	5,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	3.6	1.0 - 12.8	700	96.4	87.2 - 99.0	700
Honolulu	200	4.4	2.7 - 7.2	3,800	95.6	92.8 - 97.3	4,000
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	200
Maui	<50	9.4	3.2 - 24.7	400	90.6	75.3 - 96.8	400

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	<50	2.8	0.8 - 10.0	800	97.2	90.0 - 99.2	900
Native Hawaiian	200	9.3	5.6 - 15.1	1,700	90.7	84.9 - 94.4	1,800
Chinese	<50	2.9	0.6 - 14.2	100	97.1	85.8 - 99.4	100
Filipino	100	5.8	2.7 - 11.9	900	94.2	88.1 - 97.3	1,000
Japanese	0	0.0	-	600	100.0	-	600
Other	<50	2.5	0.7 - 9.0	900	97.5	91.0 - 99.3	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	11.0	5.5 - 20.8	700	89.0	79.2 - 94.5	800
20-24	100	4.1	1.9 - 8.5	1,500	95.9	91.5 - 98.1	1,600
25-34	100	5.0	2.7 - 9.1	2,200	95.0	90.9 - 97.3	2,300
35+	<50	1.7	0.3 - 10.0	600	98.3	90.0 - 99.7	600

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	100	4.2	2.3 - 7.4	2,700	95.8	92.6 - 97.7	2,800
Female	200	6.4	3.8 - 10.6	2,400	93.6	89.4 - 96.2	2,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	4.5	2.4 - 8.0	2,200	95.5	92.0 - 97.6	2,300
No	200	5.9	3.6 - 9.5	2,800	94.1	90.5 - 96.4	3,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	100	5.2	3.0 - 9.0	2,500	94.8	91.0 - 97.0	2,600
131-185%	<50	6.9	2.3 - 18.6	500	93.1	81.4 - 97.7	500
186+%	<50	2.1	0.8 - 5.6	1,500	97.9	94.4 - 99.2	1,500

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	6.1	3.0 - 11.9	1,400	93.9	88.1 - 97.0	1,500
\$10,000-\$24,999	100	5.5	2.5 - 11.4	1,200	94.5	88.6 - 97.5	1,300
\$25,000-\$49,999	100	5.4	2.3 - 12.1	1,100	94.6	87.9 - 97.7	1,100
>=\$50,000	<50	1.5	0.4 - 5.9	900	98.5	94.1 - 99.6	900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	18.0	8.7 - 33.9	400	82.0	66.1 - 91.3	400
Normal birth weight	200	4.1	2.6 - 6.4	4,700	95.9	93.6 - 97.4	4,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	3.5	0.9 - 12.6	700	96.5	87.4 - 99.1	800
No	300	5.7	3.8 - 8.5	4,200	94.3	91.5 - 96.2	4,400

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	5.6	2.9 - 10.6	1,700	94.4	89.4 - 97.1	1,800
No	200	5.4	3.4 - 8.5	3,200	94.6	91.5 - 96.6	3,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	7.0	4.5 - 10.8	2,600	93.0	89.2 - 95.5	2,800
No	100	3.5	1.7 - 7.2	2,200	96.5	92.8 - 98.3	2,300

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	300	5.2	3.6 - 7.4	4,700	94.8	92.6 - 96.4	5,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	5.1	1.7 - 14.1	700	94.9	85.9 - 98.3	700
Honolulu	200	5.4	3.5 - 8.1	3,300	94.6	91.9 - 96.5	3,500
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	200
Maui	<50	4.9	1.7 - 13.5	500	95.1	86.5 - 98.3	600

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	8.7	4.4 - 16.5	700	91.3	83.5 - 95.6	800
Native Hawaiian	100	4.8	2.4 - 9.4	1,600	95.2	90.6 - 97.6	1,700
Chinese	0	0.0	-	100	100.0	-	100
Filipino	100	6.6	3.5 - 12.2	900	93.4	87.8 - 96.5	1,000
Japanese	<50	1.8	0.3 - 11.0	500	98.2	89.0 - 99.7	500
Other	<50	4.1	1.4 - 11.7	800	95.9	88.3 - 98.6	900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	10.1	4.7 - 20.2	500	89.9	79.8 - 95.3	500
20-24	100	7.6	4.6 - 12.3	1,600	92.4	87.7 - 95.4	1,700
25-34	100	4.0	1.9 - 7.9	1,900	96.0	92.1 - 98.1	1,900
35+	0	0.0	-	800	100.0	-	800

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	100	4.2	2.4 - 7.2	2,700	95.8	92.8 - 97.6	2,800
Female	100	6.5	4.0 - 10.3	2,100	93.5	89.7 - 96.0	2,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	4.3	2.5 - 7.3	2,700	95.7	92.7 - 97.5	2,800
No	100	6.3	3.8 - 10.2	2,100	93.7	89.8 - 96.2	2,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	6.8	4.2 - 10.6	2,300	93.2	89.4 - 95.8	2,400
131-185%	<50	6.5	2.6 - 15.5	500	93.5	84.5 - 97.4	600
186+%	100	3.8	1.8 - 7.9	1,500	96.2	92.1 - 98.2	1,500

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	10.1	5.9 - 16.7	1,000	89.9	83.3 - 94.1	1,200
\$10,000-\$24,999	100	4.4	2.1 - 9.3	1,400	95.6	90.7 - 97.9	1,400
\$25,000-\$49,999	<50	4.2	1.9 - 9.3	1,100	95.8	90.7 - 98.1	1,100
>=\$50,000	<50	3.7	1.3 - 10.4	800	96.3	89.6 - 98.7	900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	0	3.7	0.6 - 20.4	200	96.3	79.6 - 99.4	300
Normal birth weight	300	5.3	3.6 - 7.6	4,500	94.7	92.4 - 96.4	4,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	700	100.0	-	700
No	300	6.1	4.3 - 8.7	4,000	93.9	91.3 - 95.7	4,200

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	3.8	1.8 - 8.0	1,400	96.2	92.0 - 98.2	1,500
No	200	5.9	3.9 - 8.8	3,300	94.1	91.2 - 96.1	3,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	6.2	3.9 - 9.8	2,500	93.8	90.2 - 96.1	2,700
No	100	3.8	2.1 - 6.9	2,000	96.2	93.1 - 97.9	2,100

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	200	2.7	1.8 - 4.1	5,700	97.3	95.9 - 98.2	5,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	3.4	1.5 - 7.4	700	96.6	92.6 - 98.5	700
Honolulu	100	2.3	1.2 - 4.2	4,100	97.7	95.8 - 98.8	4,200
Kauai	<50	6.0	2.4 - 14.0	300	94.0	86.0 - 97.6	300
Maui	<50	2.9	1.2 - 6.8	600	97.1	93.2 - 98.8	600

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	<50	3.4	0.7 - 14.0	900	96.6	86.0 - 99.3	900
Native Hawaiian	100	5.6	3.8 - 8.2	1,900	94.4	91.8 - 96.2	2,000
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	200
Filipino	<50	1.0	0.3 - 3.5	1,300	99.0	96.5 - 99.7	1,300
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	400
Other	0	0.0	-	1,000	100.0	-	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	3.7	1.7 - 7.6	900	96.3	92.4 - 98.3	900
20-24	100	4.7	2.5 - 8.7	1,700	95.3	91.3 - 97.5	1,800
25-34	<50	1.1	0.5 - 2.7	2,300	98.9	97.3 - 99.5	2,400
35+	<50	1.6	0.4 - 5.7	700	98.4	94.3 - 99.6	800

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	100	2.8	1.5 - 5.1	3,200	97.2	94.9 - 98.5	3,200
Female	100	2.5	1.4 - 4.3	2,500	97.5	95.7 - 98.6	2,600

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	1.6	0.5 - 4.4	2,900	98.4	95.6 - 99.5	2,900
No	100	3.8	2.5 - 5.7	2,800	96.2	94.3 - 97.5	2,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	100	3.0	1.9 - 4.6	3,200	97.0	95.4 - 98.1	3,300
131-185%	<50	0.6	0.1 - 3.2	700	99.4	96.8 - 99.9	700
186+%	<50	2.6	0.5 - 12.0	1,000	97.4	88.0 - 99.5	1,100

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	100	3.1	1.8 - 5.3	2,000	96.9	94.7 - 98.2	2,100
\$15,001-\$25,000	<50	2.8	1.0 - 7.7	700	97.2	92.3 - 99.0	700
\$25,001-\$40,000	<50	1.7	0.6 - 4.9	1,000	98.3	95.1 - 99.4	1,000
>=\$40,001	<50	1.9	0.4 - 9.3	1,400	98.1	90.7 - 99.6	1,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	500	100.0	-	500
Normal birth weight	200	2.9	1.9 - 4.4	5,200	97.1	95.6 - 98.1	5,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	4.1	1.1 - 14.0	800	95.9	86.0 - 98.9	900
No	100	2.2	1.5 - 3.4	4,800	97.8	96.6 - 98.5	4,900

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	5.1	2.7 - 9.6	1,600	94.9	90.4 - 97.3	1,700
No	100	1.5	0.9 - 2.7	3,900	98.5	97.3 - 99.1	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	2.4	1.5 - 4.0	3,100	97.6	96.0 - 98.5	3,200
No	100	3.0	1.5 - 6.0	2,500	97.0	94.0 - 98.5	2,600

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	200	4.3	2.8 - 6.7	5,400	95.7	93.3 - 97.2	5,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	3.1	1.5 - 6.3	700	96.9	93.7 - 98.5	700
Honolulu	200	4.5	2.5 - 7.7	3,900	95.5	92.3 - 97.5	4,000
Kauai	<50	6.9	2.5 - 17.6	200	93.1	82.4 - 97.5	200
Maui	<50	4.2	1.7 - 9.9	600	95.8	90.1 - 98.3	600

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	<50	3.0	0.8 - 10.1	1,000	97.0	89.9 - 99.2	1,100
Native Hawaiian	100	4.9	3.2 - 7.5	1,900	95.1	92.5 - 96.8	2,000
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	<50	3.7	1.2 - 10.8	1,000	96.3	89.2 - 98.8	1,000
Japanese	<50	7.5	1.5 - 29.4	500	92.5	70.6 - 98.5	500
Other	<50	2.1	0.3 - 13.2	900	97.9	86.8 - 99.7	900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	4.8	1.7 - 12.9	800	95.2	87.1 - 98.3	800
20-24	100	4.8	2.6 - 8.7	1,700	95.2	91.3 - 97.4	1,700
25-34	100	4.7	2.1 - 10.0	2,100	95.3	90.0 - 97.9	2,200
35+	<50	2.1	0.7 - 5.9	800	97.9	94.1 - 99.3	800

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	100	3.6	1.9 - 6.7	2,600	96.4	93.3 - 98.1	2,700
Female	100	5.0	2.7 - 8.9	2,800	95.0	91.1 - 97.3	2,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	2.4	1.1 - 5.3	3,000	97.6	94.7 - 98.9	3,100
No	200	6.7	4.0 - 11.0	2,400	93.3	89.0 - 96.0	2,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	100	4.7	2.8 - 7.8	2,600	95.3	92.2 - 97.2	2,700
131-185%	<50	0.6	0.1 - 3.5	1,100	99.4	96.5 - 99.9	1,100
186+%	100	5.1	2.0 - 12.8	1,100	94.9	87.2 - 98.0	1,100

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	100	5.8	3.4 - 9.9	1,600	94.2	90.1 - 96.6	1,700
\$15,001-\$25,000	100	6.6	1.9 - 20.5	800	93.4	79.5 - 98.1	800
\$25,001-\$40,000	<50	1.9	0.8 - 4.7	1,200	98.1	95.3 - 99.2	1,300
>=\$40,001	100	3.9	1.4 - 10.6	1,300	96.1	89.4 - 98.6	1,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	8.2	2.4 - 24.5	400	91.8	75.5 - 97.6	400
Normal birth weight	200	4.0	2.5 - 6.4	5,000	96.0	93.6 - 97.5	5,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	5.4	2.0 - 14.0	700	94.6	86.0 - 98.0	800
No	200	4.2	2.6 - 6.8	4,600	95.8	93.2 - 97.4	4,800

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	5.8	2.7 - 12.2	1,500	94.2	87.8 - 97.3	1,600
No	200	3.9	2.3 - 6.5	3,700	96.1	93.5 - 97.7	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	3.2	1.6 - 6.5	2,800	96.8	93.5 - 98.4	2,900
No	200	5.5	3.2 - 9.5	2,600	94.5	90.5 - 96.8	2,700

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	200	4.3	3.1 - 5.9	5,200	95.7	94.1 - 96.9	5,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	3.4	1.5 - 7.5	700	96.6	92.5 - 98.5	700
Honolulu	200	4.4	3.0 - 6.6	3,700	95.6	93.4 - 97.0	3,800
Kauai	<50	1.0	0.2 - 4.9	300	99.0	95.1 - 99.8	400
Maui	<50	6.2	3.2 - 11.8	600	93.8	88.2 - 96.8	600

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	7.0	3.2 - 14.7	800	93.0	85.3 - 96.8	800
Native Hawaiian	100	4.7	3.4 - 6.6	1,800	95.3	93.4 - 96.6	1,900
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	200
Filipino	<50	2.4	1.1 - 5.3	1,300	97.6	94.7 - 98.9	1,300
Japanese	0	0.0	-	500	100.0	-	500
Other	100	7.2	3.2 - 15.4	700	92.8	84.6 - 96.8	800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	7.9	5.0 - 12.4	800	92.1	87.6 - 95.0	900
20-24	100	4.8	2.8 - 8.1	1,600	95.2	91.9 - 97.2	1,700
25-34	100	2.9	1.5 - 5.6	2,200	97.1	94.4 - 98.5	2,300
35+	<50	2.9	0.6 - 12.6	600	97.1	87.4 - 99.4	600

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	100	3.7	2.2 - 6.3	2,700	96.3	93.7 - 97.8	2,800
Female	100	4.8	3.2 - 7.1	2,600	95.2	92.9 - 96.8	2,700

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	3.3	1.9 - 5.9	2,800	96.7	94.1 - 98.1	2,900
No	100	5.3	3.7 - 7.7	2,400	94.7	92.3 - 96.3	2,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	100	4.6	3.1 - 6.9	2,500	95.4	93.1 - 96.9	2,600
131-185%	<50	4.0	2.1 - 7.6	1,000	96.0	92.4 - 97.9	1,100
186+%	<50	3.3	1.2 - 8.8	1,200	96.7	91.2 - 98.8	1,200

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	100	4.3	2.8 - 6.8	1,500	95.7	93.2 - 97.2	1,500
\$15,001-\$25,000	<50	3.8	1.8 - 7.9	800	96.2	92.1 - 98.2	800
\$25,001-\$40,000	100	5.8	3.2 - 10.5	1,100	94.2	89.5 - 96.8	1,200
>=\$40,001	<50	3.0	1.2 - 7.4	1,500	97.0	92.6 - 98.8	1,500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	0	0.0	-	400	100.0	-	400
Normal birth weight	200	4.5	3.2 - 6.2	4,800	95.5	93.8 - 96.8	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	5.5	2.5 - 11.6	800	94.5	88.4 - 97.5	800
No	200	4.2	2.9 - 5.9	4,300	95.8	94.1 - 97.1	4,500

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	5.6	3.4 - 9.1	1,500	94.4	90.9 - 96.6	1,500
No	100	3.9	2.5 - 6.0	3,500	96.1	94.0 - 97.5	3,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	5.8	3.8 - 8.7	2,600	94.2	91.3 - 96.2	2,800
No	100	2.8	1.8 - 4.3	2,600	97.2	95.7 - 98.2	2,700

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	200	4.4	3.2 - 6.1	5,300	95.6	93.9 - 96.8	5,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	4.8	2.6 - 8.6	600	95.2	91.4 - 97.4	700
Honolulu	200	4.4	2.9 - 6.6	3,900	95.6	93.4 - 97.1	4,100
Kauai	<50	6.1	1.7 - 19.5	200	93.9	80.5 - 98.3	200
Maui	<50	4.0	1.8 - 8.5	600	96.0	91.5 - 98.2	600

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	<50	3.4	1.0 - 10.4	900	96.6	89.6 - 99.0	900
Native Hawaiian	100	6.7	4.9 - 9.0	1,700	93.3	91.0 - 95.1	1,800
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	100	4.5	1.9 - 10.1	1,300	95.5	89.9 - 98.1	1,300
Japanese	<50	1.4	0.2 - 7.8	500	98.6	92.2 - 99.8	500
Other	<50	3.1	1.0 - 9.6	900	96.9	90.4 - 99.0	900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	5.1	2.5 - 10.3	1,000	94.9	89.7 - 97.5	1,100
20-24	100	7.1	4.5 - 11.2	1,500	92.9	88.8 - 95.5	1,600
25-34	100	3.0	1.6 - 5.7	2,100	97.0	94.3 - 98.4	2,100
35+	<50	1.5	0.6 - 4.1	700	98.5	95.9 - 99.4	700

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	100	3.9	2.4 - 6.5	3,000	96.1	93.5 - 97.6	3,100
Female	100	5.1	3.4 - 7.5	2,400	94.9	92.5 - 96.6	2,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	4.2	2.5 - 6.8	2,900	95.8	93.2 - 97.5	3,000
No	100	4.7	3.1 - 7.1	2,400	95.3	92.9 - 96.9	2,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	5.2	3.6 - 7.4	3,100	94.8	92.6 - 96.4	3,300
131-185%	<50	1.7	0.5 - 6.0	600	98.3	94.0 - 99.5	600
186+%	<50	2.2	1.1 - 4.6	1,100	97.8	95.4 - 98.9	1,200

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	100	5.6	3.5 - 9.1	1,900	94.4	90.9 - 96.5	2,000
\$15,001-\$25,000	<50	4.4	2.5 - 7.7	1,000	95.6	92.3 - 97.5	1,100
\$25,001-\$40,000	<50	3.9	1.5 - 9.8	900	96.1	90.2 - 98.5	900
>=\$40,001	<50	2.4	1.1 - 4.9	1,200	97.6	95.1 - 98.9	1,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	1.0	0.2 - 5.2	400	99.0	94.8 - 99.8	400
Normal birth weight	200	4.8	3.4 - 6.6	4,800	95.2	93.4 - 96.6	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	7.0	3.8 - 12.4	600	93.0	87.6 - 96.2	600
No	200	4.2	2.8 - 6.1	4,500	95.8	93.9 - 97.2	4,700

PRAMS Health Indicator Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	4.7	2.9 - 7.7	1,400	95.3	92.3 - 97.1	1,400
No	200	4.2	2.7 - 6.5	3,700	95.8	93.5 - 97.3	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	5.3	3.6 - 7.7	2,700	94.7	92.3 - 96.4	2,900
No	100	3.6	2.0 - 6.5	2,500	96.4	93.5 - 98.0	2,600