

**PRAMS Health Indicator Report - No contraception at conception- side effects- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
No contraception at conception- side effects	No contraception at conception- side effects

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/10/17*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**PRAMS Health Indicator Report - No contraception at conception- side effects- for the State of Hawaii, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	700	13.1	10.8 - 16.0	4,800	86.9	84.0 - 89.2	5,600
2001	700	12.0	9.7 - 14.8	4,800	88.0	85.2 - 90.3	5,500
2002	600	9.9	7.4 - 13.0	5,100	90.1	87.0 - 92.6	5,600
2003	400	7.7	5.5 - 10.5	5,400	92.3	89.5 - 94.5	5,800
2004	500	10.5	8.2 - 13.4	4,500	89.5	86.6 - 91.8	5,000
2005	500	9.0	6.8 - 11.8	4,800	91.0	88.2 - 93.2	5,300
2006	600	11.3	8.7 - 14.6	4,800	88.7	85.4 - 91.3	5,400
2007	600	10.7	8.3 - 13.8	5,200	89.3	86.2 - 91.7	5,800
2008	400	7.4	5.4 - 10.1	4,800	92.6	89.9 - 94.6	5,200
2009	500	9.0	6.3 - 12.8	5,300	91.0	87.2 - 93.7	5,800
2010	500	8.1	5.6 - 11.7	5,100	91.9	88.3 - 94.4	5,500
2011	500	9.3	6.1 - 14.1	4,600	90.7	85.9 - 93.9	5,000
2012	500	8.2	5.5 - 12.1	5,100	91.8	87.9 - 94.5	5,500
2013	500	8.6	5.5 - 13.1	5,300	91.4	86.9 - 94.5	5,800

**PRAMS Health Indicator Report - No contraception at conception- side effects- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*



**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	500	8.6	5.5 - 13.1	5,300	91.4	86.9 - 94.5	5,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	<50	3.3	1.1 - 9.1	700	96.7	90.9 - 98.9	700
<b>Honolulu</b>	400	9.5	5.5 - 15.8	3,800	90.5	84.2 - 94.5	4,200
<b>Kauai</b>	<50	10.6	5.7 - 18.7	200	89.4	81.3 - 94.3	200
<b>Maui</b>	100	8.1	4.1 - 15.4	600	91.9	84.6 - 95.9	600

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	16.5	8.2 - 30.6	1,000	83.5	69.4 - 91.8	1,200
Native Hawaiian	200	9.0	4.6 - 16.8	2,000	91.0	83.2 - 95.4	2,200
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	300
Filipino	<50	4.5	0.8 - 22.0	800	95.5	78.0 - 99.2	900
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	600
Other	<50	1.7	0.4 - 6.5	600	98.3	93.5 - 99.6	600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	9.0	3.6 - 20.7	300	91.0	79.3 - 96.4	400
20-24	200	9.4	4.2 - 19.7	1,600	90.6	80.3 - 95.8	1,800
25-34	300	9.2	4.9 - 16.5	2,500	90.8	83.5 - 95.1	2,800
35+	<50	4.5	0.9 - 19.4	800	95.5	80.6 - 99.1	800

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	8.0	4.2 - 14.9	2,400	92.0	85.1 - 95.8	2,600
Female	300	9.0	5.0 - 15.8	2,900	91.0	84.2 - 95.0	3,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	10.0	5.5 - 17.3	2,600	90.0	82.7 - 94.5	2,900
No	200	7.2	3.7 - 13.6	2,700	92.8	86.4 - 96.3	2,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	8.9	4.9 - 15.7	2,500	91.1	84.3 - 95.1	2,800
131-185%	200	17.2	7.2 - 35.8	700	82.8	64.2 - 92.8	900
186+%	100	3.6	1.2 - 10.6	1,500	96.4	89.4 - 98.8	1,500

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	100	6.7	2.7 - 15.5	1,800	93.3	84.5 - 97.3	2,000
\$17,001-\$26,000	100	8.6	3.1 - 21.8	800	91.4	78.2 - 96.9	900
\$26,001-\$51,000	200	17.0	8.4 - 31.3	1,000	83.0	68.7 - 91.6	1,200
>=\$51,001	<50	3.5	0.9 - 12.5	1,200	96.5	87.5 - 99.1	1,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	7.0	3.9 - 12.3	400	93.0	87.7 - 96.1	400
Normal birth weight	500	8.7	5.5 - 13.6	4,900	91.3	86.4 - 94.5	5,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	2.9	0.7 - 11.2	400	97.1	88.8 - 99.3	400
No	500	9.2	5.9 - 14.1	4,800	90.8	85.9 - 94.1	5,300

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	100	5.3	1.9 - 13.7	1,200	94.7	86.3 - 98.1	1,200
<b>No</b>	400	9.7	6.0 - 15.3	4,000	90.3	84.7 - 94.0	4,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	8.8	5.0 - 15.1	2,800	91.2	84.9 - 95.0	3,000
<b>No</b>	200	8.4	4.2 - 16.1	2,500	91.6	83.9 - 95.8	2,700



**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	500	8.2	5.5 - 12.1	5,100	91.8	87.9 - 94.5	5,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	7.4	3.9 - 13.6	700	92.6	86.4 - 96.1	800
<b>Honolulu</b>	300	7.8	4.5 - 13.5	3,600	92.2	86.5 - 95.5	3,900
<b>Kauai</b>	<50	11.7	5.9 - 21.9	200	88.3	78.1 - 94.1	200
<b>Maui</b>	100	10.0	5.5 - 17.5	500	90.0	82.5 - 94.5	600

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	8.6	3.0 - 22.3	800	91.4	77.7 - 97.0	900
Native Hawaiian	100	6.3	3.2 - 12.3	1,700	93.7	87.7 - 96.8	1,800
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	200
Filipino	100	5.8	2.0 - 15.5	1,000	94.2	84.5 - 98.0	1,100
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	300
Other	100	10.0	4.1 - 22.2	1,100	90.0	77.8 - 95.9	1,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	0	0.0	-	500	100.0	-	500
20-24	200	11.1	5.7 - 20.5	1,300	88.9	79.5 - 94.3	1,400
25-34	200	8.3	4.7 - 14.4	2,500	91.7	85.6 - 95.3	2,700
35+	100	7.8	2.7 - 20.4	800	92.2	79.6 - 97.3	900

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	8.2	4.7 - 14.0	2,400	91.8	86.0 - 95.3	2,600
Female	200	8.2	4.6 - 14.1	2,700	91.8	85.9 - 95.4	3,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	11.3	6.7 - 18.4	2,300	88.7	81.6 - 93.3	2,600
No	200	5.4	3.0 - 9.5	2,700	94.6	90.5 - 97.0	2,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	6.5	3.4 - 12.0	2,500	93.5	88.0 - 96.6	2,700
131-185%	100	14.7	6.8 - 29.0	700	85.3	71.0 - 93.2	800
186+%	100	9.5	4.5 - 18.8	1,200	90.5	81.2 - 95.5	1,300

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	100	3.8	1.7 - 8.5	1,800	96.2	91.5 - 98.3	1,900
\$17,001-\$26,000	100	7.9	2.5 - 22.4	800	92.1	77.6 - 97.5	900
\$26,001-\$51,000	100	9.7	4.2 - 20.9	900	90.3	79.1 - 95.8	1,000
>=\$51,001	200	14.8	7.9 - 26.1	1,000	85.2	73.9 - 92.1	1,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	2.4	0.7 - 8.5	400	97.6	91.5 - 99.3	400
Normal birth weight	400	8.6	5.7 - 12.8	4,700	91.4	87.2 - 94.3	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	4.1	1.1 - 14.5	400	95.9	85.5 - 98.9	400
No	400	8.1	5.3 - 12.4	4,500	91.9	87.6 - 94.7	4,900

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	100	9.1	3.9 - 19.8	1,000	90.9	80.2 - 96.1	1,100
<b>No</b>	300	7.5	4.6 - 12.0	3,800	92.5	88.0 - 95.4	4,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	7.9	4.8 - 12.8	2,900	92.1	87.2 - 95.2	3,100
<b>No</b>	200	8.8	4.6 - 16.2	2,100	91.2	83.8 - 95.4	2,300

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	500	9.3	6.1 - 14.1	4,600	90.7	85.9 - 93.9	5,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	11.5	6.3 - 19.9	600	88.5	80.1 - 93.7	700
<b>Honolulu</b>	400	10.0	5.7 - 16.9	3,200	90.0	83.1 - 94.3	3,500
<b>Kauai</b>	<50	4.8	1.8 - 12.4	300	95.2	87.6 - 98.2	300
<b>Maui</b>	<50	4.9	2.2 - 10.4	500	95.1	89.6 - 97.8	500

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	10.0	3.5 - 25.2	900	90.0	74.8 - 96.5	1,000
Native Hawaiian	200	9.9	5.0 - 18.8	1,600	90.1	81.2 - 95.0	1,700
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	100	5.2	1.3 - 19.2	1,000	94.8	80.8 - 98.7	1,000
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	500
Other	100	12.3	4.8 - 28.4	600	87.7	71.6 - 95.2	700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	9.6	2.5 - 30.4	400	90.4	69.6 - 97.5	400
20-24	300	15.9	8.7 - 27.4	1,400	84.1	72.6 - 91.3	1,600
25-34	200	7.7	3.9 - 14.5	2,100	92.3	85.5 - 96.1	2,300
35+	0	0.0	-	700	100.0	-	700

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	8.5	4.5 - 15.6	2,300	91.5	84.4 - 95.5	2,500
Female	300	10.1	5.6 - 17.6	2,200	89.9	82.4 - 94.4	2,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	6.2	3.0 - 12.6	2,400	93.8	87.4 - 97.0	2,600
No	300	12.6	7.4 - 20.6	2,100	87.4	79.4 - 92.6	2,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	10.1	5.6 - 17.8	2,100	89.9	82.2 - 94.4	2,300
131-185%	100	20.4	8.9 - 40.5	500	79.6	59.5 - 91.1	600
186+%	100	5.7	2.2 - 14.1	1,600	94.3	85.9 - 97.8	1,700



**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	10.0	4.3 - 21.6	1,000	90.0	78.4 - 95.7	1,200
\$10,000-\$24,999	200	17.6	8.8 - 32.2	900	82.4	67.8 - 91.2	1,100
\$25,000-\$49,999	100	7.1	2.8 - 16.9	1,100	92.9	83.1 - 97.2	1,100
>=\$50,000	100	5.4	1.7 - 16.0	1,200	94.6	84.0 - 98.3	1,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	6.8	2.6 - 16.6	300	93.2	83.4 - 97.4	400
Normal birth weight	400	9.5	6.1 - 14.7	4,200	90.5	85.3 - 93.9	4,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	0	0.0	-	300	100.0	-	300
No	500	10.0	6.5 - 15.0	4,200	90.0	85.0 - 93.5	4,700

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	100	11.1	5.0 - 23.1	1,000	88.9	76.9 - 95.0	1,200
<b>No</b>	300	8.9	5.3 - 14.5	3,500	91.1	85.5 - 94.7	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	12.5	7.5 - 20.3	2,300	87.5	79.7 - 92.5	2,700
<b>No</b>	100	5.8	2.7 - 12.0	2,200	94.2	88.0 - 97.3	2,300

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	500	8.1	5.6 - 11.7	5,100	91.9	88.3 - 94.4	5,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	7.3	3.7 - 14.0	700	92.7	86.0 - 96.3	700
<b>Honolulu</b>	300	7.4	4.2 - 12.4	3,700	92.6	87.6 - 95.8	4,000
<b>Kauai</b>	<50	14.7	8.5 - 24.1	200	85.3	75.9 - 91.5	200
<b>Maui</b>	100	11.6	7.1 - 18.5	500	88.4	81.5 - 92.9	600

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	16.5	8.9 - 28.6	1,000	83.5	71.4 - 91.1	1,200
Native Hawaiian	100	5.5	3.5 - 8.6	1,800	94.5	91.4 - 96.5	1,900
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	200
Filipino	100	9.0	3.5 - 21.3	900	91.0	78.7 - 96.5	1,000
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	200
Other	<50	3.9	1.0 - 13.8	1,000	96.1	86.2 - 99.0	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	2.0	0.5 - 6.9	500	98.0	93.1 - 99.5	500
20-24	200	13.6	7.6 - 23.0	1,300	86.4	77.0 - 92.4	1,500
25-34	100	5.5	3.1 - 9.5	2,400	94.5	90.5 - 96.9	2,600
35+	100	9.7	3.8 - 22.5	900	90.3	77.5 - 96.2	900

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	8.3	4.9 - 13.7	2,500	91.7	86.3 - 95.1	2,700
Female	200	8.0	4.7 - 13.3	2,600	92.0	86.7 - 95.3	2,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	11.1	7.0 - 17.1	2,700	88.9	82.9 - 93.0	3,000
No	100	4.6	2.5 - 8.2	2,400	95.4	91.8 - 97.5	2,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	100	2.7	1.5 - 4.6	2,400	97.3	95.4 - 98.5	2,500
131-185%	100	21.0	10.8 - 36.8	500	79.0	63.2 - 89.2	700
186+%	200	11.9	6.7 - 20.4	1,700	88.1	79.6 - 93.3	1,900

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	<50	1.9	0.8 - 4.3	1,300	98.1	95.7 - 99.2	1,300
\$10,000-\$24,999	100	6.2	2.5 - 14.6	1,000	93.8	85.4 - 97.5	1,100
\$25,000-\$49,999	200	14.8	8.5 - 24.6	1,100	85.2	75.4 - 91.5	1,300
>=\$50,000	100	10.3	4.9 - 20.4	1,300	89.7	79.6 - 95.1	1,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	11.0	6.0 - 19.3	300	89.0	80.7 - 94.0	300
Normal birth weight	400	7.9	5.3 - 11.7	4,800	92.1	88.3 - 94.7	5,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	2.7	0.9 - 7.7	700	97.3	92.3 - 99.1	700
No	400	9.0	6.1 - 13.1	4,300	91.0	86.9 - 93.9	4,800

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	100	4.3	2.5 - 7.4	1,500	95.7	92.6 - 97.5	1,600
<b>No</b>	400	9.8	6.4 - 14.7	3,500	90.2	85.3 - 93.6	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	5.8	3.6 - 9.0	2,700	94.2	91.0 - 96.4	2,900
<b>No</b>	300	10.6	6.2 - 17.6	2,300	89.4	82.4 - 93.8	2,600

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	500	9.0	6.3 - 12.8	5,300	91.0	87.2 - 93.7	5,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	10.8	6.4 - 17.5	700	89.2	82.5 - 93.6	800
<b>Honolulu</b>	300	8.1	4.7 - 13.6	3,800	91.9	86.4 - 95.3	4,100
<b>Kauai</b>	<50	14.1	8.5 - 22.3	300	85.9	77.7 - 91.5	300
<b>Maui</b>	100	10.5	6.4 - 16.9	600	89.5	83.1 - 93.6	600



**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	<50	5.2	2.5 - 10.6	700	94.8	89.4 - 97.5	800
Native Hawaiian	200	9.9	5.8 - 16.4	2,100	90.1	83.6 - 94.2	2,300
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	300
Filipino	100	12.9	5.8 - 26.5	800	87.1	73.5 - 94.2	1,000
Japanese	<50	5.8	2.4 - 13.4	500	94.2	86.6 - 97.6	500
Other	<50	4.2	1.0 - 16.9	900	95.8	83.1 - 99.0	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	2.2	0.7 - 6.3	900	97.8	93.7 - 99.3	900
20-24	300	16.2	9.4 - 26.7	1,300	83.8	73.3 - 90.6	1,600
25-34	200	6.9	3.8 - 12.0	2,300	93.1	88.0 - 96.2	2,500
35+	100	9.3	3.9 - 20.6	800	90.7	79.4 - 96.1	900

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	8.1	4.4 - 14.3	2,700	91.9	85.7 - 95.6	2,900
Female	300	10.0	6.5 - 15.1	2,600	90.0	84.9 - 93.5	2,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	7.5	4.1 - 13.3	2,400	92.5	86.7 - 95.9	2,600
No	300	10.3	6.5 - 15.8	2,900	89.7	84.2 - 93.5	3,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	10.6	6.4 - 17.0	2,600	89.4	83.0 - 93.6	2,900
131-185%	<50	4.9	2.3 - 9.9	800	95.1	90.1 - 97.7	900
186+%	100	9.1	4.7 - 16.7	1,400	90.9	83.3 - 95.3	1,500

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	9.8	4.6 - 19.5	1,400	90.2	80.5 - 95.4	1,500
\$10,000-\$24,999	200	12.3	6.5 - 22.2	1,200	87.7	77.8 - 93.5	1,300
\$25,000-\$49,999	100	5.6	2.6 - 11.6	1,300	94.4	88.4 - 97.4	1,300
>=\$50,000	100	8.9	4.1 - 18.1	1,000	91.1	81.9 - 95.9	1,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	10.7	5.7 - 19.0	400	89.3	81.0 - 94.3	400
Normal birth weight	500	8.9	6.1 - 13.0	4,900	91.1	87.0 - 93.9	5,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	15.3	7.2 - 29.6	800	84.7	70.4 - 92.8	900
No	400	8.2	5.5 - 12.1	4,400	91.8	87.9 - 94.5	4,800

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	11.2	6.0 - 20.0	1,600	88.8	80.0 - 94.0	1,800
<b>No</b>	300	8.4	5.4 - 12.7	3,500	91.6	87.3 - 94.6	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	8.2	5.0 - 13.2	2,800	91.8	86.8 - 95.0	3,000
<b>No</b>	300	10.3	6.1 - 17.0	2,400	89.7	83.0 - 93.9	2,700

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	400	7.4	5.4 - 10.1	4,800	92.6	89.9 - 94.6	5,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	11.5	5.4 - 22.8	600	88.5	77.2 - 94.6	600
<b>Honolulu</b>	200	5.3	3.4 - 8.2	3,400	94.7	91.8 - 96.6	3,600
<b>Kauai</b>	n/r	n/r	n/r	n/r	n/r	n/r	300
<b>Maui</b>	100	10.9	5.1 - 21.8	600	89.1	78.2 - 94.9	700

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	12.3	6.9 - 21.0	800	87.7	79.0 - 93.1	900
Native Hawaiian	100	8.0	4.6 - 13.7	1,700	92.0	86.3 - 95.4	1,900
Chinese	<50	9.1	3.4 - 21.9	100	90.9	78.1 - 96.6	100
Filipino	100	7.9	4.0 - 15.2	900	92.1	84.8 - 96.0	900
Japanese	<50	4.0	1.1 - 14.1	400	96.0	85.9 - 98.9	500
Other	<50	2.1	0.6 - 7.7	900	97.9	92.3 - 99.4	900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	0	0.0	-	500	100.0	-	500
20-24	100	10.5	6.3 - 17.1	1,200	89.5	82.9 - 93.7	1,400
25-34	200	8.7	5.7 - 13.1	2,300	91.3	86.9 - 94.3	2,500
35+	<50	2.6	0.7 - 9.4	800	97.4	90.6 - 99.3	800

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	6.5	4.1 - 10.1	2,800	93.5	89.9 - 95.9	2,900
Female	200	8.7	5.6 - 13.3	2,100	91.3	86.7 - 94.4	2,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	7.1	4.6 - 10.9	2,500	92.9	89.1 - 95.4	2,700
No	200	7.8	4.9 - 12.1	2,300	92.2	87.9 - 95.1	2,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	6.1	3.7 - 9.9	2,500	93.9	90.1 - 96.3	2,700
131-185%	100	8.8	3.8 - 19.1	600	91.2	80.9 - 96.2	600
186+%	200	9.3	5.7 - 15.0	1,500	90.7	85.0 - 94.3	1,700

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	7.8	4.2 - 14.0	1,300	92.2	86.0 - 95.8	1,400
\$10,000-\$24,999	100	6.0	2.9 - 12.0	1,200	94.0	88.0 - 97.1	1,300
\$25,000-\$49,999	100	5.7	2.7 - 11.8	1,000	94.3	88.2 - 97.3	1,100
>=\$50,000	100	10.2	5.8 - 17.4	1,100	89.8	82.6 - 94.2	1,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	300
Normal birth weight	400	7.4	5.4 - 10.2	4,500	92.6	89.8 - 94.6	4,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	4.3	1.1 - 14.8	600	95.7	85.2 - 98.9	700
No	300	7.8	5.6 - 10.8	4,100	92.2	89.2 - 94.4	4,400



**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	100	6.2	3.0 - 12.6	1,200	93.8	87.4 - 97.0	1,300
<b>No</b>	300	7.7	5.4 - 10.9	3,500	92.3	89.1 - 94.6	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	5.8	3.5 - 9.5	2,600	94.2	90.5 - 96.5	2,800
<b>No</b>	200	9.2	6.0 - 13.8	2,100	90.8	86.2 - 94.0	2,300

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	600	10.7	8.3 - 13.8	5,200	89.3	86.2 - 91.7	5,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	8.3	3.7 - 17.4	800	91.7	82.6 - 96.3	900
<b>Honolulu</b>	400	11.3	8.3 - 15.1	3,500	88.7	84.9 - 91.7	3,900
<b>Kauai</b>	<50	6.6	1.8 - 21.7	400	93.4	78.3 - 98.2	400
<b>Maui</b>	100	13.1	6.2 - 25.8	600	86.9	74.2 - 93.8	600

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	9.4	4.9 - 17.2	900	90.6	82.8 - 95.1	1,000
Native Hawaiian	300	15.3	10.3 - 22.1	1,700	84.7	77.9 - 89.7	2,000
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	100	7.9	4.1 - 14.7	900	92.1	85.3 - 95.9	1,000
Japanese	100	12.4	5.9 - 24.4	500	87.6	75.6 - 94.1	600
Other	100	5.3	2.1 - 12.8	1,100	94.7	87.2 - 97.9	1,100

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	13.8	6.9 - 25.8	700	86.2	74.2 - 93.1	900
20-24	200	12.5	8.1 - 19.0	1,500	87.5	81.0 - 91.9	1,700
25-34	200	8.2	5.3 - 12.4	2,300	91.8	87.6 - 94.7	2,500
35+	100	11.5	5.6 - 22.2	600	88.5	77.8 - 94.4	700

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	9.4	6.4 - 13.6	2,800	90.6	86.4 - 93.6	3,000
Female	300	12.2	8.5 - 17.1	2,400	87.8	82.9 - 91.5	2,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	9.3	6.3 - 13.6	2,400	90.7	86.4 - 93.7	2,700
No	400	11.9	8.4 - 16.6	2,800	88.1	83.4 - 91.6	3,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	400	12.5	8.9 - 17.4	2,700	87.5	82.6 - 91.1	3,000
131-185%	100	8.7	4.1 - 17.3	700	91.3	82.7 - 95.9	800
186+%	200	9.6	5.9 - 15.3	1,500	90.4	84.7 - 94.1	1,700

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	12.7	7.6 - 20.3	1,300	87.3	79.7 - 92.4	1,500
\$10,000-\$24,999	200	12.7	7.9 - 19.7	1,300	87.3	80.3 - 92.1	1,500
\$25,000-\$49,999	100	9.6	5.3 - 16.5	1,100	90.4	83.5 - 94.7	1,200
>=\$50,000	100	8.7	4.9 - 15.0	1,100	91.3	85.0 - 95.1	1,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	9.1	3.3 - 22.2	500	90.9	77.8 - 96.7	500
Normal birth weight	600	10.9	8.3 - 14.1	4,700	89.1	85.9 - 91.7	5,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	12.0	5.6 - 23.9	600	88.0	76.1 - 94.4	600
No	500	10.6	8.0 - 13.9	4,600	89.4	86.1 - 92.0	5,100

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	10.0	5.9 - 16.6	1,400	90.0	83.4 - 94.1	1,500
<b>No</b>	500	11.1	8.2 - 14.8	3,800	88.9	85.2 - 91.8	4,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	12.4	8.8 - 17.1	2,800	87.6	82.9 - 91.2	3,200
<b>No</b>	200	8.6	5.7 - 13.0	2,300	91.4	87.0 - 94.3	2,500

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	600	11.3	8.7 - 14.6	4,800	88.7	85.4 - 91.3	5,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	18.4	9.7 - 32.1	500	81.6	67.9 - 90.3	600
<b>Honolulu</b>	400	10.6	7.7 - 14.4	3,500	89.4	85.6 - 92.3	3,900
<b>Kauai</b>	n/r	n/r	n/r	n/r	n/r	n/r	300
<b>Maui</b>	100	10.9	4.7 - 23.0	600	89.1	77.0 - 95.3	600

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	10.6	5.5 - 19.4	800	89.4	80.6 - 94.5	900
Native Hawaiian	300	16.7	11.4 - 23.8	1,500	83.3	76.2 - 88.6	1,900
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	100	9.7	4.8 - 18.5	800	90.3	81.5 - 95.2	800
Japanese	<50	2.4	0.4 - 14.0	400	97.6	86.0 - 99.6	500
Other	100	9.0	4.7 - 16.5	1,100	91.0	83.5 - 95.3	1,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	11.6	5.1 - 24.3	600	88.4	75.7 - 94.9	600
20-24	300	17.8	12.2 - 25.3	1,400	82.2	74.7 - 87.8	1,700
25-34	200	8.1	5.1 - 12.7	2,200	91.9	87.3 - 94.9	2,300
35+	<50	6.5	2.5 - 15.6	700	93.5	84.4 - 97.5	700



**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	13.1	9.2 - 18.5	2,200	86.9	81.5 - 90.8	2,500
Female	300	9.8	6.6 - 14.3	2,600	90.2	85.7 - 93.4	2,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	10.6	7.3 - 15.1	2,400	89.4	84.9 - 92.7	2,700
No	300	12.1	8.2 - 17.3	2,400	87.9	82.7 - 91.8	2,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	10.8	7.2 - 15.9	2,300	89.2	84.1 - 92.8	2,500
131-185%	100	13.5	6.9 - 24.6	600	86.5	75.4 - 93.1	700
186+%	200	12.6	8.1 - 19.0	1,500	87.4	81.0 - 91.9	1,700

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	4.8	2.1 - 10.8	1,300	95.2	89.2 - 97.9	1,400
\$10,000-\$24,999	200	13.6	8.4 - 21.4	1,200	86.4	78.6 - 91.6	1,300
\$25,000-\$49,999	200	20.7	13.7 - 30.1	900	79.3	69.9 - 86.3	1,100
>=\$50,000	100	8.8	4.6 - 16.4	1,000	91.2	83.6 - 95.4	1,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	6.4	1.7 - 21.2	400	93.6	78.8 - 98.3	500
Normal birth weight	600	11.8	9.0 - 15.3	4,400	88.2	84.7 - 91.0	5,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	14.4	7.8 - 25.0	700	85.6	75.0 - 92.2	900
No	500	11.0	8.2 - 14.6	4,000	89.0	85.4 - 91.8	4,400

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	14.9	9.7 - 22.1	1,400	85.1	77.9 - 90.3	1,600
<b>No</b>	400	10.1	7.2 - 14.0	3,300	89.9	86.0 - 92.8	3,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	12.5	8.9 - 17.3	2,600	87.5	82.7 - 91.1	3,000
<b>No</b>	200	9.0	5.8 - 13.9	2,100	91.0	86.1 - 94.2	2,300

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	500	9.0	6.8 - 11.8	4,800	91.0	88.2 - 93.2	5,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	<50	7.2	3.0 - 16.2	600	92.8	83.8 - 97.0	700
<b>Honolulu</b>	400	8.8	6.3 - 12.2	3,600	91.2	87.8 - 93.7	4,000
<b>Kauai</b>	n/r	n/r	n/r	n/r	n/r	n/r	200
<b>Maui</b>	100	16.3	7.7 - 31.2	300	83.7	68.8 - 92.3	400

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	19.4	12.1 - 29.6	700	80.6	70.4 - 87.9	900
Native Hawaiian	200	8.4	4.9 - 14.0	1,700	91.6	86.0 - 95.1	1,800
Chinese	<50	5.9	1.8 - 17.5	100	94.1	82.5 - 98.2	100
Filipino	100	6.0	2.8 - 12.2	900	94.0	87.8 - 97.2	1,000
Japanese	100	9.2	4.0 - 19.6	500	90.8	80.4 - 96.0	600
Other	<50	4.3	1.7 - 10.4	900	95.7	89.6 - 98.3	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	11.5	6.0 - 21.0	700	88.5	79.0 - 94.0	800
20-24	100	8.2	4.7 - 13.8	1,500	91.8	86.2 - 95.3	1,600
25-34	200	9.3	6.1 - 13.9	2,100	90.7	86.1 - 93.9	2,300
35+	<50	6.8	2.7 - 16.2	600	93.2	83.8 - 97.3	600

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	8.1	5.3 - 12.1	2,600	91.9	87.9 - 94.7	2,800
Female	300	10.0	6.8 - 14.4	2,300	90.0	85.6 - 93.2	2,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	9.0	5.9 - 13.4	2,100	91.0	86.6 - 94.1	2,300
No	300	9.0	6.1 - 13.0	2,700	91.0	87.0 - 93.9	3,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	7.5	4.7 - 11.6	2,400	92.5	88.4 - 95.3	2,600
131-185%	<50	6.3	2.1 - 17.1	500	93.7	82.9 - 97.9	500
186+%	200	13.5	8.9 - 19.9	1,300	86.5	80.1 - 91.1	1,500

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	5.1	2.3 - 10.7	1,400	94.9	89.3 - 97.7	1,500
\$10,000-\$24,999	100	9.2	5.1 - 15.9	1,200	90.8	84.1 - 94.9	1,300
\$25,000-\$49,999	200	13.4	8.3 - 21.0	1,000	86.6	79.0 - 91.7	1,100
>=\$50,000	100	10.2	5.4 - 18.6	800	89.8	81.4 - 94.6	900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	4.5	1.2 - 15.5	400	95.5	84.5 - 98.8	400
Normal birth weight	500	9.4	7.1 - 12.4	4,400	90.6	87.6 - 92.9	4,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	6.1	2.4 - 14.8	700	93.9	85.2 - 97.6	800
No	400	9.8	7.3 - 13.0	4,000	90.2	87.0 - 92.7	4,400

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	100	6.5	3.6 - 11.4	1,600	93.5	88.6 - 96.4	1,800
<b>No</b>	400	10.8	7.8 - 14.7	3,000	89.2	85.3 - 92.2	3,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	8.0	5.3 - 11.9	2,600	92.0	88.1 - 94.7	2,800
<b>No</b>	300	10.8	7.4 - 15.6	2,100	89.2	84.4 - 92.6	2,300



**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	500	10.5	8.2 - 13.4	4,500	89.5	86.6 - 91.8	5,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	9.3	4.3 - 18.7	700	90.7	81.3 - 95.7	700
<b>Honolulu</b>	400	10.7	8.0 - 14.3	3,100	89.3	85.7 - 92.0	3,500
<b>Kauai</b>	n/r	n/r	n/r	n/r	n/r	n/r	200
<b>Maui</b>	100	9.8	4.6 - 19.7	500	90.2	80.3 - 95.4	600

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	11.2	6.1 - 19.5	700	88.8	80.5 - 93.9	800
Native Hawaiian	200	11.2	7.2 - 17.0	1,500	88.8	83.0 - 92.8	1,700
Chinese	<50	5.7	2.4 - 12.9	100	94.3	87.1 - 97.6	100
Filipino	100	9.8	5.8 - 15.9	900	90.2	84.1 - 94.2	1,000
Japanese	100	10.1	4.4 - 21.4	500	89.9	78.6 - 95.6	500
Other	100	10.4	5.4 - 19.1	800	89.6	80.9 - 94.6	900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	8.8	4.0 - 18.2	500	91.2	81.8 - 96.0	500
20-24	200	13.0	8.7 - 18.9	1,500	87.0	81.1 - 91.3	1,700
25-34	200	9.2	6.0 - 13.8	1,800	90.8	86.2 - 94.0	1,900
35+	100	9.7	5.0 - 18.1	700	90.3	81.9 - 95.0	800

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	10.2	7.2 - 14.3	2,500	89.8	85.7 - 92.8	2,800
Female	200	10.9	7.6 - 15.3	2,000	89.1	84.7 - 92.4	2,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	10.1	7.2 - 14.1	2,500	89.9	85.9 - 92.8	2,800
No	200	11.0	7.6 - 15.7	2,000	89.0	84.3 - 92.4	2,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	9.9	6.8 - 14.2	2,200	90.1	85.8 - 93.2	2,400
131-185%	<50	6.6	2.7 - 14.9	500	93.4	85.1 - 97.3	600
186+%	200	13.5	9.1 - 19.6	1,300	86.5	80.4 - 90.9	1,500

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	12.2	7.5 - 19.2	1,000	87.8	80.8 - 92.5	1,200
\$10,000-\$24,999	100	8.8	5.2 - 14.3	1,300	91.2	85.7 - 94.8	1,400
\$25,000-\$49,999	100	11.1	6.7 - 18.0	1,000	88.9	82.0 - 93.3	1,100
>=\$50,000	100	11.0	6.0 - 19.2	800	89.0	80.8 - 94.0	900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	0	8.1	2.2 - 26.0	200	91.9	74.0 - 97.8	300
Normal birth weight	500	10.6	8.2 - 13.6	4,200	89.4	86.4 - 91.8	4,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	11.8	6.1 - 21.6	600	88.2	78.4 - 93.9	700
No	400	10.2	7.7 - 13.3	3,800	89.8	86.7 - 92.3	4,200

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	12.1	8.0 - 18.1	1,300	87.9	81.9 - 92.0	1,500
<b>No</b>	300	9.7	7.1 - 13.2	3,100	90.3	86.8 - 92.9	3,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	9.8	6.9 - 13.8	2,400	90.2	86.2 - 93.1	2,700
<b>No</b>	200	10.2	6.9 - 14.8	1,900	89.8	85.2 - 93.1	2,100

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	400	7.7	5.5 - 10.5	5,400	92.3	89.5 - 94.5	5,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	10.5	6.7 - 16.2	600	89.5	83.8 - 93.3	700
<b>Honolulu</b>	300	7.3	4.7 - 11.3	3,900	92.7	88.7 - 95.3	4,200
<b>Kauai</b>	<50	8.3	3.7 - 17.9	300	91.7	82.1 - 96.3	300
<b>Maui</b>	<50	6.0	3.1 - 11.4	600	94.0	88.6 - 96.9	600

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	8.8	3.8 - 19.3	800	91.2	80.7 - 96.2	900
Native Hawaiian	100	7.4	5.3 - 10.1	1,900	92.6	89.9 - 94.7	2,000
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	200
Filipino	100	8.3	3.8 - 17.3	1,200	91.7	82.7 - 96.2	1,300
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	400
Other	100	5.9	2.0 - 16.3	900	94.1	83.7 - 98.0	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	15.3	8.7 - 25.7	800	84.7	74.3 - 91.3	900
20-24	200	8.9	5.0 - 15.2	1,600	91.1	84.8 - 95.0	1,800
25-34	100	5.5	3.0 - 9.9	2,200	94.5	90.1 - 97.0	2,400
35+	<50	2.4	0.8 - 6.7	700	97.6	93.3 - 99.2	800

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	6.7	4.2 - 10.3	3,000	93.3	89.7 - 95.8	3,200
Female	200	8.9	5.5 - 14.0	2,300	91.1	86.0 - 94.5	2,600

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	7.1	4.2 - 11.7	2,700	92.9	88.3 - 95.8	2,900
No	200	8.2	5.4 - 12.2	2,700	91.8	87.8 - 94.6	2,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	8.3	5.5 - 12.4	3,000	91.7	87.6 - 94.5	3,300
131-185%	100	9.6	3.8 - 21.9	700	90.4	78.1 - 96.2	700
186+%	100	5.6	2.5 - 11.9	1,000	94.4	88.1 - 97.5	1,100



**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	200	8.1	4.7 - 13.6	1,900	91.9	86.4 - 95.3	2,100
\$15,001-\$25,000	100	9.8	4.7 - 19.1	700	90.2	80.9 - 95.3	700
\$25,001-\$40,000	100	5.5	1.8 - 15.7	900	94.5	84.3 - 98.2	1,000
>=\$40,001	100	8.1	4.4 - 14.3	1,300	91.9	85.7 - 95.6	1,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	2.2	0.6 - 7.7	400	97.8	92.3 - 99.4	500
Normal birth weight	400	8.1	5.8 - 11.2	4,900	91.9	88.8 - 94.2	5,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	14.4	7.2 - 26.7	700	85.6	73.3 - 92.8	900
No	300	6.3	4.3 - 9.1	4,600	93.7	90.9 - 95.7	4,900

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	11.2	6.5 - 18.5	1,500	88.8	81.5 - 93.5	1,700
<b>No</b>	200	6.3	4.2 - 9.6	3,700	93.7	90.4 - 95.8	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	8.4	5.6 - 12.4	2,900	91.6	87.6 - 94.4	3,200
<b>No</b>	200	6.8	3.9 - 11.7	2,400	93.2	88.3 - 96.1	2,600

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	600	9.9	7.4 - 13.0	5,100	90.1	87.0 - 92.6	5,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	8.8	5.5 - 13.9	700	91.2	86.1 - 94.5	700
<b>Honolulu</b>	400	9.5	6.4 - 14.0	3,600	90.5	86.0 - 93.6	4,000
<b>Kauai</b>	<50	8.0	3.3 - 18.0	200	92.0	82.0 - 96.7	200
<b>Maui</b>	100	13.7	8.9 - 20.5	500	86.3	79.5 - 91.1	600

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	9.9	5.0 - 18.5	1,000	90.1	81.5 - 95.0	1,100
Native Hawaiian	200	9.6	7.3 - 12.7	1,800	90.4	87.3 - 92.7	2,000
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	100	8.8	3.6 - 20.0	900	91.2	80.0 - 96.4	1,000
Japanese	100	14.2	5.6 - 31.4	400	85.8	68.6 - 94.4	500
Other	100	6.3	1.8 - 19.3	900	93.7	80.7 - 98.2	900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	8.3	3.3 - 19.0	800	91.7	81.0 - 96.7	800
20-24	200	12.9	8.4 - 19.3	1,500	87.1	80.7 - 91.6	1,700
25-34	200	11.1	7.1 - 17.0	2,000	88.9	83.0 - 92.9	2,200
35+	<50	1.5	0.4 - 5.4	800	98.5	94.6 - 99.6	800

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	10.2	6.7 - 15.4	2,400	89.8	84.6 - 93.3	2,700
Female	300	9.5	6.4 - 13.8	2,600	90.5	86.2 - 93.6	2,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	6.4	4.0 - 10.1	2,900	93.6	89.9 - 96.0	3,100
No	400	14.0	9.8 - 19.7	2,200	86.0	80.3 - 90.2	2,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	12.3	8.7 - 17.1	2,400	87.7	82.9 - 91.3	2,700
131-185%	100	5.5	2.6 - 11.4	1,000	94.5	88.6 - 97.4	1,100
186+%	100	10.8	5.4 - 20.3	1,000	89.2	79.7 - 94.6	1,100

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	200	13.8	9.0 - 20.4	1,400	86.2	79.6 - 91.0	1,700
\$15,001-\$25,000	100	8.8	4.1 - 18.2	800	91.2	81.8 - 95.9	800
\$25,001-\$40,000	100	8.0	4.3 - 14.3	1,200	92.0	85.7 - 95.7	1,300
>=\$40,001	100	8.5	4.4 - 15.9	1,300	91.5	84.1 - 95.6	1,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	20.1	8.1 - 41.7	300	79.9	58.3 - 91.9	400
Normal birth weight	500	9.0	6.7 - 12.1	4,700	91.0	87.9 - 93.3	5,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	8.4	4.1 - 16.5	700	91.6	83.5 - 95.9	800
No	500	10.2	7.5 - 13.8	4,300	89.8	86.2 - 92.5	4,800

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	10.0	6.2 - 15.6	1,500	90.0	84.4 - 93.8	1,600
<b>No</b>	400	9.4	6.4 - 13.5	3,500	90.6	86.5 - 93.6	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	10.5	7.2 - 15.2	2,600	89.5	84.8 - 92.8	2,900
<b>No</b>	200	9.2	5.9 - 14.0	2,500	90.8	86.0 - 94.1	2,700

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	700	12.0	9.7 - 14.8	4,800	88.0	85.2 - 90.3	5,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	13.4	9.1 - 19.4	600	86.6	80.6 - 90.9	700
<b>Honolulu</b>	500	12.7	9.7 - 16.4	3,300	87.3	83.6 - 90.3	3,800
<b>Kauai</b>	<50	6.7	2.9 - 14.5	300	93.3	85.5 - 97.1	400
<b>Maui</b>	100	9.4	5.8 - 15.0	500	90.6	85.0 - 94.2	600



**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	15.0	8.6 - 25.0	700	85.0	75.0 - 91.4	800
Native Hawaiian	300	13.5	11.1 - 16.4	1,600	86.5	83.6 - 88.9	1,900
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	200
Filipino	100	8.6	4.6 - 15.4	1,200	91.4	84.6 - 95.4	1,300
Japanese	100	17.6	8.9 - 31.7	400	82.4	68.3 - 91.1	500
Other	100	9.6	4.3 - 20.1	700	90.4	79.9 - 95.7	800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	11.9	7.4 - 18.5	800	88.1	81.5 - 92.6	900
20-24	200	10.8	7.4 - 15.4	1,500	89.2	84.6 - 92.6	1,700
25-34	300	14.5	10.6 - 19.6	1,900	85.5	80.4 - 89.4	2,300
35+	<50	6.8	2.7 - 16.3	600	93.2	83.7 - 97.3	600

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	10.7	7.8 - 14.3	2,500	89.3	85.7 - 92.2	2,800
Female	400	13.4	10.0 - 17.7	2,300	86.6	82.3 - 90.0	2,700

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	11.2	8.2 - 15.2	2,600	88.8	84.8 - 91.8	2,900
No	300	13.0	9.8 - 17.0	2,200	87.0	83.0 - 90.2	2,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	12.2	9.3 - 15.8	2,300	87.8	84.2 - 90.7	2,600
131-185%	100	10.3	6.2 - 16.6	1,000	89.7	83.4 - 93.8	1,100
186+%	200	15.1	9.4 - 23.3	1,000	84.9	76.7 - 90.6	1,200

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	200	12.5	8.9 - 17.1	1,300	87.5	82.9 - 91.1	1,500
\$15,001-\$25,000	100	10.5	5.9 - 18.0	700	89.5	82.0 - 94.1	800
\$25,001-\$40,000	100	10.6	6.7 - 16.5	1,100	89.4	83.5 - 93.3	1,200
>=\$40,001	200	13.9	9.1 - 20.9	1,300	86.1	79.1 - 90.9	1,500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	12.4	6.1 - 23.7	400	87.6	76.3 - 93.9	400
Normal birth weight	600	12.0	9.6 - 14.9	4,500	88.0	85.1 - 90.4	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	8.0	5.3 - 12.0	800	92.0	88.0 - 94.7	800
No	600	13.0	10.4 - 16.3	3,900	87.0	83.7 - 89.6	4,500

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	12.5	8.8 - 17.5	1,300	87.5	82.5 - 91.2	1,500
<b>No</b>	400	12.1	9.2 - 15.7	3,200	87.9	84.3 - 90.8	3,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	11.8	9.0 - 15.3	2,400	88.2	84.7 - 91.0	2,800
<b>No</b>	300	12.2	8.8 - 16.7	2,400	87.8	83.3 - 91.2	2,700

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	700	13.1	10.8 - 16.0	4,800	86.9	84.0 - 89.2	5,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	11.0	7.0 - 16.9	600	89.0	83.1 - 93.0	700
<b>Honolulu</b>	500	12.9	10.0 - 16.6	3,500	87.1	83.4 - 90.0	4,100
<b>Kauai</b>	<50	20.3	11.1 - 34.4	200	79.7	65.6 - 88.9	200
<b>Maui</b>	100	14.4	9.3 - 21.5	500	85.6	78.5 - 90.7	600

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	15.7	9.9 - 24.1	800	84.3	75.9 - 90.1	900
Native Hawaiian	200	13.0	10.5 - 16.0	1,600	87.0	84.0 - 89.5	1,800
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	200	14.4	9.0 - 22.4	1,100	85.6	77.6 - 91.0	1,300
Japanese	<50	9.5	3.4 - 23.6	400	90.5	76.4 - 96.6	500
Other	100	10.5	5.6 - 19.0	800	89.5	81.0 - 94.4	900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	11.6	7.3 - 18.0	900	88.4	82.0 - 92.7	1,100
20-24	300	19.3	14.2 - 25.6	1,300	80.7	74.4 - 85.8	1,600
25-34	200	10.5	7.3 - 14.9	1,900	89.5	85.1 - 92.7	2,100
35+	100	9.1	4.7 - 16.7	700	90.9	83.3 - 95.3	700

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	14.5	11.1 - 18.7	2,600	85.5	81.3 - 88.9	3,100
Female	300	11.4	8.5 - 15.2	2,200	88.6	84.8 - 91.5	2,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	13.6	10.4 - 17.6	2,600	86.4	82.4 - 89.6	3,000
No	300	12.6	9.3 - 16.8	2,200	87.4	83.2 - 90.7	2,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	14.4	11.2 - 18.4	2,800	85.6	81.6 - 88.8	3,300
131-185%	100	13.5	8.0 - 21.8	500	86.5	78.2 - 92.0	600
186+%	100	10.9	6.6 - 17.4	1,000	89.1	82.6 - 93.4	1,200

**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	300	16.3	12.0 - 21.7	1,600	83.7	78.3 - 88.0	2,000
\$15,001-\$25,000	100	13.1	8.0 - 20.7	900	86.9	79.3 - 92.0	1,100
\$25,001-\$40,000	100	12.9	8.5 - 19.2	800	87.1	80.8 - 91.5	900
>=\$40,001	100	10.2	6.3 - 16.2	1,100	89.8	83.8 - 93.7	1,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	15.4	7.6 - 28.8	400	84.6	71.2 - 92.4	400
Normal birth weight	700	13.0	10.6 - 16.0	4,400	87.0	84.0 - 89.4	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	11.9	6.8 - 20.1	500	88.1	79.9 - 93.2	600
No	600	13.7	11.0 - 16.9	4,100	86.3	83.1 - 89.0	4,700



**PRAMS Health Indicator Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	11.4	7.8 - 16.4	1,300	88.6	83.6 - 92.2	1,400
<b>No</b>	500	14.1	11.1 - 17.8	3,300	85.9	82.2 - 88.9	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	15.3	11.8 - 19.6	2,500	84.7	80.4 - 88.2	2,900
<b>No</b>	300	11.3	8.3 - 15.2	2,300	88.7	84.8 - 91.7	2,600