

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
No contraception at conception- thought couldn't get pregnant	No contraception at conception- thought couldn't get pregnant

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/10/17*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	1,400	24.6	21.4 - 28.1	4,200	75.4	71.9 - 78.6	5,600
2001	1,400	24.7	21.5 - 28.0	4,100	75.3	72.0 - 78.5	5,500
2002	1,100	19.9	16.5 - 23.9	4,500	80.1	76.1 - 83.5	5,600
2003	1,300	22.0	18.5 - 26.1	4,500	78.0	73.9 - 81.5	5,800
2004	1,000	20.8	17.6 - 24.4	4,000	79.2	75.6 - 82.4	5,000
2005	1,400	26.8	23.2 - 30.8	3,900	73.2	69.2 - 76.8	5,300
2006	1,600	28.9	24.8 - 33.3	3,800	71.1	66.7 - 75.2	5,400
2007	1,600	26.9	23.1 - 30.9	4,300	73.1	69.1 - 76.9	5,800
2008	1,300	25.6	21.8 - 29.8	3,900	74.4	70.2 - 78.2	5,200
2009	1,700	28.7	23.8 - 34.1	4,200	71.3	65.9 - 76.2	5,800
2010	1,500	26.4	21.6 - 31.9	4,100	73.6	68.1 - 78.4	5,500
2011	1,500	29.7	24.3 - 35.7	3,500	70.3	64.3 - 75.7	5,000
2012	1,600	28.5	23.4 - 34.2	3,900	71.5	65.8 - 76.6	5,500
2013	1,600	27.9	22.7 - 33.8	4,200	72.1	66.2 - 77.3	5,800

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*



**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,600	27.9	22.7 - 33.8	4,200	72.1	66.2 - 77.3	5,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	300	35.3	26.4 - 45.4	500	64.7	54.6 - 73.6	700
<b>Honolulu</b>	1,200	27.5	20.7 - 35.5	3,000	72.5	64.5 - 79.3	4,200
<b>Kauai</b>	100	24.1	16.6 - 33.6	200	75.9	66.4 - 83.4	200
<b>Maui</b>	100	23.2	15.9 - 32.5	500	76.8	67.5 - 84.1	600

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	23.2	13.1 - 37.6	900	76.8	62.4 - 86.9	1,200
Native Hawaiian	700	29.5	21.8 - 38.6	1,600	70.5	61.4 - 78.2	2,200
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	300
Filipino	300	38.4	24.3 - 54.7	500	61.6	45.3 - 75.7	900
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	600
Other	200	37.5	21.1 - 57.4	400	62.5	42.6 - 78.9	600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	41.0	22.1 - 63.1	200	59.0	36.9 - 77.9	400
20-24	600	31.2	21.6 - 42.7	1,200	68.8	57.3 - 78.4	1,800
25-34	700	23.6	16.7 - 32.2	2,100	76.4	67.8 - 83.3	2,800
35+	200	29.3	17.8 - 44.3	600	70.7	55.7 - 82.2	800

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	700	25.5	18.6 - 34.0	1,900	74.5	66.0 - 81.4	2,600
Female	1,000	29.8	22.6 - 38.2	2,300	70.2	61.8 - 77.4	3,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	25.7	18.3 - 34.8	2,100	74.3	65.2 - 81.7	2,900
No	900	30.1	23.1 - 38.1	2,000	69.9	61.9 - 76.9	2,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	37.6	29.5 - 46.6	1,700	62.4	53.4 - 70.5	2,800
131-185%	200	17.6	8.1 - 34.1	700	82.4	65.9 - 91.9	900
186+%	200	13.8	7.4 - 24.3	1,300	86.2	75.7 - 92.6	1,500

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	800	40.4	30.7 - 50.9	1,200	59.6	49.1 - 69.3	2,000
\$17,001-\$26,000	300	33.1	19.3 - 50.6	600	66.9	49.4 - 80.7	900
\$26,001-\$51,000	200	18.4	9.9 - 31.6	1,000	81.6	68.4 - 90.1	1,200
>=\$51,001	200	13.1	6.7 - 24.0	1,100	86.9	76.0 - 93.3	1,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	40.7	32.1 - 49.9	200	59.3	50.1 - 67.9	400
Normal birth weight	1,500	27.0	21.5 - 33.3	3,900	73.0	66.7 - 78.5	5,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	50.3	29.0 - 71.5	200	49.7	28.5 - 71.0	400
No	1,400	26.6	21.3 - 32.7	3,900	73.4	67.3 - 78.7	5,300

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	33.6	22.1 - 47.3	800	66.4	52.7 - 77.9	1,200
<b>No</b>	1,200	26.9	21.1 - 33.5	3,300	73.1	66.5 - 78.9	4,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,000	34.1	26.5 - 42.6	2,000	65.9	57.4 - 73.5	3,000
<b>No</b>	600	21.5	14.9 - 29.8	2,100	78.5	70.2 - 85.1	2,700



**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,600	28.5	23.4 - 34.2	3,900	71.5	65.8 - 76.6	5,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	300	34.5	26.4 - 43.6	500	65.5	56.4 - 73.6	800
<b>Honolulu</b>	1,100	28.0	21.3 - 35.9	2,800	72.0	64.1 - 78.7	3,900
<b>Kauai</b>	<50	19.0	11.3 - 30.1	200	81.0	69.9 - 88.7	200
<b>Maui</b>	200	27.1	19.4 - 36.5	400	72.9	63.5 - 80.6	600

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	18.4	9.7 - 32.1	700	81.6	67.9 - 90.3	900
Native Hawaiian	600	33.6	24.7 - 43.8	1,200	66.4	56.2 - 75.3	1,800
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	200
Filipino	300	26.8	16.6 - 40.3	800	73.2	59.7 - 83.4	1,100
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	300
Other	400	37.5	25.5 - 51.2	700	62.5	48.8 - 74.5	1,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	55.4	34.5 - 74.5	200	44.6	25.5 - 65.5	500
20-24	400	28.4	19.0 - 40.2	1,000	71.6	59.8 - 81.0	1,400
25-34	700	25.4	18.8 - 33.5	2,000	74.6	66.5 - 81.2	2,700
35+	200	22.2	12.9 - 35.4	700	77.8	64.6 - 87.1	900

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	30.9	23.3 - 39.6	1,800	69.1	60.4 - 76.7	2,600
Female	800	26.4	19.8 - 34.1	2,200	73.6	65.9 - 80.2	3,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	18.1	12.6 - 25.4	2,200	81.9	74.6 - 87.4	2,600
No	1,100	37.9	30.3 - 46.2	1,800	62.1	53.8 - 69.7	2,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	35.0	27.3 - 43.6	1,700	65.0	56.4 - 72.7	2,700
131-185%	200	23.1	12.9 - 37.8	600	76.9	62.2 - 87.1	800
186+%	200	12.3	6.8 - 21.2	1,100	87.7	78.8 - 93.2	1,300

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	800	41.8	31.9 - 52.4	1,100	58.2	47.6 - 68.1	1,900
\$17,001-\$26,000	300	31.7	19.7 - 46.7	600	68.3	53.3 - 80.3	900
\$26,001-\$51,000	200	17.5	10.0 - 28.8	900	82.5	71.2 - 90.0	1,000
>=\$51,001	200	13.6	7.3 - 24.0	1,000	86.4	76.0 - 92.7	1,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	29.0	20.8 - 38.9	300	71.0	61.1 - 79.2	400
Normal birth weight	1,400	28.1	22.7 - 34.1	3,700	71.9	65.9 - 77.3	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	33.8	17.1 - 55.8	300	66.2	44.2 - 82.9	400
No	1,400	29.0	23.6 - 35.2	3,400	71.0	64.8 - 76.4	4,900

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	27.2	17.4 - 39.8	800	72.8	60.2 - 82.6	1,100
<b>No</b>	1,200	29.9	23.9 - 36.7	2,900	70.1	63.3 - 76.1	4,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,000	33.3	26.3 - 41.1	2,100	66.7	58.9 - 73.7	3,100
<b>No</b>	500	20.0	13.7 - 28.1	1,900	80.0	71.9 - 86.3	2,300

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,500	29.7	24.3 - 35.7	3,500	70.3	64.3 - 75.7	5,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	29.7	21.5 - 39.4	500	70.3	60.6 - 78.5	700
<b>Honolulu</b>	1,100	30.3	23.1 - 38.7	2,500	69.7	61.3 - 76.9	3,500
<b>Kauai</b>	100	25.2	16.9 - 35.9	200	74.8	64.1 - 83.1	300
<b>Maui</b>	200	27.5	20.3 - 36.1	400	72.5	63.9 - 79.7	500

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	25.3	15.3 - 38.8	800	74.7	61.2 - 84.7	1,000
Native Hawaiian	500	28.3	20.2 - 38.2	1,200	71.7	61.8 - 79.8	1,700
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	300	29.3	18.4 - 43.3	700	70.7	56.7 - 81.6	1,000
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	500
Other	300	41.8	25.4 - 60.3	400	58.2	39.7 - 74.6	700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	53.0	33.1 - 72.1	200	47.0	27.9 - 66.9	400
20-24	500	31.5	21.9 - 43.0	1,100	68.5	57.0 - 78.1	1,600
25-34	400	18.9	13.1 - 26.5	1,800	81.1	73.5 - 86.9	2,300
35+	300	45.9	31.3 - 61.3	400	54.1	38.7 - 68.7	700

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	30.6	23.2 - 39.2	1,800	69.4	60.8 - 76.8	2,500
Female	700	28.7	21.3 - 37.4	1,800	71.3	62.6 - 78.7	2,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	28.6	21.3 - 37.3	1,900	71.4	62.7 - 78.7	2,600
No	700	30.8	23.3 - 39.4	1,700	69.2	60.6 - 76.7	2,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	38.5	30.0 - 47.7	1,400	61.5	52.3 - 70.0	2,300
131-185%	100	11.1	5.0 - 22.8	600	88.9	77.2 - 95.0	600
186+%	400	23.5	15.6 - 33.8	1,300	76.5	66.2 - 84.4	1,700



**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	39.4	27.8 - 52.4	700	60.6	47.6 - 72.2	1,200
\$10,000-\$24,999	400	34.5	23.0 - 48.2	700	65.5	51.8 - 77.0	1,100
\$25,000-\$49,999	200	19.6	11.9 - 30.7	900	80.4	69.3 - 88.1	1,100
>=\$50,000	300	24.5	15.1 - 37.3	900	75.5	62.7 - 84.9	1,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	41.6	31.6 - 52.4	200	58.4	47.6 - 68.4	400
Normal birth weight	1,300	28.8	23.1 - 35.2	3,300	71.2	64.8 - 76.9	4,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	20.1	7.2 - 44.9	200	79.9	55.1 - 92.8	300
No	1,400	30.4	24.7 - 36.6	3,300	69.6	63.4 - 75.3	4,700

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	17.4	11.5 - 25.6	1,000	82.6	74.4 - 88.5	1,200
<b>No</b>	1,300	33.5	26.9 - 40.8	2,500	66.5	59.2 - 73.1	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	900	31.8	24.5 - 40.1	1,800	68.2	59.9 - 75.5	2,700
<b>No</b>	600	27.7	20.1 - 36.9	1,700	72.3	63.1 - 79.9	2,300

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,500	26.4	21.6 - 31.9	4,100	73.6	68.1 - 78.4	5,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	29.0	21.4 - 38.0	500	71.0	62.0 - 78.6	700
<b>Honolulu</b>	1,000	25.1	18.8 - 32.6	3,000	74.9	67.4 - 81.2	4,000
<b>Kauai</b>	100	26.5	18.0 - 37.1	200	73.5	62.9 - 82.0	200
<b>Maui</b>	200	32.0	24.4 - 40.7	400	68.0	59.3 - 75.6	600

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	19.6	11.2 - 32.0	1,000	80.4	68.0 - 88.8	1,200
Native Hawaiian	600	33.3	24.8 - 43.0	1,200	66.7	57.0 - 75.2	1,900
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	200
Filipino	300	26.6	16.2 - 40.4	800	73.4	59.6 - 83.8	1,000
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	200
Other	300	30.0	18.6 - 44.5	700	70.0	55.5 - 81.4	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	40.2	24.0 - 58.8	300	59.8	41.2 - 76.0	500
20-24	500	31.2	21.7 - 42.7	1,100	68.8	57.3 - 78.3	1,500
25-34	600	24.0	17.7 - 31.8	1,900	76.0	68.2 - 82.3	2,600
35+	200	17.8	8.7 - 32.8	800	82.2	67.2 - 91.3	900

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	28.5	21.7 - 36.4	2,000	71.5	63.6 - 78.3	2,700
Female	700	24.3	17.8 - 32.3	2,100	75.7	67.7 - 82.2	2,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	20.5	14.6 - 27.9	2,400	79.5	72.1 - 85.4	3,000
No	800	33.4	26.0 - 41.7	1,700	66.6	58.3 - 74.0	2,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	800	32.0	24.4 - 40.6	1,700	68.0	59.4 - 75.6	2,500
131-185%	200	24.8	13.6 - 40.9	500	75.2	59.1 - 86.4	700
186+%	300	17.0	10.9 - 25.5	1,600	83.0	74.5 - 89.1	1,900

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	38.6	28.0 - 50.3	800	61.4	49.7 - 72.0	1,300
\$10,000-\$24,999	300	30.5	19.2 - 44.8	800	69.5	55.2 - 80.8	1,100
\$25,000-\$49,999	200	15.2	9.4 - 23.7	1,100	84.8	76.3 - 90.6	1,300
>=\$50,000	300	20.0	12.2 - 30.9	1,100	80.0	69.1 - 87.8	1,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	36.4	26.6 - 47.4	200	63.6	52.6 - 73.4	300
Normal birth weight	1,300	25.8	20.7 - 31.6	3,900	74.2	68.4 - 79.3	5,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	33.9	20.3 - 50.8	500	66.1	49.2 - 79.7	700
No	1,200	24.8	19.7 - 30.6	3,600	75.2	69.4 - 80.3	4,800

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	500	29.4	20.5 - 40.1	1,100	70.6	59.9 - 79.5	1,600
<b>No</b>	1,000	24.6	19.1 - 31.1	2,900	75.4	68.9 - 80.9	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	29.6	22.9 - 37.3	2,000	70.4	62.7 - 77.1	2,900
<b>No</b>	600	23.5	16.8 - 31.8	2,000	76.5	68.2 - 83.2	2,600

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,700	28.7	23.8 - 34.1	4,200	71.3	65.9 - 76.2	5,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	27.2	20.0 - 35.8	600	72.8	64.2 - 80.0	800
<b>Honolulu</b>	1,200	29.5	22.9 - 37.1	2,900	70.5	62.9 - 77.1	4,100
<b>Kauai</b>	100	23.3	15.7 - 33.1	200	76.7	66.9 - 84.3	300
<b>Maui</b>	200	27.6	20.6 - 36.0	500	72.4	64.0 - 79.4	600



**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	19.1	10.3 - 32.7	600	80.9	67.3 - 89.7	800
Native Hawaiian	600	25.7	18.8 - 34.1	1,700	74.3	65.9 - 81.2	2,300
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	300
Filipino	300	34.6	22.5 - 49.0	600	65.4	51.0 - 77.5	1,000
Japanese	100	24.2	11.4 - 44.3	400	75.8	55.7 - 88.6	500
Other	400	42.3	28.7 - 57.2	600	57.7	42.8 - 71.3	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	36.6	24.2 - 51.1	600	63.4	48.9 - 75.8	900
20-24	400	23.5	15.3 - 34.2	1,200	76.5	65.8 - 84.7	1,600
25-34	600	24.5	17.7 - 32.9	1,900	75.5	67.1 - 82.3	2,500
35+	400	40.9	27.7 - 55.6	500	59.1	44.4 - 72.3	900

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	28.9	22.1 - 36.9	2,100	71.1	63.1 - 77.9	2,900
Female	800	28.4	21.7 - 36.2	2,100	71.6	63.8 - 78.3	2,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	25.4	18.6 - 33.7	1,900	74.6	66.3 - 81.4	2,600
No	1,000	31.3	24.6 - 38.8	2,200	68.7	61.2 - 75.4	3,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	31.8	24.6 - 40.0	2,000	68.2	60.0 - 75.4	2,900
131-185%	200	28.9	17.2 - 44.2	600	71.1	55.8 - 82.8	900
186+%	300	20.9	13.3 - 31.1	1,200	79.1	68.9 - 86.7	1,500

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	28.3	19.2 - 39.7	1,100	71.7	60.3 - 80.8	1,500
\$10,000-\$24,999	500	35.8	25.6 - 47.5	900	64.2	52.5 - 74.4	1,300
\$25,000-\$49,999	400	31.3	21.1 - 43.7	900	68.7	56.3 - 78.9	1,300
>=\$50,000	200	16.6	9.2 - 28.1	900	83.4	71.9 - 90.8	1,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	20.8	14.4 - 29.0	300	79.2	71.0 - 85.6	400
Normal birth weight	1,600	28.9	23.7 - 34.7	3,800	71.1	65.3 - 76.3	5,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	25.7	14.7 - 40.8	700	74.3	59.2 - 85.3	900
No	1,400	28.8	23.4 - 34.8	3,400	71.2	65.2 - 76.6	4,800

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	500	27.1	18.9 - 37.2	1,300	72.9	62.8 - 81.1	1,800
<b>No</b>	1,100	29.0	23.1 - 35.7	2,700	71.0	64.3 - 76.9	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	25.9	19.6 - 33.3	2,200	74.1	66.7 - 80.4	3,000
<b>No</b>	800	30.7	23.4 - 39.2	1,800	69.3	60.8 - 76.6	2,700

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,300	25.6	21.8 - 29.8	3,900	74.4	70.2 - 78.2	5,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	19.4	10.8 - 32.3	500	80.6	67.7 - 89.2	600
<b>Honolulu</b>	900	25.5	21.1 - 30.5	2,700	74.5	69.5 - 78.9	3,600
<b>Kauai</b>	n/r	n/r	n/r	n/r	n/r	n/r	300
<b>Maui</b>	200	32.0	21.2 - 45.1	500	68.0	54.9 - 78.8	700

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	24.7	16.8 - 34.8	700	75.3	65.2 - 83.2	900
Native Hawaiian	400	23.9	17.6 - 31.5	1,400	76.1	68.5 - 82.4	1,900
Chinese	<50	31.7	19.5 - 46.9	100	68.3	53.1 - 80.5	100
Filipino	300	31.1	22.7 - 40.9	600	68.9	59.1 - 77.3	900
Japanese	100	18.9	9.8 - 33.3	400	81.1	66.7 - 90.2	500
Other	200	27.0	18.0 - 38.4	700	73.0	61.6 - 82.0	900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	33.5	20.9 - 49.0	300	66.5	51.0 - 79.1	500
20-24	400	29.1	21.6 - 37.9	1,000	70.9	62.1 - 78.4	1,400
25-34	500	19.2	14.6 - 24.8	2,000	80.8	75.2 - 85.4	2,500
35+	300	35.0	25.2 - 46.2	500	65.0	53.8 - 74.8	800

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	28.5	23.3 - 34.4	2,100	71.5	65.6 - 76.7	2,900
Female	500	21.8	16.7 - 27.9	1,800	78.2	72.1 - 83.3	2,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	24.8	19.9 - 30.5	2,000	75.2	69.5 - 80.1	2,700
No	700	26.4	20.9 - 32.9	1,900	73.6	67.1 - 79.1	2,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	800	29.6	23.9 - 35.9	1,900	70.4	64.1 - 76.1	2,700
131-185%	100	21.5	12.8 - 33.9	500	78.5	66.1 - 87.2	600
186+%	300	20.1	14.7 - 26.9	1,300	79.9	73.1 - 85.3	1,700

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	32.2	24.3 - 41.2	1,000	67.8	58.8 - 75.7	1,400
\$10,000-\$24,999	300	22.7	15.9 - 31.4	1,000	77.3	68.6 - 84.1	1,300
\$25,000-\$49,999	200	21.1	14.3 - 30.0	900	78.9	70.0 - 85.7	1,100
>=\$50,000	300	25.2	18.2 - 33.7	900	74.8	66.3 - 81.8	1,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	n/r	n/r	n/r	n/r	n/r	n/r	300
Normal birth weight	1,200	25.4	21.5 - 29.7	3,600	74.6	70.3 - 78.5	4,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	15.7	8.5 - 27.2	600	84.3	72.8 - 91.5	700
No	1,200	27.1	23.0 - 31.7	3,200	72.9	68.3 - 77.0	4,400



**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	16.3	10.8 - 24.0	1,100	83.7	76.0 - 89.2	1,300
<b>No</b>	1,100	28.7	24.2 - 33.8	2,700	71.3	66.2 - 75.8	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	27.0	21.7 - 33.0	2,000	73.0	67.0 - 78.3	2,800
<b>No</b>	600	23.8	18.6 - 29.9	1,800	76.2	70.1 - 81.4	2,300

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,600	26.9	23.1 - 30.9	4,300	73.1	69.1 - 76.9	5,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	300	33.7	23.5 - 45.7	600	66.3	54.3 - 76.5	900
<b>Honolulu</b>	1,000	24.5	20.3 - 29.4	3,000	75.5	70.6 - 79.7	3,900
<b>Kauai</b>	100	26.5	14.6 - 43.1	300	73.5	56.9 - 85.4	400
<b>Maui</b>	200	32.3	21.2 - 45.8	400	67.7	54.2 - 78.8	600

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	25.5	17.7 - 35.2	800	74.5	64.8 - 82.3	1,000
Native Hawaiian	500	23.3	17.2 - 30.7	1,500	76.7	69.3 - 82.8	2,000
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	300	31.1	23.0 - 40.5	700	68.9	59.5 - 77.0	1,000
Japanese	100	18.8	10.3 - 31.9	500	81.2	68.1 - 89.7	600
Other	400	36.0	26.7 - 46.6	700	64.0	53.4 - 73.3	1,100

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	37.1	25.7 - 50.1	500	62.9	49.9 - 74.3	900
20-24	500	30.1	23.2 - 38.0	1,200	69.9	62.0 - 76.8	1,700
25-34	600	22.1	17.2 - 27.9	2,000	77.9	72.1 - 82.8	2,500
35+	200	24.0	15.7 - 34.8	500	76.0	65.2 - 84.3	700

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	27.5	22.4 - 33.3	2,200	72.5	66.7 - 77.6	3,000
Female	700	26.2	21.0 - 32.2	2,100	73.8	67.8 - 79.0	2,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	21.3	16.7 - 26.7	2,100	78.7	73.3 - 83.3	2,700
No	1,000	31.6	26.1 - 37.6	2,200	68.4	62.4 - 73.9	3,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	33.3	27.7 - 39.5	2,000	66.7	60.5 - 72.3	3,000
131-185%	200	22.6	14.1 - 34.1	600	77.4	65.9 - 85.9	800
186+%	300	16.7	11.8 - 23.1	1,400	83.3	76.9 - 88.2	1,700

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	600	40.0	31.5 - 49.1	900	60.0	50.9 - 68.5	1,500
\$10,000-\$24,999	400	28.0	21.0 - 36.2	1,100	72.0	63.8 - 79.0	1,500
\$25,000-\$49,999	200	16.2	10.5 - 24.2	1,000	83.8	75.8 - 89.5	1,200
>=\$50,000	200	19.2	13.1 - 27.2	1,000	80.8	72.8 - 86.9	1,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	30.1	18.2 - 45.4	400	69.9	54.6 - 81.8	500
Normal birth weight	1,400	26.6	22.7 - 30.8	3,900	73.4	69.2 - 77.3	5,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	27.8	17.7 - 40.8	500	72.2	59.2 - 82.3	600
No	1,300	26.4	22.5 - 30.8	3,800	73.6	69.2 - 77.5	5,100

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	500	30.0	22.6 - 38.5	1,100	70.0	61.5 - 77.4	1,500
<b>No</b>	1,100	25.3	21.1 - 30.1	3,200	74.7	69.9 - 78.9	4,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,000	31.7	26.3 - 37.6	2,200	68.3	62.4 - 73.7	3,200
<b>No</b>	600	21.8	16.9 - 27.7	2,000	78.2	72.3 - 83.1	2,500

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,600	28.9	24.8 - 33.3	3,800	71.1	66.7 - 75.2	5,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	36.3	23.9 - 50.9	400	63.7	49.1 - 76.1	600
<b>Honolulu</b>	1,100	27.8	23.1 - 32.9	2,800	72.2	67.1 - 76.9	3,900
<b>Kauai</b>	n/r	n/r	n/r	n/r	n/r	n/r	300
<b>Maui</b>	200	26.9	16.4 - 40.7	500	73.1	59.3 - 83.6	600

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	19.0	11.8 - 29.1	700	81.0	70.9 - 88.2	900
Native Hawaiian	500	28.1	21.2 - 36.2	1,300	71.9	63.8 - 78.8	1,900
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	200	29.0	20.1 - 40.0	600	71.0	60.0 - 79.9	800
Japanese	100	32.9	19.7 - 49.4	300	67.1	50.6 - 80.3	500
Other	400	35.7	26.8 - 45.8	800	64.3	54.2 - 73.2	1,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	49.3	35.5 - 63.1	300	50.7	36.9 - 64.5	600
20-24	400	25.2	18.6 - 33.3	1,300	74.8	66.7 - 81.4	1,700
25-34	600	25.2	19.6 - 31.9	1,800	74.8	68.1 - 80.4	2,300
35+	200	31.3	21.6 - 43.1	500	68.7	56.9 - 78.4	700



**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	30.0	24.1 - 36.6	1,800	70.0	63.4 - 75.9	2,500
Female	800	27.9	22.6 - 34.0	2,100	72.1	66.0 - 77.4	2,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	21.1	16.4 - 26.8	2,100	78.9	73.2 - 83.6	2,700
No	1,000	36.6	30.3 - 43.3	1,700	63.4	56.7 - 69.7	2,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	34.4	28.2 - 41.3	1,700	65.6	58.7 - 71.8	2,500
131-185%	200	27.2	17.4 - 39.9	500	72.8	60.1 - 82.6	700
186+%	300	19.9	14.3 - 27.1	1,300	80.1	72.9 - 85.7	1,700

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	31.9	23.8 - 41.3	1,000	68.1	58.7 - 76.2	1,400
\$10,000-\$24,999	500	39.8	31.1 - 49.2	800	60.2	50.8 - 68.9	1,300
\$25,000-\$49,999	200	15.7	9.8 - 24.4	1,000	84.3	75.6 - 90.2	1,100
>=\$50,000	300	23.3	16.0 - 32.7	800	76.7	67.3 - 84.0	1,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	26.7	14.9 - 43.1	300	73.3	56.9 - 85.1	500
Normal birth weight	1,400	29.1	24.9 - 33.7	3,500	70.9	66.3 - 75.1	5,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	27.5	17.9 - 39.7	600	72.5	60.3 - 82.1	900
No	1,300	28.6	24.2 - 33.4	3,200	71.4	66.6 - 75.8	4,400

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	500	30.5	23.1 - 39.2	1,100	69.5	60.8 - 76.9	1,600
<b>No</b>	1,000	27.4	22.8 - 32.7	2,700	72.6	67.3 - 77.2	3,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,000	35.1	29.2 - 41.4	1,900	64.9	58.6 - 70.8	3,000
<b>No</b>	500	22.2	17.0 - 28.5	1,800	77.8	71.5 - 83.0	2,300

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,400	26.8	23.2 - 30.8	3,900	73.2	69.2 - 76.8	5,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	15.6	8.4 - 27.3	600	84.4	72.7 - 91.6	700
<b>Honolulu</b>	1,200	29.0	24.7 - 33.7	2,800	71.0	66.3 - 75.3	4,000
<b>Kauai</b>	n/r	n/r	n/r	n/r	n/r	n/r	200
<b>Maui</b>	100	23.2	12.9 - 38.1	300	76.8	61.9 - 87.1	400

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	20.2	12.8 - 30.4	700	79.8	69.6 - 87.2	900
Native Hawaiian	500	25.2	18.8 - 32.7	1,400	74.8	67.3 - 81.2	1,800
Chinese	<50	23.5	13.5 - 37.7	100	76.5	62.3 - 86.5	100
Filipino	400	37.7	29.2 - 47.0	600	62.3	53.0 - 70.8	1,000
Japanese	100	18.4	10.5 - 30.3	500	81.6	69.7 - 89.5	600
Other	300	30.4	22.0 - 40.3	700	69.6	59.7 - 78.0	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	40.4	29.8 - 51.9	500	59.6	48.1 - 70.2	800
20-24	400	22.8	16.8 - 30.2	1,200	77.2	69.8 - 83.2	1,600
25-34	500	20.6	15.9 - 26.4	1,800	79.4	73.6 - 84.1	2,300
35+	300	41.9	30.7 - 54.1	400	58.1	45.9 - 69.3	600

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	29.1	23.9 - 34.9	2,000	70.9	65.1 - 76.1	2,800
Female	600	24.3	19.4 - 30.0	1,900	75.7	70.0 - 80.6	2,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	23.7	18.8 - 29.4	1,800	76.3	70.6 - 81.2	2,300
No	900	29.3	24.2 - 35.0	2,100	70.7	65.0 - 75.8	3,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	800	29.6	24.2 - 35.7	1,800	70.4	64.3 - 75.8	2,600
131-185%	100	27.7	17.3 - 41.3	400	72.3	58.7 - 82.7	500
186+%	300	22.3	16.5 - 29.4	1,200	77.7	70.6 - 83.5	1,500

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	36.1	28.4 - 44.5	900	63.9	55.5 - 71.6	1,500
\$10,000-\$24,999	200	19.0	13.0 - 26.8	1,000	81.0	73.2 - 87.0	1,300
\$25,000-\$49,999	400	34.2	26.1 - 43.5	700	65.8	56.5 - 73.9	1,100
>=\$50,000	100	15.1	9.1 - 24.0	800	84.9	76.0 - 90.9	900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	35.9	22.9 - 51.3	300	64.1	48.7 - 77.1	400
Normal birth weight	1,300	26.0	22.3 - 30.2	3,600	74.0	69.8 - 77.7	4,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	21.7	13.5 - 33.0	600	78.3	67.0 - 86.5	800
No	1,200	27.6	23.6 - 32.0	3,200	72.4	68.0 - 76.4	4,400

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	500	27.9	21.5 - 35.4	1,300	72.1	64.6 - 78.5	1,800
<b>No</b>	900	26.1	21.7 - 31.1	2,500	73.9	68.9 - 78.3	3,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	28.7	23.6 - 34.3	2,000	71.3	65.7 - 76.4	2,800
<b>No</b>	600	24.0	18.9 - 30.0	1,800	76.0	70.0 - 81.1	2,300



**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,000	20.8	17.6 - 24.4	4,000	79.2	75.6 - 82.4	5,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	15.9	9.3 - 25.8	600	84.1	74.2 - 90.7	700
<b>Honolulu</b>	700	20.9	17.1 - 25.3	2,700	79.1	74.7 - 82.9	3,500
<b>Kauai</b>	n/r	n/r	n/r	n/r	n/r	n/r	200
<b>Maui</b>	100	20.9	12.6 - 32.5	500	79.1	67.5 - 87.4	600

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	14.3	8.5 - 23.1	700	85.7	76.9 - 91.5	800
Native Hawaiian	400	22.8	17.0 - 29.9	1,300	77.2	70.1 - 83.0	1,700
Chinese	<50	13.4	7.8 - 22.2	100	86.6	77.8 - 92.2	100
Filipino	200	21.6	15.6 - 29.2	800	78.4	70.8 - 84.4	1,000
Japanese	100	25.2	15.6 - 38.1	400	74.8	61.9 - 84.4	500
Other	200	19.8	12.7 - 29.6	700	80.2	70.4 - 87.3	900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	41.0	29.1 - 54.2	300	59.0	45.8 - 70.9	500
20-24	300	20.6	15.2 - 27.2	1,300	79.4	72.8 - 84.8	1,700
25-34	300	18.0	13.5 - 23.5	1,600	82.0	76.5 - 86.5	1,900
35+	100	14.1	8.4 - 22.7	700	85.9	77.3 - 91.6	800

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	19.3	15.2 - 24.2	2,200	80.7	75.8 - 84.8	2,800
Female	500	22.6	17.8 - 28.3	1,700	77.4	71.7 - 82.2	2,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	16.1	12.5 - 20.6	2,300	83.9	79.4 - 87.5	2,800
No	600	26.6	21.2 - 32.7	1,600	73.4	67.3 - 78.8	2,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	24.5	19.6 - 30.2	1,800	75.5	69.8 - 80.4	2,400
131-185%	100	15.9	8.8 - 26.9	500	84.1	73.1 - 91.2	600
186+%	300	17.5	12.6 - 23.7	1,200	82.5	76.3 - 87.4	1,500

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	32.2	24.5 - 41.1	800	67.8	58.9 - 75.5	1,200
\$10,000-\$24,999	300	18.0	12.7 - 24.8	1,200	82.0	75.2 - 87.3	1,400
\$25,000-\$49,999	200	19.0	13.0 - 26.9	900	81.0	73.1 - 87.0	1,100
>=\$50,000	100	12.8	7.7 - 20.6	700	87.2	79.4 - 92.3	900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	31.3	17.0 - 50.2	200	68.7	49.8 - 83.0	300
Normal birth weight	1,000	20.2	17.0 - 23.9	3,800	79.8	76.1 - 83.0	4,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	31.5	21.5 - 43.6	500	68.5	56.4 - 78.5	700
No	800	19.3	16.0 - 23.1	3,400	80.7	76.9 - 84.0	4,200

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	500	31.4	24.5 - 39.3	1,000	68.6	60.7 - 75.5	1,500
<b>No</b>	600	16.5	13.2 - 20.5	2,900	83.5	79.5 - 86.8	3,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	24.5	19.9 - 29.8	2,000	75.5	70.2 - 80.1	2,700
<b>No</b>	400	16.9	12.7 - 22.2	1,700	83.1	77.8 - 87.3	2,100

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,300	22.0	18.5 - 26.1	4,500	78.0	73.9 - 81.5	5,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	20.6	15.0 - 27.6	500	79.4	72.4 - 85.0	700
<b>Honolulu</b>	1,000	23.0	18.4 - 28.4	3,200	77.0	71.6 - 81.6	4,200
<b>Kauai</b>	100	18.3	10.8 - 29.3	300	81.7	70.7 - 89.2	300
<b>Maui</b>	100	19.2	13.5 - 26.5	500	80.8	73.5 - 86.5	600

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	15.2	8.0 - 27.1	800	84.8	72.9 - 92.0	900
Native Hawaiian	500	24.6	20.8 - 28.9	1,500	75.4	71.1 - 79.2	2,000
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	200
Filipino	400	28.5	19.5 - 39.6	1,000	71.5	60.4 - 80.5	1,300
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	400
Other	200	20.0	11.4 - 32.8	800	80.0	67.2 - 88.6	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	40.8	30.6 - 51.8	500	59.2	48.2 - 69.4	900
20-24	400	20.0	14.3 - 27.3	1,400	80.0	72.7 - 85.7	1,800
25-34	400	14.9	10.6 - 20.4	2,000	85.1	79.6 - 89.4	2,400
35+	200	27.1	16.5 - 41.1	500	72.9	58.9 - 83.5	800

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	600	19.7	15.4 - 24.7	2,600	80.3	75.3 - 84.6	3,200
<b>Female</b>	600	25.1	19.4 - 31.8	1,900	74.9	68.2 - 80.6	2,600

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	500	16.0	11.6 - 21.6	2,400	84.0	78.4 - 88.4	2,900
<b>No</b>	800	28.1	22.8 - 34.0	2,100	71.9	66.0 - 77.2	2,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	900	26.2	21.3 - 31.8	2,500	73.8	68.2 - 78.7	3,300
<b>131-185%</b>	100	15.3	8.3 - 26.7	600	84.7	73.3 - 91.7	700
<b>186+%</b>	200	14.8	8.0 - 25.6	900	85.2	74.4 - 92.0	1,100



**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	600	26.9	20.7 - 34.1	1,500	73.1	65.9 - 79.3	2,100
\$15,001-\$25,000	200	30.8	21.0 - 42.7	500	69.2	57.3 - 79.0	700
\$25,001-\$40,000	100	11.8	6.6 - 20.2	900	88.2	79.8 - 93.4	1,000
>=\$40,001	200	17.2	10.7 - 26.5	1,200	82.8	73.5 - 89.3	1,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	31.1	17.5 - 49.0	300	68.9	51.0 - 82.5	500
Normal birth weight	1,100	21.2	17.6 - 25.3	4,200	78.8	74.7 - 82.4	5,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	16.3	10.2 - 24.9	700	83.7	75.1 - 89.8	900
No	1,100	22.6	18.6 - 27.1	3,800	77.4	72.9 - 81.4	4,900

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	23.1	17.1 - 30.4	1,300	76.9	69.6 - 82.9	1,700
<b>No</b>	800	21.1	16.8 - 26.3	3,100	78.9	73.7 - 83.2	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	24.9	20.1 - 30.5	2,400	75.1	69.5 - 79.9	3,200
<b>No</b>	500	18.4	13.4 - 24.7	2,100	81.6	75.3 - 86.6	2,600

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,100	19.9	16.5 - 23.9	4,500	80.1	76.1 - 83.5	5,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	17.9	13.2 - 23.8	600	82.1	76.2 - 86.8	700
<b>Honolulu</b>	800	19.5	15.1 - 24.8	3,200	80.5	75.2 - 84.9	4,000
<b>Kauai</b>	<50	12.9	6.4 - 24.6	200	87.1	75.4 - 93.6	200
<b>Maui</b>	200	27.3	20.3 - 35.7	500	72.7	64.3 - 79.7	600

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	16.9	9.9 - 27.2	900	83.1	72.8 - 90.1	1,100
Native Hawaiian	400	21.4	17.8 - 25.5	1,500	78.6	74.5 - 82.2	2,000
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	200	22.5	13.8 - 34.7	800	77.5	65.3 - 86.2	1,000
Japanese	100	16.9	6.5 - 37.5	400	83.1	62.5 - 93.5	500
Other	200	17.0	8.8 - 30.3	800	83.0	69.7 - 91.2	900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	31.6	21.7 - 43.5	600	68.4	56.5 - 78.3	800
20-24	300	17.9	12.8 - 24.5	1,400	82.1	75.5 - 87.2	1,700
25-34	300	14.7	9.9 - 21.4	1,900	85.3	78.6 - 90.1	2,200
35+	200	26.3	17.2 - 38.0	600	73.7	62.0 - 82.8	800

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	22.0	17.0 - 28.0	2,100	78.0	72.0 - 83.0	2,700
Female	500	18.0	13.5 - 23.5	2,400	82.0	76.5 - 86.5	2,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	14.5	10.3 - 20.0	2,600	85.5	80.0 - 89.7	3,100
No	700	26.5	21.3 - 32.6	1,900	73.5	67.4 - 78.7	2,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	23.7	18.7 - 29.6	2,100	76.3	70.4 - 81.3	2,700
131-185%	200	18.3	10.8 - 29.3	900	81.7	70.7 - 89.2	1,100
186+%	100	11.1	5.9 - 19.8	1,000	88.9	80.2 - 94.1	1,100

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	500	27.1	20.5 - 34.9	1,200	72.9	65.1 - 79.5	1,700
\$15,001-\$25,000	200	20.0	12.2 - 30.9	700	80.0	69.1 - 87.8	800
\$25,001-\$40,000	200	17.4	10.6 - 27.1	1,000	82.6	72.9 - 89.4	1,300
>=\$40,001	200	13.6	8.2 - 21.8	1,200	86.4	78.2 - 91.8	1,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	15.2	6.2 - 32.7	400	84.8	67.3 - 93.8	400
Normal birth weight	1,100	20.3	16.7 - 24.4	4,100	79.7	75.6 - 83.3	5,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	18.6	11.0 - 29.8	600	81.4	70.2 - 89.0	800
No	1,000	20.2	16.5 - 24.6	3,800	79.8	75.4 - 83.5	4,800

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	21.0	14.7 - 29.2	1,300	79.0	70.8 - 85.3	1,600
<b>No</b>	800	19.8	15.7 - 24.6	3,100	80.2	75.4 - 84.3	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	600	22.2	17.2 - 28.0	2,300	77.8	72.0 - 82.8	2,900
<b>No</b>	500	17.6	13.1 - 23.3	2,200	82.4	76.7 - 86.9	2,700

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,400	24.7	21.5 - 28.0	4,100	75.3	72.0 - 78.5	5,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	21.9	16.1 - 28.9	600	78.1	71.1 - 83.9	700
<b>Honolulu</b>	1,000	26.6	22.5 - 31.1	2,800	73.4	68.9 - 77.5	3,800
<b>Kauai</b>	100	19.4	12.3 - 29.2	300	80.6	70.8 - 87.7	400
<b>Maui</b>	100	18.6	12.9 - 25.9	500	81.4	74.1 - 87.1	600



**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	17.8	11.1 - 27.3	700	82.2	72.7 - 88.9	800
Native Hawaiian	500	26.0	22.8 - 29.4	1,400	74.0	70.6 - 77.2	1,900
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	200
Filipino	400	29.8	22.1 - 38.9	900	70.2	61.1 - 77.9	1,300
Japanese	100	16.4	8.0 - 30.6	400	83.6	69.4 - 92.0	500
Other	200	28.9	19.6 - 40.4	600	71.1	59.6 - 80.4	800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	32.5	25.4 - 40.4	600	67.5	59.6 - 74.6	900
20-24	400	24.6	19.5 - 30.4	1,300	75.4	69.6 - 80.5	1,700
25-34	500	21.9	17.0 - 27.7	1,800	78.1	72.3 - 83.0	2,300
35+	200	24.3	15.8 - 35.3	500	75.7	64.7 - 84.2	600

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	700	26.3	21.9 - 31.3	2,100	73.7	68.7 - 78.1	2,800
Female	600	22.9	18.8 - 27.7	2,100	77.1	72.3 - 81.2	2,700

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	19.4	15.4 - 24.2	2,400	80.6	75.8 - 84.6	2,900
No	800	30.7	26.2 - 35.6	1,800	69.3	64.4 - 73.8	2,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	27.5	23.2 - 32.3	1,900	72.5	67.7 - 76.8	2,600
131-185%	300	23.4	16.7 - 31.8	800	76.6	68.2 - 83.3	1,100
186+%	200	18.2	12.2 - 26.2	1,000	81.8	73.8 - 87.8	1,200

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	400	28.6	23.0 - 34.9	1,100	71.4	65.1 - 77.0	1,500
\$15,001-\$25,000	200	22.1	15.3 - 30.7	600	77.9	69.3 - 84.7	800
\$25,001-\$40,000	300	29.0	21.7 - 37.6	800	71.0	62.4 - 78.3	1,200
>=\$40,001	300	18.9	13.8 - 25.3	1,200	81.1	74.7 - 86.2	1,500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	23.6	13.8 - 37.2	300	76.4	62.8 - 86.2	400
Normal birth weight	1,300	24.8	21.5 - 28.3	3,800	75.2	71.7 - 78.5	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	21.5	15.0 - 29.7	600	78.5	70.3 - 85.0	800
No	1,100	25.3	21.8 - 29.2	3,400	74.7	70.8 - 78.2	4,500

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	23.1	18.0 - 29.1	1,200	76.9	70.9 - 82.0	1,500
<b>No</b>	1,000	25.8	21.8 - 30.2	2,700	74.2	69.8 - 78.2	3,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	26.9	22.8 - 31.5	2,000	73.1	68.5 - 77.2	2,800
<b>No</b>	600	22.4	17.9 - 27.6	2,100	77.6	72.4 - 82.1	2,700

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,400	24.6	21.4 - 28.1	4,200	75.4	71.9 - 78.6	5,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	22.2	16.1 - 29.7	500	77.8	70.3 - 83.9	700
<b>Honolulu</b>	1,100	26.0	22.0 - 30.5	3,000	74.0	69.5 - 78.0	4,100
<b>Kauai</b>	<50	17.7	9.2 - 31.3	200	82.3	68.7 - 90.8	200
<b>Maui</b>	100	20.0	13.9 - 27.8	500	80.0	72.2 - 86.1	600

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	16.0	10.7 - 23.1	800	84.0	76.9 - 89.3	900
Native Hawaiian	400	23.4	20.2 - 26.9	1,400	76.6	73.1 - 79.8	1,800
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	100
Filipino	300	25.8	18.9 - 34.2	1,000	74.2	65.8 - 81.1	1,300
Japanese	100	29.6	17.8 - 44.9	300	70.4	55.1 - 82.2	500
Other	300	30.1	20.0 - 42.6	600	69.9	57.4 - 80.0	900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	37.2	29.7 - 45.4	700	62.8	54.6 - 70.3	1,100
20-24	400	23.0	17.8 - 29.2	1,300	77.0	70.8 - 82.2	1,600
25-34	400	18.7	14.0 - 24.6	1,700	81.3	75.4 - 86.0	2,100
35+	200	26.9	18.5 - 37.3	500	73.1	62.7 - 81.5	700

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	25.5	21.2 - 30.3	2,300	74.5	69.7 - 78.8	3,100
Female	600	23.5	18.9 - 28.7	1,900	76.5	71.3 - 81.1	2,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	18.8	14.8 - 23.5	2,400	81.2	76.5 - 85.2	3,000
No	800	31.4	26.6 - 36.6	1,700	68.6	63.4 - 73.4	2,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	26.8	22.6 - 31.4	2,400	73.2	68.6 - 77.4	3,300
131-185%	100	21.3	13.7 - 31.4	500	78.7	68.6 - 86.3	600
186+%	200	17.1	11.5 - 24.6	1,000	82.9	75.4 - 88.5	1,200

**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	600	30.8	25.0 - 37.2	1,400	69.2	62.8 - 75.0	2,000
\$15,001-\$25,000	200	22.8	16.2 - 31.0	800	77.2	69.0 - 83.8	1,100
\$25,001-\$40,000	200	18.2	12.3 - 26.2	800	81.8	73.8 - 87.7	900
>=\$40,001	200	17.8	12.5 - 24.8	1,000	82.2	75.2 - 87.5	1,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	30.3	18.3 - 45.9	300	69.7	54.1 - 81.7	400
Normal birth weight	1,200	24.3	21.0 - 27.9	3,900	75.7	72.1 - 79.0	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	23.8	16.6 - 32.9	500	76.2	67.1 - 83.4	600
No	1,100	24.1	20.6 - 27.9	3,600	75.9	72.1 - 79.4	4,700



**PRAMS Health Indicator Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH  
Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income  
(2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	28.4	22.3 - 35.4	1,000	71.6	64.6 - 77.7	1,400
<b>No</b>	900	22.6	18.8 - 26.8	3,000	77.4	73.2 - 81.2	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	25.3	21.2 - 29.9	2,200	74.7	70.1 - 78.8	2,900
<b>No</b>	600	23.7	18.9 - 29.2	1,900	76.3	70.8 - 81.1	2,600