

**PRAMS Health Indicator Report - Baby placed in ICU after birth- for the State of Hawaii, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
Baby placed in ICU after birth	Baby placed in ICU after birth

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/14/17*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**PRAMS Health Indicator Report - Baby placed in ICU after birth- for the State of Hawaii, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	1,600	9.4	8.2 - 10.7	15,400	90.6	89.3 - 91.8	17,000
2001	1,600	9.6	8.3 - 11.0	14,800	90.4	89.0 - 91.7	16,400
2002	1,700	9.8	8.2 - 11.6	15,300	90.2	88.4 - 91.8	16,900
2003	1,600	9.0	7.5 - 10.7	15,700	91.0	89.3 - 92.5	17,200
2004	1,500	8.5	7.4 - 9.8	16,000	91.5	90.2 - 92.6	17,500
2005	1,500	8.9	7.6 - 10.4	15,600	91.1	89.6 - 92.4	17,200
2006	1,700	9.1	7.8 - 10.6	16,500	90.9	89.4 - 92.2	18,200
2007	1,600	8.8	7.5 - 10.3	16,800	91.2	89.7 - 92.5	18,400
2008	1,500	8.3	7.1 - 9.7	17,000	91.7	90.3 - 92.9	18,500
2009	1,700	9.5	8.0 - 11.3	16,300	90.5	88.7 - 92.0	18,100
2010	1,300	7.2	6.0 - 8.7	17,000	92.8	91.3 - 94.0	18,300
2011	1,700	9.0	7.4 - 10.9	16,700	91.0	89.1 - 92.6	18,300
2012	1,400	7.7	6.4 - 9.4	16,500	92.3	90.6 - 93.6	17,900
2013	1,500	8.5	6.9 - 10.4	16,500	91.5	89.6 - 93.1	18,100

**PRAMS Health Indicator Report - Baby placed in ICU after birth- for the State of Hawaii, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*



**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,500	8.5	6.9 - 10.4	16,500	91.5	89.6 - 93.1	18,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	5.9	3.7 - 9.1	2,200	94.1	90.9 - 96.3	2,400
<b>Honolulu</b>	1,200	9.5	7.4 - 12.1	11,800	90.5	87.9 - 92.6	13,000
<b>Kauai</b>	<50	5.8	3.8 - 8.9	800	94.2	91.1 - 96.2	800
<b>Maui</b>	100	6.1	3.9 - 9.5	1,800	93.9	90.5 - 96.1	1,900

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	10.0	6.7 - 14.7	4,300	90.0	85.3 - 93.3	4,800
Native Hawaiian	500	9.4	6.5 - 13.3	4,900	90.6	86.7 - 93.5	5,400
Chinese	100	8.9	3.8 - 19.4	800	91.1	80.6 - 96.2	900
Filipino	200	7.4	4.6 - 11.6	2,700	92.6	88.4 - 95.4	2,900
Japanese	100	6.7	3.0 - 14.3	1,600	93.3	85.7 - 97.0	1,700
Other	100	6.0	3.4 - 10.4	2,200	94.0	89.6 - 96.6	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	14.2	6.1 - 29.5	700	85.8	70.5 - 93.9	800
20-24	400	9.0	5.6 - 14.1	3,700	91.0	85.9 - 94.4	4,000
25-34	800	8.3	6.3 - 10.9	9,000	91.7	89.1 - 93.7	9,900
35+	200	7.1	4.8 - 10.5	3,100	92.9	89.5 - 95.2	3,400

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	9.2	7.0 - 12.1	8,000	90.8	87.9 - 93.0	8,800
Female	700	7.8	5.8 - 10.5	8,500	92.2	89.5 - 94.2	9,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	8.4	6.5 - 10.8	10,500	91.6	89.2 - 93.5	11,500
No	600	8.7	6.1 - 12.2	6,000	91.3	87.8 - 93.9	6,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	7.9	5.5 - 11.2	6,100	92.1	88.8 - 94.5	6,700
131-185%	300	11.9	7.1 - 19.2	2,200	88.1	80.8 - 92.9	2,500
186+%	600	8.2	5.9 - 11.2	6,600	91.8	88.8 - 94.1	7,200

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	300	8.1	5.3 - 12.3	3,900	91.9	87.7 - 94.7	4,200
\$17,001-\$26,000	300	10.6	5.9 - 18.5	2,100	89.4	81.5 - 94.1	2,400
\$26,001-\$51,000	300	8.6	5.4 - 13.5	3,600	91.4	86.5 - 94.6	3,900
>=\$51,001	500	8.1	5.8 - 11.2	5,600	91.9	88.8 - 94.2	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	46.9	42.0 - 51.9	700	53.1	48.1 - 58.0	1,300
Normal birth weight	900	5.4	3.9 - 7.5	15,800	94.6	92.5 - 96.1	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	8.7	5.2 - 14.1	900	91.3	85.9 - 94.8	1,000
No	1,400	8.5	6.8 - 10.5	15,200	91.5	89.5 - 93.2	16,600

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	12.1	8.0 - 17.7	2,900	87.9	82.3 - 92.0	3,200
<b>No</b>	1,100	7.7	6.0 - 9.7	13,300	92.3	90.3 - 94.0	14,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	10.2	7.5 - 13.6	7,100	89.8	86.4 - 92.5	7,900
<b>No</b>	700	7.3	5.5 - 9.6	9,300	92.7	90.4 - 94.5	10,000



**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,400	7.7	6.4 - 9.4	16,500	92.3	90.6 - 93.6	17,900

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	5.7	3.7 - 8.8	2,100	94.3	91.2 - 96.3	2,200
<b>Honolulu</b>	1,100	8.3	6.5 - 10.5	11,900	91.7	89.5 - 93.5	13,000
<b>Kauai</b>	<50	5.2	2.9 - 9.0	800	94.8	91.0 - 97.1	800
<b>Maui</b>	100	7.1	4.9 - 10.2	1,800	92.9	89.8 - 95.1	1,900

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	9.4	6.3 - 13.8	3,500	90.6	86.2 - 93.7	3,900
Native Hawaiian	300	6.6	4.5 - 9.5	4,700	93.4	90.5 - 95.5	5,100
Chinese	100	8.2	3.6 - 17.8	1,000	91.8	82.2 - 96.4	1,100
Filipino	300	7.7	4.8 - 11.9	3,000	92.3	88.1 - 95.2	3,300
Japanese	100	6.5	2.8 - 14.3	1,500	93.5	85.7 - 97.2	1,600
Other	200	8.1	5.0 - 12.9	2,700	91.9	87.1 - 95.0	3,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	10.1	4.3 - 22.1	900	89.9	77.9 - 95.7	1,000
20-24	200	5.9	3.5 - 9.7	3,400	94.1	90.3 - 96.5	3,600
25-34	700	6.6	5.0 - 8.6	9,300	93.4	91.4 - 95.0	10,000
35+	400	12.5	8.7 - 17.8	2,900	87.5	82.2 - 91.3	3,300

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	8.7	6.6 - 11.3	8,200	91.3	88.7 - 93.4	9,000
Female	600	6.8	5.1 - 9.0	8,400	93.2	91.0 - 94.9	9,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	8.0	6.2 - 10.3	10,100	92.0	89.7 - 93.8	11,000
No	500	7.3	5.4 - 9.8	6,400	92.7	90.2 - 94.6	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	7.4	5.4 - 10.0	5,900	92.6	90.0 - 94.6	6,300
131-185%	300	8.3	4.9 - 13.7	2,800	91.7	86.3 - 95.1	3,000
186+%	500	7.7	5.6 - 10.4	6,300	92.3	89.6 - 94.4	6,800

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	300	8.3	5.6 - 12.1	3,700	91.7	87.9 - 94.4	4,100
\$17,001-\$26,000	100	6.0	3.0 - 11.5	2,000	94.0	88.5 - 97.0	2,100
\$26,001-\$51,000	400	9.0	6.2 - 12.9	4,000	91.0	87.1 - 93.8	4,300
>=\$51,001	400	7.2	5.0 - 10.3	5,400	92.8	89.7 - 95.0	5,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	48.6	43.1 - 54.1	600	51.4	45.9 - 56.9	1,200
Normal birth weight	800	4.7	3.4 - 6.5	15,800	95.3	93.5 - 96.6	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	12.3	7.5 - 19.7	700	87.7	80.3 - 92.5	700
No	1,300	7.7	6.2 - 9.4	15,300	92.3	90.6 - 93.8	16,600

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	9.8	6.4 - 14.8	2,500	90.2	85.2 - 93.6	2,800
<b>No</b>	1,100	7.5	6.0 - 9.4	13,400	92.5	90.6 - 94.0	14,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	600	7.2	5.4 - 9.6	7,600	92.8	90.4 - 94.6	8,200
<b>No</b>	800	8.3	6.3 - 10.7	8,800	91.7	89.3 - 93.7	9,600

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,700	9.0	7.4 - 10.9	16,700	91.0	89.1 - 92.6	18,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	6.3	4.3 - 9.2	2,200	93.7	90.8 - 95.7	2,400
<b>Honolulu</b>	1,300	10.2	8.1 - 12.7	11,800	89.8	87.3 - 91.9	13,100
<b>Kauai</b>	<50	4.0	2.2 - 7.2	800	96.0	92.8 - 97.8	900
<b>Maui</b>	100	6.5	4.6 - 9.2	1,800	93.5	90.8 - 95.4	2,000

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	10.5	7.2 - 15.1	4,000	89.5	84.9 - 92.8	4,500
Native Hawaiian	500	8.6	5.8 - 12.4	4,800	91.4	87.6 - 94.2	5,300
Chinese	100	6.9	2.2 - 19.7	700	93.1	80.3 - 97.8	700
Filipino	300	8.7	5.7 - 13.0	3,000	91.3	87.0 - 94.3	3,300
Japanese	100	3.6	1.5 - 8.6	1,800	96.4	91.4 - 98.5	1,900
Other	300	12.1	8.0 - 18.0	2,300	87.9	82.0 - 92.0	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	15.9	7.9 - 29.6	800	84.1	70.4 - 92.1	1,000
20-24	400	9.9	6.6 - 14.7	3,900	90.1	85.3 - 93.4	4,300
25-34	800	7.6	5.8 - 9.9	9,100	92.4	90.1 - 94.2	9,900
35+	300	10.0	6.6 - 14.9	2,800	90.0	85.1 - 93.4	3,100

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	9.1	7.0 - 11.7	8,500	90.9	88.3 - 93.0	9,400
Female	800	9.0	6.7 - 11.8	8,200	91.0	88.2 - 93.3	9,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	8.2	6.4 - 10.4	10,600	91.8	89.6 - 93.6	11,500
No	700	10.4	7.7 - 14.0	6,100	89.6	86.0 - 92.3	6,800

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	9.4	6.9 - 12.7	5,800	90.6	87.3 - 93.1	6,500
131-185%	300	10.1	6.4 - 15.6	2,500	89.9	84.4 - 93.6	2,800
186+%	600	7.8	5.7 - 10.7	7,400	92.2	89.3 - 94.3	8,100



**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	8.5	5.2 - 13.5	3,000	91.5	86.5 - 94.8	3,200
\$10,000-\$24,999	300	9.2	6.2 - 13.5	3,100	90.8	86.5 - 93.8	3,400
\$25,000-\$49,999	500	11.6	8.0 - 16.3	4,000	88.4	83.7 - 92.0	4,600
>=\$50,000	400	6.5	4.4 - 9.5	5,800	93.5	90.5 - 95.6	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	45.1	39.8 - 50.5	700	54.9	49.5 - 60.2	1,300
Normal birth weight	1,100	6.2	4.7 - 8.3	15,900	93.8	91.7 - 95.3	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	11.2	5.6 - 21.2	800	88.8	78.8 - 94.4	900
No	1,500	8.7	7.1 - 10.5	15,700	91.3	89.5 - 92.9	17,200

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	12.4	8.6 - 17.6	3,100	87.6	82.4 - 91.4	3,500
<b>No</b>	1,200	7.9	6.3 - 9.9	13,500	92.1	90.1 - 93.7	14,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	9.5	7.3 - 12.5	7,400	90.5	87.5 - 92.7	8,100
<b>No</b>	800	8.3	6.3 - 10.9	9,200	91.7	89.1 - 93.7	10,100

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,300	7.2	6.0 - 8.7	17,000	92.8	91.3 - 94.0	18,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	4.2	2.6 - 6.8	2,200	95.8	93.2 - 97.4	2,300
<b>Honolulu</b>	1,000	7.5	6.0 - 9.4	12,200	92.5	90.6 - 94.0	13,200
<b>Kauai</b>	<50	5.8	3.6 - 9.3	800	94.2	90.7 - 96.4	800
<b>Maui</b>	200	9.4	7.0 - 12.7	1,800	90.6	87.3 - 93.0	1,900

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	6.1	4.0 - 9.3	4,200	93.9	90.7 - 96.0	4,500
Native Hawaiian	300	5.7	4.1 - 7.8	5,200	94.3	92.2 - 95.9	5,500
Chinese	100	9.0	5.2 - 15.0	700	91.0	85.0 - 94.8	800
Filipino	200	6.6	4.1 - 10.5	3,000	93.4	89.5 - 95.9	3,200
Japanese	200	10.0	5.8 - 16.6	1,500	90.0	83.4 - 94.2	1,700
Other	300	11.0	6.8 - 17.1	2,300	89.0	82.9 - 93.2	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	11.1	5.7 - 20.4	1,000	88.9	79.6 - 94.3	1,100
20-24	300	7.5	5.2 - 10.7	4,100	92.5	89.3 - 94.8	4,500
25-34	600	6.3	4.8 - 8.4	8,800	93.7	91.6 - 95.2	9,400
35+	300	8.1	5.4 - 12.0	3,000	91.9	88.0 - 94.6	3,300

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	700	7.4	5.9 - 9.3	8,500	92.6	90.7 - 94.1	9,200
Female	600	7.0	5.2 - 9.4	8,500	93.0	90.6 - 94.8	9,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	7.2	5.7 - 9.1	10,700	92.8	90.9 - 94.3	11,500
No	500	7.3	5.4 - 9.8	6,300	92.7	90.2 - 94.6	6,800

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	9.3	7.0 - 12.3	5,800	90.7	87.7 - 93.0	6,400
131-185%	100	3.4	1.8 - 6.4	2,900	96.6	93.6 - 98.2	3,000
186+%	600	7.1	5.4 - 9.4	7,300	92.9	90.6 - 94.6	7,800

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	8.7	5.8 - 12.7	3,000	91.3	87.3 - 94.2	3,300
\$10,000-\$24,999	200	7.7	5.1 - 11.6	3,000	92.3	88.4 - 94.9	3,200
\$25,000-\$49,999	300	6.8	4.5 - 10.3	4,300	93.2	89.7 - 95.5	4,600
>=\$50,000	400	6.8	5.0 - 9.2	5,800	93.2	90.8 - 95.0	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	50.1	44.7 - 55.4	600	49.9	44.6 - 55.3	1,300
Normal birth weight	700	4.0	2.8 - 5.6	16,300	96.0	94.4 - 97.2	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	5.5	2.5 - 11.7	1,400	94.5	88.3 - 97.5	1,400
No	1,200	7.4	6.1 - 8.9	15,400	92.6	91.1 - 93.9	16,600

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	7.3	5.0 - 10.5	3,500	92.7	89.5 - 95.0	3,800
<b>No</b>	1,000	7.2	5.8 - 8.9	13,200	92.8	91.1 - 94.2	14,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	600	7.7	5.9 - 10.0	7,400	92.3	90.0 - 94.1	8,000
<b>No</b>	700	6.9	5.3 - 8.9	9,400	93.1	91.1 - 94.7	10,100

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,700	9.5	8.0 - 11.3	16,300	90.5	88.7 - 92.0	18,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	7.2	5.0 - 10.4	2,200	92.8	89.6 - 95.0	2,400
<b>Honolulu</b>	1,300	10.3	8.3 - 12.8	11,500	89.7	87.2 - 91.7	12,800
<b>Kauai</b>	100	8.2	5.4 - 12.3	800	91.8	87.7 - 94.6	800
<b>Maui</b>	200	7.6	5.4 - 10.4	1,900	92.4	89.6 - 94.6	2,100



**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.8	5.4 - 11.2	4,000	92.2	88.8 - 94.6	4,300
Native Hawaiian	400	6.9	5.0 - 9.5	5,400	93.1	90.5 - 95.0	5,800
Chinese	100	11.5	4.4 - 26.9	700	88.5	73.1 - 95.6	800
Filipino	300	8.3	5.6 - 12.2	2,900	91.7	87.8 - 94.4	3,100
Japanese	100	7.9	4.0 - 14.9	1,400	92.1	85.1 - 96.0	1,600
Other	500	20.5	14.2 - 28.7	2,000	79.5	71.3 - 85.8	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	10.0	5.4 - 17.7	1,600	90.0	82.3 - 94.6	1,800
20-24	500	10.9	7.5 - 15.6	3,700	89.1	84.4 - 92.5	4,200
25-34	800	8.4	6.4 - 10.8	8,300	91.6	89.2 - 93.6	9,100
35+	300	10.8	7.4 - 15.5	2,700	89.2	84.5 - 92.6	3,000

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.8	7.7 - 12.4	8,700	90.2	87.6 - 92.3	9,600
Female	800	9.2	7.0 - 11.9	7,600	90.8	88.1 - 93.0	8,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	9.0	7.1 - 11.4	9,700	91.0	88.6 - 92.9	10,700
No	800	10.2	7.8 - 13.3	6,600	89.8	86.7 - 92.2	7,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	800	12.1	9.1 - 15.9	5,600	87.9	84.1 - 90.9	6,400
131-185%	200	5.5	3.1 - 9.7	2,600	94.5	90.3 - 96.9	2,700
186+%	700	9.1	7.0 - 11.9	6,600	90.9	88.1 - 93.0	7,300

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	15.8	10.7 - 22.6	2,500	84.2	77.4 - 89.3	3,000
\$10,000-\$24,999	300	7.2	4.9 - 10.5	3,600	92.8	89.5 - 95.1	3,900
\$25,000-\$49,999	300	8.4	5.7 - 12.3	3,300	91.6	87.7 - 94.3	3,600
>=\$50,000	500	9.1	6.7 - 12.3	5,500	90.9	87.7 - 93.3	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	47.8	42.5 - 53.0	700	52.2	47.0 - 57.5	1,300
Normal birth weight	1,100	6.4	4.9 - 8.3	15,600	93.6	91.7 - 95.1	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	13.5	7.6 - 22.7	1,500	86.5	77.3 - 92.4	1,700
No	1,500	9.2	7.6 - 11.0	14,400	90.8	89.0 - 92.4	15,900

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	9.8	6.6 - 14.5	3,600	90.2	85.5 - 93.4	4,000
<b>No</b>	1,300	9.5	7.8 - 11.6	12,300	90.5	88.4 - 92.2	13,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	10.0	7.7 - 12.7	6,600	90.0	87.3 - 92.3	7,300
<b>No</b>	900	9.2	7.2 - 11.7	9,300	90.8	88.3 - 92.8	10,200

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,500	8.3	7.1 - 9.7	17,000	91.7	90.3 - 92.9	18,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	7.4	4.5 - 11.8	2,300	92.6	88.2 - 95.5	2,400
<b>Honolulu</b>	1,200	9.1	7.6 - 10.9	11,800	90.9	89.1 - 92.4	13,000
<b>Kauai</b>	<50	2.6	0.7 - 9.2	900	97.4	90.8 - 99.3	900
<b>Maui</b>	100	6.6	3.7 - 11.3	2,000	93.4	88.7 - 96.3	2,200

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.2	5.0 - 10.1	4,100	92.8	89.9 - 95.0	4,400
Native Hawaiian	400	8.1	5.8 - 11.1	4,800	91.9	88.9 - 94.2	5,200
Chinese	<50	6.4	3.7 - 10.6	600	93.6	89.4 - 96.3	600
Filipino	300	7.6	5.2 - 10.8	3,100	92.4	89.2 - 94.8	3,400
Japanese	100	6.3	3.6 - 10.9	1,900	93.7	89.1 - 96.4	2,000
Other	400	13.1	9.4 - 17.9	2,500	86.9	82.1 - 90.6	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.5	6.9 - 18.5	1,300	88.5	81.5 - 93.1	1,500
20-24	300	8.1	5.6 - 11.5	3,700	91.9	88.5 - 94.4	4,100
25-34	700	7.7	6.1 - 9.6	8,900	92.3	90.4 - 93.9	9,600
35+	300	8.9	6.2 - 12.6	3,100	91.1	87.4 - 93.8	3,400

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	8.7	7.0 - 10.8	8,900	91.3	89.2 - 93.0	9,700
Female	700	7.8	6.2 - 9.9	8,100	92.2	90.1 - 93.8	8,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	6.9	5.6 - 8.6	10,800	93.1	91.4 - 94.4	11,600
No	700	10.6	8.3 - 13.4	6,200	89.4	86.6 - 91.7	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	10.2	7.9 - 13.0	6,200	89.8	87.0 - 92.1	6,800
131-185%	200	7.1	4.4 - 11.2	2,400	92.9	88.8 - 95.6	2,600
186+%	500	6.8	5.3 - 8.8	7,300	93.2	91.2 - 94.7	7,900

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	13.0	9.4 - 17.8	2,700	87.0	82.2 - 90.6	3,100
\$10,000-\$24,999	300	8.7	6.1 - 12.3	3,600	91.3	87.7 - 93.9	3,900
\$25,000-\$49,999	300	7.1	4.9 - 10.1	3,900	92.9	89.9 - 95.1	4,200
>=\$50,000	400	6.3	4.7 - 8.5	5,800	93.7	91.5 - 95.3	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	42.1	33.4 - 51.4	700	57.9	48.6 - 66.6	1,200
Normal birth weight	1,000	5.9	4.8 - 7.2	16,300	94.1	92.8 - 95.2	17,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	10.8	6.4 - 17.8	1,400	89.2	82.2 - 93.6	1,600
No	1,300	8.1	6.8 - 9.6	15,300	91.9	90.4 - 93.2	16,600



**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	9.7	6.7 - 13.8	3,100	90.3	86.2 - 93.3	3,400
<b>No</b>	1,200	8.0	6.7 - 9.6	13,500	92.0	90.4 - 93.3	14,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	900	11.2	9.1 - 13.9	7,000	88.8	86.1 - 90.9	7,900
<b>No</b>	600	5.9	4.6 - 7.6	9,800	94.1	92.4 - 95.4	10,500

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,600	8.8	7.5 - 10.3	16,800	91.2	89.7 - 92.5	18,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	7.0	4.3 - 11.4	2,300	93.0	88.6 - 95.7	2,500
<b>Honolulu</b>	1,200	9.5	8.0 - 11.3	11,500	90.5	88.7 - 92.0	12,700
<b>Kauai</b>	100	9.7	5.0 - 17.9	1,000	90.3	82.1 - 95.0	1,100
<b>Maui</b>	100	6.3	3.6 - 10.9	2,000	93.7	89.1 - 96.4	2,200

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.5	5.2 - 10.5	3,900	92.5	89.5 - 94.8	4,200
Native Hawaiian	400	7.0	4.8 - 10.0	4,700	93.0	90.0 - 95.2	5,100
Chinese	100	10.1	6.7 - 15.1	600	89.9	84.9 - 93.3	700
Filipino	400	11.5	8.6 - 15.2	3,000	88.5	84.8 - 91.4	3,400
Japanese	100	5.4	3.0 - 9.5	2,000	94.6	90.5 - 97.0	2,100
Other	400	13.0	9.3 - 17.9	2,500	87.0	82.1 - 90.7	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	13.8	8.6 - 21.5	1,400	86.2	78.5 - 91.4	1,700
20-24	400	8.9	6.5 - 12.2	4,200	91.1	87.8 - 93.5	4,600
25-34	600	7.2	5.7 - 9.1	8,300	92.8	90.9 - 94.3	9,000
35+	300	10.7	7.8 - 14.5	2,800	89.3	85.5 - 92.2	3,100

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.8	7.9 - 11.9	8,500	90.2	88.1 - 92.1	9,400
Female	700	7.8	6.2 - 9.8	8,300	92.2	90.2 - 93.8	9,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	7.4	6.1 - 9.1	10,600	92.6	90.9 - 93.9	11,500
No	800	11.1	8.8 - 14.0	6,100	88.9	86.0 - 91.2	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	800	12.0	9.6 - 15.0	6,000	88.0	85.0 - 90.4	6,800
131-185%	200	6.3	4.0 - 9.7	2,600	93.7	90.3 - 96.0	2,700
186+%	600	7.7	6.0 - 9.8	7,000	92.3	90.2 - 94.0	7,600

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	13.7	9.8 - 18.7	2,600	86.3	81.3 - 90.2	3,000
\$10,000-\$24,999	400	11.3	8.4 - 15.1	3,400	88.7	84.9 - 91.6	3,800
\$25,000-\$49,999	300	8.0	5.7 - 11.0	3,900	92.0	89.0 - 94.3	4,300
>=\$50,000	400	6.4	4.8 - 8.6	5,700	93.6	91.4 - 95.2	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	41.3	33.5 - 49.6	900	58.7	50.4 - 66.5	1,500
Normal birth weight	1,000	5.9	4.8 - 7.2	15,900	94.1	92.8 - 95.2	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	13.6	8.6 - 20.8	1,300	86.4	79.2 - 91.4	1,500
No	1,400	8.4	7.1 - 9.9	15,200	91.6	90.1 - 92.9	16,600

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	9.9	7.0 - 13.8	3,300	90.1	86.2 - 93.0	3,600
<b>No</b>	1,200	8.5	7.2 - 10.1	13,200	91.5	89.9 - 92.8	14,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	9.2	7.2 - 11.7	6,900	90.8	88.3 - 92.8	7,600
<b>No</b>	900	8.5	6.9 - 10.4	9,500	91.5	89.6 - 93.1	10,400

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,700	9.1	7.8 - 10.6	16,500	90.9	89.4 - 92.2	18,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	8.9	5.5 - 14.0	2,000	91.1	86.0 - 94.5	2,200
<b>Honolulu</b>	1,300	9.9	8.3 - 11.8	12,000	90.1	88.2 - 91.7	13,300
<b>Kauai</b>	<50	5.3	1.9 - 13.6	800	94.7	86.4 - 98.1	900
<b>Maui</b>	100	5.4	2.8 - 10.3	1,800	94.6	89.7 - 97.2	1,900

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.3	5.1 - 10.5	4,000	92.7	89.5 - 94.9	4,300
Native Hawaiian	300	5.4	3.5 - 8.2	4,700	94.6	91.8 - 96.5	5,000
Chinese	100	10.2	6.7 - 15.3	500	89.8	84.7 - 93.3	600
Filipino	400	11.5	8.5 - 15.4	2,900	88.5	84.6 - 91.5	3,300
Japanese	200	8.5	5.1 - 13.7	2,000	91.5	86.3 - 94.9	2,100
Other	400	15.7	11.5 - 21.1	2,400	84.3	78.9 - 88.5	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	12.9	7.8 - 20.4	1,300	87.1	79.6 - 92.2	1,500
20-24	500	11.2	8.3 - 15.0	3,900	88.8	85.0 - 91.7	4,400
25-34	700	7.7	6.1 - 9.8	8,200	92.3	90.2 - 93.9	8,900
35+	300	8.1	5.7 - 11.5	3,000	91.9	88.5 - 94.3	3,300



**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	8.7	7.0 - 10.9	8,500	91.3	89.1 - 93.0	9,300
Female	800	9.5	7.6 - 11.8	8,000	90.5	88.2 - 92.4	8,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	7.3	5.9 - 9.0	10,800	92.7	91.0 - 94.1	11,600
No	800	12.2	9.6 - 15.3	5,800	87.8	84.7 - 90.4	6,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	800	12.8	10.2 - 16.0	5,500	87.2	84.0 - 89.8	6,300
131-185%	100	5.6	3.2 - 9.7	2,300	94.4	90.3 - 96.8	2,400
186+%	600	7.0	5.5 - 9.0	7,700	93.0	91.0 - 94.5	8,200

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	16.9	12.7 - 22.2	2,500	83.1	77.8 - 87.3	3,100
\$10,000-\$24,999	300	8.6	5.9 - 12.2	3,400	91.4	87.8 - 94.1	3,700
\$25,000-\$49,999	300	6.9	4.8 - 9.8	4,000	93.1	90.2 - 95.2	4,300
>=\$50,000	400	6.6	4.8 - 8.9	5,600	93.4	91.1 - 95.2	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	700	44.2	36.1 - 52.6	900	55.8	47.4 - 63.9	1,500
Normal birth weight	1,000	5.8	4.7 - 7.2	15,600	94.2	92.8 - 95.3	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	13.2	8.5 - 19.9	1,500	86.8	80.1 - 91.5	1,700
No	1,400	8.7	7.3 - 10.3	14,800	91.3	89.7 - 92.7	16,200

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	9.5	6.7 - 13.2	3,500	90.5	86.8 - 93.3	3,800
<b>No</b>	1,300	9.0	7.5 - 10.7	12,800	91.0	89.3 - 92.5	14,100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	900	11.9	9.6 - 14.7	6,700	88.1	85.3 - 90.4	7,600
<b>No</b>	700	7.2	5.7 - 9.0	9,600	92.8	91.0 - 94.3	10,300

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,500	8.9	7.6 - 10.4	15,600	91.1	89.6 - 92.4	17,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	6.2	3.6 - 10.5	2,100	93.8	89.5 - 96.4	2,200
<b>Honolulu</b>	1,300	10.0	8.5 - 11.8	11,300	90.0	88.2 - 91.5	12,600
<b>Kauai</b>	<50	4.3	1.5 - 11.8	700	95.7	88.2 - 98.5	700
<b>Maui</b>	100	6.2	3.4 - 10.8	1,500	93.8	89.2 - 96.6	1,600

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.2	4.9 - 10.3	3,500	92.8	89.7 - 95.1	3,800
Native Hawaiian	500	9.3	6.9 - 12.6	4,400	90.7	87.4 - 93.1	4,900
Chinese	100	8.7	5.7 - 13.1	600	91.3	86.9 - 94.3	600
Filipino	300	10.5	7.8 - 14.1	2,900	89.5	85.9 - 92.2	3,200
Japanese	100	4.0	2.2 - 7.3	2,200	96.0	92.7 - 97.8	2,300
Other	300	13.4	9.6 - 18.3	2,100	86.6	81.7 - 90.4	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	9.8	5.8 - 16.0	1,300	90.2	84.0 - 94.2	1,400
20-24	400	9.9	7.3 - 13.2	3,800	90.1	86.8 - 92.7	4,200
25-34	800	8.9	7.2 - 11.0	7,800	91.1	89.0 - 92.8	8,500
35+	200	7.1	4.7 - 10.5	2,800	92.9	89.5 - 95.3	3,000

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	10.8	8.9 - 13.0	7,800	89.2	87.0 - 91.1	8,700
Female	600	7.0	5.4 - 8.9	7,800	93.0	91.1 - 94.6	8,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	8.5	7.0 - 10.3	10,000	91.5	89.7 - 93.0	11,000
No	600	9.6	7.4 - 12.3	5,600	90.4	87.7 - 92.6	6,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	8.8	6.8 - 11.3	5,600	91.2	88.7 - 93.2	6,200
131-185%	200	11.5	7.6 - 17.2	1,600	88.5	82.8 - 92.4	1,800
186+%	600	7.5	5.8 - 9.6	7,200	92.5	90.4 - 94.2	7,700

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	9.9	6.9 - 13.9	2,600	90.1	86.1 - 93.1	2,900
\$10,000-\$24,999	300	7.9	5.6 - 11.1	3,300	92.1	88.9 - 94.4	3,600
\$25,000-\$49,999	400	9.4	6.9 - 12.8	3,600	90.6	87.2 - 93.1	4,000
>=\$50,000	400	7.4	5.5 - 9.9	5,000	92.6	90.1 - 94.5	5,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	44.7	36.1 - 53.6	700	55.3	46.4 - 63.9	1,200
Normal birth weight	1,000	6.1	5.0 - 7.4	14,900	93.9	92.6 - 95.0	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	8.4	4.8 - 14.4	1,300	91.6	85.6 - 95.2	1,400
No	1,400	9.0	7.7 - 10.5	14,000	91.0	89.5 - 92.3	15,400

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	8.0	5.6 - 11.4	3,300	92.0	88.6 - 94.4	3,600
<b>No</b>	1,200	9.1	7.7 - 10.8	12,000	90.9	89.2 - 92.3	13,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	600	8.7	6.8 - 11.0	6,600	91.3	89.0 - 93.2	7,200
<b>No</b>	800	8.6	7.0 - 10.5	8,800	91.4	89.5 - 93.0	9,600



**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,500	8.5	7.4 - 9.8	16,000	91.5	90.2 - 92.6	17,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	4.4	2.4 - 8.0	2,100	95.6	92.0 - 97.6	2,200
<b>Honolulu</b>	1,300	9.9	8.5 - 11.5	11,500	90.1	88.5 - 91.5	12,700
<b>Kauai</b>	100	7.5	3.5 - 15.3	700	92.5	84.7 - 96.5	800
<b>Maui</b>	100	4.4	2.3 - 8.1	1,700	95.6	91.9 - 97.7	1,800

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.6	5.5 - 10.4	3,600	92.4	89.6 - 94.5	3,900
Native Hawaiian	500	9.3	7.0 - 12.3	4,400	90.7	87.7 - 93.0	4,900
Chinese	100	12.0	9.2 - 15.3	600	88.0	84.7 - 90.8	600
Filipino	300	9.1	6.8 - 12.1	3,000	90.9	87.9 - 93.2	3,300
Japanese	200	6.8	4.3 - 10.6	2,100	93.2	89.4 - 95.7	2,300
Other	200	8.5	5.7 - 12.6	2,400	91.5	87.4 - 94.3	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	8.5	4.8 - 14.7	1,200	91.5	85.3 - 95.2	1,300
20-24	400	9.5	7.1 - 12.5	4,000	90.5	87.5 - 92.9	4,400
25-34	600	7.3	5.8 - 9.0	7,900	92.7	91.0 - 94.2	8,500
35+	400	10.5	7.9 - 13.8	3,000	89.5	86.2 - 92.1	3,400

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	8.7	7.2 - 10.5	8,700	91.3	89.5 - 92.8	9,600
Female	700	8.3	6.7 - 10.3	7,300	91.7	89.7 - 93.3	7,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	8.4	7.1 - 9.9	11,200	91.6	90.1 - 92.9	12,300
No	500	8.8	6.7 - 11.5	4,800	91.2	88.5 - 93.3	5,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	9.7	7.7 - 12.0	5,800	90.3	88.0 - 92.3	6,500
131-185%	100	6.9	4.3 - 10.9	2,000	93.1	89.1 - 95.7	2,100
186+%	600	8.1	6.5 - 10.1	7,000	91.9	89.9 - 93.5	7,600

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	9.9	6.9 - 14.0	2,400	90.1	86.0 - 93.1	2,700
\$10,000-\$24,999	400	9.7	7.4 - 12.5	3,900	90.3	87.5 - 92.6	4,300
\$25,000-\$49,999	400	7.9	5.9 - 10.6	4,100	92.1	89.4 - 94.1	4,500
>=\$50,000	400	7.5	5.6 - 9.9	4,500	92.5	90.1 - 94.4	4,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	46.3	37.8 - 55.0	600	53.7	45.0 - 62.2	1,100
Normal birth weight	1,000	6.0	5.0 - 7.2	15,400	94.0	92.8 - 95.0	16,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	9.2	5.4 - 15.1	1,300	90.8	84.9 - 94.6	1,400
No	1,300	8.2	7.0 - 9.5	14,600	91.8	90.5 - 93.0	15,900

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	7.3	5.1 - 10.3	3,300	92.7	89.7 - 94.9	3,600
<b>No</b>	1,200	8.5	7.2 - 10.0	12,500	91.5	90.0 - 92.8	13,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	9.6	7.8 - 11.7	7,000	90.4	88.3 - 92.2	7,700
<b>No</b>	700	7.8	6.4 - 9.5	8,700	92.2	90.5 - 93.6	9,400

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,600	9.0	7.5 - 10.7	15,700	91.0	89.3 - 92.5	17,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	8.4	6.2 - 11.2	1,800	91.6	88.8 - 93.8	2,000
<b>Honolulu</b>	1,200	9.7	7.8 - 12.0	11,400	90.3	88.0 - 92.2	12,600
<b>Kauai</b>	100	7.0	3.9 - 12.0	800	93.0	88.0 - 96.1	800
<b>Maui</b>	100	5.9	4.0 - 8.6	1,700	94.1	91.4 - 96.0	1,800

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	4.9	2.7 - 8.7	3,600	95.1	91.3 - 97.3	3,800
Native Hawaiian	400	8.7	7.2 - 10.6	4,300	91.3	89.4 - 92.8	4,700
Chinese	<50	5.5	1.4 - 18.9	700	94.5	81.1 - 98.6	700
Filipino	400	10.2	6.8 - 14.9	3,400	89.8	85.1 - 93.2	3,800
Japanese	200	8.8	4.9 - 15.6	1,700	91.2	84.4 - 95.1	1,900
Other	400	15.3	10.1 - 22.5	2,000	84.7	77.5 - 89.9	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	9.8	5.8 - 16.1	1,400	90.2	83.9 - 94.2	1,500
20-24	400	9.1	6.3 - 12.9	3,700	90.9	87.1 - 93.7	4,000
25-34	700	8.4	6.5 - 10.8	8,000	91.6	89.2 - 93.5	8,700
35+	300	10.2	6.5 - 15.7	2,700	89.8	84.3 - 93.5	3,000

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.5	7.5 - 12.0	8,200	90.5	88.0 - 92.5	9,100
Female	700	8.5	6.5 - 11.0	7,500	91.5	89.0 - 93.5	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	8.8	6.9 - 11.0	10,400	91.2	89.0 - 93.1	11,400
No	600	9.5	7.2 - 12.4	5,300	90.5	87.6 - 92.8	5,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	9.6	7.5 - 12.3	7,000	90.4	87.7 - 92.5	7,700
131-185%	200	9.8	6.1 - 15.5	2,200	90.2	84.5 - 93.9	2,500
186+%	400	7.5	5.1 - 10.7	5,100	92.5	89.3 - 94.9	5,500



**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	400	10.4	7.5 - 14.2	3,700	89.6	85.8 - 92.5	4,200
\$15,001-\$25,000	200	8.7	5.4 - 13.7	2,000	91.3	86.3 - 94.6	2,200
\$25,001-\$40,000	300	8.4	5.3 - 13.2	2,900	91.6	86.8 - 94.7	3,200
>=\$40,001	500	8.1	5.9 - 11.1	6,100	91.9	88.9 - 94.1	6,600

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	44.5	34.6 - 54.9	700	55.5	45.1 - 65.4	1,200
Normal birth weight	1,000	6.4	5.1 - 8.0	15,000	93.6	92.0 - 94.9	16,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	8.6	4.8 - 15.0	1,500	91.4	85.0 - 95.2	1,600
No	1,400	9.2	7.6 - 11.0	13,900	90.8	89.0 - 92.4	15,300

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	7.6	5.1 - 11.2	3,200	92.4	88.8 - 94.9	3,500
<b>No</b>	1,300	9.5	7.8 - 11.6	12,000	90.5	88.4 - 92.2	13,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	9.1	7.0 - 11.7	6,600	90.9	88.3 - 93.0	7,200
<b>No</b>	900	8.8	6.9 - 11.2	9,000	91.2	88.8 - 93.1	9,900

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,700	9.8	8.2 - 11.6	15,300	90.2	88.4 - 91.8	16,900

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	8.3	6.1 - 11.2	1,800	91.7	88.8 - 93.9	2,000
<b>Honolulu</b>	1,300	10.6	8.6 - 13.0	11,200	89.4	87.0 - 91.4	12,500
<b>Kauai</b>	100	10.6	6.5 - 16.8	600	89.4	83.2 - 93.5	700
<b>Maui</b>	100	5.4	3.5 - 8.4	1,700	94.6	91.6 - 96.5	1,800

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	8.9	5.7 - 13.8	3,300	91.1	86.2 - 94.3	3,600
Native Hawaiian	500	10.9	9.1 - 13.1	4,100	89.1	86.9 - 90.9	4,600
Chinese	<50	1.8	0.5 - 6.5	600	98.2	93.5 - 99.5	600
Filipino	300	10.1	6.6 - 15.0	3,100	89.9	85.0 - 93.4	3,500
Japanese	200	9.0	5.2 - 15.1	2,200	91.0	84.9 - 94.8	2,400
Other	300	11.2	6.5 - 18.5	2,100	88.8	81.5 - 93.5	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	10.5	6.5 - 16.4	1,400	89.5	83.6 - 93.5	1,500
20-24	500	11.6	8.3 - 16.1	3,700	88.4	83.9 - 91.7	4,200
25-34	700	8.4	6.4 - 11.0	7,800	91.6	89.0 - 93.6	8,500
35+	300	10.6	7.1 - 15.5	2,400	89.4	84.5 - 92.9	2,700

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	10.0	7.8 - 12.6	7,600	90.0	87.4 - 92.2	8,400
Female	800	9.6	7.5 - 12.2	7,700	90.4	87.8 - 92.5	8,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	8.2	6.4 - 10.4	10,600	91.8	89.6 - 93.6	11,600
No	700	13.2	10.3 - 16.7	4,700	86.8	83.3 - 89.7	5,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	11.1	8.7 - 14.0	5,900	88.9	86.0 - 91.3	6,600
131-185%	400	10.2	6.7 - 15.2	3,100	89.8	84.8 - 93.3	3,500
186+%	300	6.4	4.3 - 9.4	5,000	93.6	90.6 - 95.7	5,400

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	500	14.6	10.9 - 19.5	2,800	85.4	80.5 - 89.1	3,300
\$15,001-\$25,000	200	9.3	5.9 - 14.3	2,300	90.7	85.7 - 94.1	2,500
\$25,001-\$40,000	300	9.3	6.1 - 13.8	3,300	90.7	86.2 - 93.9	3,700
>=\$40,001	500	7.3	5.2 - 10.2	6,000	92.7	89.8 - 94.8	6,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	54.5	43.3 - 65.3	500	45.5	34.7 - 56.7	1,100
Normal birth weight	1,000	6.6	5.3 - 8.2	14,700	93.4	91.8 - 94.7	15,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	14.4	9.1 - 22.2	1,100	85.6	77.8 - 90.9	1,300
No	1,400	9.4	7.8 - 11.3	13,900	90.6	88.7 - 92.2	15,300

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	500	14.9	11.0 - 20.0	2,700	85.1	80.0 - 89.0	3,200
<b>No</b>	1,100	8.6	6.9 - 10.6	12,100	91.4	89.4 - 93.1	13,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	900	12.6	9.9 - 15.9	6,200	87.4	84.1 - 90.1	7,100
<b>No</b>	800	7.8	6.0 - 10.0	9,000	92.2	90.0 - 94.0	9,700

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,600	9.6	8.3 - 11.0	14,800	90.4	89.0 - 91.7	16,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	6.5	4.5 - 9.1	1,700	93.5	90.9 - 95.5	1,800
<b>Honolulu</b>	1,300	10.6	9.0 - 12.5	10,800	89.4	87.5 - 91.0	12,100
<b>Kauai</b>	100	8.2	4.9 - 13.3	700	91.8	86.7 - 95.1	800
<b>Maui</b>	100	6.4	4.2 - 9.5	1,600	93.6	90.5 - 95.8	1,700



**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.2	5.1 - 10.1	3,300	92.8	89.9 - 94.9	3,600
Native Hawaiian	400	9.6	8.2 - 11.1	4,000	90.4	88.9 - 91.8	4,500
Chinese	100	11.7	5.3 - 23.8	600	88.3	76.2 - 94.7	700
Filipino	300	9.5	6.7 - 13.3	3,100	90.5	86.7 - 93.3	3,400
Japanese	200	9.6	5.8 - 15.4	1,800	90.4	84.6 - 94.2	2,000
Other	300	12.9	8.7 - 18.8	1,900	87.1	81.2 - 91.3	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	13.6	9.6 - 19.0	1,400	86.4	81.0 - 90.4	1,600
20-24	400	9.2	6.9 - 12.2	3,900	90.8	87.8 - 93.1	4,200
25-34	600	7.8	6.2 - 9.7	7,300	92.2	90.3 - 93.8	7,900
35+	400	13.3	9.7 - 18.0	2,300	86.7	82.0 - 90.3	2,600

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	9.0	7.4 - 10.9	7,600	91.0	89.1 - 92.6	8,300
Female	800	10.2	8.3 - 12.5	7,300	89.8	87.5 - 91.7	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	8.6	7.1 - 10.4	10,000	91.4	89.6 - 92.9	11,000
No	600	11.7	9.5 - 14.3	4,800	88.3	85.7 - 90.5	5,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	9.4	7.5 - 11.6	5,600	90.6	88.4 - 92.5	6,200
131-185%	300	7.3	5.1 - 10.2	3,300	92.7	89.8 - 94.9	3,600
186+%	500	9.8	7.5 - 12.6	5,000	90.2	87.4 - 92.5	5,500

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	400	11.9	9.2 - 15.3	2,900	88.1	84.7 - 90.8	3,300
\$15,001-\$25,000	200	8.9	6.0 - 12.9	2,000	91.1	87.1 - 94.0	2,200
\$25,001-\$40,000	200	5.3	3.7 - 7.6	3,400	94.7	92.4 - 96.3	3,600
>=\$40,001	600	10.1	7.9 - 12.8	5,800	89.9	87.2 - 92.1	6,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	46.8	38.2 - 55.6	600	53.2	44.4 - 61.8	1,100
Normal birth weight	1,100	6.9	5.8 - 8.3	14,200	93.1	91.7 - 94.2	15,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	11.8	7.8 - 17.4	1,300	88.2	82.6 - 92.2	1,500
No	1,400	9.3	8.0 - 10.9	13,200	90.7	89.1 - 92.0	14,600

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	11.3	8.5 - 14.8	2,900	88.7	85.2 - 91.5	3,300
<b>No</b>	1,100	9.0	7.6 - 10.7	11,400	91.0	89.3 - 92.4	12,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	9.6	7.7 - 11.8	6,200	90.4	88.2 - 92.3	6,800
<b>No</b>	900	9.4	7.7 - 11.4	8,500	90.6	88.6 - 92.3	9,400

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,600	9.4	8.2 - 10.7	15,400	90.6	89.3 - 91.8	17,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	9.0	6.6 - 12.1	1,700	91.0	87.9 - 93.4	1,900
<b>Honolulu</b>	1,200	9.8	8.3 - 11.6	11,400	90.2	88.4 - 91.7	12,600
<b>Kauai</b>	100	7.8	4.6 - 13.1	600	92.2	86.9 - 95.4	700
<b>Maui</b>	100	6.9	4.7 - 10.0	1,600	93.1	90.0 - 95.3	1,700

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	8.4	6.1 - 11.5	3,700	91.6	88.5 - 93.9	4,100
Native Hawaiian	500	10.0	8.6 - 11.6	4,100	90.0	88.4 - 91.4	4,600
Chinese	0	0.0	-	700	100.0	-	700
Filipino	400	11.8	8.6 - 16.0	3,000	88.2	84.0 - 91.4	3,400
Japanese	200	9.1	5.6 - 14.7	1,900	90.9	85.3 - 94.4	2,000
Other	200	9.2	6.1 - 13.6	2,000	90.8	86.4 - 93.9	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	15.3	11.5 - 20.0	1,600	84.7	80.0 - 88.5	1,800
20-24	400	11.0	8.5 - 14.1	3,600	89.0	85.9 - 91.5	4,000
25-34	600	7.9	6.2 - 9.9	7,500	92.1	90.1 - 93.8	8,200
35+	200	7.6	5.3 - 10.9	2,700	92.4	89.1 - 94.7	2,900

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	8.9	7.4 - 10.8	8,000	91.1	89.2 - 92.6	8,800
Female	800	9.8	8.0 - 12.0	7,400	90.2	88.0 - 92.0	8,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	8.0	6.6 - 9.6	10,800	92.0	90.4 - 93.4	11,700
No	700	12.5	10.3 - 15.1	4,600	87.5	84.9 - 89.7	5,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	9.6	7.9 - 11.6	6,500	90.4	88.4 - 92.1	7,200
131-185%	200	7.1	4.7 - 10.5	2,100	92.9	89.5 - 95.3	2,300
186+%	600	9.4	7.2 - 12.1	5,600	90.6	87.9 - 92.8	6,200

**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	400	11.5	9.0 - 14.5	3,400	88.5	85.5 - 91.0	3,900
\$15,001-\$25,000	200	6.2	4.4 - 8.7	2,500	93.8	91.3 - 95.6	2,700
\$25,001-\$40,000	300	8.9	6.4 - 12.2	2,900	91.1	87.8 - 93.6	3,200
>=\$40,001	600	9.8	7.6 - 12.5	5,700	90.2	87.5 - 92.4	6,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	400	33.8	26.6 - 41.8	700	66.2	58.2 - 73.4	1,100
Normal birth weight	1,200	7.6	6.4 - 8.9	14,600	92.4	91.1 - 93.6	15,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	12.0	8.0 - 17.5	1,200	88.0	82.5 - 92.0	1,400
No	1,400	9.2	7.9 - 10.7	13,700	90.8	89.3 - 92.1	15,100



**PRAMS Health Indicator Report - Baby placed in ICU after birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	12.4	9.5 - 16.0	2,900	87.6	84.0 - 90.5	3,300
<b>No</b>	1,100	8.6	7.3 - 10.2	11,900	91.4	89.8 - 92.7	13,100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	10.3	8.6 - 12.4	6,600	89.7	87.6 - 91.4	7,300
<b>No</b>	800	8.6	7.0 - 10.6	8,600	91.4	89.4 - 93.0	9,400