

**PRAMS Health Indicator Report - Preterm delivery- for the State of Hawaii, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
Preterm delivery	Preterm delivery

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/13/17*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**PRAMS Health Indicator Report - Preterm delivery- for the State of Hawaii, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	1,300	8.1	6.9 - 9.4	15,100	91.9	90.6 - 93.1	16,400
2001	1,500	9.0	7.8 - 10.4	15,200	91.0	89.6 - 92.2	16,700
2002	1,800	10.6	8.9 - 12.5	15,200	89.4	87.5 - 91.1	17,000
2003	1,600	9.0	7.6 - 10.7	16,100	91.0	89.3 - 92.4	17,700
2004	1,600	9.1	7.9 - 10.4	16,200	90.9	89.6 - 92.1	17,800
2005	1,700	9.8	8.4 - 11.3	15,800	90.2	88.7 - 91.6	17,500
2006	1,900	10.1	8.7 - 11.6	16,700	89.9	88.4 - 91.3	18,500
2007	1,800	9.5	8.2 - 10.9	16,900	90.5	89.1 - 91.8	18,700
2008	1,700	8.8	7.6 - 10.2	17,300	91.2	89.8 - 92.4	19,000
2009	1,700	9.4	8.1 - 10.8	16,700	90.6	89.2 - 91.9	18,400
2010	1,800	9.6	8.2 - 11.3	16,800	90.4	88.7 - 91.8	18,600
2011	1,500	8.1	6.9 - 9.4	17,000	91.9	90.6 - 93.1	18,500
2012	1,500	8.2	7.0 - 9.6	17,000	91.8	90.4 - 93.0	18,500
2013	1,700	9.1	7.8 - 10.7	16,900	90.9	89.3 - 92.2	18,600

**PRAMS Health Indicator Report - Preterm delivery- for the State of Hawaii, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*



**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,700	9.1	7.8 - 10.7	16,900	90.9	89.3 - 92.2	18,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	300	11.2	8.2 - 15.1	2,100	88.8	84.9 - 91.8	2,400
<b>Honolulu</b>	1,200	9.1	7.4 - 11.2	12,100	90.9	88.8 - 92.6	13,400
<b>Kauai</b>	100	8.0	5.5 - 11.3	800	92.0	88.7 - 94.5	800
<b>Maui</b>	100	7.3	4.9 - 10.8	1,800	92.7	89.2 - 95.1	2,000

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	8.1	5.4 - 11.8	4,600	91.9	88.2 - 94.6	5,000
Native Hawaiian	500	9.6	7.3 - 12.5	5,000	90.4	87.5 - 92.7	5,600
Chinese	100	14.2	7.1 - 26.5	800	85.8	73.5 - 92.9	900
Filipino	400	12.2	8.4 - 17.3	2,600	87.8	82.7 - 91.6	3,000
Japanese	100	3.7	2.4 - 5.8	1,700	96.3	94.2 - 97.6	1,800
Other	200	8.7	5.6 - 13.3	2,100	91.3	86.7 - 94.4	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	7.4	4.0 - 13.4	800	92.6	86.6 - 96.0	900
20-24	300	7.9	5.4 - 11.3	3,800	92.1	88.7 - 94.6	4,100
25-34	900	9.1	7.1 - 11.6	9,200	90.9	88.4 - 92.9	10,100
35+	400	11.1	8.3 - 14.7	3,100	88.9	85.3 - 91.7	3,500

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	10.4	8.3 - 13.0	8,100	89.6	87.0 - 91.7	9,100
Female	800	7.9	6.2 - 10.0	8,700	92.1	90.0 - 93.8	9,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	9.3	7.5 - 11.5	10,700	90.7	88.5 - 92.5	11,800
No	600	8.8	6.9 - 11.3	6,100	91.2	88.7 - 93.1	6,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	8.6	6.5 - 11.3	6,200	91.4	88.7 - 93.5	6,800
131-185%	200	8.5	5.8 - 12.3	2,300	91.5	87.7 - 94.2	2,500
186+%	700	9.5	7.2 - 12.4	6,800	90.5	87.6 - 92.8	7,500

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	400	10.6	7.7 - 14.4	3,800	89.4	85.6 - 92.3	4,200
\$17,001-\$26,000	200	7.2	3.9 - 12.7	2,300	92.8	87.3 - 96.1	2,400
\$26,001-\$51,000	300	7.6	5.3 - 10.8	3,700	92.4	89.2 - 94.7	4,000
>=\$51,001	600	9.9	7.5 - 13.1	5,800	90.1	86.9 - 92.5	6,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	67.6	62.9 - 72.1	400	32.4	27.9 - 37.1	1,300
Normal birth weight	800	4.4	3.1 - 6.2	16,400	95.6	93.8 - 96.9	17,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	10.2	4.9 - 19.9	900	89.8	80.1 - 95.1	1,000
No	1,500	9.0	7.6 - 10.6	15,600	91.0	89.4 - 92.4	17,100

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	10.5	7.1 - 15.1	3,000	89.5	84.9 - 92.9	3,300
<b>No</b>	1,300	8.8	7.3 - 10.5	13,500	91.2	89.5 - 92.7	14,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	9.7	7.7 - 12.2	7,300	90.3	87.8 - 92.3	8,000
<b>No</b>	900	8.7	6.9 - 11.0	9,500	91.3	89.0 - 93.1	10,400



**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,500	8.2	7.0 - 9.6	17,000	91.8	90.4 - 93.0	18,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	8.6	6.0 - 12.1	2,100	91.4	87.9 - 94.0	2,300
<b>Honolulu</b>	1,100	8.3	6.7 - 10.1	12,300	91.7	89.9 - 93.3	13,400
<b>Kauai</b>	100	7.9	5.1 - 12.1	800	92.1	87.9 - 94.9	800
<b>Maui</b>	100	7.4	5.2 - 10.5	1,800	92.6	89.5 - 94.8	2,000

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.8	5.6 - 10.9	3,800	92.2	89.1 - 94.4	4,200
Native Hawaiian	400	6.8	5.1 - 8.9	4,900	93.2	91.1 - 94.9	5,200
Chinese	100	6.2	2.7 - 13.6	1,000	93.8	86.4 - 97.3	1,100
Filipino	300	10.3	6.9 - 15.1	3,000	89.7	84.9 - 93.1	3,300
Japanese	100	4.9	2.4 - 9.9	1,500	95.1	90.1 - 97.6	1,600
Other	400	11.3	7.6 - 16.4	2,800	88.7	83.6 - 92.4	3,100

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	7.8	4.7 - 12.8	1,000	92.2	87.2 - 95.3	1,100
20-24	300	8.2	5.5 - 12.2	3,400	91.8	87.8 - 94.5	3,700
25-34	700	6.8	5.4 - 8.5	9,700	93.2	91.5 - 94.6	10,400
35+	400	12.7	9.1 - 17.7	2,900	87.3	82.3 - 90.9	3,300

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	10.2	8.1 - 12.8	8,300	89.8	87.2 - 91.9	9,200
Female	600	6.2	5.0 - 7.7	8,800	93.8	92.3 - 95.0	9,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	8.3	6.7 - 10.3	10,500	91.7	89.7 - 93.3	11,400
No	600	8.0	6.2 - 10.3	6,600	92.0	89.7 - 93.8	7,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	8.0	6.2 - 10.2	6,100	92.0	89.8 - 93.8	6,600
131-185%	300	10.0	6.4 - 15.2	2,800	90.0	84.8 - 93.6	3,100
186+%	600	8.1	6.2 - 10.6	6,400	91.9	89.4 - 93.8	7,000

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	400	8.5	6.1 - 11.6	3,900	91.5	88.4 - 93.9	4,200
\$17,001-\$26,000	200	6.9	4.1 - 11.2	2,100	93.1	88.8 - 95.9	2,200
\$26,001-\$51,000	500	10.1	7.3 - 13.9	4,000	89.9	86.1 - 92.7	4,500
>=\$51,001	500	7.7	5.6 - 10.3	5,600	92.3	89.7 - 94.4	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	67.4	62.0 - 72.3	400	32.6	27.7 - 38.0	1,300
Normal birth weight	600	3.8	2.7 - 5.3	16,600	96.2	94.7 - 97.3	17,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	9.9	5.6 - 16.8	700	90.1	83.2 - 94.4	700
No	1,400	8.1	6.8 - 9.6	15,700	91.9	90.4 - 93.2	17,100

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	7.4	5.5 - 10.0	2,700	92.6	90.0 - 94.5	2,900
<b>No</b>	1,300	8.4	6.9 - 10.1	13,700	91.6	89.9 - 93.1	15,000

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	8.4	6.6 - 10.7	7,700	91.6	89.3 - 93.4	8,400
<b>No</b>	800	8.1	6.4 - 10.1	9,200	91.9	89.9 - 93.6	10,000

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,500	8.1	6.9 - 9.4	17,000	91.9	90.6 - 93.1	18,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	300	10.8	8.1 - 14.4	2,200	89.2	85.6 - 91.9	2,400
<b>Honolulu</b>	1,000	7.3	5.9 - 9.0	12,300	92.7	91.0 - 94.1	13,300
<b>Kauai</b>	100	9.3	6.3 - 13.5	800	90.7	86.5 - 93.7	900
<b>Maui</b>	200	9.1	6.8 - 12.1	1,800	90.9	87.9 - 93.2	2,000

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	5.0	3.6 - 6.9	4,300	95.0	93.1 - 96.4	4,500
Native Hawaiian	400	7.3	5.6 - 9.5	4,900	92.7	90.5 - 94.4	5,300
Chinese	100	13.3	6.1 - 26.8	600	86.7	73.2 - 93.9	700
Filipino	400	12.2	8.8 - 16.7	2,900	87.8	83.3 - 91.2	3,300
Japanese	200	9.3	5.3 - 15.8	1,700	90.7	84.2 - 94.7	1,900
Other	200	7.2	4.7 - 11.1	2,600	92.8	88.9 - 95.3	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	5.5	3.1 - 9.6	1,000	94.5	90.4 - 96.9	1,000
20-24	300	5.9	4.2 - 8.4	4,100	94.1	91.6 - 95.8	4,400
25-34	800	7.7	6.2 - 9.4	9,200	92.3	90.6 - 93.8	9,900
35+	400	13.1	9.3 - 18.2	2,700	86.9	81.8 - 90.7	3,200

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	700	7.8	6.3 - 9.8	8,700	92.2	90.2 - 93.7	9,500
Female	800	8.3	6.7 - 10.3	8,300	91.7	89.7 - 93.3	9,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	7.5	6.0 - 9.3	10,700	92.5	90.7 - 94.0	11,500
No	600	9.0	7.2 - 11.2	6,400	91.0	88.8 - 92.8	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	9.3	7.2 - 11.8	6,000	90.7	88.2 - 92.8	6,600
131-185%	100	5.2	3.7 - 7.2	2,600	94.8	92.8 - 96.3	2,800
186+%	600	7.4	5.7 - 9.6	7,500	92.6	90.4 - 94.3	8,100



**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	9.3	6.6 - 13.1	3,100	90.7	86.9 - 93.4	3,400
\$10,000-\$24,999	300	9.1	6.3 - 12.8	3,100	90.9	87.2 - 93.7	3,400
\$25,000-\$49,999	200	4.8	3.4 - 6.8	4,400	95.2	93.2 - 96.6	4,600
>=\$50,000	500	8.3	6.3 - 10.9	5,700	91.7	89.1 - 93.7	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	62.0	56.6 - 67.1	500	38.0	32.9 - 43.4	1,300
Normal birth weight	600	3.7	2.7 - 5.1	16,500	96.3	94.9 - 97.3	17,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	10.4	6.5 - 16.1	800	89.6	83.9 - 93.5	900
No	1,400	7.9	6.7 - 9.3	16,000	92.1	90.7 - 93.3	17,400

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	8.1	5.9 - 10.9	3,300	91.9	89.1 - 94.1	3,600
<b>No</b>	1,200	8.0	6.7 - 9.6	13,600	92.0	90.4 - 93.3	14,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	600	7.2	5.9 - 8.6	7,700	92.8	91.4 - 94.1	8,300
<b>No</b>	900	8.9	7.1 - 11.2	9,200	91.1	88.8 - 92.9	10,100

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,800	9.6	8.2 - 11.3	16,800	90.4	88.7 - 91.8	18,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	7.6	5.3 - 10.7	2,100	92.4	89.3 - 94.7	2,300
<b>Honolulu</b>	1,400	10.3	8.5 - 12.5	12,100	89.7	87.5 - 91.5	13,500
<b>Kauai</b>	100	10.7	7.6 - 14.9	700	89.3	85.1 - 92.4	800
<b>Maui</b>	100	6.6	4.6 - 9.5	1,900	93.4	90.5 - 95.4	2,000

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.1	4.7 - 10.6	4,200	92.9	89.4 - 95.3	4,500
Native Hawaiian	500	9.2	6.9 - 12.2	5,100	90.8	87.8 - 93.1	5,600
Chinese	100	10.1	6.0 - 16.4	700	89.9	83.6 - 94.0	800
Filipino	300	10.5	7.2 - 15.0	3,000	89.5	85.0 - 92.8	3,300
Japanese	200	12.3	7.5 - 19.6	1,500	87.7	80.4 - 92.5	1,700
Other	300	11.8	7.5 - 18.0	2,400	88.2	82.0 - 92.5	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	9.7	5.2 - 17.3	1,000	90.3	82.7 - 94.8	1,100
20-24	400	9.8	6.9 - 13.7	4,100	90.2	86.3 - 93.1	4,500
25-34	900	9.0	7.1 - 11.3	8,700	91.0	88.7 - 92.9	9,600
35+	400	11.1	7.8 - 15.6	3,000	88.9	84.4 - 92.2	3,400

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,000	10.5	8.5 - 12.9	8,400	89.5	87.1 - 91.5	9,400
Female	800	8.7	6.8 - 11.2	8,400	91.3	88.8 - 93.2	9,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	9.9	8.1 - 12.1	10,400	90.1	87.9 - 91.9	11,600
No	600	9.1	7.0 - 11.8	6,400	90.9	88.2 - 93.0	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	800	11.8	8.9 - 15.4	5,700	88.2	84.6 - 91.1	6,500
131-185%	200	6.2	3.9 - 9.6	2,800	93.8	90.4 - 96.1	3,000
186+%	700	9.2	7.2 - 11.7	7,200	90.8	88.3 - 92.8	7,900

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	14.0	9.6 - 19.8	2,900	86.0	80.2 - 90.4	3,400
\$10,000-\$24,999	300	8.0	5.5 - 11.4	3,000	92.0	88.6 - 94.5	3,200
\$25,000-\$49,999	500	9.7	6.9 - 13.5	4,200	90.3	86.5 - 93.1	4,600
>=\$50,000	500	8.5	6.4 - 11.1	5,700	91.5	88.9 - 93.6	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	66.6	61.4 - 71.4	400	33.4	28.6 - 38.6	1,300
Normal birth weight	900	5.0	3.7 - 6.7	16,400	95.0	93.3 - 96.3	17,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	6.0	2.4 - 14.2	1,400	94.0	85.8 - 97.6	1,400
No	1,700	10.0	8.5 - 11.7	15,200	90.0	88.3 - 91.5	16,900

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	8.9	6.2 - 12.6	3,500	91.1	87.4 - 93.8	3,800
<b>No</b>	1,400	9.9	8.3 - 11.8	13,100	90.1	88.2 - 91.7	14,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	9.9	7.8 - 12.5	7,300	90.1	87.5 - 92.2	8,100
<b>No</b>	1,000	9.5	7.6 - 11.9	9,300	90.5	88.1 - 92.4	10,200

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,700	9.4	8.1 - 10.8	16,700	90.6	89.2 - 91.9	18,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	300	10.8	8.0 - 14.4	2,100	89.2	85.6 - 92.0	2,400
<b>Honolulu</b>	1,200	9.4	7.8 - 11.3	11,800	90.6	88.7 - 92.2	13,000
<b>Kauai</b>	100	8.0	5.2 - 11.9	800	92.0	88.1 - 94.8	900
<b>Maui</b>	200	8.1	5.9 - 11.0	2,000	91.9	89.0 - 94.1	2,100



**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	8.1	5.7 - 11.3	4,000	91.9	88.7 - 94.3	4,300
Native Hawaiian	600	9.6	7.4 - 12.3	5,300	90.4	87.7 - 92.6	5,900
Chinese	100	8.0	3.3 - 18.0	700	92.0	82.0 - 96.7	800
Filipino	300	10.1	7.2 - 13.9	2,900	89.9	86.1 - 92.8	3,300
Japanese	100	8.6	5.0 - 14.5	1,500	91.4	85.5 - 95.0	1,600
Other	300	11.2	7.6 - 16.3	2,300	88.8	83.7 - 92.4	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	7.6	4.5 - 12.5	1,700	92.4	87.5 - 95.5	1,900
20-24	400	9.5	6.7 - 13.3	3,800	90.5	86.7 - 93.3	4,200
25-34	700	8.1	6.5 - 9.9	8,500	91.9	90.1 - 93.5	9,200
35+	400	14.2	10.5 - 18.9	2,700	85.8	81.1 - 89.5	3,100

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,000	10.0	8.2 - 12.1	8,900	90.0	87.9 - 91.8	9,900
Female	700	8.7	7.0 - 10.9	7,800	91.3	89.1 - 93.0	8,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	9.5	7.8 - 11.5	9,800	90.5	88.5 - 92.2	10,800
No	700	9.2	7.4 - 11.5	6,900	90.8	88.5 - 92.6	7,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	8.4	6.5 - 10.7	5,900	91.6	89.3 - 93.5	6,500
131-185%	300	10.7	7.0 - 16.0	2,500	89.3	84.0 - 93.0	2,800
186+%	700	10.0	8.0 - 12.5	6,700	90.0	87.5 - 92.0	7,400

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	7.0	4.8 - 10.1	2,900	93.0	89.9 - 95.2	3,100
\$10,000-\$24,999	400	11.4	8.4 - 15.3	3,400	88.6	84.7 - 91.6	3,900
\$25,000-\$49,999	400	9.9	7.2 - 13.6	3,300	90.1	86.4 - 92.8	3,700
>=\$50,000	600	9.7	7.4 - 12.6	5,500	90.3	87.4 - 92.6	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	69.8	64.8 - 74.4	400	30.2	25.6 - 35.2	1,400
Normal birth weight	700	4.3	3.1 - 5.8	16,300	95.7	94.2 - 96.9	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	11.2	7.0 - 17.4	1,500	88.8	82.6 - 93.0	1,700
No	1,500	9.1	7.8 - 10.6	14,700	90.9	89.4 - 92.2	16,200

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	11.0	8.2 - 14.7	3,600	89.0	85.3 - 91.8	4,000
<b>No</b>	1,200	8.8	7.4 - 10.4	12,700	91.2	89.6 - 92.6	13,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	10.0	8.1 - 12.3	6,700	90.0	87.7 - 91.9	7,500
<b>No</b>	900	8.8	7.1 - 10.9	9,400	91.2	89.1 - 92.9	10,300

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,700	8.8	7.6 - 10.2	17,300	91.2	89.8 - 92.4	19,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	300	11.0	7.4 - 15.9	2,200	89.0	84.1 - 92.6	2,500
<b>Honolulu</b>	1,200	9.2	7.7 - 10.9	12,100	90.8	89.1 - 92.3	13,400
<b>Kauai</b>	<50	5.4	2.3 - 12.2	900	94.6	87.8 - 97.7	900
<b>Maui</b>	100	5.5	3.0 - 9.7	2,100	94.5	90.3 - 97.0	2,300

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	8.6	6.2 - 11.6	4,100	91.4	88.4 - 93.8	4,500
Native Hawaiian	400	8.0	5.7 - 11.0	4,900	92.0	89.0 - 94.3	5,300
Chinese	100	8.5	5.4 - 13.0	600	91.5	87.0 - 94.6	600
Filipino	400	10.5	7.8 - 14.1	3,200	89.5	85.9 - 92.2	3,500
Japanese	100	7.1	4.2 - 11.8	1,900	92.9	88.2 - 95.8	2,100
Other	300	9.8	6.6 - 14.1	2,700	90.2	85.9 - 93.4	3,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	9.2	5.3 - 15.7	1,400	90.8	84.3 - 94.7	1,500
20-24	300	7.5	5.2 - 10.7	3,800	92.5	89.3 - 94.8	4,100
25-34	800	8.0	6.4 - 10.0	9,100	92.0	90.0 - 93.6	9,900
35+	400	12.3	9.2 - 16.3	3,100	87.7	83.7 - 90.8	3,500

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,000	9.5	7.8 - 11.6	9,100	90.5	88.4 - 92.2	10,000
Female	700	8.0	6.3 - 10.0	8,300	92.0	90.0 - 93.7	9,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	8.4	6.9 - 10.2	10,900	91.6	89.8 - 93.1	11,900
No	700	9.4	7.4 - 12.0	6,400	90.6	88.0 - 92.6	7,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	8.5	6.5 - 11.1	6,500	91.5	88.9 - 93.5	7,100
131-185%	300	9.8	6.6 - 14.2	2,400	90.2	85.8 - 93.4	2,700
186+%	700	8.8	7.0 - 11.0	7,300	91.2	89.0 - 93.0	8,000

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	10.4	7.2 - 14.7	2,900	89.6	85.3 - 92.8	3,200
\$10,000-\$24,999	300	7.2	4.9 - 10.4	3,800	92.8	89.6 - 95.1	4,100
\$25,000-\$49,999	400	10.4	7.7 - 13.8	3,900	89.6	86.2 - 92.3	4,300
>=\$50,000	500	8.0	6.1 - 10.3	5,800	92.0	89.7 - 93.9	6,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	65.7	56.7 - 73.7	400	34.3	26.3 - 43.3	1,300
Normal birth weight	800	4.5	3.6 - 5.6	16,900	95.5	94.4 - 96.4	17,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	11.7	7.2 - 18.5	1,400	88.3	81.5 - 92.8	1,600
No	1,400	8.4	7.1 - 9.9	15,600	91.6	90.1 - 92.9	17,000



**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	9.9	6.9 - 13.9	3,200	90.1	86.1 - 93.1	3,500
<b>No</b>	1,300	8.4	7.1 - 10.0	13,800	91.6	90.0 - 92.9	15,100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	8.5	6.7 - 10.8	7,400	91.5	89.2 - 93.3	8,100
<b>No</b>	1,000	9.0	7.3 - 10.9	9,700	91.0	89.1 - 92.7	10,600

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,800	9.5	8.2 - 10.9	16,900	90.5	89.1 - 91.8	18,700

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	7.5	4.6 - 11.9	2,300	92.5	88.1 - 95.4	2,500
<b>Honolulu</b>	1,200	9.4	7.9 - 11.2	11,700	90.6	88.8 - 92.1	12,900
<b>Kauai</b>	100	13.2	7.6 - 22.1	900	86.8	77.9 - 92.4	1,100
<b>Maui</b>	200	10.2	6.7 - 15.3	2,000	89.8	84.7 - 93.3	2,200

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	8.3	6.0 - 11.5	3,900	91.7	88.5 - 94.0	4,200
Native Hawaiian	500	10.1	7.5 - 13.5	4,700	89.9	86.5 - 92.5	5,200
Chinese	100	7.4	4.6 - 11.6	600	92.6	88.4 - 95.4	700
Filipino	500	13.5	10.4 - 17.3	3,000	86.5	82.7 - 89.6	3,500
Japanese	200	7.0	4.2 - 11.5	2,000	93.0	88.5 - 95.8	2,100
Other	200	7.6	5.1 - 11.2	2,800	92.4	88.8 - 94.9	3,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	13.0	8.1 - 20.3	1,500	87.0	79.7 - 91.9	1,700
20-24	400	8.9	6.5 - 12.0	4,300	91.1	88.0 - 93.5	4,700
25-34	800	8.8	7.1 - 10.8	8,300	91.2	89.2 - 92.9	9,100
35+	300	10.5	7.6 - 14.2	2,900	89.5	85.8 - 92.4	3,200

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.5	7.7 - 11.7	8,700	90.5	88.3 - 92.3	9,600
Female	900	9.4	7.6 - 11.6	8,300	90.6	88.4 - 92.4	9,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	9.5	7.9 - 11.3	10,500	90.5	88.7 - 92.1	11,600
No	700	9.5	7.3 - 12.1	6,400	90.5	87.9 - 92.7	7,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	10.6	8.4 - 13.4	6,200	89.4	86.6 - 91.6	7,000
131-185%	200	7.6	4.9 - 11.4	2,500	92.4	88.6 - 95.1	2,800
186+%	700	9.5	7.6 - 11.7	6,900	90.5	88.3 - 92.4	7,600

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	10.1	6.9 - 14.6	2,800	89.9	85.4 - 93.1	3,100
\$10,000-\$24,999	500	12.9	9.8 - 16.9	3,400	87.1	83.1 - 90.2	3,900
\$25,000-\$49,999	300	7.2	5.1 - 10.2	4,000	92.8	89.8 - 94.9	4,300
>=\$50,000	500	8.8	6.9 - 11.3	5,500	91.2	88.7 - 93.1	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	62.4	54.2 - 69.9	600	37.6	30.1 - 45.8	1,600
Normal birth weight	800	4.7	3.7 - 5.8	16,300	95.3	94.2 - 96.3	17,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	12.6	7.8 - 19.5	1,300	87.4	80.5 - 92.2	1,500
No	1,600	9.3	8.0 - 10.8	15,300	90.7	89.2 - 92.0	16,900

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	9.3	6.5 - 13.1	3,300	90.7	86.9 - 93.5	3,600
<b>No</b>	1,400	9.7	8.2 - 11.3	13,300	90.3	88.7 - 91.8	14,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	9.9	7.8 - 12.3	7,000	90.1	87.7 - 92.2	7,800
<b>No</b>	1,000	9.2	7.6 - 11.1	9,500	90.8	88.9 - 92.4	10,500

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,900	10.1	8.7 - 11.6	16,700	89.9	88.4 - 91.3	18,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	300	11.5	7.6 - 17.0	2,000	88.5	83.0 - 92.4	2,200
<b>Honolulu</b>	1,400	10.1	8.5 - 11.9	12,100	89.9	88.1 - 91.5	13,500
<b>Kauai</b>	100	13.0	7.0 - 22.9	800	87.0	77.1 - 93.0	900
<b>Maui</b>	100	6.9	3.9 - 12.0	1,800	93.1	88.0 - 96.1	1,900

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.0	4.8 - 10.1	4,000	93.0	89.9 - 95.2	4,300
Native Hawaiian	400	8.1	5.7 - 11.3	4,700	91.9	88.7 - 94.3	5,100
Chinese	100	10.7	7.1 - 15.9	500	89.3	84.1 - 92.9	600
Filipino	400	12.7	9.6 - 16.7	3,000	87.3	83.3 - 90.4	3,400
Japanese	300	15.2	10.9 - 20.9	1,900	84.8	79.1 - 89.1	2,200
Other	300	11.1	7.7 - 15.7	2,600	88.9	84.3 - 92.3	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	16.9	11.2 - 24.8	1,300	83.1	75.2 - 88.8	1,600
20-24	500	10.3	7.6 - 13.9	4,100	89.7	86.1 - 92.4	4,500
25-34	800	8.4	6.8 - 10.5	8,300	91.6	89.5 - 93.2	9,100
35+	400	10.8	7.9 - 14.5	3,000	89.2	85.5 - 92.1	3,300



**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.7	7.9 - 11.9	8,500	90.3	88.1 - 92.1	9,500
Female	900	10.5	8.5 - 12.8	8,100	89.5	87.2 - 91.5	9,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	8.4	6.9 - 10.2	10,700	91.6	89.8 - 93.1	11,700
No	900	12.9	10.3 - 16.1	5,900	87.1	83.9 - 89.7	6,800

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	800	12.8	10.2 - 16.0	5,600	87.2	84.0 - 89.8	6,500
131-185%	100	5.6	3.2 - 9.6	2,300	94.4	90.4 - 96.8	2,500
186+%	800	9.6	7.7 - 11.7	7,500	90.4	88.3 - 92.3	8,300

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	16.6	12.4 - 21.8	2,600	83.4	78.2 - 87.6	3,100
\$10,000-\$24,999	300	7.8	5.3 - 11.2	3,500	92.2	88.8 - 94.7	3,800
\$25,000-\$49,999	400	9.0	6.5 - 12.2	3,900	91.0	87.8 - 93.5	4,300
>=\$50,000	600	9.2	7.2 - 11.8	5,400	90.8	88.2 - 92.8	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	69.5	61.2 - 76.6	500	30.5	23.4 - 38.8	1,600
Normal birth weight	700	4.4	3.4 - 5.6	16,200	95.6	94.4 - 96.6	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	13.2	8.5 - 19.9	1,500	86.8	80.1 - 91.5	1,700
No	1,600	9.6	8.2 - 11.3	14,900	90.4	88.7 - 91.8	16,500

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	11.2	8.1 - 15.1	3,500	88.8	84.9 - 91.9	3,900
<b>No</b>	1,400	9.6	8.2 - 11.4	13,000	90.4	88.6 - 91.8	14,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	900	12.2	9.8 - 15.0	6,800	87.8	85.0 - 90.2	7,800
<b>No</b>	900	8.8	7.2 - 10.7	9,500	91.2	89.3 - 92.8	10,400

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,700	9.8	8.4 - 11.3	15,800	90.2	88.7 - 91.6	17,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	300	13.4	9.2 - 19.0	1,900	86.6	81.0 - 90.8	2,200
<b>Honolulu</b>	1,200	9.4	8.0 - 11.2	11,600	90.6	88.8 - 92.0	12,800
<b>Kauai</b>	100	9.9	4.9 - 19.0	700	90.1	81.0 - 95.1	700
<b>Maui</b>	100	7.4	4.2 - 12.7	1,600	92.6	87.3 - 95.8	1,700

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	5.4	3.5 - 8.3	3,600	94.6	91.7 - 96.5	3,800
Native Hawaiian	700	13.5	10.4 - 17.2	4,300	86.5	82.8 - 89.6	4,900
Chinese	100	9.8	6.6 - 14.2	600	90.2	85.8 - 93.4	600
Filipino	400	11.7	8.8 - 15.3	2,900	88.3	84.7 - 91.2	3,300
Japanese	100	5.5	3.2 - 9.2	2,200	94.5	90.8 - 96.8	2,300
Other	300	10.5	7.3 - 14.8	2,300	89.5	85.2 - 92.7	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	14.5	9.5 - 21.5	1,300	85.5	78.5 - 90.5	1,500
20-24	400	10.0	7.4 - 13.3	3,900	90.0	86.7 - 92.6	4,300
25-34	800	9.3	7.5 - 11.4	7,900	90.7	88.6 - 92.5	8,700
35+	300	8.5	6.0 - 12.1	2,800	91.5	87.9 - 94.0	3,000

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	10.4	8.5 - 12.7	8,000	89.6	87.3 - 91.5	8,900
Female	800	9.1	7.3 - 11.2	7,800	90.9	88.8 - 92.7	8,600

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	9.1	7.5 - 10.9	10,200	90.9	89.1 - 92.5	11,200
No	700	11.0	8.7 - 13.8	5,600	89.0	86.2 - 91.3	6,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	11.8	9.4 - 14.7	5,500	88.2	85.3 - 90.6	6,300
131-185%	100	7.9	4.8 - 13.0	1,700	92.1	87.0 - 95.2	1,900
186+%	700	8.3	6.6 - 10.4	7,200	91.7	89.6 - 93.4	7,800

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	13.1	9.6 - 17.7	2,600	86.9	82.3 - 90.4	3,000
\$10,000-\$24,999	300	9.3	6.6 - 12.8	3,300	90.7	87.2 - 93.4	3,600
\$25,000-\$49,999	300	8.0	5.7 - 11.2	3,700	92.0	88.8 - 94.3	4,100
>=\$50,000	500	9.3	7.1 - 11.9	5,000	90.7	88.1 - 92.9	5,500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	66.6	57.9 - 74.2	400	33.4	25.8 - 42.1	1,300
Normal birth weight	900	5.3	4.3 - 6.6	15,400	94.7	93.4 - 95.7	16,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	13.1	8.2 - 20.4	1,200	86.9	79.6 - 91.8	1,400
No	1,500	9.5	8.1 - 11.0	14,200	90.5	89.0 - 91.9	15,700

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	10.1	7.2 - 13.9	3,300	89.9	86.1 - 92.8	3,600
<b>No</b>	1,300	9.6	8.2 - 11.3	12,200	90.4	88.7 - 91.8	13,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	10.6	8.5 - 13.1	6,600	89.4	86.9 - 91.5	7,400
<b>No</b>	900	9.0	7.4 - 11.0	8,800	91.0	89.0 - 92.6	9,700



**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,600	9.1	7.9 - 10.4	16,200	90.9	89.6 - 92.1	17,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	9.3	6.3 - 13.7	2,000	90.7	86.3 - 93.7	2,200
<b>Honolulu</b>	1,200	9.2	7.8 - 10.8	11,800	90.8	89.2 - 92.2	12,900
<b>Kauai</b>	100	6.9	3.2 - 14.1	800	93.1	85.9 - 96.8	800
<b>Maui</b>	200	9.1	5.9 - 13.7	1,700	90.9	86.3 - 94.1	1,800

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.2	5.2 - 9.9	3,600	92.8	90.1 - 94.8	3,900
Native Hawaiian	500	9.4	7.1 - 12.5	4,400	90.6	87.5 - 92.9	4,900
Chinese	100	9.0	6.7 - 11.9	600	91.0	88.1 - 93.3	700
Filipino	300	10.2	7.8 - 13.3	3,000	89.8	86.7 - 92.2	3,400
Japanese	200	10.5	7.3 - 14.9	2,100	89.5	85.1 - 92.7	2,300
Other	200	8.6	5.8 - 12.6	2,400	91.4	87.4 - 94.2	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	7.3	4.1 - 12.8	1,200	92.7	87.2 - 95.9	1,300
20-24	400	9.4	7.0 - 12.4	4,100	90.6	87.6 - 93.0	4,500
25-34	800	8.8	7.2 - 10.7	7,900	91.2	89.3 - 92.8	8,600
35+	300	10.2	7.7 - 13.4	3,100	89.8	86.6 - 92.3	3,400

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	9.5	7.9 - 11.3	8,800	90.5	88.7 - 92.1	9,700
Female	700	8.6	7.0 - 10.6	7,400	91.4	89.4 - 93.0	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	9.3	8.0 - 10.9	11,300	90.7	89.1 - 92.0	12,500
No	500	8.5	6.5 - 11.1	4,900	91.5	88.9 - 93.5	5,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	9.0	7.0 - 11.3	6,000	91.0	88.7 - 93.0	6,600
131-185%	100	6.0	3.6 - 10.0	2,000	94.0	90.0 - 96.4	2,100
186+%	800	10.0	8.2 - 12.1	6,900	90.0	87.9 - 91.8	7,700

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	7.4	4.8 - 11.1	2,600	92.6	88.9 - 95.2	2,800
\$10,000-\$24,999	400	9.2	6.9 - 12.1	4,000	90.8	87.9 - 93.1	4,400
\$25,000-\$49,999	400	10.0	7.7 - 12.9	4,000	90.0	87.1 - 92.3	4,500
>=\$50,000	400	8.9	6.9 - 11.5	4,500	91.1	88.5 - 93.1	4,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	69.4	60.9 - 76.8	300	30.6	23.2 - 39.1	1,100
Normal birth weight	800	5.0	4.1 - 6.1	15,900	95.0	93.9 - 95.9	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	13.1	8.6 - 19.5	1,200	86.9	80.5 - 91.4	1,400
No	1,400	8.6	7.4 - 9.9	14,700	91.4	90.1 - 92.6	16,100

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	8.2	5.8 - 11.3	3,300	91.8	88.7 - 94.2	3,600
<b>No</b>	1,300	9.1	7.8 - 10.7	12,700	90.9	89.3 - 92.2	13,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	8.9	7.2 - 11.0	7,200	91.1	89.0 - 92.8	7,900
<b>No</b>	900	9.6	8.0 - 11.5	8,600	90.4	88.5 - 92.0	9,500

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,600	9.0	7.6 - 10.7	16,100	91.0	89.3 - 92.4	17,700

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	9.9	7.6 - 12.9	1,800	90.1	87.1 - 92.4	2,000
<b>Honolulu</b>	1,200	9.1	7.3 - 11.3	11,700	90.9	88.7 - 92.7	12,900
<b>Kauai</b>	<50	5.1	2.7 - 9.4	800	94.9	90.6 - 97.3	900
<b>Maui</b>	200	9.5	7.0 - 12.8	1,700	90.5	87.2 - 93.0	1,900

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	5.3	3.2 - 8.8	3,600	94.7	91.2 - 96.8	3,800
Native Hawaiian	500	10.4	8.7 - 12.4	4,300	89.6	87.6 - 91.3	4,800
Chinese	<50	3.7	0.8 - 15.0	700	96.3	85.0 - 99.2	700
Filipino	400	9.0	5.9 - 13.4	3,600	91.0	86.6 - 94.1	3,900
Japanese	200	9.2	5.2 - 15.8	1,800	90.8	84.2 - 94.8	2,000
Other	300	13.4	8.6 - 20.3	2,100	86.6	79.7 - 91.4	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.9	7.2 - 19.2	1,400	88.1	80.8 - 92.8	1,600
20-24	400	8.9	6.4 - 12.3	3,800	91.1	87.7 - 93.6	4,200
25-34	800	8.8	6.9 - 11.1	8,100	91.2	88.9 - 93.1	8,900
35+	300	8.3	5.2 - 13.1	2,800	91.7	86.9 - 94.8	3,000

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,000	10.4	8.4 - 12.9	8,400	89.6	87.1 - 91.6	9,400
Female	600	7.5	5.7 - 9.7	7,700	92.5	90.3 - 94.3	8,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	8.1	6.5 - 10.2	10,700	91.9	89.8 - 93.5	11,600
No	600	10.7	8.3 - 13.8	5,400	89.3	86.2 - 91.7	6,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	800	9.9	7.8 - 12.4	7,100	90.1	87.6 - 92.2	7,800
131-185%	300	11.5	7.7 - 17.0	2,300	88.5	83.0 - 92.3	2,500
186+%	400	7.1	4.9 - 10.2	5,100	92.9	89.8 - 95.1	5,500



**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	500	10.8	8.0 - 14.4	3,800	89.2	85.6 - 92.0	4,300
\$15,001-\$25,000	200	8.8	5.5 - 14.0	2,100	91.2	86.0 - 94.5	2,300
\$25,001-\$40,000	300	9.1	6.1 - 13.5	2,900	90.9	86.5 - 93.9	3,200
>=\$40,001	500	8.1	6.0 - 11.0	6,200	91.9	89.0 - 94.0	6,700

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	62.4	52.0 - 71.7	500	37.6	28.3 - 48.0	1,200
Normal birth weight	800	5.0	3.9 - 6.3	15,600	95.0	93.7 - 96.1	16,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	9.2	5.6 - 14.9	1,500	90.8	85.1 - 94.4	1,600
No	1,400	9.0	7.5 - 10.8	14,300	91.0	89.2 - 92.5	15,700

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	7.3	5.0 - 10.6	3,300	92.7	89.4 - 95.0	3,600
<b>No</b>	1,300	9.4	7.7 - 11.4	12,300	90.6	88.6 - 92.3	13,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	9.6	7.5 - 12.1	6,700	90.4	87.9 - 92.5	7,400
<b>No</b>	900	8.7	6.8 - 11.0	9,200	91.3	89.0 - 93.2	10,000

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,800	10.6	8.9 - 12.5	15,200	89.4	87.5 - 91.1	17,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	8.4	6.2 - 11.2	1,800	91.6	88.8 - 93.8	2,000
<b>Honolulu</b>	1,400	11.5	9.4 - 14.0	11,100	88.5	86.0 - 90.6	12,600
<b>Kauai</b>	100	10.4	6.4 - 16.5	600	89.6	83.5 - 93.6	700
<b>Maui</b>	100	6.9	4.7 - 10.0	1,600	93.1	90.0 - 95.3	1,800

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	9.8	6.5 - 14.5	3,300	90.2	85.5 - 93.5	3,600
Native Hawaiian	500	10.4	8.6 - 12.5	4,200	89.6	87.5 - 91.4	4,600
Chinese	100	14.5	5.9 - 31.4	500	85.5	68.6 - 94.1	600
Filipino	500	15.5	11.0 - 21.2	2,900	84.5	78.8 - 89.0	3,500
Japanese	100	4.2	1.8 - 9.7	2,300	95.8	90.3 - 98.2	2,400
Other	200	10.5	6.1 - 17.4	2,100	89.5	82.6 - 93.9	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	6.3	4.0 - 9.6	1,400	93.7	90.4 - 96.0	1,500
20-24	500	11.7	8.5 - 16.0	3,700	88.3	84.0 - 91.5	4,200
25-34	800	9.7	7.5 - 12.3	7,700	90.3	87.7 - 92.5	8,500
35+	400	14.2	9.7 - 20.2	2,400	85.8	79.8 - 90.3	2,800

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	900	10.8	8.6 - 13.6	7,600	89.2	86.4 - 91.4	8,500
Female	900	10.4	8.1 - 13.1	7,700	89.6	86.9 - 91.9	8,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	9.6	7.7 - 11.9	10,500	90.4	88.1 - 92.3	11,600
No	700	12.7	9.9 - 16.3	4,700	87.3	83.7 - 90.1	5,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	800	11.9	9.3 - 15.1	5,800	88.1	84.9 - 90.7	6,600
131-185%	400	10.7	7.1 - 15.8	3,100	89.3	84.2 - 92.9	3,500
186+%	500	8.7	6.2 - 12.1	4,900	91.3	87.9 - 93.8	5,400

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	400	12.1	8.7 - 16.7	2,900	87.9	83.3 - 91.3	3,300
\$15,001-\$25,000	300	11.7	7.5 - 17.8	2,200	88.3	82.2 - 92.5	2,500
\$25,001-\$40,000	400	10.4	7.2 - 14.9	3,300	89.6	85.1 - 92.8	3,700
>=\$40,001	600	9.4	6.9 - 12.6	5,900	90.6	87.4 - 93.1	6,500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	77.0	66.6 - 84.9	300	23.0	15.1 - 33.4	1,100
Normal birth weight	800	5.3	4.2 - 6.8	15,000	94.7	93.2 - 95.8	15,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	10.6	6.3 - 17.4	1,200	89.4	82.6 - 93.7	1,300
No	1,600	10.4	8.7 - 12.4	13,800	89.6	87.6 - 91.3	15,400

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	12.1	8.4 - 17.0	2,900	87.9	83.0 - 91.6	3,300
<b>No</b>	1,400	10.2	8.4 - 12.3	11,900	89.8	87.7 - 91.6	13,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	10.6	8.2 - 13.5	6,400	89.4	86.5 - 91.8	7,100
<b>No</b>	1,000	10.5	8.4 - 13.1	8,800	89.5	86.9 - 91.6	9,800

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,500	9.0	7.8 - 10.4	15,200	91.0	89.6 - 92.2	16,700

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	7.4	5.4 - 10.1	1,700	92.6	89.9 - 94.6	1,900
<b>Honolulu</b>	1,100	9.2	7.7 - 11.0	11,200	90.8	89.0 - 92.3	12,300
<b>Kauai</b>	100	8.3	5.0 - 13.5	700	91.7	86.5 - 95.0	800
<b>Maui</b>	200	9.6	7.0 - 13.0	1,600	90.4	87.0 - 93.0	1,700



**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.1	5.0 - 10.1	3,300	92.9	89.9 - 95.0	3,600
Native Hawaiian	400	9.8	8.5 - 11.3	4,100	90.2	88.7 - 91.5	4,500
Chinese	100	12.8	6.0 - 25.1	600	87.2	74.9 - 94.0	700
Filipino	400	10.3	7.2 - 14.4	3,100	89.7	85.6 - 92.8	3,500
Japanese	200	9.8	6.2 - 15.1	1,800	90.2	84.9 - 93.8	2,000
Other	200	6.6	3.8 - 11.1	2,200	93.4	88.9 - 96.2	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.0	7.4 - 16.0	1,400	89.0	84.0 - 92.6	1,600
20-24	400	9.6	7.4 - 12.4	3,900	90.4	87.6 - 92.6	4,300
25-34	600	7.4	5.8 - 9.3	7,500	92.6	90.7 - 94.2	8,100
35+	300	11.8	8.5 - 16.2	2,400	88.2	83.8 - 91.5	2,700

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	9.9	8.1 - 11.9	7,700	90.1	88.1 - 91.9	8,500
Female	700	8.1	6.5 - 10.1	7,500	91.9	89.9 - 93.5	8,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	8.0	6.6 - 9.7	10,300	92.0	90.3 - 93.4	11,200
No	600	11.0	9.0 - 13.5	4,900	89.0	86.5 - 91.0	5,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	10.3	8.3 - 12.7	5,700	89.7	87.3 - 91.7	6,300
131-185%	200	6.8	4.8 - 9.4	3,400	93.2	90.6 - 95.2	3,600
186+%	500	8.7	6.6 - 11.5	5,000	91.3	88.5 - 93.4	5,500

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	400	12.7	9.7 - 16.5	3,000	87.3	83.5 - 90.3	3,400
\$15,001-\$25,000	200	6.9	4.6 - 10.2	2,100	93.1	89.8 - 95.4	2,300
\$25,001-\$40,000	300	7.5	5.5 - 10.2	3,300	92.5	89.8 - 94.5	3,600
>=\$40,001	600	8.9	7.0 - 11.4	5,900	91.1	88.6 - 93.0	6,500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	700	65.5	56.5 - 73.4	400	34.5	26.6 - 43.5	1,100
Normal birth weight	800	4.9	4.0 - 6.1	14,800	95.1	93.9 - 96.0	15,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	11.7	7.8 - 17.2	1,400	88.3	82.8 - 92.2	1,600
No	1,300	8.6	7.3 - 10.1	13,500	91.4	89.9 - 92.7	14,800

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	9.6	7.2 - 12.7	3,000	90.4	87.3 - 92.8	3,400
<b>No</b>	1,100	8.4	7.1 - 10.1	11,700	91.6	89.9 - 92.9	12,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	600	8.4	6.8 - 10.5	6,400	91.6	89.5 - 93.2	7,000
<b>No</b>	900	9.2	7.5 - 11.1	8,700	90.8	88.9 - 92.5	9,500

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,300	8.1	6.9 - 9.4	15,100	91.9	90.6 - 93.1	16,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	8.5	6.3 - 11.5	1,800	91.5	88.5 - 93.7	2,000
<b>Honolulu</b>	1,000	8.4	7.0 - 10.1	11,000	91.6	89.9 - 93.0	12,000
<b>Kauai</b>	<50	6.7	3.8 - 11.5	700	93.3	88.5 - 96.2	700
<b>Maui</b>	100	5.8	3.9 - 8.6	1,600	94.2	91.4 - 96.1	1,700

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	6.1	4.2 - 8.9	3,800	93.9	91.1 - 95.8	4,000
Native Hawaiian	400	9.3	7.9 - 10.9	4,000	90.7	89.1 - 92.1	4,400
Chinese	<50	5.2	1.9 - 13.7	600	94.8	86.3 - 98.1	600
Filipino	300	8.3	5.6 - 12.2	3,000	91.7	87.8 - 94.4	3,300
Japanese	200	9.3	5.7 - 15.0	1,700	90.7	85.0 - 94.3	1,900
Other	200	8.7	5.4 - 13.8	2,000	91.3	86.2 - 94.6	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	11.6	8.2 - 16.1	1,600	88.4	83.9 - 91.8	1,800
20-24	300	7.9	5.8 - 10.7	3,700	92.1	89.3 - 94.2	4,100
25-34	500	6.6	5.1 - 8.5	7,200	93.4	91.5 - 94.9	7,700
35+	300	10.1	7.2 - 14.0	2,600	89.9	86.0 - 92.8	2,800

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	700	8.0	6.5 - 9.7	7,900	92.0	90.3 - 93.5	8,500
Female	600	8.2	6.5 - 10.3	7,300	91.8	89.7 - 93.5	7,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	6.8	5.5 - 8.4	10,500	93.2	91.6 - 94.5	11,300
No	600	10.8	8.7 - 13.4	4,600	89.2	86.6 - 91.3	5,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	7.7	6.2 - 9.5	6,400	92.3	90.5 - 93.8	7,000
131-185%	200	7.6	4.8 - 11.7	2,100	92.4	88.3 - 95.2	2,300
186+%	500	8.1	6.1 - 10.7	5,400	91.9	89.3 - 93.9	5,800

**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	300	8.2	6.2 - 10.8	3,500	91.8	89.2 - 93.8	3,800
\$15,001-\$25,000	200	7.7	5.4 - 10.8	2,400	92.3	89.2 - 94.6	2,600
\$25,001-\$40,000	200	5.6	3.8 - 8.1	3,000	94.4	91.9 - 96.2	3,200
>=\$40,001	500	9.0	6.9 - 11.7	5,400	91.0	88.3 - 93.1	5,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	59.6	51.0 - 67.7	400	40.4	32.3 - 49.0	1,000
Normal birth weight	700	4.6	3.7 - 5.7	14,700	95.4	94.3 - 96.3	15,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	9.6	6.7 - 13.4	1,200	90.4	86.6 - 93.3	1,300
No	1,200	7.9	6.7 - 9.4	13,400	92.1	90.6 - 93.3	14,600



**PRAMS Health Indicator Report - Preterm delivery- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	10.5	7.9 - 13.9	2,900	89.5	86.1 - 92.1	3,200
<b>No</b>	900	7.4	6.1 - 8.9	11,600	92.6	91.1 - 93.9	12,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	600	8.4	6.8 - 10.3	6,600	91.6	89.7 - 93.2	7,200
<b>No</b>	700	7.9	6.3 - 9.9	8,200	92.1	90.1 - 93.7	8,900