

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- for the State of Hawaii, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 3-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012. Because of this, income data does not exist for some 3-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Entry into PNC	Entry into PNC

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/21/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- for the State of Hawaii, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2002	13,400	79.6	78.5 - 80.7	3,200	19.1	18.0 - 20.2	200	1.3	1.0 - 1.7	16,800
2001-2003	13,500	80.0	78.8 - 81.1	3,200	18.7	17.6 - 19.9	200	1.3	1.0 - 1.7	16,900
2002-2004	13,800	80.2	78.9 - 81.3	3,200	18.7	17.6 - 19.9	200	1.1	0.9 - 1.5	17,200
2003-2005	13,700	79.3	78.2 - 80.4	3,300	19.4	18.3 - 20.5	200	1.3	1.0 - 1.6	17,200
2004-2006	13,800	79.1	77.9 - 80.2	3,400	19.7	18.6 - 20.8	200	1.3	1.0 - 1.6	17,500
2005-2007	13,800	77.9	76.7 - 79.1	3,700	20.6	19.5 - 21.8	300	1.4	1.1 - 1.8	17,700
2006-2008	14,400	79.1	78.0 - 80.3	3,500	19.4	18.3 - 20.5	300	1.5	1.2 - 1.8	18,200
2007-2009	14,500	79.9	78.7 - 81.1	3,400	18.7	17.5 - 19.9	300	1.4	1.1 - 1.8	18,200
2008-2010	14,900	81.9	80.6 - 83.2	3,100	16.9	15.7 - 18.2	200	1.2	0.9 - 1.6	18,200
2009-2011	15,300	83.6	82.2 - 84.9	2,800	15.4	14.1 - 16.8	200	1.0	0.7 - 1.4	18,300
2010-2012	15,700	85.8	84.5 - 87.0	2,400	13.2	12.1 - 14.5	200	0.9	0.6 - 1.4	18,300
2011-2013	15,900	87.5	86.2 - 88.7	2,100	11.6	10.4 - 12.8	200	0.9	0.6 - 1.4	18,200

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- for the State of Hawaii, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2011-2013

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,900	87.5	86.2 - 88.7	2,100	11.6	10.4 - 12.8	200	0.9	0.6 - 1.4	18,200

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,900	81.2	78.6 - 83.6	400	17.5	15.2 - 20.1	<50	1.3	0.8 - 2.2	2,300
Honolulu	11,600	89.0	87.3 - 90.5	1,300	10.0	8.6 - 11.7	100	1.0	0.6 - 1.6	13,100
Kauai	700	86.1	83.5 - 88.4	100	13.9	11.6 - 16.5	0	0.0	-	800
Maui	1,700	85.3	83.1 - 87.3	300	14.0	12.1 - 16.2	<50	0.7	0.3 - 1.4	1,900

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2011-2013

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	4,100	92.4	90.3 - 94.0	300	7.2	5.6 - 9.2	<50	0.4	0.1 - 1.3	4,500
Native Hawaiian	4,300	82.0	79.1 - 84.5	900	17.7	15.2 - 20.6	<50	0.3	0.2 - 0.6	5,200
Chinese	800	92.8	87.1 - 96.1	<50	4.9	2.4 - 9.5	<50	2.3	0.6 - 7.8	900
Filipino	2,800	89.5	86.6 - 91.8	300	9.8	7.6 - 12.6	<50	0.7	0.3 - 1.7	3,200
Japanese	1,600	93.0	89.2 - 95.5	100	5.6	3.4 - 9.0	<50	1.5	0.5 - 3.9	1,800
Other	2,200	82.4	78.1 - 85.9	400	15.1	11.8 - 19.1	100	2.5	1.3 - 4.9	2,600

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	600	65.6	57.7 - 72.8	300	30.1	23.3 - 37.9	<50	4.3	1.9 - 9.3	1,000
20-24	3,400	84.6	81.4 - 87.3	600	15.0	12.2 - 18.2	<50	0.4	0.1 - 1.3	4,000
25-34	9,000	90.6	89.1 - 91.9	900	8.8	7.5 - 10.2	100	0.6	0.4 - 1.1	9,900
35+	2,800	88.1	85.1 - 90.7	300	10.3	8.0 - 13.2	<50	1.5	0.7 - 3.3	3,200

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2011-2013

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Infant Gender										
Male	8,000	88.3	86.5 - 89.8	1,000	10.9	9.4 - 12.6	100	0.8	0.5 - 1.5	9,000
Female	7,900	86.7	84.8 - 88.4	1,100	12.2	10.6 - 14.0	100	1.1	0.6 - 1.8	9,100

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Married										
Yes	10,400	90.9	89.5 - 92.1	900	8.2	7.0 - 9.5	100	1.0	0.6 - 1.5	11,400
No	5,500	81.8	79.3 - 84.0	1,200	17.3	15.1 - 19.7	100	0.9	0.5 - 1.7	6,800

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Poverty Level										
0-130%	5,200	80.8	78.2 - 83.1	1,200	18.1	15.9 - 20.6	100	1.1	0.6 - 1.9	6,500
131-185%	2,400	86.8	83.0 - 89.8	300	12.4	9.5 - 16.0	<50	0.9	0.3 - 2.6	2,800
186+%	7,000	94.6	93.1 - 95.7	400	4.9	3.8 - 6.3	<50	0.6	0.3 - 1.3	7,400

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2011-2013

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	83.6	81.2 - 85.8	200	14.3	12.2 - 16.7	<50	2.1	1.3 - 3.2	1,300
Normal birth weight	14,800	87.8	86.4 - 89.0	1,900	11.4	10.2 - 12.7	100	0.9	0.6 - 1.3	16,800

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	70.1	62.4 - 76.9	300	29.3	22.6 - 37.1	<50	0.6	0.2 - 1.5	900
No	14,900	88.3	87.0 - 89.5	1,800	10.7	9.6 - 12.0	200	1.0	0.6 - 1.4	16,900

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	81.7	78.2 - 84.8	600	17.7	14.6 - 21.1	<50	0.6	0.2 - 1.7	3,200
No	12,900	88.7	87.3 - 89.9	1,500	10.3	9.1 - 11.7	100	1.0	0.7 - 1.6	14,600

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2011-2013

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,800	83.8	81.6 - 85.7	1,200	15.1	13.2 - 17.2	100	1.1	0.6 - 2.0	8,100
No	9,100	90.5	88.9 - 91.8	900	8.7	7.4 - 10.2	100	0.8	0.5 - 1.3	10,000

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2010-2012

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,700	85.8	84.5 - 87.0	2,400	13.2	12.1 - 14.5	200	0.9	0.6 - 1.4	18,300

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,900	80.6	78.1 - 82.9	400	18.3	16.0 - 20.7	<50	1.1	0.6 - 2.0	2,300
Honolulu	11,500	86.9	85.1 - 88.5	1,600	12.1	10.6 - 13.9	100	1.0	0.6 - 1.6	13,200
Kauai	700	86.6	83.9 - 88.8	100	13.3	11.0 - 15.9	<50	0.2	0.0 - 0.8	800
Maui	1,600	84.6	82.4 - 86.5	300	14.8	12.8 - 16.9	<50	0.7	0.4 - 1.3	1,900

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2010-2012

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,900	90.7	88.4 - 92.6	400	9.2	7.3 - 11.5	<50	0.1	0.0 - 0.4	4,300
Native Hawaiian	4,300	81.2	78.5 - 83.7	1,000	18.3	15.8 - 21.0	<50	0.5	0.2 - 1.1	5,300
Chinese	800	91.6	85.4 - 95.3	100	7.0	3.7 - 12.9	<50	1.4	0.3 - 5.7	900
Filipino	2,800	85.4	82.0 - 88.2	400	13.8	11.0 - 17.1	<50	0.9	0.4 - 1.8	3,300
Japanese	1,600	92.9	89.3 - 95.3	100	5.3	3.4 - 8.3	<50	1.8	0.7 - 4.6	1,700
Other	2,300	81.3	77.2 - 84.9	500	16.2	12.9 - 20.1	100	2.5	1.3 - 4.7	2,800

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	700	64.2	56.7 - 71.0	300	31.4	25.0 - 38.7	<50	4.4	1.9 - 9.6	1,100
20-24	3,400	82.1	78.9 - 84.9	700	17.4	14.6 - 20.6	<50	0.5	0.2 - 1.3	4,200
25-34	8,700	88.6	87.0 - 90.1	1,000	10.7	9.2 - 12.3	100	0.7	0.4 - 1.2	9,800
35+	2,900	89.2	86.2 - 91.6	300	9.7	7.4 - 12.6	<50	1.1	0.5 - 2.6	3,200

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2010-2012

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Infant Gender										
Male	7,900	86.1	84.2 - 87.8	1,200	13.0	11.3 - 14.8	100	1.0	0.6 - 1.6	9,200
Female	7,800	85.6	83.6 - 87.3	1,200	13.5	11.8 - 15.4	100	0.9	0.5 - 1.6	9,100

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Married										
Yes	10,200	89.7	88.2 - 91.0	1,100	9.7	8.4 - 11.2	100	0.6	0.3 - 1.1	11,400
No	5,500	79.4	76.9 - 81.7	1,300	19.1	16.9 - 21.5	100	1.5	0.9 - 2.4	6,900

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Poverty Level										
0-130%	5,000	78.3	75.7 - 80.7	1,300	20.2	17.9 - 22.8	100	1.5	0.9 - 2.5	6,400
131-185%	2,500	86.8	83.3 - 89.7	400	12.7	9.9 - 16.2	<50	0.5	0.2 - 1.6	2,900
186+%	7,000	92.8	91.2 - 94.2	500	6.8	5.5 - 8.4	<50	0.3	0.1 - 0.9	7,600

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2010-2012

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	82.1	79.5 - 84.4	200	15.3	13.1 - 17.7	<50	2.6	1.8 - 3.9	1,300
Normal birth weight	14,600	86.1	84.6 - 87.4	2,200	13.1	11.9 - 14.5	100	0.8	0.5 - 1.3	17,000

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	74.2	67.3 - 80.2	300	24.8	19.0 - 31.8	<50	0.9	0.4 - 2.1	1,000
No	14,600	86.5	85.1 - 87.7	2,100	12.6	11.4 - 13.9	200	0.9	0.6 - 1.4	16,900

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	79.7	76.2 - 82.9	700	19.5	16.4 - 23.0	<50	0.8	0.3 - 1.7	3,400
No	12,700	87.2	85.7 - 88.5	1,700	11.9	10.6 - 13.3	100	1.0	0.6 - 1.5	14,500

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2010-2012

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,700	82.2	80.0 - 84.2	1,400	16.7	14.7 - 18.8	100	1.2	0.7 - 2.0	8,200
No	8,900	88.8	87.2 - 90.3	1,000	10.4	9.0 - 12.1	100	0.7	0.4 - 1.2	10,000

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	15,300	83.6	82.2 - 84.9	2,800	15.4	14.1 - 16.8	200	1.0	0.7 - 1.4	18,300

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,900	79.6	77.1 - 81.9	500	19.7	17.4 - 22.2	<50	0.7	0.4 - 1.5	2,400
Honolulu	11,100	84.5	82.6 - 86.3	1,900	14.4	12.8 - 16.3	100	1.0	0.6 - 1.6	13,100
Kauai	700	87.3	84.8 - 89.4	100	12.3	10.2 - 14.8	<50	0.4	0.1 - 1.2	800
Maui	1,600	80.7	78.4 - 82.8	400	18.0	16.0 - 20.2	<50	1.3	0.8 - 2.1	2,000

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,900	89.7	87.3 - 91.7	400	10.2	8.3 - 12.6	<50	0.1	0.0 - 0.4	4,400
Native Hawaiian	4,400	79.7	76.9 - 82.2	1,100	19.9	17.4 - 22.6	<50	0.4	0.2 - 1.1	5,500
Chinese	700	90.6	83.7 - 94.7	100	9.0	4.9 - 15.9	<50	0.5	0.1 - 1.5	800
Filipino	2,700	85.0	81.6 - 87.8	500	14.1	11.3 - 17.4	<50	1.0	0.5 - 1.8	3,200
Japanese	1,600	90.2	86.0 - 93.3	100	8.6	5.8 - 12.5	<50	1.2	0.4 - 3.9	1,700
Other	2,000	73.9	69.1 - 78.1	600	22.5	18.5 - 27.0	100	3.6	2.1 - 6.3	2,600

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	63.1	56.4 - 69.4	400	33.3	27.2 - 39.9	<50	3.6	1.7 - 7.8	1,300
20-24	3,400	78.5	75.2 - 81.5	900	20.9	18.0 - 24.3	<50	0.6	0.2 - 1.3	4,300
25-34	8,200	87.0	85.2 - 88.7	1,100	12.2	10.6 - 13.9	100	0.8	0.5 - 1.4	9,400
35+	2,800	89.1	86.1 - 91.5	300	9.9	7.7 - 12.8	<50	1.0	0.4 - 2.5	3,200

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Infant Gender										
Male	7,900	83.7	81.7 - 85.5	1,400	15.1	13.4 - 17.1	100	1.2	0.7 - 1.9	9,400
Female	7,400	83.5	81.5 - 85.4	1,400	15.7	13.9 - 17.7	100	0.8	0.4 - 1.4	8,800

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Married										
Yes	10,000	89.1	87.6 - 90.5	1,100	10.2	8.8 - 11.7	100	0.7	0.4 - 1.2	11,200
No	5,300	74.9	72.3 - 77.4	1,700	23.7	21.2 - 26.3	100	1.4	0.9 - 2.3	7,100

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Poverty Level										
0-130%	4,700	73.5	70.7 - 76.1	1,600	24.6	22.1 - 27.4	100	1.9	1.2 - 3.0	6,400
131-185%	2,400	85.7	81.9 - 88.7	400	14.1	11.0 - 17.8	<50	0.2	0.1 - 0.6	2,800
186+%	7,100	91.6	89.8 - 93.0	600	8.0	6.6 - 9.7	<50	0.4	0.2 - 1.1	7,700

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

Income (2004-2011)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,200	68.5	64.3 - 72.4	900	28.6	24.8 - 32.8	100	2.9	1.7 - 4.9	3,300
\$10,000-\$24,999	2,700	78.7	75.1 - 81.8	700	20.5	17.3 - 24.0	<50	0.9	0.4 - 1.8	3,500
\$25,000-\$49,999	3,700	86.7	83.9 - 89.1	500	12.7	10.4 - 15.4	<50	0.6	0.2 - 1.8	4,300
>=\$50,000	5,600	92.1	90.2 - 93.7	500	7.6	6.0 - 9.5	<50	0.3	0.1 - 0.8	6,100

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	80.7	78.0 - 83.0	200	17.3	15.1 - 19.8	<50	2.0	1.3 - 3.2	1,300
Normal birth weight	14,200	83.9	82.4 - 85.3	2,600	15.2	13.9 - 16.7	200	0.9	0.6 - 1.4	16,900

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	71.0	64.6 - 76.7	400	27.4	21.9 - 33.8	<50	1.6	0.6 - 4.2	1,300
No	14,100	84.5	83.1 - 85.9	2,400	14.5	13.2 - 15.9	200	0.9	0.6 - 1.4	16,600

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,900	77.4	73.9 - 80.5	800	21.6	18.5 - 25.1	<50	1.0	0.5 - 2.2	3,800
No	12,100	85.1	83.6 - 86.6	2,000	13.9	12.5 - 15.4	100	1.0	0.6 - 1.5	14,200

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,200	79.3	76.9 - 81.4	1,500	19.6	17.5 - 21.9	100	1.1	0.6 - 1.9	7,900
No	8,800	87.0	85.2 - 88.6	1,200	12.1	10.6 - 13.9	100	0.9	0.5 - 1.5	10,100

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,900	81.9	80.6 - 83.2	3,100	16.9	15.7 - 18.2	200	1.2	0.9 - 1.6	18,200

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,900	79.5	76.7 - 82.1	500	19.6	17.1 - 22.4	<50	0.9	0.4 - 1.9	2,400
Honolulu	10,700	82.6	80.8 - 84.2	2,100	16.2	14.6 - 18.0	200	1.2	0.8 - 1.7	13,000
Kauai	700	84.7	80.9 - 87.9	100	14.9	11.8 - 18.8	<50	0.4	0.1 - 1.2	800
Maui	1,600	79.2	76.3 - 81.8	400	19.0	16.5 - 21.8	<50	1.8	1.1 - 3.1	2,000

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,800	88.2	85.9 - 90.2	500	11.6	9.6 - 13.9	<50	0.2	0.0 - 0.7	4,300
Native Hawaiian	4,300	78.7	76.0 - 81.2	1,100	20.7	18.3 - 23.4	<50	0.6	0.3 - 1.3	5,500
Chinese	600	87.7	81.6 - 92.0	100	10.9	6.8 - 17.1	<50	1.4	0.7 - 2.7	700
Filipino	2,600	81.5	78.2 - 84.3	600	17.0	14.2 - 20.2	<50	1.5	0.9 - 2.5	3,200
Japanese	1,600	91.1	87.1 - 93.9	100	8.1	5.4 - 11.9	<50	0.9	0.2 - 3.0	1,800
Other	1,900	71.3	67.0 - 75.3	700	25.0	21.2 - 29.1	100	3.7	2.3 - 6.0	2,700

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	61.6	55.6 - 67.4	500	35.1	29.5 - 41.1	<50	3.3	1.7 - 6.4	1,500
20-24	3,200	76.8	73.6 - 79.6	900	22.5	19.6 - 25.6	<50	0.8	0.4 - 1.4	4,200
25-34	7,900	85.1	83.3 - 86.8	1,300	13.8	12.2 - 15.6	100	1.1	0.7 - 1.6	9,300
35+	2,900	88.5	85.7 - 90.8	300	10.4	8.2 - 13.1	<50	1.1	0.5 - 2.4	3,300

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Infant Gender										
Male	7,800	81.9	80.0 - 83.6	1,600	16.7	15.0 - 18.6	100	1.4	0.9 - 2.0	9,500
Female	7,200	81.9	79.9 - 83.7	1,500	17.1	15.3 - 19.1	100	1.0	0.6 - 1.6	8,700

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Married										
Yes	9,800	88.1	86.6 - 89.4	1,300	11.2	10.0 - 12.7	100	0.7	0.4 - 1.1	11,200
No	5,100	72.2	69.6 - 74.6	1,800	25.9	23.5 - 28.4	100	2.0	1.3 - 2.9	7,100

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Poverty Level										
0-130%	4,600	71.0	68.3 - 73.4	1,800	26.9	24.5 - 29.5	100	2.1	1.4 - 3.1	6,500
131-185%	2,300	84.8	81.3 - 87.7	400	14.8	11.9 - 18.3	<50	0.4	0.2 - 0.9	2,800
186+%	6,900	90.7	89.0 - 92.1	700	8.8	7.4 - 10.4	<50	0.5	0.2 - 1.1	7,600

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

Income (2004-2011)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,100	64.4	60.4 - 68.3	1,000	32.4	28.6 - 36.3	100	3.2	2.0 - 5.0	3,200
\$10,000-\$24,999	2,800	77.1	73.9 - 80.1	800	21.8	18.9 - 25.0	<50	1.1	0.6 - 2.1	3,700
\$25,000-\$49,999	3,500	85.1	82.4 - 87.5	600	14.4	12.0 - 17.1	<50	0.5	0.2 - 1.4	4,100
>=\$50,000	5,600	91.8	90.0 - 93.3	500	7.7	6.2 - 9.5	<50	0.5	0.2 - 1.1	6,100

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	80.4	77.1 - 83.3	200	18.1	15.2 - 21.3	<50	1.6	0.9 - 2.8	1,300
Normal birth weight	13,900	82.1	80.6 - 83.4	2,800	16.8	15.5 - 18.2	200	1.2	0.8 - 1.6	16,900

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	70.2	64.5 - 75.4	400	27.7	22.7 - 33.4	<50	2.0	0.9 - 4.5	1,600
No	13,500	82.9	81.5 - 84.2	2,600	16.0	14.7 - 17.4	200	1.1	0.8 - 1.5	16,300

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,900	77.0	73.6 - 80.0	800	22.0	19.0 - 25.3	<50	1.1	0.5 - 2.1	3,700
No	11,800	83.1	81.6 - 84.5	2,200	15.7	14.4 - 17.2	200	1.2	0.9 - 1.7	14,200

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	76.6	74.4 - 78.7	1,700	22.2	20.1 - 24.4	100	1.2	0.8 - 1.9	7,700
No	8,800	85.8	84.1 - 87.4	1,300	13.1	11.5 - 14.7	100	1.1	0.7 - 1.8	10,200

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,500	79.9	78.7 - 81.1	3,400	18.7	17.5 - 19.9	300	1.4	1.1 - 1.8	18,200

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,800	76.8	73.6 - 79.8	500	22.2	19.3 - 25.4	<50	1.0	0.4 - 2.1	2,400
Honolulu	10,300	80.9	79.3 - 82.4	2,200	17.6	16.1 - 19.2	200	1.5	1.1 - 2.0	12,700
Kauai	700	80.8	75.9 - 84.9	200	19.0	14.9 - 23.9	<50	0.2	0.0 - 1.0	900
Maui	1,600	77.2	73.8 - 80.2	400	21.0	18.0 - 24.2	<50	1.8	1.0 - 3.2	2,100

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,700	86.6	84.4 - 88.5	600	13.1	11.2 - 15.2	<50	0.4	0.1 - 1.0	4,200
Native Hawaiian	4,100	76.8	74.2 - 79.2	1,200	22.4	20.0 - 25.0	<50	0.8	0.4 - 1.5	5,300
Chinese	600	85.6	80.7 - 89.4	100	12.4	8.7 - 17.3	<50	2.0	1.1 - 3.4	700
Filipino	2,700	80.8	78.0 - 83.4	600	17.4	15.0 - 20.2	100	1.8	1.1 - 2.9	3,300
Japanese	1,700	87.8	84.0 - 90.8	200	11.1	8.2 - 14.8	<50	1.1	0.5 - 2.5	1,900
Other	1,900	67.9	63.9 - 71.7	800	28.4	24.8 - 32.3	100	3.7	2.4 - 5.8	2,800

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,000	60.6	55.0 - 65.9	600	37.2	32.0 - 42.8	<50	2.2	1.0 - 4.6	1,600
20-24	3,000	72.3	69.3 - 75.1	1,100	26.6	23.8 - 29.6	<50	1.1	0.6 - 2.0	4,200
25-34	7,700	84.4	82.8 - 85.9	1,300	14.2	12.8 - 15.8	100	1.4	0.9 - 2.0	9,200
35+	2,800	87.2	84.7 - 89.4	400	11.3	9.3 - 13.7	<50	1.5	0.8 - 2.6	3,200

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Infant Gender										
Male	7,600	79.9	78.1 - 81.5	1,800	18.7	17.1 - 20.5	100	1.4	1.0 - 2.0	9,500
Female	6,900	80.0	78.2 - 81.7	1,600	18.6	16.9 - 20.4	100	1.4	1.0 - 2.0	8,600

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Married										
Yes	9,600	86.5	85.1 - 87.7	1,400	12.5	11.3 - 13.8	100	1.1	0.8 - 1.5	11,100
No	4,900	69.6	67.1 - 71.9	2,000	28.5	26.2 - 30.9	100	1.9	1.3 - 2.8	7,000

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Poverty Level										
0-130%	4,500	67.3	64.8 - 69.7	2,000	30.5	28.1 - 33.0	100	2.2	1.6 - 3.1	6,600
131-185%	2,200	83.1	79.7 - 85.9	400	16.4	13.6 - 19.7	<50	0.5	0.2 - 1.2	2,600
186+%	6,800	90.5	89.0 - 91.8	700	8.7	7.5 - 10.2	100	0.8	0.5 - 1.3	7,500

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

Income (2004-2011)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,800	58.4	54.5 - 62.2	1,200	38.5	34.7 - 42.3	100	3.2	2.1 - 4.8	3,100
\$10,000-\$24,999	2,900	75.5	72.5 - 78.3	900	23.0	20.4 - 26.0	100	1.4	0.8 - 2.4	3,900
\$25,000-\$49,999	3,300	83.3	80.7 - 85.6	600	15.9	13.6 - 18.5	<50	0.8	0.3 - 1.7	4,000
>=\$50,000	5,600	91.9	90.3 - 93.2	500	7.5	6.2 - 9.1	<50	0.6	0.3 - 1.1	6,100

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	78.4	74.3 - 81.9	300	20.7	17.2 - 24.7	<50	0.9	0.4 - 2.4	1,300
Normal birth weight	13,500	80.1	78.7 - 81.4	3,100	18.5	17.2 - 19.8	200	1.4	1.1 - 1.9	16,800

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	68.9	63.5 - 73.7	500	29.2	24.4 - 34.4	<50	2.0	0.9 - 4.5	1,600
No	13,100	80.9	79.6 - 82.2	2,900	17.7	16.5 - 19.0	200	1.3	1.0 - 1.8	16,200

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	75.4	72.2 - 78.3	900	23.5	20.6 - 26.6	<50	1.2	0.6 - 2.3	3,700
No	11,500	81.0	79.6 - 82.4	2,500	17.5	16.2 - 18.9	200	1.5	1.1 - 1.9	14,200

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,500	73.2	71.0 - 75.2	1,900	25.4	23.4 - 27.6	100	1.4	1.0 - 2.1	7,500
No	8,700	84.7	83.1 - 86.1	1,400	13.9	12.5 - 15.4	100	1.4	1.0 - 2.0	10,200

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	14,400	79.1	78.0 - 80.3	3,500	19.4	18.3 - 20.5	300	1.5	1.2 - 1.8	18,200

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,700	75.6	71.9 - 78.9	500	23.1	19.8 - 26.8	<50	1.3	0.6 - 2.7	2,300
Honolulu	10,300	80.1	78.7 - 81.4	2,400	18.3	17.0 - 19.7	200	1.6	1.2 - 2.1	12,900
Kauai	700	79.2	73.5 - 83.9	200	20.8	16.1 - 26.5	0	0.0	-	900
Maui	1,600	77.2	73.3 - 80.6	400	21.3	17.9 - 25.0	<50	1.6	0.8 - 3.1	2,000

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,700	86.3	84.2 - 88.2	600	13.2	11.4 - 15.3	<50	0.5	0.2 - 1.1	4,300
Native Hawaiian	3,800	75.2	72.6 - 77.6	1,200	23.7	21.3 - 26.3	100	1.1	0.6 - 1.8	5,000
Chinese	500	82.7	79.5 - 85.5	100	14.0	11.5 - 17.1	<50	3.2	2.1 - 5.0	600
Filipino	2,600	79.6	77.0 - 82.0	600	18.7	16.5 - 21.3	100	1.7	1.0 - 2.7	3,300
Japanese	1,800	88.6	85.6 - 91.0	200	9.9	7.7 - 12.8	<50	1.5	0.7 - 2.8	2,100
Other	1,900	67.1	63.5 - 70.5	900	29.8	26.5 - 33.3	100	3.1	2.1 - 4.7	2,900

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	57.7	52.5 - 62.8	600	39.8	34.8 - 45.0	<50	2.4	1.3 - 4.7	1,500
20-24	3,100	72.1	69.3 - 74.7	1,100	26.3	23.7 - 29.0	100	1.6	1.0 - 2.6	4,300
25-34	7,600	83.4	81.8 - 84.8	1,400	15.4	14.0 - 16.9	100	1.2	0.9 - 1.7	9,100
35+	2,800	86.8	84.5 - 88.8	400	11.6	9.7 - 13.8	100	1.6	1.0 - 2.6	3,200

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Infant Gender										
Male	7,300	78.1	76.4 - 79.7	1,900	20.5	19.0 - 22.2	100	1.4	1.0 - 1.9	9,400
Female	7,100	80.3	78.6 - 81.9	1,600	18.2	16.6 - 19.8	100	1.6	1.1 - 2.1	8,800

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Married										
Yes	9,800	85.9	84.7 - 87.1	1,500	13.0	11.9 - 14.2	100	1.1	0.8 - 1.4	11,400
No	4,600	67.7	65.4 - 70.0	2,000	30.1	27.9 - 32.4	100	2.2	1.6 - 3.0	6,800

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Poverty Level										
0-130%	4,300	65.6	63.2 - 67.8	2,100	32.1	29.9 - 34.4	200	2.3	1.7 - 3.2	6,600
131-185%	2,100	81.9	78.9 - 84.7	400	17.3	14.7 - 20.4	<50	0.7	0.3 - 1.6	2,500
186+%	7,100	90.4	89.1 - 91.5	700	8.7	7.6 - 10.0	100	0.9	0.6 - 1.3	7,800

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

Income (2004-2011)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,700	56.1	52.5 - 59.7	1,200	40.5	37.1 - 44.1	100	3.3	2.2 - 4.9	3,100
\$10,000-\$24,999	2,800	73.9	71.0 - 76.5	900	24.5	21.8 - 27.3	100	1.7	1.1 - 2.6	3,800
\$25,000-\$49,999	3,500	83.6	81.3 - 85.7	700	15.7	13.7 - 18.0	<50	0.6	0.3 - 1.2	4,200
>=\$50,000	5,500	91.9	90.6 - 93.1	400	7.3	6.1 - 8.6	<50	0.8	0.5 - 1.4	6,000

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	74.6	69.9 - 78.8	300	23.5	19.4 - 28.1	<50	2.0	1.0 - 3.9	1,400
Normal birth weight	13,300	79.5	78.3 - 80.7	3,200	19.1	17.9 - 20.3	200	1.4	1.1 - 1.8	16,700

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	64.9	60.0 - 69.5	500	33.3	28.8 - 38.2	<50	1.7	0.8 - 3.7	1,600
No	13,100	80.5	79.3 - 81.7	2,900	18.0	16.9 - 19.2	200	1.4	1.1 - 1.8	16,300

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	74.2	71.2 - 76.9	900	24.6	21.9 - 27.6	<50	1.2	0.7 - 2.2	3,600
No	11,400	80.4	79.1 - 81.6	2,600	18.1	16.9 - 19.3	200	1.5	1.2 - 2.0	14,200

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,500	71.9	69.8 - 73.9	2,000	26.6	24.7 - 28.7	100	1.5	1.1 - 2.1	7,600
No	8,600	84.4	83.0 - 85.7	1,400	14.1	12.8 - 15.5	200	1.5	1.1 - 2.0	10,200

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,800	77.9	76.7 - 79.1	3,700	20.6	19.5 - 21.8	300	1.4	1.1 - 1.8	17,700

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	71.9	68.0 - 75.4	600	26.6	23.1 - 30.4	<50	1.6	0.8 - 2.9	2,200
Honolulu	10,100	79.3	77.9 - 80.6	2,400	19.2	17.9 - 20.5	200	1.5	1.2 - 2.0	12,700
Kauai	700	76.5	70.4 - 81.6	200	23.5	18.4 - 29.6	0	0.0	-	900
Maui	1,500	76.8	72.8 - 80.3	400	22.0	18.6 - 25.9	<50	1.2	0.5 - 2.6	1,900

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,400	85.0	82.7 - 87.0	600	14.6	12.6 - 16.8	<50	0.5	0.2 - 1.1	4,000
Native Hawaiian	3,600	73.3	70.7 - 75.9	1,200	25.1	22.6 - 27.7	100	1.6	1.0 - 2.5	4,900
Chinese	500	83.2	80.1 - 85.9	100	13.9	11.4 - 16.9	<50	2.9	1.8 - 4.5	600
Filipino	2,600	79.9	77.3 - 82.2	600	18.8	16.5 - 21.3	<50	1.4	0.8 - 2.3	3,300
Japanese	1,900	86.3	83.2 - 88.8	300	12.0	9.6 - 15.0	<50	1.7	0.9 - 3.1	2,200
Other	1,800	65.7	62.1 - 69.1	900	32.2	28.8 - 35.8	100	2.1	1.3 - 3.5	2,700

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	57.0	51.8 - 62.0	600	41.5	36.5 - 46.6	<50	1.6	0.7 - 3.6	1,500
20-24	3,200	72.3	69.6 - 74.8	1,200	26.4	23.9 - 29.1	100	1.3	0.8 - 2.2	4,400
25-34	7,100	81.9	80.3 - 83.4	1,500	16.7	15.3 - 18.3	100	1.4	1.0 - 2.0	8,700
35+	2,600	85.3	82.9 - 87.5	400	13.1	11.1 - 15.5	<50	1.6	1.0 - 2.5	3,100

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Infant Gender										
Male	7,000	76.9	75.2 - 78.6	2,000	21.9	20.2 - 23.6	100	1.2	0.9 - 1.7	9,000
Female	6,900	79.0	77.3 - 80.6	1,700	19.4	17.8 - 21.0	100	1.6	1.2 - 2.2	8,700

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Married										
Yes	9,500	84.8	83.6 - 86.1	1,600	14.2	13.0 - 15.5	100	0.9	0.7 - 1.3	11,200
No	4,300	66.1	63.7 - 68.4	2,100	31.6	29.4 - 33.9	100	2.3	1.7 - 3.1	6,500

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Poverty Level										
0-130%	4,100	63.9	61.5 - 66.2	2,200	33.8	31.5 - 36.1	100	2.3	1.7 - 3.2	6,400
131-185%	1,800	80.8	77.5 - 83.8	400	18.3	15.4 - 21.6	<50	0.9	0.4 - 1.8	2,300
186+%	7,000	89.5	88.2 - 90.7	800	9.7	8.6 - 11.0	100	0.7	0.5 - 1.2	7,800

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

Income (2004-2011)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,700	55.1	51.5 - 58.7	1,300	42.0	38.5 - 45.6	100	2.9	1.9 - 4.3	3,000
\$10,000-\$24,999	2,600	72.2	69.3 - 75.0	900	25.6	22.9 - 28.5	100	2.2	1.4 - 3.3	3,700
\$25,000-\$49,999	3,400	83.4	81.1 - 85.5	700	15.9	13.9 - 18.2	<50	0.7	0.3 - 1.3	4,100
>=\$50,000	5,200	90.7	89.3 - 92.0	500	8.6	7.3 - 10.0	<50	0.7	0.4 - 1.2	5,700

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	73.7	69.0 - 78.0	300	23.5	19.4 - 28.1	<50	2.8	1.5 - 5.2	1,400
Normal birth weight	12,800	78.3	77.1 - 79.5	3,300	20.4	19.2 - 21.6	200	1.3	1.0 - 1.7	16,300

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	60.8	55.8 - 65.5	600	36.5	31.8 - 41.4	<50	2.7	1.4 - 5.0	1,600
No	12,700	79.7	78.5 - 80.9	3,000	19.0	17.8 - 20.2	200	1.3	1.0 - 1.7	15,900

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	70.2	67.2 - 73.0	1,000	28.2	25.4 - 31.1	100	1.7	1.0 - 2.8	3,700
No	11,000	80.1	78.8 - 81.4	2,500	18.5	17.3 - 19.8	200	1.4	1.1 - 1.8	13,800

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,300	71.3	69.3 - 73.3	2,000	27.5	25.5 - 29.6	100	1.1	0.8 - 1.7	7,400
No	8,300	82.9	81.4 - 84.2	1,500	15.4	14.1 - 16.8	200	1.7	1.3 - 2.3	10,000

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,800	79.1	77.9 - 80.2	3,400	19.7	18.6 - 20.8	200	1.3	1.0 - 1.6	17,500

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	74.2	70.4 - 77.6	500	24.2	20.8 - 27.9	<50	1.6	0.9 - 3.0	2,200
Honolulu	10,200	80.2	78.8 - 81.4	2,400	18.6	17.3 - 19.9	200	1.3	1.0 - 1.7	12,700
Kauai	600	78.7	72.7 - 83.7	200	20.8	15.9 - 26.8	<50	0.5	0.1 - 3.0	800
Maui	1,400	77.6	73.7 - 81.0	400	21.3	17.9 - 25.1	<50	1.1	0.5 - 2.5	1,800

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,400	86.2	84.1 - 88.0	500	13.6	11.7 - 15.6	<50	0.3	0.1 - 0.8	4,000
Native Hawaiian	3,600	74.8	72.2 - 77.2	1,200	23.9	21.5 - 26.5	100	1.3	0.8 - 2.2	4,900
Chinese	500	84.7	82.0 - 87.1	100	12.1	10.0 - 14.7	<50	3.1	2.1 - 4.6	600
Filipino	2,600	80.3	77.8 - 82.5	600	18.3	16.1 - 20.7	<50	1.4	0.9 - 2.3	3,200
Japanese	2,000	88.2	85.4 - 90.5	200	10.5	8.4 - 13.1	<50	1.3	0.7 - 2.5	2,200
Other	1,700	65.9	62.4 - 69.3	800	32.1	28.8 - 35.6	100	2.0	1.1 - 3.5	2,600

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	57.3	52.2 - 62.3	600	40.9	36.0 - 46.0	<50	1.8	0.8 - 3.9	1,400
20-24	3,300	75.8	73.2 - 78.2	1,000	23.0	20.6 - 25.5	100	1.2	0.7 - 2.1	4,300
25-34	7,000	81.7	80.1 - 83.2	1,500	17.0	15.5 - 18.5	100	1.3	1.0 - 1.9	8,600
35+	2,700	86.4	84.1 - 88.4	400	12.7	10.8 - 15.0	<50	0.9	0.5 - 1.7	3,200

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Infant Gender										
Male	7,200	78.6	77.0 - 80.1	1,900	20.4	18.9 - 22.0	100	1.0	0.7 - 1.5	9,100
Female	6,700	79.6	77.9 - 81.2	1,600	18.9	17.3 - 20.5	100	1.5	1.1 - 2.1	8,400

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Married										
Yes	9,800	85.0	83.8 - 86.1	1,600	14.3	13.1 - 15.5	100	0.7	0.5 - 1.0	11,500
No	4,100	67.7	65.4 - 70.0	1,800	30.0	27.8 - 32.3	100	2.3	1.6 - 3.2	6,000

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Poverty Level										
0-130%	4,100	66.2	63.9 - 68.4	2,000	31.7	29.6 - 34.0	100	2.1	1.5 - 2.9	6,200
131-185%	1,700	79.9	76.4 - 82.9	400	19.2	16.2 - 22.6	<50	0.9	0.4 - 1.9	2,100
186+%	7,100	90.4	89.2 - 91.6	700	9.0	7.9 - 10.3	<50	0.5	0.3 - 0.9	7,800

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

Income (2004-2011)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,700	58.7	55.1 - 62.1	1,100	38.6	35.2 - 42.1	100	2.8	1.8 - 4.2	2,900
\$10,000-\$24,999	2,800	73.3	70.5 - 75.8	1,000	25.1	22.5 - 27.7	100	1.7	1.1 - 2.7	3,800
\$25,000-\$49,999	3,600	84.8	82.6 - 86.7	600	14.8	12.9 - 16.9	<50	0.5	0.2 - 1.0	4,200
>=\$50,000	4,900	91.4	90.0 - 92.7	400	8.0	6.7 - 9.4	<50	0.6	0.3 - 1.1	5,400

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	73.9	69.1 - 78.3	300	22.7	18.5 - 27.4	<50	3.4	1.9 - 6.1	1,300
Normal birth weight	12,900	79.5	78.3 - 80.6	3,100	19.4	18.3 - 20.6	200	1.1	0.8 - 1.4	16,200

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	58.5	53.5 - 63.2	600	38.4	33.7 - 43.3	<50	3.2	1.8 - 5.5	1,500
No	12,800	81.3	80.1 - 82.4	2,800	17.6	16.5 - 18.8	200	1.1	0.8 - 1.4	15,700

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,500	69.2	66.2 - 72.0	1,100	29.1	26.4 - 32.0	100	1.7	1.0 - 2.8	3,700
No	11,100	82.0	80.8 - 83.2	2,300	16.8	15.6 - 18.0	200	1.2	0.9 - 1.6	13,500

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,500	73.3	71.4 - 75.2	1,900	25.8	24.0 - 27.8	100	0.9	0.6 - 1.3	7,500
No	8,100	83.7	82.3 - 85.0	1,400	14.7	13.4 - 16.1	200	1.6	1.2 - 2.2	9,700

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,700	79.3	78.2 - 80.4	3,300	19.4	18.3 - 20.5	200	1.3	1.0 - 1.6	17,200

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,600	73.7	70.4 - 76.8	500	25.0	21.9 - 28.3	<50	1.3	0.7 - 2.6	2,100
Honolulu	10,100	80.7	79.3 - 82.1	2,300	18.0	16.7 - 19.4	200	1.3	0.9 - 1.8	12,600
Kauai	600	76.6	71.4 - 81.1	200	22.6	18.2 - 27.8	<50	0.8	0.2 - 2.9	800
Maui	1,400	77.3	73.9 - 80.3	400	21.4	18.5 - 24.8	<50	1.3	0.6 - 2.6	1,800

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	86.0	83.8 - 88.0	500	13.8	11.8 - 16.0	<50	0.2	0.1 - 0.7	3,800
Native Hawaiian	3,500	73.6	71.3 - 75.8	1,200	24.9	22.8 - 27.1	100	1.5	1.0 - 2.3	4,800
Chinese	600	89.2	85.8 - 91.8	100	8.9	6.4 - 12.2	<50	2.0	1.2 - 3.1	700
Filipino	2,700	79.8	77.1 - 82.2	600	18.9	16.5 - 21.6	<50	1.3	0.8 - 2.2	3,400
Japanese	1,900	88.0	84.9 - 90.6	200	11.1	8.6 - 14.2	<50	0.9	0.4 - 2.0	2,200
Other	1,700	69.4	65.5 - 72.9	700	28.0	24.6 - 31.7	100	2.6	1.5 - 4.5	2,500

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	57.4	52.5 - 62.2	600	41.9	37.2 - 46.8	<50	0.7	0.2 - 1.9	1,400
20-24	3,100	74.5	71.9 - 76.9	1,000	24.4	22.1 - 27.0	<50	1.1	0.6 - 2.0	4,200
25-34	7,000	82.7	81.1 - 84.1	1,300	15.8	14.4 - 17.4	100	1.5	1.1 - 2.1	8,500
35+	2,700	87.0	84.7 - 89.1	400	11.9	9.9 - 14.2	<50	1.1	0.5 - 2.2	3,100

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Infant Gender										
Male	7,200	78.9	77.2 - 80.4	1,800	20.0	18.5 - 21.6	100	1.1	0.7 - 1.6	9,100
Female	6,500	79.8	78.1 - 81.4	1,500	18.7	17.2 - 20.4	100	1.5	1.0 - 2.0	8,100

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Married										
Yes	9,800	85.5	84.3 - 86.7	1,600	13.9	12.7 - 15.1	100	0.6	0.4 - 0.9	11,500
No	3,900	67.0	64.7 - 69.3	1,800	30.4	28.2 - 32.7	100	2.6	1.8 - 3.5	5,800

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Poverty Level										
0-130%	4,600	68.1	66.0 - 70.2	2,000	30.0	27.9 - 32.1	100	1.9	1.3 - 2.6	6,700
131-185%	1,800	82.5	79.2 - 85.4	300	16.4	13.6 - 19.7	<50	1.1	0.5 - 2.4	2,100
186+%	6,300	91.4	90.1 - 92.6	600	8.3	7.2 - 9.6	<50	0.2	0.1 - 0.5	6,900

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Birthweight										
Low birth weight	900	78.1	73.2 - 82.3	200	19.2	15.3 - 23.9	<50	2.7	1.3 - 5.3	1,200
Normal birth weight	12,800	79.4	78.2 - 80.6	3,100	19.4	18.3 - 20.6	200	1.2	0.9 - 1.5	16,100

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Smoke 3rd Trimester										
Yes	900	60.9	56.0 - 65.6	500	35.7	31.1 - 40.6	<50	3.4	2.0 - 5.6	1,500
No	12,600	81.2	80.0 - 82.4	2,700	17.7	16.6 - 18.9	200	1.1	0.8 - 1.4	15,500

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Smoke Before Pregnant										
Yes	2,400	68.7	65.7 - 71.5	1,000	29.5	26.7 - 32.4	100	1.8	1.1 - 2.8	3,600
No	11,000	82.5	81.3 - 83.7	2,200	16.3	15.2 - 17.6	200	1.1	0.8 - 1.6	13,300

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,400	72.9	71.0 - 74.8	2,000	26.5	24.6 - 28.4	<50	0.6	0.4 - 0.9	7,400
No	8,100	84.4	82.9 - 85.7	1,300	13.8	12.6 - 15.2	200	1.8	1.3 - 2.4	9,600

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,800	80.2	78.9 - 81.3	3,200	18.7	17.6 - 19.9	200	1.1	0.9 - 1.5	17,200

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,500	74.8	72.0 - 77.4	500	24.4	21.8 - 27.2	<50	0.8	0.4 - 1.7	2,000
Honolulu	10,200	81.3	79.8 - 82.8	2,200	17.5	16.1 - 19.0	100	1.2	0.8 - 1.7	12,600
Kauai	600	78.4	74.1 - 82.1	200	20.3	16.7 - 24.5	<50	1.3	0.5 - 3.4	800
Maui	1,400	78.6	75.8 - 81.2	400	20.2	17.6 - 23.0	<50	1.2	0.6 - 2.2	1,800

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	86.7	84.3 - 88.9	500	13.0	10.9 - 15.4	<50	0.3	0.1 - 1.0	3,700
Native Hawaiian	3,500	74.3	72.4 - 76.1	1,200	24.8	23.0 - 26.6	<50	0.9	0.6 - 1.5	4,700
Chinese	600	89.5	84.1 - 93.3	100	9.4	5.8 - 14.9	<50	1.0	0.6 - 1.8	700
Filipino	2,800	79.2	76.2 - 81.9	700	19.6	16.9 - 22.6	<50	1.2	0.7 - 2.2	3,500
Japanese	2,000	88.7	85.3 - 91.4	200	11.0	8.3 - 14.4	<50	0.3	0.1 - 1.2	2,200
Other	1,800	72.5	68.1 - 76.4	600	24.0	20.3 - 28.2	100	3.5	2.2 - 5.8	2,400

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	57.3	52.3 - 62.1	600	42.0	37.2 - 47.0	<50	0.7	0.3 - 1.6	1,500
20-24	3,100	73.7	71.1 - 76.2	1,000	24.7	22.3 - 27.3	100	1.5	0.9 - 2.7	4,200
25-34	7,200	84.0	82.4 - 85.6	1,300	14.9	13.4 - 16.5	100	1.1	0.8 - 1.6	8,500
35+	2,700	89.3	87.0 - 91.3	300	9.8	7.9 - 12.0	<50	0.9	0.4 - 2.0	3,000

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Infant Gender										
Male	7,200	80.0	78.3 - 81.6	1,700	19.0	17.5 - 20.7	100	1.0	0.6 - 1.5	9,000
Female	6,600	80.3	78.6 - 82.0	1,500	18.3	16.7 - 20.1	100	1.3	0.9 - 2.0	8,200

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Married										
Yes	10,100	86.2	84.9 - 87.4	1,500	13.1	11.9 - 14.4	100	0.7	0.4 - 1.1	11,700
No	3,700	67.3	64.9 - 69.6	1,700	30.6	28.4 - 33.0	100	2.1	1.5 - 3.0	5,500

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Poverty Level										
0-130%	4,800	70.1	68.0 - 72.2	1,900	28.3	26.3 - 30.5	100	1.5	1.1 - 2.2	6,900
131-185%	2,200	83.8	80.6 - 86.6	400	15.2	12.5 - 18.3	<50	1.0	0.4 - 2.4	2,700
186+%	5,700	92.4	90.9 - 93.6	500	7.3	6.2 - 8.8	<50	0.3	0.1 - 0.7	6,100

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Birthweight										
Low birth weight	900	77.4	72.2 - 82.0	200	19.8	15.6 - 24.8	<50	2.8	1.3 - 5.7	1,100
Normal birth weight	12,900	80.3	79.1 - 81.5	3,000	18.7	17.5 - 19.9	200	1.0	0.7 - 1.4	16,000

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Smoke 3rd Trimester										
Yes	900	63.7	58.8 - 68.4	500	33.6	29.1 - 38.5	<50	2.6	1.5 - 4.6	1,400
No	12,700	81.8	80.5 - 83.0	2,700	17.2	16.1 - 18.4	200	1.0	0.7 - 1.4	15,500

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Smoke Before Pregnant										
Yes	2,400	70.9	67.9 - 73.7	900	27.6	24.8 - 30.6	100	1.5	0.9 - 2.4	3,400
No	11,100	82.8	81.5 - 84.1	2,200	16.1	14.9 - 17.4	100	1.1	0.8 - 1.5	13,400

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,400	73.6	71.5 - 75.5	1,900	25.8	23.9 - 27.8	100	0.7	0.4 - 1.2	7,400
No	8,200	85.2	83.7 - 86.5	1,300	13.3	12.0 - 14.8	100	1.5	1.1 - 2.1	9,600

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,500	80.0	78.8 - 81.1	3,200	18.7	17.6 - 19.9	200	1.3	1.0 - 1.7	16,900

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,400	74.3	72.0 - 76.5	500	24.9	22.7 - 27.2	<50	0.8	0.4 - 1.5	1,900
Honolulu	10,200	81.6	80.0 - 83.0	2,100	17.2	15.7 - 18.7	200	1.3	0.9 - 1.8	12,500
Kauai	600	73.6	69.5 - 77.3	200	25.3	21.7 - 29.3	<50	1.1	0.5 - 2.8	800
Maui	1,400	77.5	74.9 - 79.9	400	20.5	18.2 - 23.0	<50	2.0	1.3 - 3.1	1,700

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	87.1	84.5 - 89.2	500	12.5	10.4 - 15.0	<50	0.4	0.2 - 1.1	3,600
Native Hawaiian	3,300	72.9	71.4 - 74.3	1,200	25.9	24.5 - 27.4	100	1.2	0.9 - 1.6	4,600
Chinese	600	92.0	85.9 - 95.6	100	8.0	4.4 - 14.1	0	0.0	-	700
Filipino	2,800	79.2	76.1 - 82.0	700	19.8	17.0 - 22.8	<50	1.1	0.6 - 2.0	3,600
Japanese	1,900	87.9	84.2 - 90.8	200	11.7	8.9 - 15.3	<50	0.4	0.1 - 1.4	2,100
Other	1,700	73.4	68.9 - 77.5	500	22.2	18.4 - 26.5	100	4.4	2.8 - 6.9	2,300

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	56.2	51.8 - 60.6	700	42.2	37.9 - 46.7	<50	1.5	0.9 - 2.6	1,600
20-24	3,000	72.3	69.7 - 74.8	1,100	26.0	23.5 - 28.5	100	1.8	1.1 - 2.9	4,200
25-34	7,100	84.9	83.2 - 86.4	1,200	14.0	12.5 - 15.6	100	1.1	0.7 - 1.7	8,400
35+	2,500	90.0	87.6 - 91.9	300	9.0	7.2 - 11.3	<50	1.0	0.5 - 2.2	2,800

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Infant Gender										
Male	6,900	79.5	77.8 - 81.2	1,700	19.3	17.7 - 21.0	100	1.2	0.8 - 1.7	8,600
Female	6,600	80.4	78.7 - 82.0	1,500	18.2	16.6 - 19.9	100	1.4	1.0 - 2.0	8,300

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Married										
Yes	9,900	87.4	86.1 - 88.6	1,300	11.9	10.7 - 13.2	100	0.7	0.5 - 1.2	11,300
No	3,600	65.0	62.7 - 67.2	1,800	32.6	30.4 - 34.9	100	2.4	1.7 - 3.3	5,600

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Poverty Level										
0-130%	4,800	69.9	67.8 - 71.9	1,900	28.2	26.2 - 30.3	100	1.9	1.4 - 2.6	6,800
131-185%	2,700	85.4	82.7 - 87.8	400	13.8	11.5 - 16.4	<50	0.8	0.3 - 2.0	3,200
186+%	5,000	92.4	90.8 - 93.7	400	7.4	6.1 - 9.0	<50	0.2	0.1 - 0.7	5,400

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

Income (2000-2003)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,300	62.8	59.8 - 65.7	1,200	34.3	31.5 - 37.3	100	2.9	2.0 - 4.1	3,600
\$15,001-\$25,000	1,800	77.5	74.1 - 80.7	500	21.0	17.9 - 24.4	<50	1.5	0.8 - 2.9	2,300
\$25,001-\$40,000	2,800	81.0	78.2 - 83.6	600	18.3	15.8 - 21.1	<50	0.7	0.3 - 1.6	3,500
>=\$40,001	5,900	91.6	90.1 - 92.9	500	7.8	6.6 - 9.3	<50	0.5	0.2 - 1.2	6,500

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	79.0	73.9 - 83.3	200	18.6	14.5 - 23.5	<50	2.4	1.2 - 4.9	1,100
Normal birth weight	12,600	80.0	78.8 - 81.2	2,900	18.8	17.6 - 20.0	200	1.2	0.9 - 1.6	15,700

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	66.7	62.3 - 70.9	500	31.0	26.9 - 35.5	<50	2.2	1.3 - 3.9	1,500
No	12,300	81.2	80.0 - 82.4	2,700	17.6	16.4 - 18.8	200	1.2	0.9 - 1.6	15,100

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2001-2003

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	72.4	69.5 - 75.1	900	26.1	23.5 - 28.9	<50	1.5	0.9 - 2.4	3,300
No	10,700	82.0	80.7 - 83.3	2,200	16.7	15.4 - 18.0	200	1.3	0.9 - 1.7	13,000

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,200	73.3	71.3 - 75.2	1,800	25.7	23.8 - 27.7	100	1.0	0.6 - 1.5	7,100
No	8,200	84.8	83.3 - 86.1	1,300	13.7	12.4 - 15.2	100	1.5	1.1 - 2.1	9,700

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

State	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	13,400	79.6	78.5 - 80.7	3,200	19.1	18.0 - 20.2	200	1.3	1.0 - 1.7	16,800

County	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,400	75.4	73.0 - 77.6	400	23.6	21.4 - 25.9	<50	1.1	0.6 - 1.9	1,900
Honolulu	10,100	81.0	79.5 - 82.4	2,200	17.8	16.4 - 19.2	200	1.3	0.9 - 1.8	12,400
Kauai	500	72.3	68.1 - 76.2	200	26.6	22.7 - 30.7	<50	1.1	0.5 - 2.8	700
Maui	1,300	77.5	74.9 - 79.9	400	20.4	18.1 - 23.0	<50	2.1	1.4 - 3.2	1,700

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

DOH Race-Ethnicity	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	86.5	84.3 - 88.5	500	12.9	11.0 - 15.2	<50	0.5	0.2 - 1.2	3,700
Native Hawaiian	3,300	73.5	72.1 - 74.9	1,200	25.4	24.1 - 26.8	<50	1.1	0.8 - 1.4	4,500
Chinese	600	91.1	85.1 - 94.9	100	8.6	4.9 - 14.6	<50	0.3	0.1 - 1.8	700
Filipino	2,700	78.1	75.0 - 80.9	700	20.3	17.6 - 23.3	100	1.6	0.9 - 2.8	3,400
Japanese	1,900	88.9	85.6 - 91.4	200	10.4	7.9 - 13.6	<50	0.7	0.3 - 1.9	2,100
Other	1,600	70.8	66.4 - 74.8	600	25.7	21.8 - 29.9	100	3.6	2.2 - 5.7	2,300

PRAMS Age Group	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	55.8	51.7 - 59.7	700	42.4	38.5 - 46.5	<50	1.8	1.0 - 3.1	1,700
20-24	3,100	74.1	71.7 - 76.4	1,000	24.1	21.9 - 26.4	100	1.8	1.1 - 3.0	4,200
25-34	6,900	84.5	82.9 - 86.0	1,200	14.4	13.0 - 16.0	100	1.0	0.7 - 1.6	8,200
35+	2,400	87.8	85.4 - 89.8	300	11.1	9.1 - 13.5	<50	1.1	0.6 - 2.0	2,800

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Infant Gender										
Male	6,700	79.3	77.6 - 80.8	1,700	19.8	18.3 - 21.4	100	1.0	0.7 - 1.4	8,500
Female	6,600	80.0	78.3 - 81.6	1,500	18.3	16.8 - 19.9	100	1.7	1.2 - 2.3	8,300

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Married										
Yes	9,900	86.6	85.3 - 87.8	1,400	12.5	11.3 - 13.7	100	0.9	0.7 - 1.4	11,400
No	3,500	64.8	62.6 - 67.0	1,800	33.1	31.0 - 35.3	100	2.1	1.5 - 3.0	5,400

	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Poverty Level										
0-130%	4,600	69.8	67.8 - 71.7	1,900	28.3	26.5 - 30.3	100	1.9	1.4 - 2.6	6,600
131-185%	2,700	85.3	82.7 - 87.5	400	14.1	11.9 - 16.7	<50	0.6	0.2 - 1.6	3,100
186+%	5,100	90.4	88.8 - 91.8	500	9.1	7.7 - 10.7	<50	0.5	0.2 - 1.1	5,700

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

Income (2000-2003)	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,300	64.0	61.2 - 66.7	1,200	33.1	30.5 - 35.8	100	2.9	2.1 - 4.1	3,500
\$15,001-\$25,000	1,900	78.2	75.1 - 81.1	500	20.3	17.5 - 23.3	<50	1.5	0.7 - 2.9	2,500
\$25,001-\$40,000	2,800	80.4	77.7 - 82.8	700	19.1	16.7 - 21.7	<50	0.5	0.2 - 1.2	3,500
>=\$40,001	5,800	90.2	88.7 - 91.6	600	9.3	8.0 - 10.8	<50	0.5	0.2 - 1.0	6,400

Birthweight	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	74.5	69.3 - 79.1	200	22.0	17.7 - 26.9	<50	3.5	1.8 - 6.8	1,100
Normal birth weight	12,500	80.0	78.8 - 81.2	2,900	18.8	17.7 - 20.0	200	1.1	0.9 - 1.5	15,600

Smoke 3rd Trimester	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	67.6	63.4 - 71.5	400	29.5	25.7 - 33.5	<50	3.0	1.7 - 5.2	1,400
No	12,100	81.0	79.7 - 82.1	2,700	17.9	16.8 - 19.0	200	1.2	0.9 - 1.6	15,000

**PRAMS Health Indicator 3-Year Aggregate Report - Entry into PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2000-2002

Smoke Before Pregnant	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	72.5	69.8 - 75.1	800	25.7	23.2 - 28.3	100	1.8	1.1 - 2.9	3,300
No	10,600	81.6	80.3 - 82.8	2,200	17.2	16.0 - 18.5	200	1.2	0.9 - 1.6	12,900

WIC During Pregnancy	Received prenatal care in first trimester			Received prenatal care but not in first trimester			No PNC			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,300	73.8	71.9 - 75.6	1,800	24.9	23.1 - 26.7	100	1.3	0.9 - 2.0	7,100
No	8,000	84.0	82.6 - 85.4	1,400	14.7	13.4 - 16.1	100	1.3	0.9 - 1.8	9,500