

# PRAMS Health Indicator Report - Getting PNC as early as wanted- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
Getting PNC as early as wanted	Getting PNC as early as wanted

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/27/17*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**PRAMS Health Indicator Report - Getting PNC as early as wanted- for the State of Hawaii, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	13,600	80.8	79.1 - 82.5	3,200	19.2	17.5 - 20.9	16,900
2001	13,400	80.9	79.1 - 82.5	3,200	19.1	17.5 - 20.9	16,500
2002	13,900	83.2	81.1 - 85.2	2,800	16.8	14.8 - 18.9	16,700
2003	14,200	81.4	79.3 - 83.4	3,200	18.6	16.6 - 20.7	17,400
2004	14,600	82.6	80.8 - 84.2	3,100	17.4	15.8 - 19.2	17,600
2005	14,100	82.1	80.2 - 83.9	3,100	17.9	16.1 - 19.8	17,100
2006	14,900	82.0	80.0 - 83.9	3,300	18.0	16.1 - 20.0	18,200
2007	14,900	81.5	79.6 - 83.3	3,400	18.5	16.7 - 20.4	18,300
2008	15,200	82.4	80.5 - 84.2	3,200	17.6	15.8 - 19.5	18,400
2009	14,800	82.1	79.5 - 84.4	3,200	17.9	15.6 - 20.5	18,000
2010	15,700	85.8	83.4 - 87.9	2,600	14.2	12.1 - 16.6	18,300
2011	15,500	84.7	82.2 - 86.9	2,800	15.3	13.1 - 17.8	18,300

**PRAMS Health Indicator Report - Getting PNC as early as wanted- for the State of Hawaii, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*



**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	15,500	84.7	82.2 - 86.9	2,800	15.3	13.1 - 17.8	18,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	2,000	83.7	79.4 - 87.2	400	16.3	12.8 - 20.6	2,400
<b>Honolulu</b>	11,100	84.4	81.0 - 87.3	2,000	15.6	12.7 - 19.0	13,100
<b>Kauai</b>	800	87.2	82.4 - 90.8	100	12.8	9.2 - 17.6	900
<b>Maui</b>	1,700	86.7	83.2 - 89.5	300	13.3	10.5 - 16.8	2,000

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,800	85.5	80.1 - 89.6	700	14.5	10.4 - 19.9	4,500
Native Hawaiian	4,400	83.7	78.8 - 87.6	900	16.3	12.4 - 21.2	5,300
Chinese	700	90.4	75.3 - 96.7	100	9.6	3.3 - 24.7	700
Filipino	2,800	83.7	77.3 - 88.6	500	16.3	11.4 - 22.7	3,300
Japanese	1,700	90.7	83.6 - 94.9	200	9.3	5.1 - 16.4	1,900
Other	2,200	80.8	72.5 - 87.0	500	19.2	13.0 - 27.5	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	700	69.8	56.6 - 80.4	300	30.2	19.6 - 43.4	1,000
20-24	3,500	79.8	73.6 - 84.9	900	20.2	15.1 - 26.4	4,400
25-34	8,600	86.9	83.7 - 89.7	1,300	13.1	10.3 - 16.3	9,900
35+	2,800	89.2	83.8 - 92.9	300	10.8	7.1 - 16.2	3,100

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,800	83.5	79.8 - 86.5	1,600	16.5	13.5 - 20.2	9,400
Female	7,700	86.0	82.3 - 89.0	1,300	14.0	11.0 - 17.7	8,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,000	87.4	84.3 - 89.9	1,400	12.6	10.1 - 15.7	11,400
No	5,500	80.2	75.8 - 84.1	1,400	19.8	15.9 - 24.2	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,200	80.2	75.5 - 84.2	1,300	19.8	15.8 - 24.5	6,500
131-185%	2,200	81.1	73.0 - 87.1	500	18.9	12.9 - 27.0	2,800
186+%	7,200	90.0	86.7 - 92.5	800	10.0	7.5 - 13.3	8,100

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,600	79.8	72.9 - 85.4	700	20.2	14.6 - 27.1	3,200
\$10,000-\$24,999	2,700	78.6	71.5 - 84.2	700	21.4	15.8 - 28.5	3,400
\$25,000-\$49,999	3,900	85.2	80.1 - 89.1	700	14.8	10.9 - 19.9	4,600
>=\$50,000	5,600	90.7	86.9 - 93.5	600	9.3	6.5 - 13.1	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	82.3	77.6 - 86.2	200	17.7	13.8 - 22.4	1,300
Normal birth weight	14,400	84.8	82.1 - 87.2	2,600	15.2	12.8 - 17.9	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	73.6	60.6 - 83.4	200	26.4	16.6 - 39.4	900
No	14,700	85.5	83.0 - 87.8	2,500	14.5	12.2 - 17.0	17,200

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,700	78.2	71.9 - 83.4	800	21.8	16.6 - 28.1	3,500
<b>No</b>	12,700	86.5	83.8 - 88.9	2,000	13.5	11.1 - 16.2	14,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,600	80.5	76.3 - 84.1	1,600	19.5	15.9 - 23.7	8,200
<b>No</b>	8,800	88.5	85.4 - 91.0	1,100	11.5	9.0 - 14.6	10,000



**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	15,700	85.8	83.4 - 87.9	2,600	14.2	12.1 - 16.6	18,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,900	84.8	80.7 - 88.2	300	15.2	11.8 - 19.3	2,300
<b>Honolulu</b>	11,400	86.1	82.9 - 88.8	1,800	13.9	11.2 - 17.1	13,300
<b>Kauai</b>	700	87.0	82.5 - 90.5	100	13.0	9.5 - 17.5	800
<b>Maui</b>	1,600	84.3	80.4 - 87.5	300	15.7	12.5 - 19.6	1,900

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,700	82.5	76.9 - 87.0	800	17.5	13.0 - 23.1	4,500
Native Hawaiian	4,800	88.0	84.3 - 90.9	700	12.0	9.1 - 15.7	5,500
Chinese	600	85.6	71.2 - 93.5	100	14.4	6.5 - 28.8	800
Filipino	2,700	83.0	76.4 - 88.0	600	17.0	12.0 - 23.6	3,300
Japanese	1,500	90.9	82.8 - 95.4	200	9.1	4.6 - 17.2	1,700
Other	2,300	87.2	80.1 - 92.1	300	12.8	7.9 - 19.9	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	76.8	65.5 - 85.2	300	23.2	14.8 - 34.5	1,100
20-24	3,600	82.0	76.4 - 86.5	800	18.0	13.5 - 23.6	4,400
25-34	8,300	87.4	84.1 - 90.0	1,200	12.6	10.0 - 15.9	9,500
35+	3,000	89.4	83.6 - 93.4	400	10.6	6.6 - 16.4	3,300

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,100	88.1	85.1 - 90.5	1,100	11.9	9.5 - 14.9	9,200
Female	7,600	83.5	79.7 - 86.7	1,500	16.5	13.3 - 20.3	9,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,100	87.9	84.9 - 90.3	1,400	12.1	9.7 - 15.1	11,500
No	5,600	82.3	78.2 - 85.8	1,200	17.7	14.2 - 21.8	6,800

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,200	82.1	77.7 - 85.7	1,100	17.9	14.3 - 22.3	6,300
131-185%	2,600	88.6	82.5 - 92.8	300	11.4	7.2 - 17.5	3,000
186+%	6,900	88.4	84.8 - 91.3	900	11.6	8.7 - 15.2	7,800

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,700	81.9	76.0 - 86.6	600	18.1	13.4 - 24.0	3,300
\$10,000-\$24,999	2,600	81.3	74.4 - 86.7	600	18.7	13.3 - 25.6	3,200
\$25,000-\$49,999	4,000	87.2	82.3 - 90.8	600	12.8	9.2 - 17.7	4,600
>=\$50,000	5,500	89.5	85.5 - 92.5	700	10.5	7.5 - 14.5	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	82.7	78.3 - 86.4	200	17.3	13.6 - 21.7	1,300
Normal birth weight	14,600	86.0	83.5 - 88.2	2,400	14.0	11.8 - 16.5	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	76.5	65.6 - 84.7	300	23.5	15.3 - 34.4	1,400
No	14,500	86.7	84.3 - 88.8	2,200	13.3	11.2 - 15.7	16,700

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	3,000	79.3	73.2 - 84.2	800	20.7	15.8 - 26.8	3,800
<b>No</b>	12,500	87.7	85.1 - 89.8	1,800	12.3	10.2 - 14.9	14,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,800	85.3	81.9 - 88.2	1,200	14.7	11.8 - 18.1	8,000
<b>No</b>	8,800	86.8	83.4 - 89.5	1,300	13.2	10.5 - 16.6	10,100

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	14,800	82.1	79.5 - 84.4	3,200	17.9	15.6 - 20.5	18,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,900	80.9	76.6 - 84.6	500	19.1	15.4 - 23.4	2,400
<b>Honolulu</b>	10,500	82.6	79.0 - 85.6	2,200	17.4	14.4 - 21.0	12,700
<b>Kauai</b>	700	82.0	76.9 - 86.1	200	18.0	13.9 - 23.1	800
<b>Maui</b>	1,700	80.8	76.8 - 84.2	400	19.2	15.8 - 23.2	2,100

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,700	86.7	81.9 - 90.3	600	13.3	9.7 - 18.1	4,300
Native Hawaiian	4,700	80.3	75.5 - 84.4	1,100	19.7	15.6 - 24.5	5,800
Chinese	700	86.9	70.9 - 94.8	100	13.1	5.2 - 29.1	800
Filipino	2,700	82.7	76.2 - 87.7	600	17.3	12.3 - 23.8	3,200
Japanese	1,300	80.0	69.4 - 87.6	300	20.0	12.4 - 30.6	1,600
Other	1,800	77.3	68.9 - 84.0	500	22.7	16.0 - 31.1	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	69.0	58.5 - 77.9	600	31.0	22.1 - 41.5	1,800
20-24	3,300	79.9	74.0 - 84.8	800	20.1	15.2 - 26.0	4,200
25-34	7,500	83.4	79.8 - 86.4	1,500	16.6	13.6 - 20.2	9,000
35+	2,700	89.1	83.6 - 93.0	300	10.9	7.0 - 16.4	3,100

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	8,000	83.7	80.2 - 86.7	1,600	16.3	13.3 - 19.8	9,600
Female	6,800	80.3	76.3 - 83.7	1,700	19.7	16.3 - 23.7	8,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,100	85.6	82.5 - 88.2	1,500	14.4	11.8 - 17.5	10,600
No	5,700	77.1	72.5 - 81.1	1,700	22.9	18.9 - 27.5	7,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,600	72.9	67.8 - 77.5	1,700	27.1	22.5 - 32.2	6,300
131-185%	2,400	86.0	79.2 - 90.9	400	14.0	9.1 - 20.8	2,800
186+%	6,500	89.3	86.0 - 91.9	800	10.7	8.1 - 14.0	7,300



**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,000	66.1	58.1 - 73.3	1,000	33.9	26.7 - 41.9	3,000
\$10,000-\$24,999	3,100	82.0	76.3 - 86.5	700	18.0	13.5 - 23.7	3,800
\$25,000-\$49,999	3,000	82.9	77.1 - 87.5	600	17.1	12.5 - 22.9	3,700
>=\$50,000	5,400	90.0	86.3 - 92.8	600	10.0	7.2 - 13.7	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	80.2	75.6 - 84.0	300	19.8	16.0 - 24.4	1,300
Normal birth weight	13,700	82.4	79.6 - 84.9	2,900	17.6	15.1 - 20.4	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	68.0	57.4 - 77.1	500	32.0	22.9 - 42.6	1,700
No	13,300	83.5	80.8 - 85.8	2,600	16.5	14.2 - 19.2	15,900

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,900	74.6	68.3 - 80.1	1,000	25.4	19.9 - 31.7	3,900
<b>No</b>	11,500	84.1	81.2 - 86.6	2,200	15.9	13.4 - 18.8	13,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,700	77.7	73.4 - 81.6	1,600	22.3	18.4 - 26.6	7,400
<b>No</b>	8,600	84.9	81.6 - 87.8	1,500	15.1	12.2 - 18.4	10,100

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	15,200	82.4	80.5 - 84.2	3,200	17.6	15.8 - 19.5	18,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	2,100	87.8	82.6 - 91.6	300	12.2	8.4 - 17.4	2,400
<b>Honolulu</b>	10,600	81.6	79.3 - 83.7	2,400	18.4	16.3 - 20.7	12,900
<b>Kauai</b>	800	85.2	75.6 - 91.4	100	14.8	8.6 - 24.4	900
<b>Maui</b>	1,700	80.0	73.7 - 85.2	400	20.0	14.8 - 26.3	2,200

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,700	83.7	79.8 - 87.0	700	16.3	13.0 - 20.2	4,400
Native Hawaiian	4,200	81.2	77.1 - 84.7	1,000	18.8	15.3 - 22.9	5,200
Chinese	500	87.9	82.9 - 91.6	100	12.1	8.4 - 17.1	600
Filipino	2,900	84.3	80.1 - 87.7	500	15.7	12.3 - 19.9	3,400
Japanese	1,800	87.5	81.7 - 91.6	300	12.5	8.4 - 18.3	2,000
Other	2,200	75.6	69.6 - 80.7	700	24.4	19.3 - 30.4	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,000	68.5	59.6 - 76.2	500	31.5	23.8 - 40.4	1,500
20-24	3,200	79.2	74.6 - 83.2	800	20.8	16.8 - 25.4	4,000
25-34	8,100	84.3	81.8 - 86.6	1,500	15.7	13.4 - 18.2	9,600
35+	2,900	86.9	82.8 - 90.2	400	13.1	9.8 - 17.2	3,400

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,800	80.3	77.5 - 82.8	1,900	19.7	17.2 - 22.5	9,700
Female	7,400	84.7	82.0 - 87.1	1,300	15.3	12.9 - 18.0	8,700

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,000	86.8	84.6 - 88.7	1,500	13.2	11.3 - 15.4	11,500
No	5,200	75.2	71.5 - 78.5	1,700	24.8	21.5 - 28.5	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,200	76.4	72.7 - 79.7	1,600	23.6	20.3 - 27.3	6,800
131-185%	2,100	79.7	74.1 - 84.3	500	20.3	15.7 - 25.9	2,600
186+%	6,900	88.4	85.9 - 90.5	900	11.6	9.5 - 14.1	7,800

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,300	75.0	69.3 - 79.9	800	25.0	20.1 - 30.7	3,100
\$10,000-\$24,999	3,100	76.6	71.8 - 80.8	900	23.4	19.2 - 28.2	4,000
\$25,000-\$49,999	3,400	81.5	77.3 - 85.0	800	18.5	15.0 - 22.7	4,200
>=\$50,000	5,600	90.3	87.6 - 92.4	600	9.7	7.6 - 12.4	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	82.0	73.6 - 88.1	200	18.0	11.9 - 26.4	1,300
Normal birth weight	14,100	82.4	80.4 - 84.3	3,000	17.6	15.7 - 19.6	17,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	75.9	67.8 - 82.5	400	24.1	17.5 - 32.2	1,600
No	13,700	82.8	80.8 - 84.6	2,800	17.2	15.4 - 19.2	16,500

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,700	78.6	73.5 - 82.9	700	21.4	17.1 - 26.5	3,500
<b>No</b>	12,200	83.1	80.9 - 85.0	2,500	16.9	15.0 - 19.1	14,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,100	78.1	74.8 - 81.1	1,700	21.9	18.9 - 25.2	7,900
<b>No</b>	8,900	85.8	83.4 - 87.8	1,500	14.2	12.2 - 16.6	10,300

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	14,900	81.5	79.6 - 83.3	3,400	18.5	16.7 - 20.4	18,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,900	77.6	71.5 - 82.8	600	22.4	17.2 - 28.5	2,500
<b>Honolulu</b>	10,400	82.2	79.8 - 84.3	2,200	17.8	15.7 - 20.2	12,600
<b>Kauai</b>	900	81.6	72.4 - 88.3	200	18.4	11.7 - 27.6	1,100
<b>Maui</b>	1,700	82.2	76.0 - 87.1	400	17.8	12.9 - 24.0	2,100



**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,400	82.2	78.0 - 85.7	700	17.8	14.3 - 22.0	4,100
Native Hawaiian	4,100	81.5	77.3 - 85.1	900	18.5	14.9 - 22.7	5,000
Chinese	600	86.2	80.7 - 90.3	100	13.8	9.7 - 19.3	700
Filipino	2,700	79.6	75.2 - 83.5	700	20.4	16.5 - 24.8	3,400
Japanese	1,800	83.2	77.1 - 87.9	400	16.8	12.1 - 22.9	2,100
Other	2,400	80.6	75.1 - 85.2	600	19.4	14.8 - 24.9	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	70.7	62.0 - 78.2	500	29.3	21.8 - 38.0	1,700
20-24	3,300	73.3	68.7 - 77.4	1,200	26.7	22.6 - 31.3	4,600
25-34	7,600	85.3	82.7 - 87.5	1,300	14.7	12.5 - 17.3	8,900
35+	2,800	88.9	84.9 - 92.0	300	11.1	8.0 - 15.1	3,100

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,800	83.1	80.3 - 85.5	1,600	16.9	14.5 - 19.7	9,400
Female	7,100	79.9	77.0 - 82.6	1,800	20.1	17.4 - 23.0	8,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,700	85.4	83.2 - 87.3	1,700	14.6	12.7 - 16.8	11,300
No	5,200	75.2	71.5 - 78.6	1,700	24.8	21.4 - 28.5	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,900	72.6	68.8 - 76.1	1,900	27.4	23.9 - 31.2	6,800
131-185%	2,100	81.8	76.4 - 86.2	500	18.2	13.8 - 23.6	2,600
186+%	6,700	89.6	87.2 - 91.5	800	10.4	8.5 - 12.8	7,500

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,000	66.3	60.2 - 71.9	1,000	33.7	28.1 - 39.8	3,000
\$10,000-\$24,999	3,000	77.3	72.5 - 81.5	900	22.7	18.5 - 27.5	3,800
\$25,000-\$49,999	3,400	83.0	78.9 - 86.5	700	17.0	13.5 - 21.1	4,100
>=\$50,000	5,400	91.1	88.5 - 93.1	500	8.9	6.9 - 11.5	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,200	81.3	73.8 - 87.1	300	18.7	12.9 - 26.2	1,500
Normal birth weight	13,700	81.6	79.5 - 83.4	3,100	18.4	16.6 - 20.5	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	77.9	69.9 - 84.3	300	22.1	15.7 - 30.1	1,500
No	13,500	82.0	79.9 - 83.9	3,000	18.0	16.1 - 20.1	16,500

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,800	78.6	73.6 - 82.8	800	21.4	17.2 - 26.4	3,600
<b>No</b>	11,900	82.4	80.2 - 84.4	2,500	17.6	15.6 - 19.8	14,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,800	76.7	73.3 - 79.8	1,800	23.3	20.2 - 26.7	7,600
<b>No</b>	8,700	84.6	82.2 - 86.7	1,600	15.4	13.3 - 17.8	10,300

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	14,900	82.0	80.0 - 83.9	3,300	18.0	16.1 - 20.0	18,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,800	83.3	77.1 - 88.0	400	16.7	12.0 - 22.9	2,200
<b>Honolulu</b>	10,900	82.4	80.0 - 84.5	2,300	17.6	15.5 - 20.0	13,200
<b>Kauai</b>	700	84.6	74.0 - 91.3	100	15.4	8.7 - 26.0	900
<b>Maui</b>	1,500	77.1	69.9 - 83.0	400	22.9	17.0 - 30.1	1,900

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,600	83.2	79.1 - 86.7	700	16.8	13.3 - 20.9	4,300
Native Hawaiian	4,000	79.9	75.5 - 83.7	1,000	20.1	16.3 - 24.5	5,000
Chinese	500	87.3	81.9 - 91.3	100	12.7	8.7 - 18.1	600
Filipino	2,800	84.0	79.5 - 87.7	500	16.0	12.3 - 20.5	3,300
Japanese	1,800	84.8	78.8 - 89.3	300	15.2	10.7 - 21.2	2,100
Other	2,300	78.6	72.9 - 83.3	600	21.4	16.7 - 27.1	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	72.2	63.6 - 79.4	400	27.8	20.6 - 36.4	1,600
20-24	3,500	79.1	74.5 - 83.1	900	20.9	16.9 - 25.5	4,400
25-34	7,400	82.9	80.1 - 85.3	1,500	17.1	14.7 - 19.9	8,900
35+	2,900	88.5	84.5 - 91.6	400	11.5	8.4 - 15.5	3,300

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,600	81.7	78.8 - 84.2	1,700	18.3	15.8 - 21.2	9,300
Female	7,300	82.4	79.5 - 85.0	1,600	17.6	15.0 - 20.5	8,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,900	85.9	83.7 - 87.9	1,600	14.1	12.1 - 16.3	11,500
No	5,000	75.3	71.4 - 78.8	1,600	24.7	21.2 - 28.6	6,700

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,600	73.6	69.6 - 77.3	1,700	26.4	22.7 - 30.4	6,300
131-185%	2,000	81.9	75.9 - 86.6	400	18.1	13.4 - 24.1	2,400
186+%	7,200	88.0	85.4 - 90.1	1,000	12.0	9.9 - 14.6	8,200

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,100	70.2	64.1 - 75.6	900	29.8	24.4 - 35.9	3,000
\$10,000-\$24,999	2,900	77.1	72.1 - 81.5	900	22.9	18.5 - 27.9	3,700
\$25,000-\$49,999	3,600	83.4	79.3 - 86.8	700	16.6	13.2 - 20.7	4,300
>=\$50,000	5,300	89.5	86.6 - 91.8	600	10.5	8.2 - 13.4	5,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	75.0	66.7 - 81.8	400	25.0	18.2 - 33.3	1,500
Normal birth weight	13,700	82.8	80.7 - 84.7	2,900	17.2	15.3 - 19.3	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	71.3	63.0 - 78.4	500	28.7	21.6 - 37.0	1,700
No	13,500	83.3	81.2 - 85.1	2,700	16.7	14.9 - 18.8	16,200



**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,900	75.0	69.9 - 79.5	1,000	25.0	20.5 - 30.1	3,800
<b>No</b>	11,800	84.1	81.9 - 86.1	2,200	15.9	13.9 - 18.1	14,000

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,000	78.7	75.3 - 81.8	1,600	21.3	18.2 - 24.7	7,700
<b>No</b>	8,600	84.5	82.0 - 86.7	1,600	15.5	13.3 - 18.0	10,200

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	14,100	82.1	80.2 - 83.9	3,100	17.9	16.1 - 19.8	17,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,700	79.5	73.2 - 84.7	400	20.5	15.3 - 26.8	2,200
<b>Honolulu</b>	10,200	81.7	79.4 - 83.8	2,300	18.3	16.2 - 20.6	12,500
<b>Kauai</b>	600	81.4	70.7 - 88.8	100	18.6	11.2 - 29.3	700
<b>Maui</b>	1,500	88.7	82.6 - 92.9	200	11.3	7.1 - 17.4	1,700

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	87.0	83.1 - 90.2	500	13.0	9.8 - 16.9	3,700
Native Hawaiian	3,800	78.1	73.6 - 82.0	1,100	21.9	18.0 - 26.4	4,900
Chinese	500	87.0	82.0 - 90.7	100	13.0	9.3 - 18.0	600
Filipino	2,600	82.0	77.7 - 85.6	600	18.0	14.4 - 22.3	3,200
Japanese	1,900	85.4	80.3 - 89.4	300	14.6	10.6 - 19.7	2,200
Other	1,900	78.6	72.9 - 83.3	500	21.4	16.7 - 27.1	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	61.6	53.1 - 69.5	600	38.4	30.5 - 46.9	1,500
20-24	3,400	79.4	75.2 - 83.1	900	20.6	16.9 - 24.8	4,200
25-34	7,300	86.1	83.6 - 88.4	1,200	13.9	11.6 - 16.4	8,500
35+	2,500	85.0	80.4 - 88.7	400	15.0	11.3 - 19.6	2,900

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	7,200	81.9	79.2 - 84.4	1,600	18.1	15.6 - 20.8	8,800
<b>Female</b>	6,900	82.3	79.5 - 84.8	1,500	17.7	15.2 - 20.5	8,300

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	9,500	86.5	84.3 - 88.4	1,500	13.5	11.6 - 15.7	10,900
<b>No</b>	4,600	74.4	70.6 - 77.8	1,600	25.6	22.2 - 29.4	6,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	4,500	73.9	70.2 - 77.4	1,600	26.1	22.6 - 29.8	6,100
<b>131-185%</b>	1,500	82.7	76.1 - 87.8	300	17.3	12.2 - 23.9	1,800
<b>186+%</b>	6,800	88.0	85.5 - 90.1	900	12.0	9.9 - 14.5	7,700

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,000	69.5	63.7 - 74.7	900	30.5	25.3 - 36.3	2,900
\$10,000-\$24,999	2,800	80.4	75.8 - 84.3	700	19.6	15.7 - 24.2	3,500
\$25,000-\$49,999	3,400	84.1	80.0 - 87.5	600	15.9	12.5 - 20.0	4,000
>=\$50,000	4,700	88.2	85.2 - 90.6	600	11.8	9.4 - 14.8	5,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	76.6	68.2 - 83.3	300	23.4	16.7 - 31.8	1,300
Normal birth weight	13,100	82.5	80.5 - 84.4	2,800	17.5	15.6 - 19.5	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	75.1	66.9 - 81.9	300	24.9	18.1 - 33.1	1,400
No	12,800	82.9	80.9 - 84.7	2,600	17.1	15.3 - 19.1	15,400

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,700	76.6	71.7 - 80.9	800	23.4	19.1 - 28.3	3,500
<b>No</b>	11,100	83.7	81.6 - 85.7	2,200	16.3	14.3 - 18.4	13,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,700	78.5	75.2 - 81.4	1,600	21.5	18.6 - 24.8	7,300
<b>No</b>	8,000	84.7	82.3 - 86.9	1,400	15.3	13.1 - 17.7	9,500

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	14,600	82.6	80.8 - 84.2	3,100	17.4	15.8 - 19.2	17,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,800	82.5	76.9 - 86.9	400	17.5	13.1 - 23.1	2,200
<b>Honolulu</b>	10,600	82.8	80.7 - 84.6	2,200	17.2	15.4 - 19.3	12,800
<b>Kauai</b>	700	87.1	78.6 - 92.6	100	12.9	7.4 - 21.4	800
<b>Maui</b>	1,400	79.1	72.9 - 84.2	400	20.9	15.8 - 27.1	1,800

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,300	84.4	80.8 - 87.4	600	15.6	12.6 - 19.2	3,900
Native Hawaiian	3,900	80.5	76.6 - 83.9	1,000	19.5	16.1 - 23.4	4,900
Chinese	600	84.6	81.0 - 87.6	100	15.4	12.4 - 19.0	700
Filipino	2,600	80.6	76.7 - 83.9	600	19.4	16.1 - 23.3	3,300
Japanese	2,100	90.1	85.6 - 93.2	200	9.9	6.8 - 14.4	2,300
Other	2,100	79.1	73.9 - 83.5	500	20.9	16.5 - 26.1	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	70.0	61.7 - 77.2	400	30.0	22.8 - 38.3	1,300
20-24	3,400	76.9	72.8 - 80.5	1,000	23.1	19.5 - 27.2	4,400
25-34	7,300	85.1	82.8 - 87.2	1,300	14.9	12.8 - 17.2	8,600
35+	3,000	88.3	84.8 - 91.0	400	11.7	9.0 - 15.2	3,400



**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,900	82.2	79.8 - 84.4	1,700	17.8	15.6 - 20.2	9,600
Female	6,600	82.9	80.4 - 85.2	1,400	17.1	14.8 - 19.6	8,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,500	84.8	82.8 - 86.5	1,900	15.2	13.5 - 17.2	12,300
No	4,100	77.4	73.7 - 80.7	1,200	22.6	19.3 - 26.3	5,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,900	75.3	71.9 - 78.4	1,600	24.7	21.6 - 28.1	6,500
131-185%	1,700	83.4	78.2 - 87.6	300	16.6	12.4 - 21.8	2,100
186+%	6,900	89.5	87.4 - 91.3	800	10.5	8.7 - 12.6	7,700

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,800	68.2	62.5 - 73.4	900	31.8	26.6 - 37.5	2,700
\$10,000-\$24,999	3,500	81.2	77.4 - 84.5	800	18.8	15.5 - 22.6	4,300
\$25,000-\$49,999	3,800	85.5	82.2 - 88.2	600	14.5	11.8 - 17.8	4,400
>=\$50,000	4,500	90.7	88.1 - 92.8	500	9.3	7.2 - 11.9	4,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	84.6	77.3 - 89.9	200	15.4	10.1 - 22.7	1,100
Normal birth weight	13,600	82.4	80.6 - 84.1	2,900	17.6	15.9 - 19.4	16,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	70.5	62.3 - 77.5	400	29.5	22.5 - 37.7	1,400
No	13,400	83.8	82.0 - 85.4	2,600	16.2	14.6 - 18.0	16,000

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,800	76.2	71.6 - 80.3	900	23.8	19.7 - 28.4	3,600
<b>No</b>	11,600	84.5	82.6 - 86.2	2,100	15.5	13.8 - 17.4	13,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,300	79.8	77.0 - 82.4	1,600	20.2	17.6 - 23.0	7,900
<b>No</b>	8,000	85.1	82.9 - 87.1	1,400	14.9	12.9 - 17.1	9,400

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	14,200	81.4	79.3 - 83.4	3,200	18.6	16.6 - 20.7	17,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,500	77.6	73.6 - 81.2	400	22.4	18.8 - 26.4	1,900
<b>Honolulu</b>	10,500	82.3	79.5 - 84.8	2,300	17.7	15.2 - 20.5	12,800
<b>Kauai</b>	700	75.5	68.8 - 81.2	200	24.5	18.8 - 31.2	900
<b>Maui</b>	1,500	82.4	78.3 - 85.9	300	17.6	14.1 - 21.7	1,800

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,300	87.0	82.2 - 90.7	500	13.0	9.3 - 17.8	3,700
Native Hawaiian	3,600	76.9	74.3 - 79.3	1,100	23.1	20.7 - 25.7	4,700
Chinese	600	79.6	64.4 - 89.4	100	20.4	10.6 - 35.6	700
Filipino	3,300	84.7	79.8 - 88.7	600	15.3	11.3 - 20.2	3,800
Japanese	1,700	83.8	75.4 - 89.7	300	16.2	10.3 - 24.6	2,000
Other	1,800	75.1	66.9 - 81.8	600	24.9	18.2 - 33.1	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,000	65.8	57.7 - 73.1	500	34.2	26.9 - 42.3	1,500
20-24	3,100	76.1	71.4 - 80.2	1,000	23.9	19.8 - 28.6	4,100
25-34	7,400	83.9	80.8 - 86.6	1,400	16.1	13.4 - 19.2	8,800
35+	2,700	89.5	84.6 - 93.0	300	10.5	7.0 - 15.4	3,000

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	7,500	81.8	78.8 - 84.4	1,700	18.2	15.6 - 21.2	9,200
<b>Female</b>	6,600	81.1	77.8 - 84.0	1,600	18.9	16.0 - 22.2	8,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	9,900	86.2	83.5 - 88.4	1,600	13.8	11.6 - 16.5	11,500
<b>No</b>	4,300	72.4	68.4 - 76.0	1,600	27.6	24.0 - 31.6	5,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	5,800	75.3	71.8 - 78.5	1,900	24.7	21.5 - 28.2	7,800
<b>131-185%</b>	2,300	90.2	85.2 - 93.7	200	9.8	6.3 - 14.8	2,500
<b>186+%</b>	4,900	89.9	86.3 - 92.6	600	10.1	7.4 - 13.7	5,500

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,900	69.7	64.6 - 74.3	1,300	30.3	25.7 - 35.4	4,200
\$15,001-\$25,000	1,800	79.4	73.0 - 84.5	500	20.6	15.5 - 27.0	2,200
\$25,001-\$40,000	2,800	86.0	81.1 - 89.9	500	14.0	10.1 - 18.9	3,200
>=\$40,001	5,900	89.2	85.8 - 91.8	700	10.8	8.2 - 14.2	6,600

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	79.1	70.6 - 85.7	300	20.9	14.3 - 29.4	1,200
Normal birth weight	13,200	81.7	79.4 - 83.7	3,000	18.3	16.3 - 20.6	16,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	74.2	66.1 - 80.9	400	25.8	19.1 - 33.9	1,600
No	12,700	82.1	79.8 - 84.2	2,800	17.9	15.8 - 20.2	15,500

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,600	73.9	68.7 - 78.6	900	26.1	21.4 - 31.3	3,500
<b>No</b>	11,200	83.5	81.0 - 85.7	2,200	16.5	14.3 - 19.0	13,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,500	75.4	71.9 - 78.7	1,800	24.6	21.3 - 28.1	7,300
<b>No</b>	8,500	85.7	82.9 - 88.1	1,400	14.3	11.9 - 17.1	9,900



**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	13,900	83.2	81.1 - 85.2	2,800	16.8	14.8 - 18.9	16,700

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,600	79.7	75.9 - 83.1	400	20.3	16.9 - 24.1	2,000
<b>Honolulu</b>	10,400	84.0	81.2 - 86.5	2,000	16.0	13.5 - 18.8	12,300
<b>Kauai</b>	500	79.6	72.5 - 85.3	100	20.4	14.7 - 27.5	600
<b>Maui</b>	1,400	82.6	78.4 - 86.2	300	17.4	13.8 - 21.6	1,700

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	85.6	80.5 - 89.5	500	14.4	10.5 - 19.5	3,600
Native Hawaiian	3,600	78.2	75.6 - 80.7	1,000	21.8	19.3 - 24.4	4,600
Chinese	500	86.2	70.3 - 94.3	100	13.8	5.7 - 29.7	600
Filipino	2,900	86.4	80.9 - 90.6	500	13.6	9.4 - 19.1	3,300
Japanese	2,000	87.1	80.2 - 91.8	300	12.9	8.2 - 19.8	2,300
Other	1,800	80.1	71.6 - 86.5	500	19.9	13.5 - 28.4	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,000	65.3	56.3 - 73.2	500	34.7	26.8 - 43.7	1,500
20-24	3,300	78.8	74.4 - 82.7	900	21.2	17.3 - 25.6	4,200
25-34	7,100	85.4	82.2 - 88.1	1,200	14.6	11.9 - 17.8	8,300
35+	2,500	93.0	88.6 - 95.8	200	7.0	4.2 - 11.4	2,700

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,800	82.6	79.5 - 85.3	1,400	17.4	14.7 - 20.5	8,200
Female	7,100	83.8	80.7 - 86.5	1,400	16.2	13.5 - 19.3	8,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,000	88.1	85.6 - 90.2	1,400	11.9	9.8 - 14.4	11,400
No	3,800	72.7	68.5 - 76.5	1,400	27.3	23.5 - 31.5	5,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,200	79.4	75.8 - 82.5	1,300	20.6	17.5 - 24.2	6,500
131-185%	2,800	83.2	77.7 - 87.6	600	16.8	12.4 - 22.3	3,400
186+%	4,700	90.0	86.5 - 92.7	500	10.0	7.3 - 13.5	5,300

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,500	77.0	72.1 - 81.3	800	23.0	18.7 - 27.9	3,300
\$15,001-\$25,000	2,000	79.6	72.9 - 85.0	500	20.4	15.0 - 27.1	2,500
\$25,001-\$40,000	2,900	80.9	75.4 - 85.4	700	19.1	14.6 - 24.6	3,600
>=\$40,001	5,700	90.2	87.1 - 92.6	600	9.8	7.4 - 12.9	6,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	86.7	77.5 - 92.5	100	13.3	7.5 - 22.5	1,100
Normal birth weight	12,900	83.2	81.0 - 85.2	2,600	16.8	14.8 - 19.0	15,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	75.5	67.0 - 82.4	300	24.5	17.6 - 33.0	1,300
No	12,700	84.0	81.8 - 86.0	2,400	16.0	14.0 - 18.2	15,100

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,500	78.9	73.9 - 83.1	700	21.1	16.9 - 26.1	3,200
<b>No</b>	11,000	84.3	81.8 - 86.5	2,000	15.7	13.5 - 18.2	13,000

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,700	82.2	78.9 - 85.1	1,200	17.8	14.9 - 21.1	7,000
<b>No</b>	8,000	84.1	81.1 - 86.7	1,500	15.9	13.3 - 18.9	9,600

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	13,400	80.9	79.1 - 82.5	3,200	19.1	17.5 - 20.9	16,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,400	78.7	74.7 - 82.3	400	21.3	17.7 - 25.3	1,800
<b>Honolulu</b>	10,100	82.3	80.1 - 84.3	2,200	17.7	15.7 - 19.9	12,200
<b>Kauai</b>	600	73.0	65.7 - 79.3	200	27.0	20.7 - 34.3	800
<b>Maui</b>	1,300	76.2	71.5 - 80.3	400	23.8	19.7 - 28.5	1,700

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	84.6	80.6 - 87.8	500	15.4	12.2 - 19.4	3,500
Native Hawaiian	3,400	74.7	72.5 - 76.8	1,100	25.3	23.2 - 27.5	4,500
Chinese	600	82.3	69.7 - 90.4	100	17.7	9.6 - 30.3	700
Filipino	2,900	83.5	79.1 - 87.1	600	16.5	12.9 - 20.9	3,500
Japanese	1,800	89.7	84.4 - 93.3	200	10.3	6.7 - 15.6	2,000
Other	1,700	74.6	68.0 - 80.2	600	25.4	19.8 - 32.0	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,000	62.1	56.1 - 67.7	600	37.9	32.3 - 43.9	1,600
20-24	3,300	76.4	72.7 - 79.7	1,000	23.6	20.3 - 27.3	4,300
25-34	6,800	84.5	82.0 - 86.7	1,200	15.5	13.3 - 18.0	8,000
35+	2,300	88.3	83.8 - 91.7	300	11.7	8.3 - 16.2	2,700

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,900	81.6	79.2 - 83.8	1,600	18.4	16.2 - 20.8	8,400
Female	6,500	80.1	77.5 - 82.5	1,600	19.9	17.5 - 22.5	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,500	85.6	83.5 - 87.4	1,600	14.4	12.6 - 16.5	11,100
No	3,900	71.3	68.1 - 74.4	1,600	28.7	25.6 - 31.9	5,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,600	74.0	71.0 - 76.9	1,600	26.0	23.1 - 29.0	6,200
131-185%	3,000	82.5	78.8 - 85.8	600	17.5	14.2 - 21.2	3,600
186+%	5,000	90.3	87.7 - 92.4	500	9.7	7.6 - 12.3	5,500



**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,300	69.5	65.2 - 73.6	1,000	30.5	26.4 - 34.8	3,300
\$15,001-\$25,000	1,800	80.8	75.9 - 85.0	400	19.2	15.0 - 24.1	2,300
\$25,001-\$40,000	2,800	78.5	74.5 - 82.1	800	21.5	17.9 - 25.5	3,600
>=\$40,001	5,800	89.7	87.3 - 91.7	700	10.3	8.3 - 12.7	6,500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	86.5	80.8 - 90.7	100	13.5	9.3 - 19.2	1,100
Normal birth weight	12,400	80.5	78.7 - 82.2	3,000	19.5	17.8 - 21.3	15,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	75.8	69.8 - 80.8	400	24.2	19.2 - 30.2	1,500
No	11,900	81.5	79.6 - 83.2	2,700	18.5	16.8 - 20.4	14,700

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,500	75.0	70.8 - 78.8	800	25.0	21.2 - 29.2	3,300
<b>No</b>	10,400	82.4	80.4 - 84.2	2,200	17.6	15.8 - 19.6	12,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,400	77.5	74.8 - 80.1	1,600	22.5	19.9 - 25.2	7,000
<b>No</b>	7,900	83.3	81.0 - 85.4	1,600	16.7	14.6 - 19.0	9,400

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	13,600	80.8	79.1 - 82.5	3,200	19.2	17.5 - 20.9	16,900

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,500	78.1	73.9 - 81.8	400	21.9	18.2 - 26.1	1,900
<b>Honolulu</b>	10,300	82.0	79.8 - 84.0	2,300	18.0	16.0 - 20.2	12,600
<b>Kauai</b>	500	79.4	72.1 - 85.2	100	20.6	14.8 - 27.9	700
<b>Maui</b>	1,300	75.7	71.0 - 79.9	400	24.3	20.1 - 29.0	1,700

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,400	83.8	80.3 - 86.8	700	16.2	13.2 - 19.7	4,000
Native Hawaiian	3,500	76.8	74.6 - 78.9	1,100	23.2	21.1 - 25.4	4,600
Chinese	600	88.8	77.8 - 94.8	100	11.2	5.2 - 22.2	600
Filipino	2,800	81.0	76.1 - 85.0	600	19.0	15.0 - 23.9	3,400
Japanese	1,800	86.3	80.4 - 90.7	300	13.7	9.3 - 19.6	2,000
Other	1,700	76.0	69.1 - 81.9	500	24.0	18.1 - 30.9	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	62.0	55.7 - 67.9	700	38.0	32.1 - 44.3	1,900
20-24	3,100	77.0	73.4 - 80.2	900	23.0	19.8 - 26.6	4,000
25-34	6,800	84.7	82.2 - 87.0	1,200	15.3	13.0 - 17.8	8,100
35+	2,500	87.5	83.4 - 90.6	400	12.5	9.4 - 16.6	2,900

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,200	82.2	79.8 - 84.3	1,600	17.8	15.7 - 20.2	8,700
Female	6,500	79.4	76.7 - 81.9	1,700	20.6	18.1 - 23.3	8,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	10,000	86.2	84.3 - 87.9	1,600	13.8	12.1 - 15.7	11,600
No	3,600	68.9	65.4 - 72.3	1,600	31.1	27.7 - 34.6	5,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,200	73.0	70.0 - 75.8	1,900	27.0	24.2 - 30.0	7,100
131-185%	1,900	85.5	81.4 - 88.9	300	14.5	11.1 - 18.6	2,300
186+%	5,600	90.2	87.8 - 92.2	600	9.8	7.8 - 12.2	6,200

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	2,700	68.7	64.4 - 72.6	1,200	31.3	27.4 - 35.6	3,900
\$15,001-\$25,000	2,000	77.3	72.5 - 81.4	600	22.7	18.6 - 27.5	2,600
\$25,001-\$40,000	2,700	83.1	79.2 - 86.3	500	16.9	13.7 - 20.8	3,200
>=\$40,001	5,600	90.1	87.6 - 92.2	600	9.9	7.8 - 12.4	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	74.6	66.7 - 81.2	300	25.4	18.8 - 33.3	1,100
Normal birth weight	12,700	81.3	79.4 - 83.0	2,900	18.7	17.0 - 20.6	15,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	69.2	62.0 - 75.5	400	30.8	24.5 - 38.0	1,400
No	12,300	81.9	80.1 - 83.6	2,700	18.1	16.4 - 19.9	15,000

**PRAMS Health Indicator Report - Getting PNC as early as wanted- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,400	72.1	67.6 - 76.3	900	27.9	23.7 - 32.4	3,300
<b>No</b>	10,800	83.3	81.3 - 85.0	2,200	16.7	15.0 - 18.7	13,000

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,600	76.5	73.7 - 79.1	1,700	23.5	20.9 - 26.3	7,300
<b>No</b>	7,800	84.4	82.0 - 86.4	1,500	15.6	13.6 - 18.0	9,300