

**PRAMS Health Indicator Report - HIV test during pregnancy- for the State of Hawaii, for the Year(s)
2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
HIV test during pregnancy	HIV test during pregnancy

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/27/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator Report - HIV test during pregnancy- for the State of Hawaii, for the Year(s)
2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2004	10,800	69.5	67.4 - 71.6	4,700	30.5	28.4 - 32.6	15,500
2005	10,300	67.3	64.9 - 69.6	5,000	32.7	30.4 - 35.1	15,300
2006	11,300	70.2	67.8 - 72.5	4,800	29.8	27.5 - 32.2	16,100
2007	11,100	68.3	65.9 - 70.6	5,200	31.7	29.4 - 34.1	16,300
2008	11,200	69.1	66.7 - 71.3	5,000	30.9	28.7 - 33.3	16,300
2009	11,200	71.0	67.8 - 74.0	4,600	29.0	26.0 - 32.2	15,800
2010	11,300	70.1	66.9 - 73.2	4,800	29.9	26.8 - 33.1	16,100
2011	11,500	70.0	66.8 - 73.1	4,900	30.0	26.9 - 33.2	16,400
2012	9,600	68.0	64.5 - 71.3	4,500	32.0	28.7 - 35.5	14,200
2013	9,700	66.7	62.9 - 70.3	4,900	33.3	29.7 - 37.1	14,600

**PRAMS Health Indicator Report - HIV test during pregnancy- for the State of Hawaii, for the Year(s)
2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	9,700	66.7	62.9 - 70.3	4,900	33.3	29.7 - 37.1	14,600

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,300	67.9	61.8 - 73.4	600	32.1	26.6 - 38.2	1,900
Honolulu	7,000	66.7	61.6 - 71.4	3,500	33.3	28.6 - 38.4	10,500
Kauai	400	66.3	60.4 - 71.8	200	33.7	28.2 - 39.6	700
Maui	1,000	65.4	59.1 - 71.1	500	34.6	28.9 - 40.9	1,500

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,700	68.8	61.2 - 75.4	1,200	31.2	24.6 - 38.8	3,900
Native Hawaiian	3,100	68.2	61.5 - 74.3	1,400	31.8	25.7 - 38.5	4,500
Chinese	400	64.7	45.0 - 80.4	200	35.3	19.6 - 55.0	700
Filipino	1,400	62.6	52.8 - 71.3	800	37.4	28.7 - 47.2	2,200
Japanese	800	58.3	44.8 - 70.7	600	41.7	29.3 - 55.2	1,400
Other	1,300	70.4	59.9 - 79.0	600	29.6	21.0 - 40.1	1,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	600	75.3	58.8 - 86.7	200	24.7	13.3 - 41.2	800
20-24	2,500	78.2	70.5 - 84.4	700	21.8	15.6 - 29.5	3,200
25-34	4,900	62.3	56.9 - 67.4	3,000	37.7	32.6 - 43.1	7,900
35+	1,800	63.4	54.8 - 71.2	1,000	36.6	28.8 - 45.2	2,800

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	4,700	67.9	62.4 - 72.9	2,200	32.1	27.1 - 37.6	6,900
Female	5,000	65.6	60.2 - 70.6	2,600	34.4	29.4 - 39.8	7,700

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,600	62.4	57.3 - 67.2	3,400	37.6	32.8 - 42.7	9,000
No	4,100	73.6	68.0 - 78.6	1,500	26.4	21.4 - 32.0	5,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,900	72.3	66.5 - 77.5	1,500	27.7	22.5 - 33.5	5,400
131-185%	1,300	66.7	56.2 - 75.9	700	33.3	24.1 - 43.8	2,000
186+%	3,300	58.2	51.8 - 64.4	2,400	41.8	35.6 - 48.2	5,700

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Income (2012+)							
<=\$17,000	2,600	75.6	68.5 - 81.5	800	24.4	18.5 - 31.5	3,500
\$17,001-\$26,000	1,100	59.5	48.4 - 69.7	700	40.5	30.3 - 51.6	1,800
\$26,001-\$51,000	2,400	74.7	67.0 - 81.1	800	25.3	18.9 - 33.0	3,200
>=\$51,001	2,600	55.2	48.2 - 61.9	2,200	44.8	38.1 - 51.8	4,800

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Birthweight							
Low birth weight	700	64.2	58.5 - 69.5	400	35.8	30.5 - 41.5	1,000
Normal birth weight	9,100	66.8	62.8 - 70.7	4,500	33.2	29.3 - 37.2	13,500

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Smoke 3rd Trimester							
Yes	600	73.8	60.0 - 84.1	200	26.2	15.9 - 40.0	800
No	9,000	66.8	62.9 - 70.6	4,500	33.2	29.4 - 37.1	13,500

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2013

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,900	76.5	68.4 - 83.1	600	23.5	16.9 - 31.6	2,500
No	7,700	65.3	61.0 - 69.4	4,100	34.7	30.6 - 39.0	11,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,500	69.7	64.2 - 74.7	2,000	30.3	25.3 - 35.8	6,500
No	5,200	64.2	59.0 - 69.2	2,900	35.8	30.8 - 41.0	8,100

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	9,600	68.0	64.5 - 71.3	4,500	32.0	28.7 - 35.5	14,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,200	65.5	59.6 - 70.9	600	34.5	29.1 - 40.4	1,800
Honolulu	7,000	68.8	64.0 - 73.1	3,200	31.2	26.9 - 36.0	10,200
Kauai	400	59.4	51.9 - 66.4	300	40.6	33.6 - 48.1	600
Maui	1,100	69.2	63.8 - 74.1	500	30.8	25.9 - 36.2	1,500

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,300	68.5	61.3 - 75.0	1,000	31.5	25.0 - 38.7	3,300
Native Hawaiian	2,900	74.8	68.7 - 80.0	1,000	25.2	20.0 - 31.3	3,900
Chinese	500	65.2	49.0 - 78.4	300	34.8	21.6 - 51.0	800
Filipino	1,400	57.3	48.3 - 65.8	1,100	42.7	34.2 - 51.7	2,500
Japanese	700	56.6	43.8 - 68.7	500	43.4	31.3 - 56.2	1,200
Other	1,800	73.7	64.7 - 81.0	600	26.3	19.0 - 35.3	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	700	88.1	79.6 - 93.3	100	11.9	6.7 - 20.4	800
20-24	2,000	70.4	62.3 - 77.4	800	29.6	22.6 - 37.7	2,800
25-34	5,500	67.9	63.1 - 72.3	2,600	32.1	27.7 - 36.9	8,000
35+	1,500	59.5	50.8 - 67.6	1,000	40.5	32.4 - 49.2	2,600

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	4,800	68.0	62.9 - 72.7	2,300	32.0	27.3 - 37.1	7,100
Female	4,800	67.9	63.0 - 72.5	2,300	32.1	27.5 - 37.0	7,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,500	62.9	58.2 - 67.3	3,300	37.1	32.7 - 41.8	8,800
No	4,100	76.3	71.2 - 80.8	1,300	23.7	19.2 - 28.8	5,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,800	76.7	71.4 - 81.3	1,100	23.3	18.7 - 28.6	4,900
131-185%	1,500	62.5	53.1 - 71.0	900	37.5	29.0 - 46.9	2,400
186+%	3,600	64.2	58.4 - 69.7	2,000	35.8	30.3 - 41.6	5,600

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Income (2012+)							
<=\$17,000	2,700	84.3	78.9 - 88.5	500	15.7	11.5 - 21.1	3,200
\$17,001-\$26,000	1,100	65.3	54.9 - 74.3	600	34.7	25.7 - 45.1	1,700
\$26,001-\$51,000	2,200	65.6	58.0 - 72.5	1,200	34.4	27.5 - 42.0	3,400
>=\$51,001	3,000	61.8	55.5 - 67.8	1,800	38.2	32.2 - 44.5	4,800

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Birthweight							
Low birth weight	600	67.6	61.5 - 73.1	300	32.4	26.9 - 38.5	900
Normal birth weight	9,000	68.1	64.3 - 71.6	4,200	31.9	28.4 - 35.7	13,200

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Smoke 3rd Trimester							
Yes	300	63.3	44.9 - 78.5	200	36.7	21.5 - 55.1	500
No	9,100	68.9	65.3 - 72.3	4,100	31.1	27.7 - 34.7	13,300

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2012

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	71.8	62.7 - 79.4	600	28.2	20.6 - 37.3	2,100
No	7,900	68.2	64.3 - 71.8	3,700	31.8	28.2 - 35.7	11,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,600	74.6	69.6 - 79.0	1,600	25.4	21.0 - 30.4	6,100
No	5,100	62.9	58.0 - 67.5	3,000	37.1	32.5 - 42.0	8,100

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	11,500	70.0	66.8 - 73.1	4,900	30.0	26.9 - 33.2	16,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,500	71.4	66.2 - 76.0	600	28.6	24.0 - 33.8	2,000
Honolulu	8,300	69.9	65.5 - 73.9	3,600	30.1	26.1 - 34.5	11,900
Kauai	500	64.3	57.6 - 70.4	300	35.7	29.6 - 42.4	700
Maui	1,300	71.8	67.2 - 76.0	500	28.2	24.0 - 32.8	1,700

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,900	72.9	66.3 - 78.5	1,100	27.1	21.5 - 33.7	3,900
Native Hawaiian	3,300	70.7	64.8 - 76.1	1,400	29.3	23.9 - 35.2	4,700
Chinese	400	62.9	45.0 - 77.9	300	37.1	22.1 - 55.0	700
Filipino	1,900	67.8	59.8 - 74.8	900	32.2	25.2 - 40.2	2,800
Japanese	1,000	56.6	45.6 - 67.0	800	43.4	33.0 - 54.4	1,700
Other	1,900	78.2	69.5 - 85.0	500	21.8	15.0 - 30.5	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	700	73.0	58.0 - 84.1	300	27.0	15.9 - 42.0	900
20-24	3,000	77.6	71.2 - 83.0	900	22.4	17.0 - 28.8	3,800
25-34	6,200	70.4	65.9 - 74.5	2,600	29.6	25.5 - 34.1	8,800
35+	1,600	57.7	49.5 - 65.5	1,200	42.3	34.5 - 50.5	2,800

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,900	70.9	66.3 - 75.1	2,400	29.1	24.9 - 33.7	8,300
Female	5,600	69.2	64.4 - 73.5	2,500	30.8	26.5 - 35.6	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,000	67.7	63.6 - 71.6	3,300	32.3	28.4 - 36.4	10,400
No	4,500	74.0	68.7 - 78.7	1,600	26.0	21.3 - 31.3	6,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,200	74.8	69.7 - 79.4	1,400	25.2	20.6 - 30.3	5,700
131-185%	1,900	74.6	65.5 - 82.0	600	25.4	18.0 - 34.5	2,500
186+%	4,700	64.4	59.3 - 69.2	2,600	35.6	30.8 - 40.7	7,400

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,300	78.9	72.0 - 84.5	600	21.1	15.5 - 28.0	3,000
\$10,000-\$24,999	1,900	68.6	60.5 - 75.7	900	31.4	24.3 - 39.5	2,800
\$25,000-\$49,999	3,200	75.9	69.6 - 81.4	1,000	24.1	18.6 - 30.4	4,300
>=\$50,000	3,400	60.8	54.9 - 66.5	2,200	39.2	33.5 - 45.1	5,600

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	72.6	67.2 - 77.3	300	27.4	22.7 - 32.8	1,200
Normal birth weight	10,600	70.0	66.5 - 73.3	4,600	30.0	26.7 - 33.5	15,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	77.0	64.4 - 86.1	200	23.0	13.9 - 35.6	900
No	10,700	69.5	66.1 - 72.7	4,700	30.5	27.3 - 33.9	15,400

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,500	74.9	67.6 - 81.0	800	25.1	19.0 - 32.4	3,300
No	8,900	68.7	65.0 - 72.2	4,100	31.3	27.8 - 35.0	13,000

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,500	76.0	71.4 - 80.0	1,700	24.0	20.0 - 28.6	7,200
No	6,000	65.4	60.8 - 69.7	3,200	34.6	30.3 - 39.2	9,100

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	11,300	70.1	66.9 - 73.2	4,800	29.9	26.8 - 33.1	16,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,500	72.0	67.0 - 76.6	600	28.0	23.4 - 33.0	2,000
Honolulu	8,200	69.9	65.6 - 73.9	3,500	30.1	26.1 - 34.4	11,700
Kauai	400	62.9	56.5 - 68.9	300	37.1	31.1 - 43.5	700
Maui	1,200	72.3	67.4 - 76.7	500	27.7	23.3 - 32.6	1,700

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	78.7	72.8 - 83.7	900	21.3	16.3 - 27.2	4,000
Native Hawaiian	3,300	68.3	62.3 - 73.8	1,500	31.7	26.2 - 37.7	4,800
Chinese	400	63.7	45.0 - 79.0	200	36.3	21.0 - 55.0	600
Filipino	1,500	52.9	44.8 - 60.9	1,400	47.1	39.1 - 55.2	2,900
Japanese	1,100	69.6	58.5 - 78.9	500	30.4	21.1 - 41.5	1,500
Other	1,900	82.8	75.4 - 88.3	400	17.2	11.7 - 24.6	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	80.3	69.2 - 88.1	200	19.7	11.9 - 30.8	1,000
20-24	2,800	74.7	67.8 - 80.6	900	25.3	19.4 - 32.2	3,700
25-34	5,900	69.6	65.2 - 73.8	2,600	30.4	26.2 - 34.8	8,400
35+	1,900	62.5	54.5 - 69.9	1,100	37.5	30.1 - 45.5	3,000

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,600	69.5	65.0 - 73.8	2,500	30.5	26.2 - 35.0	8,100
Female	5,700	70.8	66.1 - 75.0	2,400	29.2	25.0 - 33.9	8,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,000	68.9	64.7 - 72.7	3,200	31.1	27.3 - 35.3	10,200
No	4,300	72.3	67.1 - 77.0	1,700	27.7	23.0 - 32.9	6,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,900	71.5	65.9 - 76.6	1,500	28.5	23.4 - 34.1	5,400
131-185%	1,900	72.1	64.2 - 78.9	700	27.9	21.1 - 35.8	2,700
186+%	4,800	68.8	63.8 - 73.4	2,200	31.2	26.6 - 36.2	7,000

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,200	75.8	68.4 - 81.9	700	24.2	18.1 - 31.6	2,900
\$10,000-\$24,999	2,000	74.7	66.7 - 81.3	700	25.3	18.7 - 33.3	2,600
\$25,000-\$49,999	3,000	71.7	65.3 - 77.2	1,200	28.3	22.8 - 34.7	4,200
>=\$50,000	3,600	64.7	58.9 - 70.2	2,000	35.3	29.8 - 41.1	5,500

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	66.4	60.8 - 71.5	400	33.6	28.5 - 39.2	1,200
Normal birth weight	10,600	70.6	67.2 - 73.8	4,400	29.4	26.2 - 32.8	15,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	70.9	58.2 - 81.0	400	29.1	19.0 - 41.8	1,300
No	10,400	70.0	66.7 - 73.2	4,400	30.0	26.8 - 33.3	14,800

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	71.7	64.6 - 77.9	900	28.3	22.1 - 35.4	3,300
No	8,900	69.6	66.0 - 73.1	3,900	30.4	26.9 - 34.0	12,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,100	72.4	67.8 - 76.6	1,900	27.6	23.4 - 32.2	7,000
No	6,200	68.5	64.0 - 72.6	2,900	31.5	27.4 - 36.0	9,100

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	11,200	71.0	67.8 - 74.0	4,600	29.0	26.0 - 32.2	15,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,500	72.5	67.5 - 77.0	600	27.5	23.0 - 32.5	2,100
Honolulu	7,800	70.4	66.0 - 74.4	3,300	29.6	25.6 - 34.0	11,200
Kauai	500	72.0	65.8 - 77.4	200	28.0	22.6 - 34.2	700
Maui	1,300	72.5	67.9 - 76.7	500	27.5	23.3 - 32.1	1,800

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	79.1	73.3 - 83.9	800	20.9	16.1 - 26.7	3,800
Native Hawaiian	3,600	71.5	65.8 - 76.6	1,400	28.5	23.4 - 34.2	5,000
Chinese	200	37.6	22.2 - 55.9	400	62.4	44.1 - 77.8	700
Filipino	1,800	66.4	58.3 - 73.5	900	33.6	26.5 - 41.7	2,700
Japanese	900	63.7	51.8 - 74.0	500	36.3	26.0 - 48.2	1,400
Other	1,700	75.7	66.7 - 82.9	500	24.3	17.1 - 33.3	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	77.7	67.5 - 85.3	400	22.3	14.7 - 32.5	1,600
20-24	2,700	76.2	69.7 - 81.7	900	23.8	18.3 - 30.3	3,600
25-34	5,500	68.1	63.5 - 72.4	2,600	31.9	27.6 - 36.5	8,000
35+	1,800	68.5	60.5 - 75.5	800	31.5	24.5 - 39.5	2,600

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,800	68.4	63.9 - 72.6	2,700	31.6	27.4 - 36.1	8,400
Female	5,500	73.8	69.3 - 77.9	1,900	26.2	22.1 - 30.7	7,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,400	68.5	64.3 - 72.4	2,900	31.5	27.6 - 35.7	9,300
No	4,800	74.6	69.6 - 79.0	1,600	25.4	21.0 - 30.4	6,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,000	71.9	66.5 - 76.8	1,500	28.1	23.2 - 33.5	5,500
131-185%	1,800	73.9	65.3 - 81.1	600	26.1	18.9 - 34.7	2,400
186+%	4,400	69.5	64.4 - 74.1	1,900	30.5	25.9 - 35.6	6,400

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,000	75.0	67.1 - 81.5	700	25.0	18.5 - 32.9	2,700
\$10,000-\$24,999	2,500	74.9	68.3 - 80.5	900	25.1	19.5 - 31.7	3,400
\$25,000-\$49,999	2,100	66.3	58.7 - 73.2	1,000	33.7	26.8 - 41.3	3,100
>=\$50,000	3,600	69.4	63.8 - 74.5	1,600	30.6	25.5 - 36.2	5,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	73.2	68.0 - 77.8	300	26.8	22.2 - 32.0	1,100
Normal birth weight	10,400	70.7	67.3 - 73.9	4,300	29.3	26.1 - 32.7	14,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	68.2	56.7 - 77.8	500	31.8	22.2 - 43.3	1,500
No	10,200	71.2	67.9 - 74.3	4,100	28.8	25.7 - 32.1	14,300

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	72.9	66.1 - 78.8	1,000	27.1	21.2 - 33.9	3,500
No	8,600	70.4	66.7 - 73.8	3,600	29.6	26.2 - 33.3	12,300

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,700	72.7	67.8 - 77.0	1,800	27.3	23.0 - 32.2	6,400
No	6,500	70.0	65.7 - 73.9	2,800	30.0	26.1 - 34.3	9,300

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	11,200	69.1	66.7 - 71.3	5,000	30.9	28.7 - 33.3	16,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,500	70.7	63.7 - 76.9	600	29.3	23.1 - 36.3	2,100
Honolulu	7,900	68.3	65.5 - 71.0	3,700	31.7	29.0 - 34.5	11,500
Kauai	500	67.1	55.5 - 76.9	300	32.9	23.1 - 44.5	800
Maui	1,300	72.6	65.3 - 78.9	500	27.4	21.1 - 34.7	1,900

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	74.2	69.5 - 78.3	1,000	25.8	21.7 - 30.5	4,000
Native Hawaiian	3,200	71.7	66.8 - 76.2	1,300	28.3	23.8 - 33.2	4,500
Chinese	300	61.7	54.5 - 68.4	200	38.3	31.6 - 45.5	500
Filipino	1,900	64.7	59.1 - 69.9	1,000	35.3	30.1 - 40.9	2,900
Japanese	1,100	64.3	56.8 - 71.2	600	35.7	28.8 - 43.2	1,700
Other	1,700	66.3	59.9 - 72.0	900	33.7	28.0 - 40.1	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	65.0	55.6 - 73.4	500	35.0	26.6 - 44.4	1,300
20-24	2,600	76.0	70.8 - 80.6	800	24.0	19.4 - 29.2	3,400
25-34	5,700	67.2	63.9 - 70.3	2,800	32.8	29.7 - 36.1	8,500
35+	2,100	68.3	63.0 - 73.1	1,000	31.7	26.9 - 37.0	3,000

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,900	69.4	66.1 - 72.5	2,600	30.6	27.5 - 33.9	8,500
Female	5,300	68.7	65.2 - 71.9	2,400	31.3	28.1 - 34.8	7,700

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,000	67.7	64.8 - 70.5	3,300	32.3	29.5 - 35.2	10,300
No	4,300	71.3	67.2 - 75.1	1,700	28.7	24.9 - 32.8	6,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,900	65.9	61.6 - 69.9	2,000	34.1	30.1 - 38.4	6,000
131-185%	1,700	73.8	67.5 - 79.3	600	26.2	20.7 - 32.5	2,300
186+%	4,800	69.2	65.7 - 72.4	2,100	30.8	27.6 - 34.3	7,000

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,700	63.1	56.6 - 69.1	1,000	36.9	30.9 - 43.4	2,700
\$10,000-\$24,999	2,500	70.8	65.4 - 75.7	1,000	29.2	24.3 - 34.6	3,500
\$25,000-\$49,999	2,500	67.5	62.5 - 72.2	1,200	32.5	27.8 - 37.5	3,700
>=\$50,000	3,900	70.8	67.0 - 74.4	1,600	29.2	25.6 - 33.0	5,600

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	700	69.3	59.5 - 77.6	300	30.7	22.4 - 40.5	1,100
Normal birth weight	10,500	69.1	66.6 - 71.4	4,700	30.9	28.6 - 33.4	15,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	72.7	64.0 - 80.0	400	27.3	20.0 - 36.0	1,400
No	10,000	68.9	66.4 - 71.3	4,500	31.1	28.7 - 33.6	14,500

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,200	74.1	68.4 - 79.0	800	25.9	21.0 - 31.6	3,000
No	8,800	68.1	65.5 - 70.7	4,100	31.9	29.3 - 34.5	12,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,800	69.6	65.8 - 73.2	2,100	30.4	26.8 - 34.2	6,900
No	6,400	69.0	66.0 - 71.9	2,900	31.0	28.1 - 34.0	9,300

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	11,100	68.3	65.9 - 70.6	5,200	31.7	29.4 - 34.1	16,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,300	66.2	59.0 - 72.7	700	33.8	27.3 - 41.0	2,000
Honolulu	7,800	68.6	65.8 - 71.3	3,600	31.4	28.7 - 34.2	11,300
Kauai	700	69.1	58.6 - 78.0	300	30.9	22.0 - 41.4	900
Maui	1,400	68.2	60.9 - 74.8	600	31.8	25.2 - 39.1	2,000

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,900	75.5	70.8 - 79.7	900	24.5	20.3 - 29.2	3,800
Native Hawaiian	3,100	68.6	63.6 - 73.3	1,400	31.4	26.7 - 36.4	4,500
Chinese	400	64.9	57.8 - 71.5	200	35.1	28.5 - 42.2	600
Filipino	1,700	56.8	51.3 - 62.2	1,300	43.2	37.8 - 48.7	2,900
Japanese	1,200	62.9	55.5 - 69.8	700	37.1	30.2 - 44.5	1,800
Other	2,000	74.5	68.6 - 79.5	700	25.5	20.5 - 31.4	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,000	64.2	54.8 - 72.6	500	35.8	27.4 - 45.2	1,500
20-24	2,900	71.3	66.5 - 75.8	1,200	28.7	24.2 - 33.5	4,000
25-34	5,500	69.2	65.8 - 72.3	2,500	30.8	27.7 - 34.2	8,000
35+	1,700	63.5	57.8 - 68.8	1,000	36.5	31.2 - 42.2	2,700

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,700	68.2	64.8 - 71.3	2,700	31.8	28.7 - 35.2	8,400
Female	5,400	68.4	65.0 - 71.7	2,500	31.6	28.3 - 35.0	7,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,800	67.4	64.5 - 70.2	3,300	32.6	29.8 - 35.5	10,100
No	4,300	69.7	65.6 - 73.5	1,900	30.3	26.5 - 34.4	6,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,100	67.6	63.5 - 71.5	1,900	32.4	28.5 - 36.5	6,000
131-185%	1,600	66.5	60.1 - 72.2	800	33.5	27.8 - 39.9	2,400
186+%	4,700	69.8	66.2 - 73.1	2,000	30.2	26.9 - 33.8	6,700

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,800	66.4	60.0 - 72.3	900	33.6	27.7 - 40.0	2,700
\$10,000-\$24,999	2,400	71.0	65.7 - 75.7	1,000	29.0	24.3 - 34.3	3,400
\$25,000-\$49,999	2,600	70.7	65.6 - 75.2	1,100	29.3	24.8 - 34.4	3,700
>=\$50,000	3,600	66.2	62.2 - 70.0	1,800	33.8	30.0 - 37.8	5,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	67.0	58.5 - 74.5	500	33.0	25.5 - 41.5	1,400
Normal birth weight	10,200	68.4	65.9 - 70.8	4,700	31.6	29.2 - 34.1	14,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	69.2	60.1 - 76.9	400	30.8	23.1 - 39.9	1,400
No	10,000	68.1	65.7 - 70.5	4,700	31.9	29.5 - 34.3	14,700

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	71.7	66.2 - 76.6	900	28.3	23.4 - 33.8	3,300
No	8,500	67.3	64.6 - 69.8	4,200	32.7	30.2 - 35.4	12,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,600	68.6	64.7 - 72.2	2,100	31.4	27.8 - 35.3	6,800
No	6,400	68.1	65.1 - 71.0	3,000	31.9	29.0 - 34.9	9,400

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	11,300	70.2	67.8 - 72.5	4,800	29.8	27.5 - 32.2	16,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,400	72.5	65.2 - 78.8	500	27.5	21.2 - 34.8	1,900
Honolulu	8,100	69.3	66.5 - 72.0	3,600	30.7	28.0 - 33.5	11,800
Kauai	500	70.4	58.2 - 80.2	200	29.6	19.8 - 41.8	800
Maui	1,200	73.6	65.7 - 80.2	400	26.4	19.8 - 34.3	1,700

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	81.2	76.7 - 85.0	700	18.8	15.0 - 23.3	3,800
Native Hawaiian	3,100	68.9	63.8 - 73.7	1,400	31.1	26.3 - 36.2	4,400
Chinese	300	58.6	51.2 - 65.7	200	41.4	34.3 - 48.8	500
Filipino	1,700	60.2	54.4 - 65.7	1,200	39.8	34.3 - 45.6	2,900
Japanese	1,200	64.1	56.8 - 70.7	700	35.9	29.3 - 43.2	1,900
Other	1,800	74.3	67.9 - 79.8	600	25.7	20.2 - 32.1	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	62.6	52.8 - 71.5	500	37.4	28.5 - 47.2	1,300
20-24	2,700	70.7	65.4 - 75.5	1,100	29.3	24.5 - 34.6	3,800
25-34	5,800	72.7	69.4 - 75.8	2,200	27.3	24.2 - 30.6	8,000
35+	1,900	66.0	60.5 - 71.1	1,000	34.0	28.9 - 39.5	2,900

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,300	65.5	62.0 - 68.9	2,800	34.5	31.1 - 38.0	8,100
Female	6,000	74.9	71.6 - 77.9	2,000	25.1	22.1 - 28.4	8,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,300	70.5	67.6 - 73.2	3,000	29.5	26.8 - 32.4	10,300
No	4,000	69.6	65.2 - 73.7	1,800	30.4	26.3 - 34.8	5,800

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,900	70.3	65.9 - 74.3	1,700	29.7	25.7 - 34.1	5,600
131-185%	1,500	73.2	66.1 - 79.2	600	26.8	20.8 - 33.9	2,100
186+%	5,100	69.5	66.0 - 72.7	2,300	30.5	27.3 - 34.0	7,400

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,800	69.4	62.8 - 75.3	800	30.6	24.7 - 37.2	2,600
\$10,000-\$24,999	2,400	70.6	65.1 - 75.7	1,000	29.4	24.3 - 34.9	3,400
\$25,000-\$49,999	2,700	70.5	65.4 - 75.2	1,100	29.5	24.8 - 34.6	3,800
>=\$50,000	3,800	70.4	66.4 - 74.1	1,600	29.6	25.9 - 33.6	5,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	71.3	62.5 - 78.7	400	28.7	21.3 - 37.5	1,400
Normal birth weight	10,300	70.1	67.6 - 72.5	4,400	29.9	27.5 - 32.4	14,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	78.0	69.5 - 84.7	300	22.0	15.3 - 30.5	1,500
No	10,000	69.5	66.9 - 71.9	4,400	30.5	28.1 - 33.1	14,400

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,500	74.9	69.4 - 79.8	800	25.1	20.2 - 30.6	3,300
No	8,700	69.0	66.3 - 71.6	3,900	31.0	28.4 - 33.7	12,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,700	70.2	66.3 - 73.9	2,000	29.8	26.1 - 33.7	6,600
No	6,600	70.1	67.0 - 73.0	2,800	29.9	27.0 - 33.0	9,400

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	10,300	67.3	64.9 - 69.6	5,000	32.7	30.4 - 35.1	15,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,400	68.5	61.4 - 74.8	600	31.5	25.2 - 38.6	2,000
Honolulu	7,400	66.3	63.5 - 69.0	3,700	33.7	31.0 - 36.5	11,100
Kauai	400	67.7	55.0 - 78.3	200	32.3	21.7 - 45.0	600
Maui	1,100	72.3	64.6 - 78.9	400	27.7	21.1 - 35.4	1,600

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,500	72.5	67.4 - 77.1	900	27.5	22.9 - 32.6	3,400
Native Hawaiian	3,000	69.2	64.2 - 73.8	1,300	30.8	26.2 - 35.8	4,400
Chinese	400	69.1	62.5 - 75.0	200	30.9	25.0 - 37.5	600
Filipino	1,800	64.1	58.6 - 69.1	1,000	35.9	30.9 - 41.4	2,800
Japanese	1,200	57.9	51.1 - 64.5	800	42.1	35.5 - 48.9	2,000
Other	1,500	67.3	60.9 - 73.2	700	32.7	26.8 - 39.1	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	62.3	53.2 - 70.5	500	37.7	29.5 - 46.8	1,300
20-24	2,900	75.7	71.0 - 79.8	900	24.3	20.2 - 29.0	3,800
25-34	5,100	66.4	62.9 - 69.7	2,600	33.6	30.3 - 37.1	7,700
35+	1,500	59.7	53.8 - 65.3	1,000	40.3	34.7 - 46.2	2,500

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	5,200	66.8	63.4 - 70.1	2,600	33.2	29.9 - 36.6	7,700
Female	5,100	67.7	64.3 - 71.0	2,400	32.3	29.0 - 35.7	7,600

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,400	66.4	63.4 - 69.3	3,300	33.6	30.7 - 36.6	9,700
No	3,900	68.8	64.6 - 72.6	1,800	31.2	27.4 - 35.4	5,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	3,500	63.3	59.1 - 67.3	2,100	36.7	32.7 - 40.9	5,600
131-185%	1,100	67.9	60.1 - 74.9	500	32.1	25.1 - 39.9	1,600
186+%	4,800	69.2	65.7 - 72.4	2,200	30.8	27.6 - 34.3	7,000

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,700	62.2	56.1 - 67.9	1,000	37.8	32.1 - 43.9	2,800
\$10,000-\$24,999	2,000	64.9	59.4 - 70.1	1,100	35.1	29.9 - 40.6	3,100
\$25,000-\$49,999	2,600	71.5	66.6 - 76.0	1,000	28.5	24.0 - 33.4	3,600
>=\$50,000	3,200	66.5	62.3 - 70.5	1,600	33.5	29.5 - 37.7	4,800

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	700	63.9	54.2 - 72.5	400	36.1	27.5 - 45.8	1,100
Normal birth weight	9,600	67.6	65.1 - 70.0	4,600	32.4	30.0 - 34.9	14,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	66.5	57.4 - 74.5	400	33.5	25.5 - 42.6	1,300
No	9,300	67.4	64.9 - 69.8	4,500	32.6	30.2 - 35.1	13,700

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	72.0	66.6 - 76.8	900	28.0	23.2 - 33.4	3,300
No	7,700	66.0	63.3 - 68.7	4,000	34.0	31.3 - 36.7	11,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	4,400	67.5	63.7 - 71.1	2,100	32.5	28.9 - 36.3	6,500
No	5,800	67.0	63.9 - 70.0	2,900	33.0	30.0 - 36.1	8,700

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	10,800	69.5	67.4 - 71.6	4,700	30.5	28.4 - 32.6	15,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,300	67.2	60.5 - 73.3	600	32.8	26.7 - 39.5	1,900
Honolulu	7,800	69.5	67.0 - 71.9	3,400	30.5	28.1 - 33.0	11,200
Kauai	500	71.7	61.5 - 80.1	200	28.3	19.9 - 38.5	800
Maui	1,100	71.4	64.4 - 77.5	500	28.6	22.5 - 35.6	1,600

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,600	72.5	68.1 - 76.6	1,000	27.5	23.4 - 31.9	3,600
Native Hawaiian	2,900	68.4	63.7 - 72.7	1,400	31.6	27.3 - 36.3	4,300
Chinese	400	71.2	66.6 - 75.5	200	28.8	24.5 - 33.4	600
Filipino	1,800	62.1	57.2 - 66.7	1,100	37.9	33.3 - 42.8	2,900
Japanese	1,300	65.9	59.2 - 72.0	700	34.1	28.0 - 40.8	1,900
Other	1,800	79.1	73.7 - 83.6	500	20.9	16.4 - 26.3	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	700	63.0	53.8 - 71.3	400	37.0	28.7 - 46.2	1,100
20-24	2,900	74.6	70.2 - 78.6	1,000	25.4	21.4 - 29.8	3,900
25-34	5,400	69.8	66.7 - 72.7	2,300	30.2	27.3 - 33.3	7,700
35+	1,800	64.4	59.2 - 69.2	1,000	35.6	30.8 - 40.8	2,800

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,000	70.6	67.6 - 73.3	2,500	29.4	26.7 - 32.4	8,600
Female	4,700	68.3	65.0 - 71.4	2,200	31.7	28.6 - 35.0	6,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,500	67.7	65.2 - 70.2	3,600	32.3	29.8 - 34.8	11,000
No	3,300	74.0	69.8 - 77.8	1,200	26.0	22.2 - 30.2	4,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,000	70.7	66.9 - 74.2	1,600	29.3	25.8 - 33.1	5,600
131-185%	1,300	69.1	62.6 - 75.0	600	30.9	25.0 - 37.4	1,900
186+%	4,800	69.1	65.9 - 72.1	2,100	30.9	27.9 - 34.1	6,900

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,500	68.4	62.2 - 74.0	700	31.6	26.0 - 37.8	2,200
\$10,000-\$24,999	2,800	72.6	68.1 - 76.6	1,100	27.4	23.4 - 31.9	3,900
\$25,000-\$49,999	2,800	69.7	65.4 - 73.7	1,200	30.3	26.3 - 34.6	4,000
>=\$50,000	3,000	67.8	63.8 - 71.6	1,400	32.2	28.4 - 36.2	4,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	66.4	57.2 - 74.4	300	33.6	25.6 - 42.8	1,000
Normal birth weight	10,100	69.7	67.5 - 71.9	4,400	30.3	28.1 - 32.5	14,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	68.3	59.5 - 76.0	400	31.7	24.0 - 40.5	1,200
No	9,800	69.5	67.2 - 71.7	4,300	30.5	28.3 - 32.8	14,100

PRAMS Health Indicator Report - HIV test during pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	74.7	69.6 - 79.2	800	25.3	20.8 - 30.4	3,100
No	8,300	68.1	65.7 - 70.4	3,900	31.9	29.6 - 34.3	12,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,000	72.6	69.3 - 75.7	1,900	27.4	24.3 - 30.7	7,000
No	5,600	67.3	64.3 - 70.1	2,700	32.7	29.9 - 35.7	8,400