

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- for the State of Hawaii, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012, so there are three different income dimensions, depending on the year.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
Drinking alcohol last 3 months of pregnancy	Drinking alcohol last 3 months of pregnancy

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/8/17*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- for the State of Hawaii, for the Year(s)  
2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Year	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	800	4.8	4.0 - 5.8	15,900	95.2	94.2 - 96.0	16,700
2001	700	4.5	3.6 - 5.6	15,600	95.5	94.4 - 96.4	16,400
2002	600	3.6	2.7 - 4.7	16,200	96.4	95.3 - 97.3	16,800
2003	800	4.3	3.3 - 5.6	16,700	95.7	94.4 - 96.7	17,500
2004	1,100	6.3	5.3 - 7.4	16,400	93.7	92.6 - 94.7	17,500
2005	800	4.5	3.6 - 5.6	16,500	95.5	94.4 - 96.4	17,200
2006	1,100	6.0	4.9 - 7.3	17,000	94.0	92.7 - 95.1	18,100
2007	1,100	6.0	5.0 - 7.2	17,200	94.0	92.8 - 95.0	18,300
2008	1,200	6.3	5.3 - 7.5	17,300	93.7	92.5 - 94.7	18,500
2009	1,200	6.7	5.3 - 8.4	17,100	93.3	91.6 - 94.7	18,400
2010	1,300	7.2	5.7 - 9.0	17,100	92.8	91.0 - 94.3	18,500
2011	1,300	6.9	5.4 - 8.7	17,200	93.1	91.3 - 94.6	18,400
2012	1,400	7.9	6.3 - 9.9	16,400	92.1	90.1 - 93.7	17,900
2013	1,400	7.6	6.0 - 9.6	16,700	92.4	90.4 - 94.0	18,000

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- for the State of Hawaii, for the Year (s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*



**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,400	7.6	6.0 - 9.6	16,700	92.4	90.4 - 94.0	18,000

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	8.3	5.8 - 11.9	2,100	91.7	88.1 - 94.2	2,300
<b>Honolulu</b>	900	7.0	5.0 - 9.8	12,000	93.0	90.2 - 95.0	12,900
<b>Kauai</b>	100	10.2	7.4 - 14.0	700	89.8	86.0 - 92.6	800
<b>Maui</b>	200	9.4	6.6 - 13.2	1,800	90.6	86.8 - 93.4	2,000

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	10.1	6.8 - 14.7	4,200	89.9	85.3 - 93.2	4,700
Native Hawaiian	400	7.3	4.8 - 11.1	5,000	92.7	88.9 - 95.2	5,400
Chinese	100	12.4	4.6 - 29.4	800	87.6	70.6 - 95.4	900
Filipino	100	3.9	1.8 - 8.3	2,800	96.1	91.7 - 98.2	2,900
Japanese	100	4.5	1.6 - 11.9	1,700	95.5	88.1 - 98.4	1,800
Other	200	8.3	4.3 - 15.6	2,100	91.7	84.4 - 95.7	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	1.2	0.3 - 4.8	900	98.8	95.2 - 99.7	900
20-24	300	6.5	3.5 - 12.0	3,800	93.5	88.0 - 96.5	4,000
25-34	700	7.4	5.4 - 10.1	9,000	92.6	89.9 - 94.6	9,700
35+	400	10.9	7.1 - 16.4	3,000	89.1	83.6 - 92.9	3,400

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	8.7	6.3 - 11.9	8,100	91.3	88.1 - 93.7	8,900
Female	600	6.5	4.6 - 9.2	8,600	93.5	90.8 - 95.4	9,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	7.7	5.7 - 10.3	10,600	92.3	89.7 - 94.3	11,400
No	500	7.4	5.1 - 10.7	6,100	92.6	89.3 - 94.9	6,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	500	7.0	4.6 - 10.6	6,200	93.0	89.4 - 95.4	6,700
131-185%	100	3.9	1.8 - 8.5	2,300	96.1	91.5 - 98.2	2,400
186+%	700	9.9	7.1 - 13.6	6,500	90.1	86.4 - 92.9	7,200

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Income (2012+)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$17,000	300	6.8	3.9 - 11.4	3,900	93.2	88.6 - 96.1	4,200
\$17,001-\$26,000	200	6.8	3.5 - 12.7	2,200	93.2	87.3 - 96.5	2,400
\$26,001-\$51,000	200	6.1	3.4 - 10.9	3,700	93.9	89.1 - 96.6	3,900
>=\$51,001	600	9.7	6.8 - 13.7	5,500	90.3	86.3 - 93.2	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	8.7	6.2 - 11.9	1,200	91.3	88.1 - 93.8	1,300
Normal birth weight	1,300	7.5	5.8 - 9.7	15,400	92.5	90.3 - 94.2	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	11.4	5.3 - 22.6	900	88.6	77.4 - 94.7	1,000
No	1,300	7.4	5.7 - 9.4	15,700	92.6	90.6 - 94.3	17,000

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2013**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	7.2	4.2 - 12.2	3,100	92.8	87.8 - 95.8	3,300
<b>No</b>	1,100	7.6	5.8 - 9.9	13,600	92.4	90.1 - 94.2	14,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	500	6.5	4.4 - 9.5	7,500	93.5	90.5 - 95.6	8,000
<b>No</b>	800	8.5	6.3 - 11.4	9,100	91.5	88.6 - 93.7	9,900



**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,400	7.9	6.3 - 9.9	16,400	92.1	90.1 - 93.7	17,900

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	6.7	4.4 - 9.9	2,100	93.3	90.1 - 95.6	2,200
<b>Honolulu</b>	1,000	7.6	5.6 - 10.3	11,900	92.4	89.7 - 94.4	12,900
<b>Kauai</b>	100	13.6	9.8 - 18.7	700	86.4	81.3 - 90.2	800
<b>Maui</b>	200	9.0	6.6 - 12.2	1,700	91.0	87.8 - 93.4	1,900

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	12.4	8.7 - 17.4	3,600	87.6	82.6 - 91.3	4,100
Native Hawaiian	400	7.1	4.6 - 10.9	4,600	92.9	89.1 - 95.4	5,000
Chinese	100	6.5	2.0 - 19.1	1,000	93.5	80.9 - 98.0	1,000
Filipino	300	8.2	4.7 - 13.9	2,900	91.8	86.1 - 95.3	3,200
Japanese	100	6.5	2.7 - 14.9	1,400	93.5	85.1 - 97.3	1,500
Other	100	3.9	1.6 - 9.2	2,800	96.1	90.8 - 98.4	3,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	6.7	1.9 - 20.8	1,000	93.3	79.2 - 98.1	1,000
20-24	300	8.3	5.0 - 13.5	3,300	91.7	86.5 - 95.0	3,600
25-34	700	7.1	5.2 - 9.5	9,300	92.9	90.5 - 94.8	10,000
35+	300	10.6	6.6 - 16.4	2,900	89.4	83.6 - 93.4	3,200

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	9.1	6.7 - 12.3	8,000	90.9	87.7 - 93.3	8,800
Female	600	6.7	4.8 - 9.3	8,400	93.3	90.7 - 95.2	9,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	8.1	6.1 - 10.8	10,100	91.9	89.2 - 93.9	11,000
No	500	7.6	5.3 - 10.8	6,400	92.4	89.2 - 94.7	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	400	6.6	4.4 - 9.7	6,000	93.4	90.3 - 95.6	6,400
131-185%	200	5.4	2.6 - 11.0	2,800	94.6	89.0 - 97.4	3,000
186+%	700	10.5	7.7 - 14.2	6,000	89.5	85.8 - 92.3	6,700

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Income (2012+)</b>							
<b>&lt;=\$17,000</b>	200	4.7	2.6 - 8.4	3,900	95.3	91.6 - 97.4	4,100
<b>\$17,001-\$26,000</b>	200	8.7	4.9 - 15.0	2,000	91.3	85.0 - 95.1	2,200
<b>\$26,001-\$51,000</b>	300	6.9	4.1 - 11.4	4,000	93.1	88.6 - 95.9	4,300
<b>&gt;=\$51,001</b>	600	10.5	7.5 - 14.7	5,200	89.5	85.3 - 92.5	5,800

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Birthweight</b>							
<b>Low birth weight</b>	100	6.6	4.2 - 10.1	1,100	93.4	89.9 - 95.8	1,200
<b>Normal birth weight</b>	1,300	8.0	6.3 - 10.1	15,300	92.0	89.9 - 93.7	16,600

	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Smoke 3rd Trimester</b>							
<b>Yes</b>	100	9.8	4.0 - 22.3	700	90.2	77.7 - 96.0	700
<b>No</b>	1,300	7.9	6.2 - 9.9	15,700	92.1	90.1 - 93.8	17,000

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2012**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	7.6	4.4 - 12.8	2,600	92.4	87.2 - 95.6	2,900
<b>No</b>	1,200	8.0	6.3 - 10.2	13,700	92.0	89.8 - 93.7	14,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	500	5.9	4.1 - 8.6	7,600	94.1	91.4 - 95.9	8,100
<b>No</b>	900	9.6	7.2 - 12.6	8,700	90.4	87.4 - 92.8	9,700

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,300	6.9	5.4 - 8.7	17,200	93.1	91.3 - 94.6	18,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	4.5	2.8 - 7.1	2,300	95.5	92.9 - 97.2	2,400
<b>Honolulu</b>	900	7.0	5.1 - 9.5	12,300	93.0	90.5 - 94.9	13,200
<b>Kauai</b>	100	11.0	7.7 - 15.4	800	89.0	84.6 - 92.3	900
<b>Maui</b>	100	7.4	5.3 - 10.1	1,800	92.6	89.9 - 94.7	2,000

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	600	13.2	9.3 - 18.3	3,900	86.8	81.7 - 90.7	4,500
Native Hawaiian	200	3.6	2.1 - 6.1	5,000	96.4	93.9 - 97.9	5,200
Chinese	<50	6.3	1.8 - 19.7	700	93.7	80.3 - 98.2	700
Filipino	200	6.5	3.5 - 11.8	3,100	93.5	88.2 - 96.5	3,300
Japanese	100	5.9	2.8 - 12.2	1,800	94.1	87.8 - 97.2	1,900
Other	100	4.2	1.9 - 9.1	2,700	95.8	90.9 - 98.1	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	2.4	1.0 - 5.9	1,000	97.6	94.1 - 99.0	1,000
20-24	200	4.8	2.7 - 8.5	4,200	95.2	91.5 - 97.3	4,400
25-34	800	7.7	5.7 - 10.4	9,100	92.3	89.6 - 94.3	9,900
35+	300	8.6	5.2 - 14.0	2,900	91.4	86.0 - 94.8	3,200

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	700	7.4	5.4 - 10.1	8,700	92.6	89.9 - 94.6	9,400
<b>Female</b>	600	6.3	4.4 - 9.0	8,500	93.7	91.0 - 95.6	9,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	7.3	5.4 - 9.8	10,600	92.7	90.2 - 94.6	11,500
<b>No</b>	400	6.1	4.1 - 8.9	6,500	93.9	91.1 - 95.9	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	300	4.4	2.8 - 7.1	6,300	95.6	92.9 - 97.2	6,600
<b>131-185%</b>	200	7.7	4.1 - 14.0	2,600	92.3	86.0 - 95.9	2,800
<b>186+%</b>	700	9.0	6.6 - 12.2	7,300	91.0	87.8 - 93.4	8,100



**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	4.7	2.5 - 8.7	3,200	95.3	91.3 - 97.5	3,300
\$10,000-\$24,999	200	5.5	2.9 - 10.1	3,200	94.5	89.9 - 97.1	3,400
\$25,000-\$49,999	300	7.3	4.6 - 11.5	4,300	92.7	88.5 - 95.4	4,600
>=\$50,000	600	9.1	6.3 - 12.9	5,600	90.9	87.1 - 93.7	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.4	3.5 - 8.3	1,300	94.6	91.7 - 96.5	1,300
Normal birth weight	1,200	7.0	5.5 - 8.9	15,900	93.0	91.1 - 94.5	17,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	10.7	5.0 - 21.6	800	89.3	78.4 - 95.0	900
No	1,100	6.5	5.0 - 8.3	16,200	93.5	91.7 - 95.0	17,300

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2011**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	100	4.1	2.2 - 7.7	3,400	95.9	92.3 - 97.8	3,500
<b>No</b>	1,100	7.3	5.6 - 9.4	13,700	92.7	90.6 - 94.4	14,700

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	4.6	3.0 - 6.8	8,000	95.4	93.2 - 97.0	8,300
<b>No</b>	800	8.5	6.3 - 11.3	9,100	91.5	88.7 - 93.7	10,000

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,300	7.2	5.7 - 9.0	17,100	92.8	91.0 - 94.3	18,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	5.4	3.6 - 8.2	2,200	94.6	91.8 - 96.4	2,300
<b>Honolulu</b>	900	6.9	5.1 - 9.4	12,400	93.1	90.6 - 94.9	13,400
<b>Kauai</b>	100	11.3	8.1 - 15.7	700	88.7	84.3 - 91.9	800
<b>Maui</b>	200	9.3	6.9 - 12.5	1,800	90.7	87.5 - 93.1	2,000

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	11.2	7.9 - 15.7	4,000	88.8	84.3 - 92.1	4,500
Native Hawaiian	400	6.8	4.4 - 10.5	5,200	93.2	89.5 - 95.6	5,500
Chinese	<50	0.5	0.1 - 2.8	800	99.5	97.2 - 99.9	800
Filipino	200	7.5	4.4 - 12.5	3,000	92.5	87.5 - 95.6	3,300
Japanese	100	5.4	2.1 - 13.2	1,600	94.6	86.8 - 97.9	1,700
Other	100	4.0	1.9 - 8.1	2,600	96.0	91.9 - 98.1	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	0	0.0	-	1,100	100.0	-	1,100
20-24	200	3.6	2.1 - 6.0	4,300	96.4	94.0 - 97.9	4,500
25-34	900	9.3	7.0 - 12.2	8,600	90.7	87.8 - 93.0	9,500
35+	300	8.5	5.2 - 13.8	3,000	91.5	86.2 - 94.8	3,300

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	6.8	4.9 - 9.2	8,700	93.2	90.8 - 95.1	9,300
Female	700	7.6	5.5 - 10.5	8,500	92.4	89.5 - 94.5	9,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	7.9	6.0 - 10.4	10,600	92.1	89.6 - 94.0	11,500
No	400	6.0	4.1 - 8.7	6,500	94.0	91.3 - 95.9	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	5.4	3.5 - 8.2	6,000	94.6	91.8 - 96.5	6,400
131-185%	200	6.2	3.3 - 11.3	2,800	93.8	88.7 - 96.7	3,000
186+%	700	9.4	6.9 - 12.6	7,100	90.6	87.4 - 93.1	7,800

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	2.9	1.5 - 5.6	3,300	97.1	94.4 - 98.5	3,400
\$10,000-\$24,999	200	5.8	3.4 - 9.7	3,000	94.2	90.3 - 96.6	3,200
\$25,000-\$49,999	300	7.3	4.5 - 11.4	4,300	92.7	88.6 - 95.5	4,600
>=\$50,000	700	10.5	7.6 - 14.4	5,600	89.5	85.6 - 92.4	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	4.6	2.9 - 7.2	1,300	95.4	92.8 - 97.1	1,300
Normal birth weight	1,300	7.4	5.9 - 9.3	15,800	92.6	90.7 - 94.1	17,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	6.3	2.6 - 14.2	1,300	93.7	85.8 - 97.4	1,400
No	1,200	7.4	5.8 - 9.3	15,600	92.6	90.7 - 94.2	16,800

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2010**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	6.2	3.8 - 10.1	3,600	93.8	89.9 - 96.2	3,800
<b>No</b>	1,100	7.6	5.9 - 9.7	13,300	92.4	90.3 - 94.1	14,400

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	500	6.0	4.2 - 8.6	7,600	94.0	91.4 - 95.8	8,100
<b>No</b>	800	8.1	6.1 - 10.8	9,400	91.9	89.2 - 93.9	10,200

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,200	6.7	5.3 - 8.4	17,100	93.3	91.6 - 94.7	18,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	8.1	5.8 - 11.3	2,200	91.9	88.7 - 94.2	2,400
<b>Honolulu</b>	800	6.0	4.3 - 8.4	12,200	94.0	91.6 - 95.7	13,000
<b>Kauai</b>	100	10.1	7.1 - 14.2	800	89.9	85.8 - 92.9	900
<b>Maui</b>	200	8.0	5.8 - 10.8	2,000	92.0	89.2 - 94.2	2,100



**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	10.4	7.3 - 14.6	3,900	89.6	85.4 - 92.7	4,300
Native Hawaiian	300	5.8	3.7 - 8.9	5,500	94.2	91.1 - 96.3	5,900
Chinese	<50	4.4	1.2 - 14.9	800	95.6	85.1 - 98.8	800
Filipino	100	2.7	1.7 - 4.3	3,100	97.3	95.7 - 98.3	3,200
Japanese	200	9.5	4.7 - 18.2	1,500	90.5	81.8 - 95.3	1,600
Other	200	6.6	3.2 - 13.2	2,400	93.4	86.8 - 96.8	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	3.0	0.9 - 9.2	1,800	97.0	90.8 - 99.1	1,800
20-24	200	5.3	3.1 - 9.0	4,000	94.7	91.0 - 96.9	4,200
25-34	700	7.4	5.5 - 10.0	8,600	92.6	90.0 - 94.5	9,200
35+	300	8.5	5.3 - 13.5	2,800	91.5	86.5 - 94.7	3,100

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	6.5	4.6 - 9.1	9,300	93.5	90.9 - 95.4	9,900
Female	600	6.9	5.1 - 9.3	7,900	93.1	90.7 - 94.9	8,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	6.6	4.9 - 8.8	10,100	93.4	91.2 - 95.1	10,800
No	500	6.8	4.8 - 9.7	7,000	93.2	90.3 - 95.2	7,500

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	400	5.8	3.8 - 8.7	6,100	94.2	91.3 - 96.2	6,500
131-185%	300	9.3	5.6 - 15.1	2,500	90.7	84.9 - 94.4	2,800
186+%	600	7.6	5.4 - 10.5	6,800	92.4	89.5 - 94.6	7,400

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	200	5.7	2.9 - 10.9	3,000	94.3	89.1 - 97.1	3,100
\$10,000-\$24,999	300	6.5	4.1 - 10.1	3,700	93.5	89.9 - 95.9	3,900
\$25,000-\$49,999	300	9.4	6.1 - 14.2	3,300	90.6	85.8 - 93.9	3,700
>=\$50,000	400	6.8	4.6 - 10.0	5,700	93.2	90.0 - 95.4	6,100

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.3	3.4 - 8.1	1,300	94.7	91.9 - 96.6	1,300
Normal birth weight	1,100	6.6	5.2 - 8.4	15,800	93.4	91.6 - 94.8	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	13.9	8.0 - 23.2	1,500	86.1	76.8 - 92.0	1,700
No	1,000	6.0	4.6 - 7.7	15,200	94.0	92.3 - 95.4	16,200

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	9.0	5.9 - 13.6	3,700	91.0	86.4 - 94.1	4,000
<b>No</b>	800	6.1	4.6 - 8.0	13,100	93.9	92.0 - 95.4	13,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	500	6.1	4.2 - 8.9	7,000	93.9	91.1 - 95.8	7,400
<b>No</b>	700	7.2	5.3 - 9.6	9,600	92.8	90.4 - 94.7	10,400

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,200	6.3	5.3 - 7.5	17,300	93.7	92.5 - 94.7	18,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	7.2	4.4 - 11.5	2,300	92.8	88.5 - 95.6	2,400
<b>Honolulu</b>	700	5.7	4.6 - 7.1	12,300	94.3	92.9 - 95.4	13,000
<b>Kauai</b>	100	11.6	6.2 - 20.8	800	88.4	79.2 - 93.8	900
<b>Maui</b>	100	6.8	4.1 - 11.1	2,000	93.2	88.9 - 95.9	2,100

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	12.0	9.2 - 15.5	3,800	88.0	84.5 - 90.8	4,400
Native Hawaiian	200	3.5	2.1 - 5.9	4,900	96.5	94.1 - 97.9	5,100
Chinese	<50	7.3	4.5 - 11.7	600	92.7	88.3 - 95.5	600
Filipino	200	4.6	2.8 - 7.3	3,300	95.4	92.7 - 97.2	3,500
Japanese	200	7.7	4.7 - 12.5	1,800	92.3	87.5 - 95.3	2,000
Other	100	3.6	2.0 - 6.2	2,800	96.4	93.8 - 98.0	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	3.1	1.1 - 8.9	1,400	96.9	91.1 - 98.9	1,400
20-24	200	4.9	3.1 - 7.7	3,800	95.1	92.3 - 96.9	4,000
25-34	600	6.4	5.0 - 8.2	9,000	93.6	91.8 - 95.0	9,600
35+	300	9.1	6.5 - 12.4	3,100	90.9	87.6 - 93.5	3,400

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	600	6.0	4.7 - 7.7	9,100	94.0	92.3 - 95.3	9,700
<b>Female</b>	600	6.7	5.2 - 8.6	8,200	93.3	91.4 - 94.8	8,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	6.7	5.4 - 8.2	10,800	93.3	91.8 - 94.6	11,600
<b>No</b>	400	5.7	4.2 - 7.9	6,500	94.3	92.1 - 95.8	6,900

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	300	5.0	3.5 - 7.1	6,600	95.0	92.9 - 96.5	6,900
<b>131-185%</b>	100	4.7	2.8 - 8.0	2,500	95.3	92.0 - 97.2	2,600
<b>186+%</b>	600	8.4	6.6 - 10.5	7,100	91.6	89.5 - 93.4	7,800

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	4.2	2.4 - 7.4	3,000	95.8	92.6 - 97.6	3,100
\$10,000-\$24,999	200	5.9	3.9 - 9.0	3,700	94.1	91.0 - 96.1	4,000
\$25,000-\$49,999	300	6.1	4.2 - 8.7	3,900	93.9	91.3 - 95.8	4,200
>=\$50,000	500	8.3	6.4 - 10.7	5,700	91.7	89.3 - 93.6	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	6.6	3.2 - 12.8	1,200	93.4	87.2 - 96.8	1,200
Normal birth weight	1,100	6.3	5.3 - 7.6	16,100	93.7	92.4 - 94.7	17,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	7.2	4.1 - 12.4	1,400	92.8	87.6 - 95.9	1,500
No	1,100	6.2	5.2 - 7.5	15,800	93.8	92.5 - 94.8	16,900



**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	7.3	5.0 - 10.6	3,200	92.7	89.4 - 95.0	3,500
<b>No</b>	900	6.1	5.0 - 7.4	14,000	93.9	92.6 - 95.0	14,900

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	4.0	2.7 - 5.7	7,600	96.0	94.3 - 97.3	7,900
<b>No</b>	800	8.1	6.6 - 9.9	9,500	91.9	90.1 - 93.4	10,300

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,100	6.0	5.0 - 7.2	17,200	94.0	92.8 - 95.0	18,300

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	6.9	4.3 - 10.8	2,200	93.1	89.2 - 95.7	2,400
<b>Honolulu</b>	700	5.8	4.6 - 7.3	12,000	94.2	92.7 - 95.4	12,700
<b>Kauai</b>	100	5.4	2.3 - 11.9	1,000	94.6	88.1 - 97.7	1,100
<b>Maui</b>	100	6.7	4.0 - 11.1	2,000	93.3	88.9 - 96.0	2,200

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	13.0	10.0 - 16.7	3,600	87.0	83.3 - 90.0	4,100
Native Hawaiian	200	4.9	3.2 - 7.4	4,700	95.1	92.6 - 96.8	5,000
Chinese	<50	2.9	1.4 - 6.2	600	97.1	93.8 - 98.6	700
Filipino	100	3.8	2.3 - 6.3	3,300	96.2	93.7 - 97.7	3,400
Japanese	100	5.0	2.8 - 8.9	2,100	95.0	91.1 - 97.2	2,200
Other	100	2.3	1.1 - 4.6	2,900	97.7	95.4 - 98.9	3,000

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	2.2	0.7 - 6.3	1,600	97.8	93.7 - 99.3	1,700
20-24	200	3.6	2.2 - 6.0	4,400	96.4	94.0 - 97.8	4,600
25-34	600	6.5	5.0 - 8.3	8,400	93.5	91.7 - 95.0	9,000
35+	300	10.3	7.4 - 14.1	2,800	89.7	85.9 - 92.6	3,100

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Male</b>	700	7.0	5.5 - 8.9	8,800	93.0	91.1 - 94.5	9,500
<b>Female</b>	400	5.0	3.7 - 6.6	8,400	95.0	93.4 - 96.3	8,800

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	6.5	5.2 - 8.0	10,600	93.5	92.0 - 94.8	11,400
<b>No</b>	400	5.3	3.8 - 7.4	6,600	94.7	92.6 - 96.2	7,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>0-130%</b>	300	3.9	2.6 - 5.9	6,600	96.1	94.1 - 97.4	6,900
<b>131-185%</b>	200	5.6	3.4 - 9.1	2,600	94.4	90.9 - 96.6	2,700
<b>186+%</b>	600	8.6	6.8 - 10.8	6,800	91.4	89.2 - 93.2	7,500

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	3.5	1.9 - 6.6	3,000	96.5	93.4 - 98.1	3,100
\$10,000-\$24,999	200	3.9	2.3 - 6.6	3,700	96.1	93.4 - 97.7	3,800
\$25,000-\$49,999	300	6.7	4.6 - 9.7	3,900	93.3	90.3 - 95.4	4,200
>=\$50,000	500	8.7	6.7 - 11.2	5,400	91.3	88.8 - 93.3	6,000

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	4.3	2.0 - 8.9	1,500	95.7	91.1 - 98.0	1,600
Normal birth weight	1,000	6.2	5.1 - 7.5	15,700	93.8	92.5 - 94.9	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	7.3	3.9 - 13.2	1,400	92.7	86.8 - 96.1	1,500
No	1,000	5.9	4.8 - 7.1	15,700	94.1	92.9 - 95.2	16,700

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	5.7	3.6 - 8.8	3,400	94.3	91.2 - 96.4	3,700
<b>No</b>	900	6.1	5.0 - 7.4	13,700	93.9	92.6 - 95.0	14,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	5.1	3.7 - 7.1	7,200	94.9	92.9 - 96.3	7,600
<b>No</b>	700	6.8	5.4 - 8.5	9,700	93.2	91.5 - 94.6	10,400

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,100	6.0	4.9 - 7.3	17,000	94.0	92.7 - 95.1	18,100

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	4.5	2.3 - 8.5	2,100	95.5	91.5 - 97.7	2,200
<b>Honolulu</b>	700	5.4	4.2 - 6.8	12,500	94.6	93.2 - 95.8	13,200
<b>Kauai</b>	100	9.7	4.5 - 19.4	800	90.3	80.6 - 95.5	900
<b>Maui</b>	200	10.6	6.8 - 16.1	1,700	89.4	83.9 - 93.2	1,900

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	8.8	6.4 - 12.1	3,900	91.2	87.9 - 93.6	4,300
Native Hawaiian	300	6.8	4.7 - 9.9	4,600	93.2	90.1 - 95.3	5,000
Chinese	<50	6.2	3.5 - 10.6	600	93.8	89.4 - 96.5	600
Filipino	100	3.5	2.0 - 6.1	3,200	96.5	93.9 - 98.0	3,300
Japanese	100	2.8	1.2 - 6.4	2,000	97.2	93.6 - 98.8	2,100
Other	200	5.5	3.3 - 8.9	2,700	94.5	91.1 - 96.7	2,900

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	3.2	1.2 - 8.5	1,500	96.8	91.5 - 98.8	1,500
20-24	200	5.3	3.3 - 8.2	4,200	94.7	91.8 - 96.7	4,400
25-34	500	6.2	4.7 - 8.1	8,300	93.8	91.9 - 95.3	8,900
35+	300	7.9	5.4 - 11.3	3,000	92.1	88.7 - 94.6	3,300



**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	4.0	2.9 - 5.6	8,900	96.0	94.4 - 97.1	9,300
Female	700	8.1	6.4 - 10.2	8,200	91.9	89.8 - 93.6	8,900

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	6.4	5.1 - 8.0	10,800	93.6	92.0 - 94.9	11,500
No	400	5.4	3.7 - 7.7	6,200	94.6	92.3 - 96.3	6,600

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	5.5	3.8 - 7.9	6,000	94.5	92.1 - 96.2	6,300
131-185%	100	5.1	2.8 - 9.1	2,300	94.9	90.9 - 97.2	2,400
186+%	600	7.3	5.7 - 9.3	7,500	92.7	90.7 - 94.3	8,100

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	3.0	1.5 - 6.0	2,900	97.0	94.0 - 98.5	3,000
\$10,000-\$24,999	300	6.7	4.3 - 10.3	3,500	93.3	89.7 - 95.7	3,800
\$25,000-\$49,999	200	5.7	3.7 - 8.6	4,100	94.3	91.4 - 96.3	4,300
>=\$50,000	500	8.1	6.2 - 10.6	5,400	91.9	89.4 - 93.8	5,800

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	4.4	2.1 - 9.2	1,500	95.6	90.8 - 97.9	1,500
Normal birth weight	1,000	6.1	5.0 - 7.4	15,600	93.9	92.6 - 95.0	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	9.1	5.2 - 15.4	1,600	90.9	84.6 - 94.8	1,700
No	900	5.6	4.6 - 6.9	15,400	94.4	93.1 - 95.4	16,400

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	7.2	4.8 - 10.7	3,600	92.8	89.3 - 95.2	3,900
<b>No</b>	800	5.6	4.5 - 7.0	13,400	94.4	93.0 - 95.5	14,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	5.3	3.8 - 7.4	7,200	94.7	92.6 - 96.2	7,600
<b>No</b>	700	6.5	5.1 - 8.2	9,600	93.5	91.8 - 94.9	10,200

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	800	4.5	3.6 - 5.6	16,500	95.5	94.4 - 96.4	17,200

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	2.9	1.4 - 6.1	2,200	97.1	93.9 - 98.6	2,200
<b>Honolulu</b>	600	4.8	3.8 - 6.1	12,000	95.2	93.9 - 96.2	12,600
<b>Kauai</b>	<50	2.8	0.8 - 10.0	700	97.2	90.0 - 99.2	700
<b>Maui</b>	100	5.0	2.6 - 9.4	1,600	95.0	90.6 - 97.4	1,700

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	7.8	5.5 - 10.9	3,500	92.2	89.1 - 94.5	3,700
Native Hawaiian	200	3.2	1.8 - 5.4	4,800	96.8	94.6 - 98.2	4,900
Chinese	<50	1.7	0.7 - 4.5	600	98.3	95.5 - 99.3	600
Filipino	100	3.1	1.7 - 5.5	3,100	96.9	94.5 - 98.3	3,200
Japanese	100	3.3	1.6 - 6.6	2,200	96.7	93.4 - 98.4	2,300
Other	100	5.8	3.6 - 9.3	2,300	94.2	90.7 - 96.4	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	2.2	0.7 - 6.2	1,400	97.8	93.8 - 99.3	1,500
20-24	200	3.7	2.2 - 6.0	4,100	96.3	94.0 - 97.8	4,200
25-34	400	4.3	3.1 - 5.9	8,200	95.7	94.1 - 96.9	8,600
35+	200	7.4	5.0 - 10.9	2,700	92.6	89.1 - 95.0	3,000

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	4.1	3.0 - 5.6	8,400	95.9	94.4 - 97.0	8,800
Female	400	4.9	3.6 - 6.6	8,100	95.1	93.4 - 96.4	8,500

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	4.7	3.7 - 6.1	10,400	95.3	93.9 - 96.3	11,000
No	300	4.1	2.7 - 6.0	6,000	95.9	94.0 - 97.3	6,300

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	3.0	1.9 - 4.8	6,000	97.0	95.2 - 98.1	6,200
131-185%	100	6.1	3.4 - 10.7	1,700	93.9	89.3 - 96.6	1,800
186+%	400	5.5	4.1 - 7.3	7,300	94.5	92.7 - 95.9	7,700

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	4.0	2.3 - 7.1	2,800	96.0	92.9 - 97.7	2,900
\$10,000-\$24,999	100	2.3	1.2 - 4.5	3,500	97.7	95.5 - 98.8	3,600
\$25,000-\$49,999	200	4.5	2.8 - 7.1	3,800	95.5	92.9 - 97.2	4,000
>=\$50,000	300	6.4	4.7 - 8.7	5,000	93.6	91.3 - 95.3	5,400

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	5.8	2.8 - 11.6	1,200	94.2	88.4 - 97.2	1,200
Normal birth weight	700	4.3	3.4 - 5.4	15,300	95.7	94.6 - 96.6	16,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	6.8	3.5 - 12.8	1,300	93.2	87.2 - 96.5	1,400
No	700	4.3	3.4 - 5.4	15,000	95.7	94.6 - 96.6	15,700

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	4.6	2.8 - 7.5	3,400	95.4	92.5 - 97.2	3,600
<b>No</b>	600	4.5	3.6 - 5.8	12,800	95.5	94.2 - 96.4	13,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	2.6	1.6 - 4.0	7,100	97.4	96.0 - 98.4	7,300
<b>No</b>	600	6.0	4.7 - 7.7	9,000	94.0	92.3 - 95.3	9,600



**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,100	6.3	5.3 - 7.4	16,400	93.7	92.6 - 94.7	17,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	6.5	4.0 - 10.6	2,000	93.5	89.4 - 96.0	2,200
<b>Honolulu</b>	700	5.8	4.7 - 7.2	12,000	94.2	92.8 - 95.3	12,700
<b>Kauai</b>	<50	5.9	2.6 - 12.8	700	94.1	87.2 - 97.4	800
<b>Maui</b>	200	9.2	6.0 - 13.9	1,700	90.8	86.1 - 94.0	1,800

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	10.2	7.7 - 13.3	3,500	89.8	86.7 - 92.3	3,900
Native Hawaiian	300	6.4	4.5 - 9.0	4,500	93.6	91.0 - 95.5	4,800
Chinese	<50	3.7	2.3 - 5.8	600	96.3	94.2 - 97.7	700
Filipino	100	2.8	1.6 - 4.8	3,200	97.2	95.2 - 98.4	3,300
Japanese	200	7.5	4.8 - 11.5	2,100	92.5	88.5 - 95.2	2,300
Other	100	4.1	2.3 - 7.2	2,500	95.9	92.8 - 97.7	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	2.6	0.9 - 7.5	1,300	97.4	92.5 - 99.1	1,300
20-24	200	5.0	3.3 - 7.5	4,200	95.0	92.5 - 96.7	4,400
25-34	500	6.4	5.1 - 8.1	8,000	93.6	91.9 - 94.9	8,500
35+	300	9.1	6.7 - 12.3	3,000	90.9	87.7 - 93.3	3,300

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	6.3	5.0 - 7.9	8,900	93.7	92.1 - 95.0	9,500
Female	500	6.3	4.9 - 8.1	7,500	93.7	91.9 - 95.1	8,000

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	6.7	5.5 - 8.1	11,500	93.3	91.9 - 94.5	12,300
No	300	5.4	3.8 - 7.6	5,000	94.6	92.4 - 96.2	5,200

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	4.3	2.9 - 6.1	6,200	95.7	93.9 - 97.1	6,400
131-185%	100	4.7	2.6 - 8.5	2,000	95.3	91.5 - 97.4	2,100
186+%	700	8.9	7.2 - 10.9	6,900	91.1	89.1 - 92.8	7,600

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Income (2004-2011)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	5.0	2.9 - 8.4	2,600	95.0	91.6 - 97.1	2,700
\$10,000-\$24,999	200	4.0	2.6 - 6.3	4,100	96.0	93.7 - 97.4	4,300
\$25,000-\$49,999	300	5.7	4.0 - 8.0	4,200	94.3	92.0 - 96.0	4,400
>=\$50,000	500	10.1	7.9 - 12.8	4,400	89.9	87.2 - 92.1	4,900

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	1.7	0.5 - 6.1	1,100	98.3	93.9 - 99.5	1,100
Normal birth weight	1,100	6.6	5.5 - 7.8	15,400	93.4	92.2 - 94.5	16,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	13.2	8.5 - 19.9	1,200	86.8	80.1 - 91.5	1,400
No	900	5.7	4.7 - 6.8	15,100	94.3	93.2 - 95.3	16,000

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	9.2	6.6 - 12.6	3,300	90.8	87.4 - 93.4	3,600
<b>No</b>	800	5.5	4.5 - 6.8	13,100	94.5	93.2 - 95.5	13,800

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	4.2	3.0 - 5.8	7,400	95.8	94.2 - 97.0	7,700
<b>No</b>	800	8.0	6.5 - 9.8	8,700	92.0	90.2 - 93.5	9,400

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	800	4.3	3.3 - 5.6	16,700	95.7	94.4 - 96.7	17,500

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	2.6	1.5 - 4.4	1,900	97.4	95.6 - 98.5	2,000
<b>Honolulu</b>	500	4.2	2.9 - 5.9	12,200	95.8	94.1 - 97.1	12,800
<b>Kauai</b>	<50	5.3	2.8 - 9.8	800	94.7	90.2 - 97.2	800
<b>Maui</b>	100	6.9	4.8 - 9.9	1,700	93.1	90.1 - 95.2	1,900

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	8.2	5.4 - 12.1	3,400	91.8	87.9 - 94.6	3,800
Native Hawaiian	100	3.1	2.2 - 4.3	4,600	96.9	95.7 - 97.8	4,700
Chinese	<50	6.3	1.6 - 21.3	600	93.7	78.7 - 98.4	700
Filipino	100	2.3	1.0 - 5.3	3,800	97.7	94.7 - 99.0	3,900
Japanese	<50	1.3	0.3 - 5.7	2,000	98.7	94.3 - 99.7	2,000
Other	100	5.9	3.0 - 11.4	2,300	94.1	88.6 - 97.0	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	3.0	1.1 - 8.1	1,500	97.0	91.9 - 98.9	1,600
20-24	100	2.8	1.5 - 5.4	4,000	97.2	94.6 - 98.5	4,200
25-34	500	5.4	3.9 - 7.5	8,300	94.6	92.5 - 96.1	8,800
35+	100	3.9	2.1 - 7.3	2,900	96.1	92.7 - 97.9	3,000

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	4.1	2.9 - 5.8	8,900	95.9	94.2 - 97.1	9,200
Female	400	4.6	3.1 - 6.7	7,900	95.4	93.3 - 96.9	8,200

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	4.8	3.5 - 6.5	10,900	95.2	93.5 - 96.5	11,500
No	200	3.5	2.2 - 5.4	5,800	96.5	94.6 - 97.8	6,000

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	3.6	2.3 - 5.5	7,500	96.4	94.5 - 97.7	7,800
131-185%	100	5.0	2.7 - 9.1	2,400	95.0	90.9 - 97.3	2,500
186+%	300	5.8	3.9 - 8.7	5,100	94.2	91.3 - 96.1	5,500



**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	200	4.5	2.6 - 7.8	4,100	95.5	92.2 - 97.4	4,300
\$15,001-\$25,000	<50	1.1	0.5 - 2.8	2,200	98.9	97.2 - 99.5	2,200
\$25,001-\$40,000	100	3.0	1.7 - 5.2	3,100	97.0	94.8 - 98.3	3,200
>=\$40,001	400	6.2	4.3 - 8.9	6,200	93.8	91.1 - 95.7	6,600

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	3.2	1.0 - 9.9	1,200	96.8	90.1 - 99.0	1,200
Normal birth weight	700	4.4	3.4 - 5.7	15,500	95.6	94.3 - 96.6	16,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	7.4	3.9 - 13.5	1,500	92.6	86.5 - 96.1	1,600
No	600	4.1	3.0 - 5.4	14,900	95.9	94.6 - 97.0	15,600

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	4.6	2.8 - 7.5	3,400	95.4	92.5 - 97.2	3,500
<b>No</b>	600	4.4	3.3 - 5.9	12,900	95.6	94.1 - 96.7	13,500

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	3.1	2.0 - 4.9	7,100	96.9	95.1 - 98.0	7,400
<b>No</b>	500	5.2	3.7 - 7.1	9,400	94.8	92.9 - 96.3	9,900

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	600	3.6	2.7 - 4.7	16,200	96.4	95.3 - 97.3	16,800

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	4.5	2.9 - 7.0	1,900	95.5	93.0 - 97.1	2,000
<b>Honolulu</b>	400	3.2	2.2 - 4.8	12,000	96.8	95.2 - 97.8	12,400
<b>Kauai</b>	<50	6.1	3.2 - 11.2	600	93.9	88.8 - 96.8	700
<b>Maui</b>	100	4.2	2.6 - 6.7	1,700	95.8	93.3 - 97.4	1,800

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	8.7	5.7 - 13.0	3,300	91.3	87.0 - 94.3	3,600
Native Hawaiian	100	3.2	2.3 - 4.5	4,400	96.8	95.5 - 97.7	4,600
Chinese	0	0.0	-	600	100.0	-	600
Filipino	100	1.9	0.8 - 4.6	3,300	98.1	95.4 - 99.2	3,400
Japanese	<50	0.8	0.3 - 2.2	2,300	99.2	97.8 - 99.7	2,400
Other	100	2.8	1.0 - 7.4	2,300	97.2	92.6 - 99.0	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	2.6	0.9 - 7.0	1,500	97.4	93.0 - 99.1	1,500
20-24	100	2.6	1.5 - 4.6	4,100	97.4	95.4 - 98.5	4,200
25-34	400	4.6	3.2 - 6.5	8,000	95.4	93.5 - 96.8	8,400
35+	100	2.7	1.2 - 6.0	2,600	97.3	94.0 - 98.8	2,700

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	3.6	2.5 - 5.3	8,000	96.4	94.7 - 97.5	8,300
Female	300	3.6	2.4 - 5.3	8,100	96.4	94.7 - 97.6	8,400

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	3.9	2.8 - 5.6	10,900	96.1	94.4 - 97.2	11,400
No	200	2.9	1.9 - 4.3	5,200	97.1	95.7 - 98.1	5,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	100	2.1	1.3 - 3.2	6,500	97.9	96.8 - 98.7	6,600
131-185%	200	5.1	2.8 - 9.0	3,200	94.9	91.0 - 97.2	3,400
186+%	300	5.3	3.5 - 8.0	5,000	94.7	92.0 - 96.5	5,300

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	100	2.7	1.7 - 4.2	3,200	97.3	95.8 - 98.3	3,300
\$15,001-\$25,000	<50	0.7	0.3 - 1.6	2,500	99.3	98.4 - 99.7	2,500
\$25,001-\$40,000	200	5.2	3.1 - 8.6	3,400	94.8	91.4 - 96.9	3,600
>=\$40,001	300	4.8	3.1 - 7.2	6,000	95.2	92.8 - 96.9	6,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	3.6	1.8 - 7.2	1,100	96.4	92.8 - 98.2	1,100
Normal birth weight	600	3.6	2.7 - 4.8	15,000	96.4	95.2 - 97.3	15,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	8.0	4.2 - 14.8	1,200	92.0	85.2 - 95.8	1,300
No	500	3.2	2.3 - 4.4	14,700	96.8	95.6 - 97.7	15,200

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	5.2	3.1 - 8.5	3,100	94.8	91.5 - 96.9	3,200
<b>No</b>	400	3.1	2.2 - 4.4	12,700	96.9	95.6 - 97.8	13,200

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	2.6	1.5 - 4.2	6,900	97.4	95.8 - 98.5	7,100
<b>No</b>	400	4.4	3.2 - 6.1	9,200	95.6	93.9 - 96.8	9,600

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	700	4.5	3.6 - 5.6	15,600	95.5	94.4 - 96.4	16,400

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	4.7	3.1 - 7.1	1,700	95.3	92.9 - 96.9	1,800
<b>Honolulu</b>	500	4.2	3.2 - 5.6	11,600	95.8	94.4 - 96.8	12,100
<b>Kauai</b>	<50	5.2	2.7 - 9.7	700	94.8	90.3 - 97.3	800
<b>Maui</b>	100	6.0	3.9 - 9.0	1,600	94.0	91.0 - 96.1	1,700



**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	300	8.8	6.3 - 12.3	3,200	91.2	87.7 - 93.7	3,500
Native Hawaiian	200	3.6	2.8 - 4.6	4,300	96.4	95.4 - 97.2	4,400
Chinese	<50	4.1	1.1 - 14.3	700	95.9	85.7 - 98.9	700
Filipino	<50	1.3	0.5 - 3.5	3,400	98.7	96.5 - 99.5	3,400
Japanese	100	3.0	1.2 - 7.4	1,900	97.0	92.6 - 98.8	2,000
Other	100	5.8	3.2 - 10.3	2,100	94.2	89.7 - 96.8	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	1.6	0.8 - 3.0	1,500	98.4	97.0 - 99.2	1,600
20-24	100	3.3	2.0 - 5.4	4,100	96.7	94.6 - 98.0	4,200
25-34	400	5.0	3.8 - 6.7	7,500	95.0	93.3 - 96.2	7,900
35+	200	6.5	4.0 - 10.3	2,500	93.5	89.7 - 96.0	2,700

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	3.8	2.7 - 5.3	8,000	96.2	94.7 - 97.3	8,300
Female	400	5.2	4.0 - 6.9	7,600	94.8	93.1 - 96.0	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	4.7	3.6 - 6.1	10,400	95.3	93.9 - 96.4	10,900
No	200	4.1	2.9 - 6.0	5,200	95.9	94.0 - 97.1	5,400

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	3.7	2.5 - 5.4	6,000	96.3	94.6 - 97.5	6,200
131-185%	100	3.1	2.1 - 4.5	3,400	96.9	95.5 - 97.9	3,500
186+%	300	6.1	4.3 - 8.6	5,100	93.9	91.4 - 95.7	5,400

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	100	4.1	2.5 - 6.6	3,200	95.9	93.4 - 97.5	3,300
\$15,001-\$25,000	100	3.6	1.8 - 7.1	2,200	96.4	92.9 - 98.2	2,200
\$25,001-\$40,000	100	3.2	2.1 - 4.9	3,400	96.8	95.1 - 97.9	3,500
>=\$40,001	400	5.6	4.0 - 7.7	6,000	94.4	92.3 - 96.0	6,300

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	2.6	0.8 - 7.8	1,000	97.4	92.2 - 99.2	1,000
Normal birth weight	700	4.6	3.7 - 5.8	14,600	95.4	94.2 - 96.3	15,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	7.2	4.2 - 12.2	1,400	92.8	87.8 - 95.8	1,600
No	600	4.1	3.2 - 5.2	14,100	95.9	94.8 - 96.8	14,600

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	6.2	4.1 - 9.2	3,100	93.8	90.8 - 95.9	3,400
<b>No</b>	500	3.8	2.9 - 4.9	12,100	96.2	95.1 - 97.1	12,600

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	4.0	2.9 - 5.6	6,700	96.0	94.4 - 97.1	7,000
<b>No</b>	500	4.9	3.7 - 6.4	8,900	95.1	93.6 - 96.3	9,400

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

State	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	800	4.8	4.0 - 5.8	15,900	95.2	94.2 - 96.0	16,700

County	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	4.0	2.5 - 6.2	1,800	96.0	93.8 - 97.5	1,900
<b>Honolulu</b>	500	4.2	3.3 - 5.5	11,800	95.8	94.5 - 96.7	12,400
<b>Kauai</b>	100	8.3	4.9 - 13.8	600	91.7	86.2 - 95.1	700
<b>Maui</b>	100	8.2	5.8 - 11.6	1,600	91.8	88.4 - 94.2	1,700

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	9.3	6.9 - 12.4	3,600	90.7	87.6 - 93.1	4,000
Native Hawaiian	200	4.0	3.1 - 5.1	4,300	96.0	94.9 - 96.9	4,500
Chinese	<50	5.6	1.9 - 15.1	600	94.4	84.9 - 98.1	600
Filipino	100	2.6	1.4 - 5.1	3,300	97.4	94.9 - 98.6	3,400
Japanese	<50	1.3	0.4 - 4.3	2,000	98.7	95.7 - 99.6	2,000
Other	100	4.6	2.6 - 8.0	2,100	95.4	92.0 - 97.4	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	1.5	0.7 - 3.1	1,800	98.5	96.9 - 99.3	1,800
20-24	200	4.1	2.8 - 6.0	3,900	95.9	94.0 - 97.2	4,000
25-34	400	5.1	3.8 - 6.7	7,500	94.9	93.3 - 96.2	7,900
35+	200	6.9	4.8 - 9.9	2,700	93.1	90.1 - 95.2	2,900

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Infant Gender	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	5.2	4.0 - 6.7	8,200	94.8	93.3 - 96.0	8,600
Female	400	4.4	3.3 - 5.7	7,700	95.6	94.3 - 96.7	8,100

Married	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	4.9	3.8 - 6.1	11,000	95.1	93.9 - 96.2	11,600
No	200	4.7	3.3 - 6.5	4,900	95.3	93.5 - 96.7	5,100

Poverty Level	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	3.4	2.5 - 4.6	6,800	96.6	95.4 - 97.5	7,100
131-185%	100	6.2	4.0 - 9.5	2,100	93.8	90.5 - 96.0	2,200
186+%	400	6.2	4.6 - 8.2	5,700	93.8	91.8 - 95.4	6,100

**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Income (2000-2003)	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	100	3.7	2.4 - 5.8	3,700	96.3	94.2 - 97.6	3,900
\$15,001-\$25,000	100	2.9	1.8 - 4.6	2,600	97.1	95.4 - 98.2	2,700
\$25,001-\$40,000	200	5.4	3.6 - 8.1	3,000	94.6	91.9 - 96.4	3,200
>=\$40,001	400	6.0	4.5 - 8.0	5,800	94.0	92.0 - 95.5	6,200

Birthweight	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	4.2	2.4 - 7.3	1,000	95.8	92.7 - 97.6	1,100
Normal birth weight	700	4.8	3.9 - 5.8	14,700	95.2	94.2 - 96.1	15,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	8.5	5.5 - 12.8	1,300	91.5	87.2 - 94.5	1,400
No	700	4.4	3.6 - 5.5	14,400	95.6	94.5 - 96.4	15,100



**PRAMS Health Indicator Report - Drinking alcohol last 3 months of pregnancy- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Income (2012+);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000;2001;2002;2003;2004;2005;2006;2007;2008;2009;2010;2011;2012;2013**

*Note: Weighted responses, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000**

Smoke Before Pregnant	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	5.8	4.1 - 8.2	3,100	94.2	91.8 - 95.9	3,300
<b>No</b>	600	4.5	3.6 - 5.7	12,500	95.5	94.3 - 96.4	13,100

WIC During Pregnancy	Yes			No			Weighted Total Responses
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	300	4.0	2.9 - 5.5	7,000	96.0	94.5 - 97.1	7,300
<b>No</b>	500	5.4	4.3 - 6.9	8,800	94.6	93.1 - 95.7	9,300