

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- for the State of Hawaii, for the Year(s)**

**2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 3-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012. Because of this, income data does not exist for some 3-year aggregate periods.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
No contraception at conception- husband/partner didn't want to	No contraception at conception- husband/partner didn't want to

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/16/17*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- for the State of Hawaii, for the Year(s)**  
**2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Years	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2002	900	17.0	15.3 - 18.9	4,600	83.0	81.1 - 84.7	5,600
2001-2003	1,000	18.2	16.3 - 20.2	4,600	81.8	79.8 - 83.7	5,600
2002-2004	1,000	18.1	16.2 - 20.3	4,500	81.9	79.7 - 83.8	5,500
2003-2005	1,000	18.3	16.4 - 20.3	4,400	81.7	79.7 - 83.6	5,400
2004-2006	1,000	19.4	17.4 - 21.5	4,200	80.6	78.5 - 82.6	5,200
2005-2007	1,000	17.4	15.5 - 19.4	4,600	82.6	80.6 - 84.5	5,500
2006-2008	900	17.2	15.4 - 19.3	4,500	82.8	80.7 - 84.6	5,500
2007-2009	1,000	17.4	15.3 - 19.7	4,600	82.6	80.3 - 84.7	5,600
2008-2010	1,000	18.9	16.5 - 21.5	4,500	81.1	78.5 - 83.5	5,500
2009-2011	1,100	20.0	17.3 - 22.9	4,400	80.0	77.1 - 82.7	5,500
2010-2012	1,000	19.1	16.5 - 22.0	4,300	80.9	78.0 - 83.5	5,400
2011-2013	900	17.4	14.8 - 20.3	4,500	82.6	79.7 - 85.2	5,400

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- for the State of Hawaii, for the Year(s)**  
**2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*



**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2011-2013**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	900	17.4	14.8 - 20.3	4,500	82.6	79.7 - 85.2	5,400

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	19.1	15.1 - 23.9	600	80.9	76.1 - 84.9	700
<b>Honolulu</b>	700	17.8	14.4 - 21.8	3,200	82.2	78.2 - 85.6	3,900
<b>Kauai</b>	<50	17.7	13.3 - 23.2	200	82.3	76.8 - 86.7	300
<b>Maui</b>	100	12.1	9.0 - 16.1	500	87.9	83.9 - 91.0	600

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2011-2013**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	11.2	6.8 - 18.0	900	88.8	82.0 - 93.2	1,000
Native Hawaiian	400	20.2	15.8 - 25.4	1,500	79.8	74.6 - 84.2	1,900
Chinese	<50	17.8	7.2 - 37.5	200	82.2	62.5 - 92.8	200
Filipino	200	21.3	15.2 - 28.9	800	78.7	71.1 - 84.8	1,000
Japanese	100	16.2	8.6 - 28.6	400	83.8	71.4 - 91.4	400
Other	100	14.4	9.2 - 21.8	700	85.6	78.2 - 90.8	800

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	17.0	10.3 - 26.6	400	83.0	73.4 - 89.7	400
20-24	300	20.1	15.1 - 26.3	1,300	79.9	73.7 - 84.9	1,600
25-34	400	16.7	13.2 - 20.9	2,200	83.3	79.1 - 86.8	2,600
35+	100	14.4	9.0 - 22.2	700	85.6	77.8 - 91.0	800

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2011-2013**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Infant Gender</b>							
<b>Male</b>	400	17.1	13.5 - 21.4	2,100	82.9	78.6 - 86.5	2,600
<b>Female</b>	500	17.6	14.2 - 21.7	2,400	82.4	78.3 - 85.8	2,900

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Married</b>							
<b>Yes</b>	400	14.4	11.1 - 18.4	2,300	85.6	81.6 - 88.9	2,700
<b>No</b>	600	20.3	16.6 - 24.7	2,200	79.7	75.3 - 83.4	2,700

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Poverty Level</b>							
<b>0-130%</b>	500	19.9	16.1 - 24.3	2,100	80.1	75.7 - 83.9	2,600
<b>131-185%</b>	200	19.9	13.1 - 29.2	600	80.1	70.8 - 86.9	800
<b>186+%</b>	200	11.8	8.0 - 17.0	1,300	88.2	83.0 - 92.0	1,500

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2011-2013**

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	16.7	12.9 - 21.3	300	83.3	78.7 - 87.1	400
Normal birth weight	900	17.3	14.5 - 20.4	4,200	82.7	79.6 - 85.5	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	16.4	8.4 - 29.7	300	83.6	70.3 - 91.6	400
No	800	17.0	14.4 - 20.0	4,100	83.0	80.0 - 85.6	4,900

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	18.7	13.5 - 25.3	900	81.3	74.7 - 86.5	1,200
No	700	16.5	13.6 - 19.8	3,500	83.5	80.2 - 86.4	4,200

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2011-2013**

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	600	21.1	17.4 - 25.4	2,300	78.9	74.6 - 82.6	2,900
<b>No</b>	300	13.2	9.9 - 17.3	2,100	86.8	82.7 - 90.1	2,400



**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2010-2012**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,000	19.1	16.5 - 22.0	4,300	80.9	78.0 - 83.5	5,400

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	18.0	14.2 - 22.6	600	82.0	77.4 - 85.8	700
<b>Honolulu</b>	700	19.4	15.9 - 23.4	3,100	80.6	76.6 - 84.1	3,800
<b>Kauai</b>	100	21.3	16.5 - 27.1	200	78.7	72.9 - 83.5	300
<b>Maui</b>	100	17.9	14.2 - 22.2	500	82.1	77.8 - 85.8	600

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2010-2012**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	15.9	10.7 - 23.1	900	84.1	76.9 - 89.3	1,000
Native Hawaiian	400	22.2	17.7 - 27.5	1,400	77.8	72.5 - 82.3	1,800
Chinese	<50	16.0	6.1 - 35.6	200	84.0	64.4 - 93.9	200
Filipino	200	22.7	16.7 - 30.1	800	77.3	69.9 - 83.3	1,100
Japanese	100	17.2	8.8 - 31.2	300	82.8	68.8 - 91.2	300
Other	100	14.1	9.4 - 20.6	800	85.9	79.4 - 90.6	900

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	31.2	21.7 - 42.6	300	68.8	57.4 - 78.3	500
20-24	400	23.6	18.2 - 29.9	1,200	76.4	70.1 - 81.8	1,500
25-34	400	15.9	12.6 - 19.8	2,100	84.1	80.2 - 87.4	2,500
35+	100	14.2	9.0 - 21.8	700	85.8	78.2 - 91.0	900

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2010-2012**

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	400	16.6	13.2 - 20.8	2,200	83.4	79.2 - 86.8	2,600
Female	600	21.5	17.7 - 25.8	2,200	78.5	74.2 - 82.3	2,700

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	16.8	13.3 - 20.9	2,300	83.2	79.1 - 86.7	2,700
No	600	21.6	17.8 - 25.9	2,100	78.4	74.1 - 82.2	2,600

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	22.6	18.7 - 27.1	1,900	77.4	72.9 - 81.3	2,500
131-185%	100	20.6	13.8 - 29.6	600	79.4	70.4 - 86.2	700
186+%	200	12.2	8.5 - 17.2	1,400	87.8	82.8 - 91.5	1,600

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2010-2012**

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	19.5	15.2 - 24.7	300	80.5	75.3 - 84.8	400
Normal birth weight	900	19.0	16.2 - 22.1	4,100	81.0	77.9 - 83.8	5,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	16.3	9.3 - 27.0	400	83.7	73.0 - 90.7	500
No	900	19.2	16.5 - 22.3	3,900	80.8	77.7 - 83.5	4,800

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	22.2	16.9 - 28.5	1,000	77.8	71.5 - 83.1	1,300
No	700	17.9	15.0 - 21.3	3,200	82.1	78.7 - 85.0	4,000

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2010-2012**

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	22.7	19.0 - 26.9	2,200	77.3	73.1 - 81.0	2,900
<b>No</b>	400	15.3	11.8 - 19.6	2,000	84.7	80.4 - 88.2	2,400

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2009-2011**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,100	20.0	17.3 - 22.9	4,400	80.0	77.1 - 82.7	5,500

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	15.1	11.6 - 19.3	600	84.9	80.7 - 88.4	700
<b>Honolulu</b>	800	20.9	17.3 - 24.9	3,100	79.1	75.1 - 82.7	3,900
<b>Kauai</b>	100	18.4	14.1 - 23.6	200	81.6	76.4 - 85.9	300
<b>Maui</b>	100	20.8	16.9 - 25.2	500	79.2	74.8 - 83.1	600

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2009-2011**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	16.3	11.0 - 23.4	800	83.7	76.6 - 89.0	1,000
Native Hawaiian	500	23.2	18.7 - 28.3	1,500	76.8	71.7 - 81.3	2,000
Chinese	<50	8.3	2.6 - 23.7	200	91.7	76.3 - 97.4	200
Filipino	200	23.2	17.1 - 30.7	800	76.8	69.3 - 82.9	1,000
Japanese	100	21.9	12.7 - 34.9	300	78.1	65.1 - 87.3	400
Other	100	15.1	10.0 - 22.0	700	84.9	78.0 - 90.0	900

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	35.8	26.6 - 46.1	400	64.2	53.9 - 73.4	600
20-24	400	23.6	18.4 - 29.8	1,200	76.4	70.2 - 81.6	1,600
25-34	400	17.2	13.7 - 21.3	2,000	82.8	78.7 - 86.3	2,400
35+	100	10.1	6.0 - 16.6	800	89.9	83.4 - 94.0	900

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2009-2011**

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	19.7	16.0 - 23.9	2,200	80.3	76.1 - 84.0	2,700
Female	600	20.3	16.6 - 24.5	2,200	79.7	75.5 - 83.4	2,700

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	17.3	13.9 - 21.4	2,300	82.7	78.6 - 86.1	2,700
No	600	22.6	18.8 - 26.9	2,100	77.4	73.1 - 81.2	2,700

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	26.2	21.9 - 30.9	1,900	73.8	69.1 - 78.1	2,600
131-185%	100	19.8	13.2 - 28.6	600	80.2	71.4 - 86.8	700
186+%	200	12.6	9.0 - 17.4	1,500	87.4	82.6 - 91.0	1,700



**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2009-2011**

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	27.6	21.7 - 34.4	1,000	72.4	65.6 - 78.3	1,300
\$10,000-\$24,999	300	22.8	17.1 - 29.7	900	77.2	70.3 - 82.9	1,200
\$25,000-\$49,999	200	19.1	14.2 - 25.3	1,000	80.9	74.7 - 85.8	1,300
>=\$50,000	200	12.2	8.2 - 18.0	1,100	87.8	82.0 - 91.8	1,300

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	20.7	16.4 - 25.8	300	79.3	74.2 - 83.6	400
Normal birth weight	1,000	19.9	17.1 - 23.1	4,100	80.1	76.9 - 82.9	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	15.4	9.2 - 24.8	500	84.6	75.2 - 90.8	600
No	1,000	20.9	18.0 - 24.0	3,800	79.1	76.0 - 82.0	4,800

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2009-2011**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	20.4	15.6 - 26.2	1,200	79.6	73.8 - 84.4	1,500
No	800	20.2	17.1 - 23.7	3,100	79.8	76.3 - 82.9	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	23.8	20.0 - 28.1	2,200	76.2	71.9 - 80.0	2,900
No	400	16.4	12.9 - 20.6	2,100	83.6	79.4 - 87.1	2,500

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2008-2010**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,000	18.9	16.5 - 21.5	4,500	81.1	78.5 - 83.5	5,500

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	14.4	10.7 - 19.2	600	85.6	80.8 - 89.3	700
<b>Honolulu</b>	700	19.0	15.9 - 22.6	3,200	81.0	77.4 - 84.1	3,900
<b>Kauai</b>	<50	17.1	11.9 - 24.1	200	82.9	75.9 - 88.1	300
<b>Maui</b>	200	24.0	19.2 - 29.7	500	76.0	70.3 - 80.8	600

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2008-2010**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	14.9	10.2 - 21.2	800	85.1	78.8 - 89.8	1,000
Native Hawaiian	400	22.2	18.1 - 27.0	1,600	77.8	73.0 - 81.9	2,000
Chinese	<50	10.2	3.9 - 24.0	200	89.8	76.0 - 96.1	200
Filipino	200	22.5	16.9 - 29.2	800	77.5	70.8 - 83.1	1,000
Japanese	100	17.9	10.4 - 29.2	300	82.1	70.8 - 89.6	400
Other	100	14.4	10.0 - 20.4	800	85.6	79.6 - 90.0	900

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	34.7	26.1 - 44.4	400	65.3	55.6 - 73.9	600
20-24	300	21.8	17.1 - 27.3	1,200	78.2	72.7 - 82.9	1,500
25-34	400	16.2	13.0 - 19.9	2,100	83.8	80.1 - 87.0	2,500
35+	100	10.3	6.4 - 16.0	800	89.7	84.0 - 93.6	900

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2008-2010**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Infant Gender</b>							
<b>Male</b>	500	18.6	15.4 - 22.3	2,300	81.4	77.7 - 84.6	2,900
<b>Female</b>	500	19.2	15.8 - 23.1	2,100	80.8	76.9 - 84.2	2,700

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Married</b>							
<b>Yes</b>	500	18.2	15.0 - 21.9	2,300	81.8	78.1 - 85.0	2,800
<b>No</b>	500	19.5	16.2 - 23.4	2,200	80.5	76.6 - 83.8	2,800

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Poverty Level</b>							
<b>0-130%</b>	700	25.3	21.4 - 29.5	2,000	74.7	70.5 - 78.6	2,700
<b>131-185%</b>	100	14.9	9.8 - 21.9	600	85.1	78.1 - 90.2	700
<b>186+%</b>	200	12.2	8.9 - 16.6	1,500	87.8	83.4 - 91.1	1,700

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2008-2010**

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	25.0	19.9 - 30.9	1,100	75.0	69.1 - 80.1	1,400
\$10,000-\$24,999	300	21.6	16.5 - 27.6	1,000	78.4	72.4 - 83.5	1,200
\$25,000-\$49,999	200	17.4	12.9 - 23.1	1,000	82.6	76.9 - 87.1	1,300
>=\$50,000	200	12.6	8.8 - 17.8	1,100	87.4	82.2 - 91.2	1,200

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	21.8	16.3 - 28.5	300	78.2	71.5 - 83.7	400
Normal birth weight	1,000	18.7	16.2 - 21.5	4,200	81.3	78.5 - 83.8	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	17.4	11.7 - 25.0	600	82.6	75.0 - 88.3	800
No	900	19.4	16.8 - 22.3	3,800	80.6	77.7 - 83.2	4,700

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2008-2010**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	19.9	15.5 - 25.2	1,300	80.1	74.8 - 84.5	1,600
No	700	18.9	16.1 - 22.1	3,100	81.1	77.9 - 83.9	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	20.4	17.1 - 24.2	2,300	79.6	75.8 - 82.9	2,900
No	400	17.5	14.1 - 21.5	2,100	82.5	78.5 - 85.9	2,500

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2007-2009**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,000	17.4	15.3 - 19.7	4,600	82.6	80.3 - 84.7	5,600

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	12.6	8.9 - 17.5	700	87.4	82.5 - 91.1	800
<b>Honolulu</b>	700	17.7	15.0 - 20.8	3,200	82.3	79.2 - 85.0	3,900
<b>Kauai</b>	100	16.9	10.9 - 25.2	300	83.1	74.8 - 89.1	300
<b>Maui</b>	100	21.4	16.2 - 27.7	500	78.6	72.3 - 83.8	700



**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2007-2009**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	9.8	6.6 - 14.4	800	90.2	85.6 - 93.4	900
Native Hawaiian	400	20.1	16.3 - 24.5	1,600	79.9	75.5 - 83.7	2,100
Chinese	<50	12.4	5.0 - 27.5	200	87.6	72.5 - 95.0	200
Filipino	200	21.6	16.7 - 27.5	800	78.4	72.5 - 83.3	1,000
Japanese	100	18.1	11.7 - 26.9	400	81.9	73.1 - 88.3	500
Other	200	15.3	11.0 - 20.9	800	84.7	79.1 - 89.0	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	26.1	19.2 - 34.3	600	73.9	65.7 - 80.8	800
20-24	300	19.1	15.1 - 23.8	1,300	80.9	76.2 - 84.9	1,600
25-34	400	15.4	12.6 - 18.8	2,100	84.6	81.2 - 87.4	2,500
35+	100	12.0	8.2 - 17.4	700	88.0	82.6 - 91.8	800

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2007-2009**

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	600	18.7	15.7 - 22.0	2,400	81.3	78.0 - 84.3	3,000
Female	400	16.0	13.2 - 19.4	2,200	84.0	80.6 - 86.8	2,700

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	16.7	13.9 - 20.0	2,200	83.3	80.0 - 86.1	2,700
No	500	18.0	15.0 - 21.5	2,400	82.0	78.5 - 85.0	3,000

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	22.4	19.1 - 26.2	2,200	77.6	73.8 - 80.9	2,900
131-185%	100	13.8	9.4 - 19.9	600	86.2	80.1 - 90.6	800
186+%	200	11.3	8.5 - 14.9	1,400	88.7	85.1 - 91.5	1,600

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2007-2009**

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	23.9	19.2 - 29.3	1,100	76.1	70.7 - 80.8	1,500
\$10,000-\$24,999	300	18.7	14.5 - 23.8	1,100	81.3	76.2 - 85.5	1,400
\$25,000-\$49,999	200	15.5	11.4 - 20.7	1,000	84.5	79.3 - 88.6	1,200
>=\$50,000	100	10.9	7.8 - 15.1	1,000	89.1	84.9 - 92.2	1,200

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	23.5	17.1 - 31.3	300	76.5	68.7 - 82.9	400
Normal birth weight	900	16.9	14.7 - 19.4	4,300	83.1	80.6 - 85.3	5,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	20.2	14.4 - 27.7	600	79.8	72.3 - 85.6	700
No	800	17.3	15.0 - 19.8	4,000	82.7	80.2 - 85.0	4,800

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2007-2009**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	18.7	14.7 - 23.5	1,300	81.3	76.5 - 85.3	1,500
No	700	17.3	14.8 - 20.1	3,300	82.7	79.9 - 85.2	4,000

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	18.2	15.2 - 21.5	2,500	81.8	78.5 - 84.8	3,000
No	400	16.4	13.5 - 19.9	2,100	83.6	80.1 - 86.5	2,500

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2006-2008**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	900	17.2	15.4 - 19.3	4,500	82.8	80.7 - 84.6	5,500

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	14.6	10.1 - 20.7	600	85.4	79.3 - 89.9	700
<b>Honolulu</b>	600	17.0	14.8 - 19.5	3,200	83.0	80.5 - 85.2	3,800
<b>Kauai</b>	100	18.2	11.4 - 27.7	300	81.8	72.3 - 88.6	300
<b>Maui</b>	100	20.9	15.2 - 28.1	500	79.1	71.9 - 84.8	600

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2006-2008**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	8.7	5.9 - 12.8	900	91.3	87.2 - 94.1	1,000
Native Hawaiian	400	19.2	15.8 - 23.3	1,500	80.8	76.7 - 84.2	1,900
Chinese	<50	14.7	9.4 - 22.4	100	85.3	77.6 - 90.6	<50
Filipino	200	22.5	18.0 - 27.7	700	77.5	72.3 - 82.0	900
Japanese	100	16.3	11.0 - 23.5	400	83.7	76.5 - 89.0	500
Other	200	17.6	13.5 - 22.6	900	82.4	77.4 - 86.5	1,100

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	26.2	19.8 - 33.8	500	73.8	66.2 - 80.2	700
20-24	300	20.6	16.9 - 24.8	1,300	79.4	75.2 - 83.1	1,600
25-34	300	13.2	10.8 - 16.0	2,100	86.8	84.0 - 89.2	2,500
35+	100	15.4	11.2 - 20.9	600	84.6	79.1 - 88.8	700

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2006-2008**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Infant Gender</b>							
<b>Male</b>	500	16.7	14.1 - 19.6	2,400	83.3	80.4 - 85.9	2,800
<b>Female</b>	500	17.8	15.1 - 20.9	2,200	82.2	79.1 - 84.9	2,700

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Married</b>							
<b>Yes</b>	400	16.5	14.0 - 19.4	2,200	83.5	80.6 - 86.0	2,700
<b>No</b>	500	17.9	15.2 - 21.0	2,300	82.1	79.0 - 84.8	2,800

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Poverty Level</b>							
<b>0-130%</b>	600	20.9	18.0 - 24.2	2,200	79.1	75.8 - 82.0	2,700
<b>131-185%</b>	100	15.6	11.0 - 21.5	600	84.4	78.5 - 89.0	700
<b>186+%</b>	200	12.1	9.4 - 15.4	1,500	87.9	84.6 - 90.6	1,700

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2006-2008**

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	23.7	19.5 - 28.4	1,100	76.3	71.6 - 80.5	1,400
\$10,000-\$24,999	200	16.2	12.7 - 20.5	1,200	83.8	79.5 - 87.3	1,400
\$25,000-\$49,999	200	16.8	13.1 - 21.4	1,000	83.2	78.6 - 86.9	1,100
>=\$50,000	100	11.6	8.5 - 15.6	1,000	88.4	84.4 - 91.5	1,200

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	26.5	19.1 - 35.6	300	73.5	64.4 - 80.9	400
Normal birth weight	800	16.4	14.5 - 18.6	4,200	83.6	81.4 - 85.5	5,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	23.9	18.1 - 30.9	600	76.1	69.1 - 81.9	700
No	800	16.4	14.4 - 18.5	3,900	83.6	81.5 - 85.6	4,700



**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2006-2008**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	20.5	16.6 - 25.0	1,200	79.5	75.0 - 83.4	1,500
No	600	16.2	14.1 - 18.6	3,300	83.8	81.4 - 85.9	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	18.6	16.0 - 21.6	2,400	81.4	78.4 - 84.0	3,000
No	400	14.8	12.3 - 17.7	2,000	85.2	82.3 - 87.7	2,400

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2005-2007**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,000	17.4	15.5 - 19.4	4,600	82.6	80.6 - 84.5	5,500

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	16.3	11.6 - 22.5	600	83.7	77.5 - 88.4	700
<b>Honolulu</b>	700	18.0	15.8 - 20.5	3,200	82.0	79.5 - 84.2	3,900
<b>Kauai</b>	<50	15.0	8.8 - 24.4	300	85.0	75.6 - 91.2	300
<b>Maui</b>	100	15.7	10.3 - 23.0	500	84.3	77.0 - 89.7	600

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2005-2007**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	8.5	5.7 - 12.6	900	91.5	87.4 - 94.3	900
Native Hawaiian	400	19.2	15.8 - 23.2	1,500	80.8	76.8 - 84.2	1,900
Chinese	<50	14.4	9.2 - 22.0	100	85.6	78.0 - 90.8	<50
Filipino	200	21.6	17.3 - 26.7	700	78.4	73.3 - 82.7	900
Japanese	100	18.7	13.2 - 25.8	400	81.3	74.2 - 86.8	500
Other	200	17.9	13.8 - 22.7	900	82.1	77.3 - 86.2	1,100

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	25.9	20.1 - 32.8	600	74.1	67.2 - 79.9	800
20-24	300	19.2	15.8 - 23.3	1,400	80.8	76.7 - 84.2	1,700
25-34	300	13.1	10.8 - 15.9	2,100	86.9	84.1 - 89.2	2,400
35+	100	18.2	13.4 - 24.1	600	81.8	75.9 - 86.6	700

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2005-2007**

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	17.3	14.7 - 20.2	2,300	82.7	79.8 - 85.3	2,800
Female	500	17.5	14.9 - 20.4	2,300	82.5	79.6 - 85.1	2,700

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	14.8	12.4 - 17.5	2,200	85.2	82.5 - 87.6	2,600
No	600	19.7	17.0 - 22.7	2,400	80.3	77.3 - 83.0	3,000

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	21.4	18.5 - 24.7	2,200	78.6	75.3 - 81.5	2,700
131-185%	100	16.6	11.9 - 22.7	600	83.4	77.3 - 88.1	700
186+%	200	11.5	8.9 - 14.7	1,400	88.5	85.3 - 91.1	1,600

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2005-2007**

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	25.0	20.8 - 29.7	1,100	75.0	70.3 - 79.2	1,500
\$10,000-\$24,999	200	15.9	12.4 - 20.0	1,200	84.1	80.0 - 87.6	1,400
\$25,000-\$49,999	200	17.1	13.3 - 21.6	1,000	82.9	78.4 - 86.7	1,200
>=\$50,000	100	11.0	8.0 - 15.1	900	89.0	84.9 - 92.0	1,100

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	27.1	19.9 - 35.7	300	72.9	64.3 - 80.1	500
Normal birth weight	800	16.5	14.6 - 18.6	4,200	83.5	81.4 - 85.4	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	23.1	17.6 - 29.8	600	76.9	70.2 - 82.4	700
No	800	16.5	14.6 - 18.7	3,900	83.5	81.3 - 85.4	4,700

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2005-2007**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	20.2	16.5 - 24.3	1,300	79.8	75.7 - 83.5	1,600
No	600	16.3	14.2 - 18.7	3,100	83.7	81.3 - 85.8	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	19.3	16.6 - 22.2	2,400	80.7	77.8 - 83.4	3,000
No	300	14.1	11.7 - 17.0	2,100	85.9	83.0 - 88.3	2,400

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2004-2006**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,000	19.4	17.4 - 21.5	4,200	80.6	78.5 - 82.6	5,200

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	21.9	16.4 - 28.5	500	78.1	71.5 - 83.6	700
<b>Honolulu</b>	700	19.7	17.4 - 22.2	3,000	80.3	77.8 - 82.6	3,800
<b>Kauai</b>	<50	15.7	9.0 - 25.8	200	84.3	74.2 - 91.0	300
<b>Maui</b>	100	15.7	10.5 - 22.7	500	84.3	77.3 - 89.5	500

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2004-2006**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	12.4	8.9 - 16.9	700	87.6	83.1 - 91.1	800
Native Hawaiian	400	21.0	17.4 - 25.1	1,400	79.0	74.9 - 82.6	1,800
Chinese	<50	13.8	9.2 - 20.1	100	86.2	79.9 - 90.8	<50
Filipino	200	23.2	18.9 - 28.2	700	76.8	71.8 - 81.1	900
Japanese	100	19.7	14.0 - 27.0	400	80.3	73.0 - 86.0	500
Other	200	19.3	15.0 - 24.5	800	80.7	75.5 - 85.0	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	29.0	22.8 - 36.2	500	71.0	63.8 - 77.2	700
20-24	300	21.0	17.5 - 25.0	1,300	79.0	75.0 - 82.5	1,700
25-34	300	15.3	12.7 - 18.3	1,900	84.7	81.7 - 87.3	2,200
35+	100	19.0	14.3 - 24.7	600	81.0	75.3 - 85.7	700



**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2004-2006**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Infant Gender</b>							
<b>Male</b>	500	19.2	16.5 - 22.1	2,200	80.8	77.9 - 83.5	2,700
<b>Female</b>	500	19.6	16.8 - 22.7	2,100	80.4	77.3 - 83.2	2,600

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Married</b>							
<b>Yes</b>	400	17.0	14.5 - 19.7	2,200	83.0	80.3 - 85.5	2,600
<b>No</b>	600	21.8	18.8 - 25.0	2,100	78.2	75.0 - 81.2	2,600

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Poverty Level</b>							
<b>0-130%</b>	600	24.0	21.0 - 27.4	1,900	76.0	72.6 - 79.0	2,500
<b>131-185%</b>	100	20.2	14.8 - 26.8	500	79.8	73.2 - 85.2	600
<b>186+%</b>	200	12.8	10.1 - 16.1	1,400	87.2	83.9 - 89.9	1,600

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2004-2006**

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	28.7	24.3 - 33.6	1,000	71.3	66.4 - 75.7	1,300
\$10,000-\$24,999	200	17.3	13.8 - 21.4	1,100	82.7	78.6 - 86.2	1,400
\$25,000-\$49,999	200	19.5	15.5 - 24.2	900	80.5	75.8 - 84.5	1,100
>=\$50,000	100	12.5	9.1 - 16.9	800	87.5	83.1 - 90.9	900

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	27.1	19.5 - 36.3	300	72.9	63.7 - 80.5	400
Normal birth weight	900	18.8	16.8 - 21.0	3,900	81.2	79.0 - 83.2	4,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	23.1	17.8 - 29.5	600	76.9	70.5 - 82.2	800
No	800	18.8	16.7 - 21.1	3,500	81.2	78.9 - 83.3	4,400

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2004-2006**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	22.5	18.8 - 26.7	1,200	77.5	73.3 - 81.2	1,600
No	600	18.1	15.8 - 20.6	2,900	81.9	79.4 - 84.2	3,500

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	21.7	18.9 - 24.7	2,200	78.3	75.3 - 81.1	2,800
No	300	15.5	13.0 - 18.5	1,900	84.5	81.5 - 87.0	2,200

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2003-2005**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,000	18.3	16.4 - 20.3	4,400	81.7	79.7 - 83.6	5,400

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	21.4	16.6 - 27.0	500	78.6	73.0 - 83.4	700
<b>Honolulu</b>	700	18.3	16.0 - 20.9	3,200	81.7	79.1 - 84.0	3,900
<b>Kauai</b>	<50	14.3	8.9 - 22.3	200	85.7	77.7 - 91.1	300
<b>Maui</b>	100	15.9	11.7 - 21.2	500	84.1	78.8 - 88.3	500

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2003-2005**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	16.0	11.7 - 21.6	700	84.0	78.4 - 88.3	800
Native Hawaiian	400	19.4	16.5 - 22.7	1,500	80.6	77.3 - 83.5	1,900
Chinese	<50	10.6	4.9 - 21.5	100	89.4	78.5 - 95.1	200
Filipino	200	21.3	17.0 - 26.5	900	78.7	73.5 - 83.0	1,100
Japanese	100	19.7	13.5 - 27.9	400	80.3	72.1 - 86.5	500
Other	100	15.0	10.8 - 20.4	800	85.0	79.6 - 89.2	900

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	23.7	18.5 - 29.9	600	76.3	70.1 - 81.5	800
20-24	300	20.4	16.9 - 24.3	1,300	79.6	75.7 - 83.1	1,700
25-34	400	16.2	13.4 - 19.3	1,800	83.8	80.7 - 86.6	2,200
35+	100	14.1	10.0 - 19.4	600	85.9	80.6 - 90.0	700

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2003-2005**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Infant Gender</b>							
<b>Male</b>	500	18.4	15.9 - 21.1	2,400	81.6	78.9 - 84.1	2,900
<b>Female</b>	400	18.2	15.4 - 21.3	2,000	81.8	78.7 - 84.6	2,400

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Married</b>							
<b>Yes</b>	400	16.5	14.0 - 19.4	2,200	83.5	80.6 - 86.0	2,700
<b>No</b>	500	20.0	17.3 - 23.0	2,200	80.0	77.0 - 82.7	2,700

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Poverty Level</b>							
<b>0-130%</b>	600	21.9	19.1 - 25.0	2,200	78.1	75.0 - 80.9	2,800
<b>131-185%</b>	100	16.3	11.7 - 22.2	500	83.7	77.8 - 88.3	600
<b>186+%</b>	200	12.1	9.2 - 15.8	1,200	87.9	84.2 - 90.8	1,400

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2003-2005**

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	22.5	15.6 - 31.3	300	77.5	68.7 - 84.4	400
Normal birth weight	900	18.0	16.0 - 20.1	4,100	82.0	79.9 - 84.0	5,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	21.9	16.8 - 28.0	600	78.1	72.0 - 83.2	800
No	800	17.7	15.7 - 19.9	3,700	82.3	80.1 - 84.3	4,500

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	19.9	16.5 - 23.8	1,300	80.1	76.2 - 83.5	1,600
No	600	17.7	15.5 - 20.3	2,900	82.3	79.7 - 84.5	3,600

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2003-2005**

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	600	19.8	17.2 - 22.7	2,300	80.2	77.3 - 82.8	2,900
<b>No</b>	400	15.4	12.8 - 18.4	2,000	84.6	81.6 - 87.2	2,300



**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2002-2004**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,000	18.1	16.2 - 20.3	4,500	81.9	79.7 - 83.8	5,500

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	19.3	15.4 - 24.0	600	80.7	76.0 - 84.6	700
<b>Honolulu</b>	700	17.8	15.3 - 20.6	3,200	82.2	79.4 - 84.7	3,900
<b>Kauai</b>	<50	19.7	13.7 - 27.6	200	80.3	72.4 - 86.3	300
<b>Maui</b>	100	18.3	14.4 - 23.0	500	81.7	77.0 - 85.6	600

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2002-2004**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	19.1	14.2 - 25.2	700	80.9	74.8 - 85.8	900
Native Hawaiian	400	18.6	16.1 - 21.3	1,500	81.4	78.7 - 83.9	1,900
Chinese	<50	12.7	5.4 - 27.1	100	87.3	72.9 - 94.6	200
Filipino	200	21.0	16.3 - 26.7	900	79.0	73.3 - 83.7	1,100
Japanese	100	14.4	8.8 - 22.5	400	85.6	77.5 - 91.2	500
Other	100	15.7	10.9 - 22.3	800	84.3	77.7 - 89.1	900

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	22.1	17.0 - 28.2	600	77.9	71.8 - 83.0	800
20-24	400	21.0	17.5 - 24.9	1,400	79.0	75.1 - 82.5	1,700
25-34	400	16.9	13.9 - 20.4	1,800	83.1	79.6 - 86.1	2,200
35+	100	11.6	7.7 - 17.0	700	88.4	83.0 - 92.3	800

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2002-2004**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Infant Gender</b>							
<b>Male</b>	500	17.8	15.3 - 20.7	2,400	82.2	79.3 - 84.7	2,900
<b>Female</b>	500	18.5	15.6 - 21.8	2,100	81.5	78.2 - 84.4	2,600

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Married</b>							
<b>Yes</b>	500	17.9	15.1 - 21.0	2,400	82.1	79.0 - 84.9	2,900
<b>No</b>	500	18.4	15.8 - 21.4	2,100	81.6	78.6 - 84.2	2,500

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Poverty Level</b>							
<b>0-130%</b>	600	21.0	18.2 - 24.1	2,200	79.0	75.9 - 81.8	2,800
<b>131-185%</b>	200	19.5	14.1 - 26.2	600	80.5	73.8 - 85.9	800
<b>186+%</b>	100	11.4	8.4 - 15.4	1,100	88.6	84.6 - 91.6	1,200

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2002-2004**

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	16.0	10.3 - 24.1	300	84.0	75.9 - 89.7	400
Normal birth weight	900	18.3	16.3 - 20.6	4,200	81.7	79.4 - 83.7	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	20.7	15.9 - 26.5	600	79.3	73.5 - 84.1	800
No	800	17.9	15.8 - 20.2	3,800	82.1	79.8 - 84.2	4,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	18.2	15.0 - 21.9	1,300	81.8	78.1 - 85.0	1,600
No	700	17.9	15.5 - 20.6	3,100	82.1	79.4 - 84.5	3,700

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2002-2004**

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	600	20.1	17.3 - 23.1	2,300	79.9	76.9 - 82.7	2,900
<b>No</b>	400	15.3	12.7 - 18.4	2,100	84.7	81.6 - 87.3	2,500

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2001-2003**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,000	18.2	16.3 - 20.2	4,600	81.8	79.8 - 83.7	5,600

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	17.0	14.1 - 20.5	600	83.0	79.5 - 85.9	700
<b>Honolulu</b>	700	18.6	16.1 - 21.4	3,300	81.4	78.6 - 83.9	4,000
<b>Kauai</b>	<50	15.5	11.1 - 21.1	200	84.5	78.9 - 88.9	300
<b>Maui</b>	100	17.9	14.5 - 21.9	500	82.1	78.1 - 85.5	600

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2001-2003**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	16.2	11.6 - 22.2	800	83.8	77.8 - 88.4	900
Native Hawaiian	400	18.1	16.2 - 20.1	1,600	81.9	79.9 - 83.8	2,000
Chinese	<50	14.5	6.1 - 30.8	100	85.5	69.2 - 93.9	200
Filipino	300	22.3	17.5 - 28.0	900	77.7	72.0 - 82.5	1,200
Japanese	100	13.3	7.8 - 21.9	400	86.7	78.1 - 92.2	500
Other	200	18.0	12.8 - 24.8	700	82.0	75.2 - 87.2	900

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	21.6	17.3 - 26.7	700	78.4	73.3 - 82.7	900
20-24	400	22.5	19.0 - 26.5	1,300	77.5	73.5 - 81.0	1,700
25-34	400	15.9	13.0 - 19.2	1,900	84.1	80.8 - 87.0	2,300
35+	100	10.7	6.7 - 16.5	700	89.3	83.5 - 93.3	700

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2001-2003**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Infant Gender</b>							
<b>Male</b>	500	18.2	15.7 - 21.0	2,400	81.8	79.0 - 84.3	2,900
<b>Female</b>	500	18.1	15.4 - 21.2	2,200	81.9	78.8 - 84.6	2,700

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Married</b>							
<b>Yes</b>	500	17.3	14.5 - 20.4	2,500	82.7	79.6 - 85.5	3,000
<b>No</b>	500	19.2	16.7 - 22.0	2,100	80.8	78.0 - 83.3	2,700

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Poverty Level</b>							
<b>0-130%</b>	600	21.0	18.4 - 24.0	2,300	79.0	76.0 - 81.6	2,900
<b>131-185%</b>	200	18.3	13.7 - 24.1	800	81.7	75.9 - 86.3	1,000
<b>186+%</b>	100	11.1	7.8 - 15.7	1,000	88.9	84.3 - 92.2	1,100



**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2001-2003**

Income (2000-2003)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	400	20.3	17.1 - 24.0	1,400	79.7	76.0 - 82.9	1,800
\$15,001-\$25,000	200	21.7	16.7 - 27.7	600	78.3	72.3 - 83.3	800
\$25,001-\$40,000	200	19.3	14.9 - 24.7	900	80.7	75.3 - 85.1	1,200
>=\$40,001	200	12.8	9.7 - 16.8	1,200	87.2	83.2 - 90.3	1,400

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	14.9	9.7 - 22.1	400	85.1	77.9 - 90.3	400
Normal birth weight	1,000	18.5	16.5 - 20.6	4,200	81.5	79.4 - 83.5	5,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	19.8	15.5 - 25.0	700	80.2	75.0 - 84.5	800
No	800	17.9	15.8 - 20.2	3,900	82.1	79.8 - 84.2	4,700

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2001-2003**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	16.6	13.7 - 19.9	1,300	83.4	80.1 - 86.3	1,600
No	700	18.4	16.0 - 21.1	3,100	81.6	78.9 - 84.0	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	20.4	17.7 - 23.3	2,300	79.6	76.7 - 82.3	2,900
No	400	15.5	12.9 - 18.4	2,200	84.5	81.6 - 87.1	2,700

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2000-2002**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	900	17.0	15.3 - 18.9	4,600	83.0	81.1 - 84.7	5,600

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	15.9	12.9 - 19.3	600	84.1	80.7 - 87.1	700
<b>Honolulu</b>	700	17.7	15.4 - 20.2	3,300	82.3	79.8 - 84.6	4,000
<b>Kauai</b>	<50	17.9	12.9 - 24.4	200	82.1	75.6 - 87.1	300
<b>Maui</b>	100	13.7	10.7 - 17.4	500	86.3	82.6 - 89.3	600

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2000-2002**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	15.1	11.1 - 20.4	800	84.9	79.6 - 88.9	900
Native Hawaiian	300	16.7	15.0 - 18.6	1,600	83.3	81.4 - 85.0	1,900
Chinese	<50	15.6	6.4 - 33.5	100	84.4	66.5 - 93.6	<50
Filipino	300	21.6	17.1 - 26.8	900	78.4	73.2 - 82.9	1,200
Japanese	<50	8.6	4.9 - 14.7	500	91.4	85.3 - 95.1	500
Other	200	18.4	13.3 - 25.1	700	81.6	74.9 - 86.7	900

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	20.8	17.0 - 25.2	700	79.2	74.8 - 83.0	900
20-24	300	20.0	16.8 - 23.5	1,400	80.0	76.5 - 83.2	1,700
25-34	300	14.8	12.1 - 18.0	1,900	85.2	82.0 - 87.9	2,200
35+	100	11.7	7.8 - 17.1	600	88.3	82.9 - 92.2	700

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2000-2002**

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	500	17.3	15.0 - 19.9	2,400	82.7	80.1 - 85.0	2,900
Female	500	16.7	14.2 - 19.6	2,200	83.3	80.4 - 85.8	2,700

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	16.3	13.8 - 19.1	2,500	83.7	80.9 - 86.2	3,000
No	500	17.9	15.6 - 20.4	2,100	82.1	79.6 - 84.4	2,500

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	600	19.9	17.5 - 22.6	2,300	80.1	77.4 - 82.5	2,900
131-185%	200	19.0	14.4 - 24.8	700	81.0	75.2 - 85.6	900
186+%	100	9.7	6.9 - 13.4	1,100	90.3	86.6 - 93.1	1,200

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2000-2002**

Income (2000-2003)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	300	19.9	16.9 - 23.3	1,400	80.1	76.7 - 83.1	1,700
\$15,001-\$25,000	200	17.2	13.2 - 22.3	700	82.8	77.7 - 86.8	900
\$25,001-\$40,000	200	19.6	15.3 - 24.8	900	80.4	75.2 - 84.7	1,100
>=\$40,001	200	11.6	8.9 - 15.2	1,200	88.4	84.8 - 91.1	1,400

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	13.5	9.1 - 19.4	400	86.5	80.6 - 90.9	400
Normal birth weight	900	17.3	15.5 - 19.3	4,200	82.7	80.7 - 84.5	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	16.3	12.7 - 20.7	600	83.7	79.3 - 87.3	700
No	800	17.0	15.1 - 19.1	3,900	83.0	80.9 - 84.9	4,700

**PRAMS Health Indicator 3-Year Aggregate Report - No contraception at conception- husband/partner didn't want to- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2000-2002**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	200	15.9	13.3 - 19.0	1,300	84.1	81.0 - 86.7	1,500
<b>No</b>	600	16.8	14.7 - 19.2	3,200	83.2	80.8 - 85.3	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	600	19.9	17.4 - 22.7	2,300	80.1	77.3 - 82.6	2,900
<b>No</b>	400	13.7	11.5 - 16.3	2,300	86.3	83.7 - 88.5	2,700