

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- for the State of Hawaii,  
for the Year(s)**

**2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
Contraceptive use since giving birth	Since your new baby was born, are you or your husband or partner doing anything now to keep from getting pregnant?

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/22/17*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- for the State of Hawaii, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Years	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2004	13,200	77.5	76.6 - 78.4	3,800	22.5	21.6 - 23.4	17,100
2001-2005	13,200	77.4	76.4 - 78.3	3,900	22.6	21.7 - 23.6	17,100
2002-2006	13,500	77.3	76.3 - 78.2	4,000	22.7	21.8 - 23.7	17,400
2003-2007	13,800	77.9	77.0 - 78.8	3,900	22.1	21.2 - 23.0	17,700
2004-2008	14,100	78.2	77.4 - 79.1	3,900	21.8	20.9 - 22.6	18,000
2005-2009	14,200	78.4	77.4 - 79.3	3,900	21.6	20.7 - 22.6	18,100
2006-2010	14,400	78.6	77.5 - 79.6	3,900	21.4	20.4 - 22.5	18,300
2007-2011	14,500	78.8	77.7 - 79.9	3,900	21.2	20.1 - 22.3	18,400
2008-2012	14,300	78.1	77.0 - 79.2	4,000	21.9	20.8 - 23.0	18,400
2009-2013	13,800	75.7	74.4 - 77.0	4,400	24.3	23.0 - 25.6	18,300

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- for the State of Hawaii, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*



**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	13,800	75.7	74.4 - 77.0	4,400	24.3	23.0 - 25.6	18,300

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,800	78.5	76.5 - 80.4	500	21.5	19.6 - 23.5	2,300
<b>Honolulu</b>	9,800	74.6	72.8 - 76.2	3,300	25.4	23.8 - 27.2	13,100
<b>Kauai</b>	700	79.9	77.6 - 81.9	200	20.1	18.1 - 22.4	800
<b>Maui</b>	1,600	78.5	76.7 - 80.3	400	21.5	19.7 - 23.3	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

DOH Race- Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,500	79.1	76.6 - 81.5	900	20.9	18.5 - 23.4	4,500
Native Hawaiian	4,200	77.9	75.6 - 80.1	1,200	22.1	19.9 - 24.4	5,400
Chinese	600	72.9	65.9 - 78.9	200	27.1	21.1 - 34.1	800
Filipino	2,400	76.7	73.6 - 79.5	700	23.3	20.5 - 26.4	3,200
Japanese	1,200	68.1	63.3 - 72.6	500	31.9	27.4 - 36.7	1,700
Other	1,900	70.3	66.5 - 73.9	800	29.7	26.1 - 33.5	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	75.2	69.8 - 79.9	300	24.8	20.1 - 30.2	1,200
20-24	3,300	78.7	75.9 - 81.2	900	21.3	18.8 - 24.1	4,200
25-34	7,400	76.3	74.5 - 78.0	2,300	23.7	22.0 - 25.5	9,700
35+	2,300	70.5	67.3 - 73.6	1,000	29.5	26.4 - 32.7	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,000	75.3	73.4 - 77.0	2,300	24.7	23.0 - 26.6	9,300
Female	6,900	76.2	74.4 - 78.0	2,100	23.8	22.0 - 25.6	9,000

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,600	75.9	74.3 - 77.5	2,700	24.1	22.5 - 25.7	11,300
No	5,300	75.4	73.3 - 77.4	1,700	24.6	22.6 - 26.7	7,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,900	75.3	73.1 - 77.3	1,600	24.7	22.7 - 26.9	6,500
131-185%	2,300	81.1	77.9 - 83.9	500	18.9	16.1 - 22.1	2,800
186+%	5,700	75.7	73.7 - 77.7	1,800	24.3	22.3 - 26.3	7,500

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	77.2	75.2 - 79.0	300	22.8	21.0 - 24.8	1,300
Normal birth weight	12,800	75.7	74.3 - 77.0	4,100	24.3	23.0 - 25.7	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	73.2	67.9 - 77.9	300	26.8	22.1 - 32.1	1,200
No	12,700	75.8	74.5 - 77.1	4,000	24.2	22.9 - 25.5	16,800

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	73.7	70.6 - 76.5	900	26.3	23.5 - 29.4	3,500
No	11,000	76.2	74.7 - 77.6	3,400	23.8	22.4 - 25.3	14,400

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,000	75.8	73.8 - 77.6	1,900	24.2	22.4 - 26.2	8,000
<b>No</b>	7,700	75.8	74.0 - 77.5	2,400	24.2	22.5 - 26.0	10,100



**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	14,300	78.1	77.0 - 79.2	4,000	21.9	20.8 - 23.0	18,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,900	80.7	78.6 - 82.5	500	19.3	17.5 - 21.4	2,400
<b>Honolulu</b>	10,100	77.2	75.7 - 78.7	3,000	22.8	21.3 - 24.3	13,100
<b>Kauai</b>	700	80.6	77.9 - 83.1	200	19.4	16.9 - 22.1	800
<b>Maui</b>	1,600	79.9	77.9 - 81.8	400	20.1	18.2 - 22.1	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,500	80.3	78.0 - 82.4	900	19.7	17.6 - 22.0	4,400
Native Hawaiian	4,300	80.7	78.6 - 82.7	1,000	19.3	17.3 - 21.4	5,400
Chinese	600	78.2	72.0 - 83.3	200	21.8	16.7 - 28.0	800
Filipino	2,600	78.1	75.3 - 80.6	700	21.9	19.4 - 24.7	3,300
Japanese	1,200	70.8	66.5 - 74.7	500	29.2	25.3 - 33.5	1,700
Other	2,100	74.4	71.0 - 77.5	700	25.6	22.5 - 29.0	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,000	76.2	71.5 - 80.4	300	23.8	19.6 - 28.5	1,300
20-24	3,300	80.4	77.9 - 82.6	800	19.6	17.4 - 22.1	4,200
25-34	7,600	79.2	77.6 - 80.7	2,000	20.8	19.3 - 22.4	9,700
35+	2,400	72.8	69.8 - 75.6	900	27.2	24.4 - 30.2	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,300	77.8	76.1 - 79.3	2,100	22.2	20.7 - 23.9	9,400
Female	7,000	78.5	76.8 - 80.1	1,900	21.5	19.9 - 23.2	8,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,900	78.5	77.0 - 79.9	2,400	21.5	20.1 - 23.0	11,300
No	5,500	77.5	75.6 - 79.3	1,600	22.5	20.7 - 24.4	7,100

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,100	77.7	75.7 - 79.6	1,500	22.3	20.4 - 24.3	6,600
131-185%	2,300	82.6	79.7 - 85.2	500	17.4	14.8 - 20.3	2,800
186+%	5,900	78.2	76.4 - 79.9	1,700	21.8	20.1 - 23.6	7,600

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	77.9	75.4 - 80.1	300	22.1	19.9 - 24.6	1,300
Normal birth weight	13,300	78.2	77.0 - 79.4	3,700	21.8	20.6 - 23.0	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	73.3	68.5 - 77.5	300	26.7	22.5 - 31.5	1,300
No	13,100	78.5	77.3 - 79.7	3,600	21.5	20.3 - 22.7	16,700

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	76.3	73.6 - 78.8	800	23.7	21.2 - 26.4	3,500
No	11,400	78.6	77.3 - 79.9	3,100	21.4	20.1 - 22.7	14,500

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,200	77.7	75.9 - 79.4	1,800	22.3	20.6 - 24.1	8,000
<b>No</b>	8,000	78.5	77.0 - 80.0	2,200	21.5	20.0 - 23.0	10,100

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	14,500	78.8	77.7 - 79.9	3,900	21.2	20.1 - 22.3	18,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	2,000	82.3	80.2 - 84.2	400	17.7	15.8 - 19.8	2,400
<b>Honolulu</b>	10,100	77.8	76.3 - 79.1	2,900	22.2	20.9 - 23.7	13,000
<b>Kauai</b>	700	82.4	79.4 - 85.0	200	17.6	15.0 - 20.6	900
<b>Maui</b>	1,700	79.8	77.7 - 81.8	400	20.2	18.2 - 22.3	2,100

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,500	80.7	78.6 - 82.7	800	19.3	17.3 - 21.4	4,300
Native Hawaiian	4,400	81.2	79.2 - 83.0	1,000	18.8	17.0 - 20.8	5,400
Chinese	500	75.4	69.4 - 80.5	200	24.6	19.5 - 30.6	700
Filipino	2,600	79.7	77.1 - 82.0	700	20.3	18.0 - 22.9	3,300
Japanese	1,300	71.9	68.1 - 75.4	500	28.1	24.6 - 31.9	1,900
Other	2,100	75.8	72.7 - 78.7	700	24.2	21.3 - 27.3	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	78.5	74.3 - 82.2	300	21.5	17.8 - 25.7	1,400
20-24	3,500	81.0	78.7 - 83.1	800	19.0	16.9 - 21.3	4,300
25-34	7,500	79.7	78.2 - 81.1	1,900	20.3	18.9 - 21.8	9,400
35+	2,400	73.4	70.7 - 76.0	900	26.6	24.0 - 29.3	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,400	78.0	76.5 - 79.5	2,100	22.0	20.5 - 23.5	9,500
Female	7,000	79.7	78.1 - 81.1	1,800	20.3	18.9 - 21.9	8,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,900	78.7	77.4 - 80.1	2,400	21.3	19.9 - 22.6	11,300
No	5,600	78.9	77.1 - 80.6	1,500	21.1	19.4 - 22.9	7,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,200	78.8	76.9 - 80.5	1,400	21.2	19.5 - 23.1	6,600
131-185%	2,300	83.9	81.2 - 86.3	400	16.1	13.7 - 18.8	2,800
186+%	6,000	77.8	76.1 - 79.4	1,700	22.2	20.6 - 23.9	7,700



**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,400	75.3	72.4 - 77.9	800	24.7	22.1 - 27.6	3,200
\$10,000-\$24,999	2,900	80.3	77.9 - 82.5	700	19.7	17.5 - 22.1	3,700
\$25,000-\$49,999	3,500	82.7	80.5 - 84.6	700	17.3	15.4 - 19.5	4,300
>=\$50,000	4,800	77.9	76.0 - 79.7	1,400	22.1	20.3 - 24.0	6,200

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	77.7	75.0 - 80.3	300	22.3	19.7 - 25.0	1,400
Normal birth weight	13,400	78.9	77.8 - 80.1	3,600	21.1	19.9 - 22.2	17,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	74.4	70.1 - 78.3	400	25.6	21.7 - 29.9	1,400
No	13,200	79.3	78.1 - 80.4	3,400	20.7	19.6 - 21.9	16,600

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,800	77.0	74.4 - 79.3	800	23.0	20.7 - 25.6	3,700
<b>No</b>	11,400	79.4	78.2 - 80.6	3,000	20.6	19.4 - 21.8	14,400

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,200	79.4	77.7 - 80.9	1,600	20.6	19.1 - 22.3	7,800
<b>No</b>	8,000	78.5	77.0 - 79.9	2,200	21.5	20.1 - 23.0	10,200

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	14,400	78.6	77.5 - 79.6	3,900	21.4	20.4 - 22.5	18,300

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,900	81.8	79.5 - 83.9	400	18.2	16.1 - 20.5	2,300
<b>Honolulu</b>	10,100	77.5	76.2 - 78.8	2,900	22.5	21.2 - 23.8	13,000
<b>Kauai</b>	700	82.8	79.5 - 85.7	200	17.2	14.3 - 20.5	900
<b>Maui</b>	1,700	79.8	77.4 - 82.0	400	20.2	18.0 - 22.6	2,100

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

DOH Race- Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,500	81.7	79.7 - 83.6	800	18.3	16.4 - 20.3	4,300
Native Hawaiian	4,300	80.3	78.4 - 82.2	1,000	19.7	17.8 - 21.6	5,300
Chinese	500	75.8	70.5 - 80.5	200	24.2	19.5 - 29.5	700
Filipino	2,600	79.6	77.2 - 81.7	700	20.4	18.3 - 22.8	3,300
Japanese	1,400	72.8	69.3 - 75.9	500	27.2	24.1 - 30.7	1,900
Other	2,100	73.8	70.8 - 76.6	700	26.2	23.4 - 29.2	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	78.2	74.4 - 81.7	300	21.8	18.3 - 25.6	1,500
20-24	3,500	80.0	77.8 - 82.0	900	20.0	18.0 - 22.2	4,300
25-34	7,300	79.6	78.2 - 81.0	1,900	20.4	19.0 - 21.8	9,200
35+	2,400	73.8	71.3 - 76.3	800	26.2	23.7 - 28.7	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,400	78.1	76.6 - 79.4	2,100	21.9	20.6 - 23.4	9,500
Female	7,000	79.1	77.7 - 80.5	1,800	20.9	19.5 - 22.3	8,800

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,900	78.7	77.4 - 80.0	2,400	21.3	20.0 - 22.6	11,300
No	5,500	78.3	76.6 - 80.0	1,500	21.7	20.0 - 23.4	7,000

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,100	77.6	75.8 - 79.3	1,500	22.4	20.7 - 24.2	6,600
131-185%	2,300	83.2	80.7 - 85.5	500	16.8	14.5 - 19.3	2,700
186+%	6,100	78.4	76.8 - 79.8	1,700	21.6	20.2 - 23.2	7,800

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,300	74.0	71.2 - 76.5	800	26.0	23.5 - 28.8	3,200
\$10,000-\$24,999	3,000	79.8	77.5 - 81.9	800	20.2	18.1 - 22.5	3,700
\$25,000-\$49,999	3,500	82.1	80.1 - 84.0	800	17.9	16.0 - 19.9	4,200
>=\$50,000	4,800	78.4	76.6 - 80.1	1,300	21.6	19.9 - 23.4	6,100

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,100	77.0	74.0 - 79.7	300	23.0	20.3 - 26.0	1,400
Normal birth weight	13,300	78.8	77.7 - 79.8	3,600	21.2	20.2 - 22.3	16,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	75.4	71.5 - 79.0	400	24.6	21.0 - 28.5	1,600
No	13,000	79.0	77.9 - 80.0	3,500	21.0	20.0 - 22.1	16,400

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,900	76.7	74.2 - 79.0	900	23.3	21.0 - 25.8	3,700
<b>No</b>	11,300	79.2	78.0 - 80.3	3,000	20.8	19.7 - 22.0	14,300

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,100	78.7	77.1 - 80.2	1,600	21.3	19.8 - 22.9	7,700
<b>No</b>	8,100	78.7	77.3 - 80.0	2,200	21.3	20.0 - 22.7	10,300

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	14,200	78.4	77.4 - 79.3	3,900	21.6	20.7 - 22.6	18,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,900	82.2	79.8 - 84.3	400	17.8	15.7 - 20.2	2,300
<b>Honolulu</b>	9,900	77.1	75.9 - 78.3	2,900	22.9	21.7 - 24.1	12,900
<b>Kauai</b>	700	82.7	79.1 - 85.9	100	17.3	14.1 - 20.9	900
<b>Maui</b>	1,600	80.2	77.6 - 82.5	400	19.8	17.5 - 22.4	2,000



**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

DOH Race- Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,400	82.0	80.1 - 83.8	700	18.0	16.2 - 19.9	4,100
Native Hawaiian	4,200	79.8	77.9 - 81.6	1,100	20.2	18.4 - 22.1	5,200
Chinese	500	76.8	72.8 - 80.5	200	23.2	19.5 - 27.2	700
Filipino	2,600	79.7	77.6 - 81.6	700	20.3	18.4 - 22.4	3,300
Japanese	1,500	73.1	70.1 - 76.0	500	26.9	24.0 - 29.9	2,000
Other	2,000	73.0	70.2 - 75.5	700	27.0	24.5 - 29.8	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	78.0	74.3 - 81.3	400	22.0	18.7 - 25.7	1,600
20-24	3,400	79.4	77.3 - 81.3	900	20.6	18.7 - 22.7	4,300
25-34	7,200	79.9	78.5 - 81.1	1,800	20.1	18.9 - 21.5	9,000
35+	2,300	73.1	70.7 - 75.3	900	26.9	24.7 - 29.3	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,400	78.3	77.0 - 79.6	2,000	21.7	20.4 - 23.0	9,400
Female	6,800	78.4	77.1 - 79.8	1,900	21.6	20.2 - 22.9	8,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,800	78.3	77.1 - 79.4	2,400	21.7	20.6 - 22.9	11,200
No	5,400	78.5	76.9 - 80.1	1,500	21.5	19.9 - 23.1	6,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,100	77.2	75.5 - 78.8	1,500	22.8	21.2 - 24.5	6,600
131-185%	2,000	81.9	79.4 - 84.3	500	18.1	15.7 - 20.6	2,500
186+%	6,200	79.1	77.7 - 80.4	1,600	20.9	19.6 - 22.3	7,800

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,200	72.2	69.6 - 74.8	900	27.8	25.2 - 30.4	3,100
\$10,000-\$24,999	3,100	80.1	78.0 - 82.0	800	19.9	18.0 - 22.0	3,800
\$25,000-\$49,999	3,400	81.8	79.9 - 83.6	700	18.2	16.4 - 20.1	4,100
>=\$50,000	4,700	78.9	77.3 - 80.4	1,300	21.1	19.6 - 22.7	6,000

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	75.0	71.7 - 78.0	300	25.0	22.0 - 28.3	1,400
Normal birth weight	13,100	78.7	77.7 - 79.7	3,600	21.3	20.3 - 22.3	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	74.6	70.8 - 78.0	400	25.4	22.0 - 29.2	1,600
No	12,800	78.8	77.8 - 79.8	3,400	21.2	20.2 - 22.2	16,200

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,800	76.0	73.6 - 78.2	900	24.0	21.8 - 26.4	3,700
<b>No</b>	11,100	79.1	78.0 - 80.1	2,900	20.9	19.9 - 22.0	14,100

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,000	78.9	77.4 - 80.3	1,600	21.1	19.7 - 22.6	7,600
<b>No</b>	8,000	78.3	77.0 - 79.5	2,200	21.7	20.5 - 23.0	10,200

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	14,100	78.2	77.4 - 79.1	3,900	21.8	20.9 - 22.6	18,000

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,900	81.4	78.9 - 83.7	400	18.6	16.3 - 21.1	2,300
<b>Honolulu</b>	9,900	76.8	75.8 - 77.9	3,000	23.2	22.1 - 24.2	12,900
<b>Kauai</b>	700	83.0	79.0 - 86.3	100	17.0	13.7 - 21.0	900
<b>Maui</b>	1,600	81.6	78.9 - 84.0	400	18.4	16.0 - 21.1	2,000

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

DOH Race- Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,300	81.8	80.0 - 83.4	700	18.2	16.6 - 20.0	4,100
Native Hawaiian	4,000	79.4	77.6 - 81.1	1,000	20.6	18.9 - 22.4	5,000
Chinese	500	75.6	73.1 - 77.9	200	24.4	22.1 - 26.9	600
Filipino	2,600	78.6	76.7 - 80.4	700	21.4	19.6 - 23.3	3,300
Japanese	1,600	75.5	72.9 - 78.0	500	24.5	22.0 - 27.1	2,200
Other	2,000	73.1	70.6 - 75.5	700	26.9	24.5 - 29.4	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	77.8	74.3 - 80.9	300	22.2	19.1 - 25.7	1,500
20-24	3,500	79.6	77.7 - 81.3	900	20.4	18.7 - 22.3	4,400
25-34	7,100	79.6	78.4 - 80.8	1,800	20.4	19.2 - 21.6	8,900
35+	2,300	72.7	70.6 - 74.8	900	27.3	25.2 - 29.4	3,200

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,400	78.4	77.2 - 79.6	2,000	21.6	20.4 - 22.8	9,400
Female	6,700	78.0	76.7 - 79.2	1,900	22.0	20.8 - 23.3	8,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,100	78.4	77.4 - 79.4	2,500	21.6	20.6 - 22.6	11,600
No	5,000	77.9	76.3 - 79.4	1,400	22.1	20.6 - 23.7	6,400

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,100	77.0	75.4 - 78.4	1,500	23.0	21.6 - 24.6	6,600
131-185%	2,000	82.6	80.3 - 84.7	400	17.4	15.3 - 19.7	2,400
186+%	6,200	79.1	77.8 - 80.3	1,600	20.9	19.7 - 22.2	7,900

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,200	72.6	70.1 - 75.0	800	27.4	25.0 - 29.9	3,000
\$10,000-\$24,999	3,100	79.2	77.3 - 81.0	800	20.8	19.0 - 22.7	3,900
\$25,000-\$49,999	3,500	82.1	80.4 - 83.7	800	17.9	16.3 - 19.6	4,300
>=\$50,000	4,500	78.8	77.4 - 80.2	1,200	21.2	19.8 - 22.6	5,800

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	73.8	70.3 - 77.1	300	26.2	22.9 - 29.7	1,300
Normal birth weight	13,100	78.6	77.7 - 79.5	3,600	21.4	20.5 - 22.3	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	75.0	71.6 - 78.2	400	25.0	21.8 - 28.4	1,500
No	12,700	78.6	77.7 - 79.5	3,500	21.4	20.5 - 22.3	16,200



**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,800	76.7	74.6 - 78.7	800	23.3	21.3 - 25.4	3,600
<b>No</b>	11,100	78.7	77.7 - 79.6	3,000	21.3	20.4 - 22.3	14,100

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,000	78.6	77.2 - 79.9	1,600	21.4	20.1 - 22.8	7,700
<b>No</b>	7,800	78.3	77.1 - 79.4	2,200	21.7	20.6 - 22.9	10,000

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	13,800	77.9	77.0 - 78.8	3,900	22.1	21.2 - 23.0	17,700

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,800	79.6	77.2 - 81.8	500	20.4	18.2 - 22.8	2,200
<b>Honolulu</b>	9,800	76.9	75.7 - 77.9	3,000	23.1	22.1 - 24.3	12,800
<b>Kauai</b>	700	81.9	78.2 - 85.1	200	18.1	14.9 - 21.8	900
<b>Maui</b>	1,500	81.1	78.6 - 83.4	400	18.9	16.6 - 21.4	1,900

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,300	82.5	80.6 - 84.2	700	17.5	15.8 - 19.4	3,900
Native Hawaiian	3,900	78.5	76.8 - 80.1	1,100	21.5	19.9 - 23.2	4,900
Chinese	500	75.3	71.5 - 78.7	200	24.7	21.3 - 28.5	700
Filipino	2,600	77.6	75.5 - 79.6	800	22.4	20.4 - 24.5	3,400
Japanese	1,700	77.7	74.9 - 80.2	500	22.3	19.8 - 25.1	2,200
Other	1,900	71.1	68.3 - 73.7	800	28.9	26.3 - 31.7	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	77.6	74.2 - 80.6	300	22.4	19.4 - 25.8	1,500
20-24	3,400	79.1	77.2 - 80.8	900	20.9	19.2 - 22.8	4,300
25-34	6,900	79.3	78.0 - 80.5	1,800	20.7	19.5 - 22.0	8,700
35+	2,300	72.6	70.3 - 74.8	900	27.4	25.2 - 29.7	3,100

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,200	77.7	76.4 - 78.9	2,100	22.3	21.1 - 23.6	9,200
Female	6,600	78.1	76.8 - 79.3	1,900	21.9	20.7 - 23.2	8,500

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,000	78.4	77.3 - 79.5	2,500	21.6	20.5 - 22.7	11,500
No	4,800	76.9	75.3 - 78.5	1,400	23.1	21.5 - 24.7	6,200

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,200	75.8	74.2 - 77.3	1,600	24.2	22.7 - 25.8	6,800
131-185%	1,900	81.9	79.5 - 84.0	400	18.1	16.0 - 20.5	2,300
186+%	5,900	79.6	78.3 - 80.9	1,500	20.4	19.1 - 21.7	7,400

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	73.8	70.2 - 77.2	300	26.2	22.8 - 29.8	1,300
Normal birth weight	12,800	78.2	77.3 - 79.1	3,600	21.8	20.9 - 22.7	16,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	76.4	73.1 - 79.5	400	23.6	20.5 - 26.9	1,500
No	12,400	78.0	77.0 - 78.9	3,500	22.0	21.1 - 23.0	15,900

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	77.0	74.8 - 78.9	800	23.0	21.1 - 25.2	3,600
No	10,800	78.1	77.1 - 79.1	3,000	21.9	20.9 - 22.9	13,800

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,900	78.4	77.0 - 79.7	1,600	21.6	20.3 - 23.0	7,500
<b>No</b>	7,700	77.8	76.6 - 78.9	2,200	22.2	21.1 - 23.4	9,900

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	13,500	77.3	76.3 - 78.2	4,000	22.7	21.8 - 23.7	17,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,700	79.0	76.7 - 81.1	400	21.0	18.9 - 23.3	2,100
<b>Honolulu</b>	9,700	76.5	75.3 - 77.6	3,000	23.5	22.4 - 24.7	12,700
<b>Kauai</b>	600	80.3	76.6 - 83.5	200	19.7	16.5 - 23.4	800
<b>Maui</b>	1,400	79.7	77.3 - 81.9	400	20.3	18.1 - 22.7	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

DOH Race- Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	83.2	81.3 - 84.9	600	16.8	15.1 - 18.7	3,800
Native Hawaiian	3,700	77.6	76.0 - 79.2	1,100	22.4	20.8 - 24.0	4,800
Chinese	500	74.7	70.0 - 79.0	200	25.3	21.0 - 30.0	600
Filipino	2,600	76.9	74.6 - 79.0	800	23.1	21.0 - 25.4	3,400
Japanese	1,700	77.1	74.2 - 79.8	500	22.9	20.2 - 25.8	2,200
Other	1,700	68.9	65.8 - 71.8	800	31.1	28.2 - 34.2	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	75.9	72.5 - 79.0	400	24.1	21.0 - 27.5	1,500
20-24	3,400	78.5	76.6 - 80.3	900	21.5	19.7 - 23.4	4,300
25-34	6,800	78.5	77.1 - 79.8	1,900	21.5	20.2 - 22.9	8,600
35+	2,200	72.8	70.4 - 75.1	800	27.2	24.9 - 29.6	3,000



**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	7,000	77.0	75.7 - 78.3	2,100	23.0	21.7 - 24.3	9,000
Female	6,500	77.5	76.2 - 78.9	1,900	22.5	21.1 - 23.8	8,400

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,000	78.2	77.1 - 79.3	2,500	21.8	20.7 - 22.9	11,500
No	4,400	75.4	73.7 - 77.0	1,500	24.6	23.0 - 26.3	5,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,100	75.2	73.6 - 76.7	1,700	24.8	23.3 - 26.4	6,700
131-185%	2,000	79.8	77.2 - 82.1	500	20.2	17.9 - 22.8	2,500
186+%	5,500	79.9	78.4 - 81.2	1,400	20.1	18.8 - 21.6	6,900

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	75.0	71.1 - 78.5	300	25.0	21.5 - 28.9	1,200
Normal birth weight	12,500	77.5	76.5 - 78.5	3,600	22.5	21.5 - 23.5	16,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	75.0	71.6 - 78.2	400	25.0	21.8 - 28.4	1,500
No	12,100	77.5	76.5 - 78.5	3,500	22.5	21.5 - 23.5	15,700

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	76.0	73.8 - 78.1	900	24.0	21.9 - 26.2	3,500
No	10,500	77.5	76.5 - 78.6	3,000	22.5	21.4 - 23.5	13,500

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,800	77.7	76.3 - 79.1	1,600	22.3	20.9 - 23.7	7,400
<b>No</b>	7,500	77.2	75.9 - 78.4	2,200	22.8	21.6 - 24.1	9,800

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	13,200	77.4	76.4 - 78.3	3,900	22.6	21.7 - 23.6	17,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,600	79.0	76.9 - 80.9	400	21.0	19.1 - 23.1	2,100
<b>Honolulu</b>	9,600	76.7	75.5 - 77.8	2,900	23.3	22.2 - 24.5	12,500
<b>Kauai</b>	600	78.6	75.2 - 81.7	200	21.4	18.3 - 24.8	800
<b>Maui</b>	1,400	80.0	77.8 - 82.1	400	20.0	17.9 - 22.2	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	83.1	81.2 - 84.8	600	16.9	15.2 - 18.8	3,700
Native Hawaiian	3,600	77.1	75.6 - 78.4	1,100	22.9	21.6 - 24.4	4,700
Chinese	500	72.5	67.2 - 77.2	200	27.5	22.8 - 32.8	700
Filipino	2,600	76.7	74.5 - 78.9	800	23.3	21.1 - 25.5	3,400
Japanese	1,700	77.8	74.8 - 80.5	500	22.2	19.5 - 25.2	2,200
Other	1,700	71.1	67.9 - 74.0	700	28.9	26.0 - 32.1	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	76.0	72.9 - 78.8	400	24.0	21.2 - 27.1	1,500
20-24	3,300	78.8	77.0 - 80.5	900	21.2	19.5 - 23.0	4,200
25-34	6,600	78.4	77.1 - 79.7	1,800	21.6	20.3 - 22.9	8,400
35+	2,100	73.0	70.5 - 75.3	800	27.0	24.7 - 29.5	2,900

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,800	77.3	75.9 - 78.5	2,000	22.7	21.5 - 24.1	8,900
Female	6,400	77.5	76.1 - 78.8	1,900	22.5	21.2 - 23.9	8,200

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,000	78.3	77.2 - 79.5	2,500	21.7	20.5 - 22.8	11,400
No	4,300	75.4	73.8 - 77.0	1,400	24.6	23.0 - 26.2	5,700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,100	76.1	74.5 - 77.5	1,600	23.9	22.5 - 25.5	6,700
131-185%	2,100	79.2	76.8 - 81.4	600	20.8	18.6 - 23.2	2,700
186+%	5,100	79.4	77.9 - 80.9	1,300	20.6	19.1 - 22.1	6,400

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	73.0	69.0 - 76.7	300	27.0	23.3 - 31.0	1,200
Normal birth weight	12,400	77.7	76.8 - 78.7	3,500	22.3	21.3 - 23.2	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	73.7	70.4 - 76.7	400	26.3	23.3 - 29.6	1,500
No	11,900	77.8	76.8 - 78.7	3,400	22.2	21.3 - 23.2	15,300

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	76.1	74.1 - 78.1	800	23.9	21.9 - 25.9	3,500
No	10,300	77.7	76.6 - 78.7	3,000	22.3	21.3 - 23.4	13,200

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,600	77.4	76.0 - 78.7	1,600	22.6	21.3 - 24.0	7,300
<b>No</b>	7,400	77.5	76.3 - 78.8	2,200	22.5	21.2 - 23.7	9,600



**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	13,200	77.5	76.6 - 78.4	3,800	22.5	21.6 - 23.4	17,100

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,500	77.4	75.4 - 79.3	400	22.6	20.7 - 24.6	2,000
<b>Honolulu</b>	9,700	77.2	76.0 - 78.3	2,900	22.8	21.7 - 24.0	12,500
<b>Kauai</b>	600	77.7	74.5 - 80.6	200	22.3	19.4 - 25.5	800
<b>Maui</b>	1,400	80.2	78.2 - 82.1	300	19.8	17.9 - 21.8	1,800

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

DOH Race- Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	83.3	81.4 - 84.9	600	16.7	15.1 - 18.6	3,800
Native Hawaiian	3,600	77.9	76.6 - 79.0	1,000	22.1	21.0 - 23.4	4,700
Chinese	500	69.7	63.8 - 74.9	200	30.3	25.1 - 36.2	700
Filipino	2,700	76.6	74.3 - 78.8	800	23.4	21.2 - 25.7	3,500
Japanese	1,700	78.9	75.9 - 81.6	500	21.1	18.4 - 24.1	2,100
Other	1,700	70.2	66.9 - 73.2	700	29.8	26.8 - 33.1	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	76.6	73.8 - 79.2	400	23.4	20.8 - 26.2	1,600
20-24	3,300	79.3	77.5 - 81.0	900	20.7	19.0 - 22.5	4,200
25-34	6,500	78.3	76.9 - 79.6	1,800	21.7	20.4 - 23.1	8,400
35+	2,100	73.3	70.8 - 75.7	800	26.7	24.3 - 29.2	2,900

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,800	77.2	75.9 - 78.5	2,000	22.8	21.5 - 24.1	8,900
Female	6,400	77.9	76.5 - 79.2	1,800	22.1	20.8 - 23.5	8,200

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	9,100	78.5	77.4 - 79.7	2,500	21.5	20.3 - 22.6	11,600
No	4,100	75.4	73.8 - 76.9	1,300	24.6	23.1 - 26.2	5,500

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	5,300	76.4	74.9 - 77.8	1,600	23.6	22.2 - 25.1	6,900
131-185%	2,200	79.6	77.3 - 81.8	600	20.4	18.2 - 22.7	2,800
186+%	4,800	79.2	77.7 - 80.7	1,300	20.8	19.3 - 22.3	6,100

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	75.9	72.0 - 79.4	300	24.1	20.6 - 28.0	1,100
Normal birth weight	12,300	77.7	76.7 - 78.6	3,500	22.3	21.4 - 23.3	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	73.1	69.8 - 76.0	400	26.9	24.0 - 30.2	1,500
No	11,900	78.0	77.0 - 78.9	3,400	22.0	21.1 - 23.0	15,300

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	76.1	74.0 - 78.0	800	23.9	22.0 - 26.0	3,400
No	10,300	77.8	76.8 - 78.9	2,900	22.2	21.1 - 23.2	13,200

**PRAMS Health Indicator 5-Year Aggregate Report - Contraceptive use since giving birth- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,700	77.5	76.1 - 78.8	1,600	22.5	21.2 - 23.9	7,300
No	7,400	77.5	76.2 - 78.8	2,100	22.5	21.2 - 23.8	9,600