

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- for the State of Hawaii, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
No contraception at conception- didn't mind getting pregnant	Among women not on contraception at the time of conception, those who were not on it because they didn't mind if they got pregnant

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/22/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- for the State of Hawaii, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013


Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2004	2,700	48.9	47.0 - 50.8	2,800	51.1	49.2 - 53.0	5,500
2001-2005	2,700	49.3	47.3 - 51.2	2,800	50.7	48.8 - 52.7	5,400
2002-2006	2,600	48.5	46.4 - 50.5	2,800	51.5	49.5 - 53.6	5,400
2003-2007	2,500	46.3	44.3 - 48.3	2,900	53.7	51.7 - 55.7	5,500
2004-2008	2,500	45.8	43.9 - 47.8	2,900	54.2	52.2 - 56.1	5,400
2005-2009	2,500	45.9	43.8 - 48.0	3,000	54.1	52.0 - 56.2	5,500
2006-2010	2,700	47.8	45.5 - 50.1	2,900	52.2	49.9 - 54.5	5,600
2007-2011	2,700	48.7	46.3 - 51.1	2,800	51.3	48.9 - 53.7	5,500
2008-2012	2,700	49.9	47.3 - 52.4	2,700	50.1	47.6 - 52.7	5,400
2009-2013	2,800	50.4	47.7 - 53.0	2,800	49.6	47.0 - 52.3	5,500

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- for the State of Hawaii, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,800	50.4	47.7 - 53.0	2,800	49.6	47.0 - 52.3	5,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	45.4	41.3 - 49.7	400	54.6	50.3 - 58.7	700
Honolulu	2,000	51.1	47.5 - 54.8	1,900	48.9	45.2 - 52.5	3,900
Kauai	100	49.8	44.9 - 54.6	100	50.2	45.4 - 55.1	300
Maui	300	51.7	47.6 - 55.7	300	48.3	44.3 - 52.4	600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	600	56.7	50.4 - 62.8	400	43.3	37.2 - 49.6	1,000
Native Hawaiian	900	47.0	42.8 - 51.3	1,100	53.0	48.7 - 57.2	2,000
Chinese	100	61.0	46.7 - 73.6	100	39.0	26.4 - 53.3	200
Filipino	500	48.4	42.0 - 54.7	500	51.6	45.3 - 58.0	1,000
Japanese	300	65.5	55.3 - 74.4	100	34.5	25.6 - 44.7	400
Other	400	43.0	36.3 - 50.1	500	57.0	49.9 - 63.7	900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	29.4	22.4 - 37.5	400	70.6	62.5 - 77.6	500
20-24	700	44.3	39.3 - 49.5	900	55.7	50.5 - 60.7	1,600
25-34	1,400	56.1	52.1 - 59.9	1,100	43.9	40.1 - 47.9	2,600
35+	500	57.8	51.0 - 64.2	400	42.2	35.8 - 49.0	900

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	49.9	46.0 - 53.7	1,300	50.1	46.3 - 54.0	2,700
Female	1,500	50.8	47.1 - 54.6	1,400	49.2	45.4 - 52.9	2,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	59.8	55.9 - 63.5	1,100	40.2	36.5 - 44.1	2,700
No	1,200	41.2	37.6 - 44.8	1,600	58.8	55.2 - 62.4	2,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,100	41.0	37.3 - 44.9	1,500	59.0	55.1 - 62.7	2,600
131-185%	400	55.0	47.8 - 62.0	400	45.0	38.0 - 52.2	800
186+%	1,000	65.4	60.5 - 70.1	500	34.6	29.9 - 39.5	1,600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	49.4	45.0 - 53.9	200	50.6	46.1 - 55.0	400
Normal birth weight	2,600	50.6	47.7 - 53.4	2,500	49.4	46.6 - 52.3	5,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	44.9	36.9 - 53.3	300	55.1	46.7 - 63.1	500
No	2,500	50.9	48.0 - 53.7	2,400	49.1	46.3 - 52.0	4,900

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	46.3	41.2 - 51.4	700	53.7	48.6 - 58.8	1,400
No	2,100	51.7	48.5 - 54.9	2,000	48.3	45.1 - 51.5	4,000

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	45.4	41.8 - 49.0	1,600	54.6	51.0 - 58.2	2,900
No	1,400	56.4	52.3 - 60.3	1,100	43.6	39.7 - 47.7	2,500

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,700	49.9	47.3 - 52.4	2,700	50.1	47.6 - 52.7	5,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	44.8	40.4 - 49.3	400	55.2	50.7 - 59.6	700
Honolulu	1,900	50.2	46.8 - 53.6	1,900	49.8	46.4 - 53.2	3,800
Kauai	100	50.9	45.0 - 56.8	100	49.1	43.2 - 55.0	300
Maui	300	53.9	49.3 - 58.3	300	46.1	41.7 - 50.7	600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	56.0	50.1 - 61.8	400	44.0	38.2 - 49.9	1,000
Native Hawaiian	900	46.7	42.6 - 50.8	1,000	53.3	49.2 - 57.4	1,900
Chinese	100	64.9	50.8 - 76.7	100	35.1	23.3 - 49.2	200
Filipino	500	47.5	41.6 - 53.4	500	52.5	46.6 - 58.4	1,000
Japanese	200	60.5	51.0 - 69.3	200	39.5	30.7 - 49.0	400
Other	400	45.2	38.8 - 51.7	500	54.8	48.3 - 61.2	900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	31.1	24.4 - 38.8	400	68.9	61.2 - 75.6	600
20-24	600	42.3	37.5 - 47.2	900	57.7	52.8 - 62.5	1,500
25-34	1,400	56.6	52.9 - 60.2	1,100	43.4	39.8 - 47.1	2,500
35+	500	56.1	49.7 - 62.3	400	43.9	37.7 - 50.3	900

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	48.8	45.3 - 52.4	1,400	51.2	47.6 - 54.7	2,700
Female	1,400	51.0	47.4 - 54.6	1,300	49.0	45.4 - 52.6	2,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	58.1	54.5 - 61.7	1,100	41.9	38.3 - 45.5	2,700
No	1,100	41.7	38.3 - 45.3	1,600	58.3	54.7 - 61.7	2,700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,100	41.9	38.3 - 45.5	1,500	58.1	54.5 - 61.7	2,600
131-185%	400	54.0	47.1 - 60.7	300	46.0	39.3 - 52.9	700
186+%	1,000	62.6	58.0 - 66.9	600	37.4	33.1 - 42.0	1,600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	50.3	44.9 - 55.6	200	49.7	44.4 - 55.1	400
Normal birth weight	2,500	50.0	47.3 - 52.7	2,500	50.0	47.3 - 52.7	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	47.7	40.2 - 55.2	300	52.3	44.8 - 59.8	600
No	2,400	50.2	47.4 - 52.9	2,300	49.8	47.1 - 52.6	4,700

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	48.0	43.1 - 52.9	700	52.0	47.1 - 56.9	1,400
No	2,000	50.5	47.5 - 53.6	1,900	49.5	46.4 - 52.5	3,900

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	44.7	41.3 - 48.2	1,600	55.3	51.8 - 58.7	2,900
No	1,400	56.2	52.4 - 60.0	1,100	43.8	40.0 - 47.6	2,400

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,700	48.7	46.3 - 51.1	2,800	51.3	48.9 - 53.7	5,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	40.4	35.9 - 45.2	400	59.6	54.8 - 64.1	700
Honolulu	1,900	49.2	46.1 - 52.4	1,900	50.8	47.6 - 53.9	3,800
Kauai	200	52.6	46.0 - 59.2	100	47.4	40.8 - 54.0	300
Maui	300	53.4	48.4 - 58.3	300	46.6	41.7 - 51.6	600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	52.1	46.5 - 57.6	500	47.9	42.4 - 53.5	1,000
Native Hawaiian	900	45.6	41.7 - 49.6	1,100	54.4	50.4 - 58.3	2,000
Chinese	100	65.3	51.5 - 77.0	100	34.7	23.0 - 48.5	200
Filipino	500	46.6	41.1 - 52.2	500	53.4	47.8 - 58.9	1,000
Japanese	300	59.3	50.9 - 67.1	200	40.7	32.9 - 49.1	400
Other	400	45.5	39.5 - 51.6	500	54.5	48.4 - 60.5	900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	28.5	22.7 - 35.1	500	71.5	64.9 - 77.3	600
20-24	600	41.3	36.9 - 45.9	900	58.7	54.1 - 63.1	1,600
25-34	1,400	56.5	53.0 - 59.9	1,100	43.5	40.1 - 47.0	2,500
35+	400	54.9	48.6 - 61.0	400	45.1	39.0 - 51.4	800

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,400	49.0	45.7 - 52.3	1,400	51.0	47.7 - 54.3	2,800
Female	1,300	48.4	44.9 - 51.8	1,400	51.6	48.2 - 55.1	2,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	57.8	54.3 - 61.1	1,100	42.2	38.9 - 45.7	2,700
No	1,100	39.9	36.6 - 43.2	1,700	60.1	56.8 - 63.4	2,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,100	39.7	36.4 - 43.1	1,600	60.3	56.9 - 63.6	2,700
131-185%	400	53.8	47.3 - 60.2	300	46.2	39.8 - 52.7	700
186+%	1,100	63.2	58.9 - 67.2	600	36.8	32.8 - 41.1	1,700

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	32.3	28.0 - 37.0	900	67.7	63.0 - 72.0	1,400
\$10,000-\$24,999	600	47.1	42.2 - 52.1	700	52.9	47.9 - 57.8	1,300
\$25,000-\$49,999	700	57.2	52.2 - 62.1	500	42.8	37.9 - 47.8	1,200
>=\$50,000	800	63.2	58.1 - 67.9	500	36.8	32.1 - 41.9	1,200

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	47.5	41.7 - 53.5	200	52.5	46.5 - 58.3	400
Normal birth weight	2,500	48.8	46.3 - 51.4	2,600	51.2	48.6 - 53.7	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	42.2	35.5 - 49.2	400	57.8	50.8 - 64.5	600
No	2,300	49.3	46.7 - 51.9	2,400	50.7	48.1 - 53.3	4,800

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	44.8	40.3 - 49.4	800	55.2	50.6 - 59.7	1,500
No	2,000	49.8	47.0 - 52.7	2,000	50.2	47.3 - 53.0	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	42.7	39.5 - 46.0	1,700	57.3	54.0 - 60.5	2,900
No	1,400	55.7	52.1 - 59.2	1,100	44.3	40.8 - 47.9	2,500

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,700	47.8	45.5 - 50.1	2,900	52.2	49.9 - 54.5	5,600

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	39.9	35.1 - 45.0	400	60.1	55.0 - 64.9	700
Honolulu	1,900	48.7	45.8 - 51.7	2,000	51.3	48.3 - 54.2	3,900
Kauai	200	50.1	42.8 - 57.4	200	49.9	42.6 - 57.2	300
Maui	300	49.8	44.5 - 55.1	300	50.2	44.9 - 55.5	600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	52.6	47.3 - 57.9	500	47.4	42.1 - 52.7	1,000
Native Hawaiian	900	43.8	40.0 - 47.7	1,100	56.2	52.3 - 60.0	2,000
Chinese	100	65.5	52.6 - 76.5	100	34.5	23.5 - 47.4	200
Filipino	500	47.4	42.1 - 52.7	500	52.6	47.3 - 57.9	1,000
Japanese	300	58.1	50.4 - 65.4	200	41.9	34.6 - 49.6	400
Other	500	43.8	38.5 - 49.3	600	56.2	50.7 - 61.5	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	26.1	20.7 - 32.2	500	73.9	67.8 - 79.3	700
20-24	700	41.4	37.2 - 45.7	900	58.6	54.3 - 62.8	1,600
25-34	1,400	55.5	52.2 - 58.8	1,100	44.5	41.2 - 47.8	2,500
35+	400	54.8	48.8 - 60.6	400	45.2	39.4 - 51.2	800

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	47.6	44.4 - 50.7	1,500	52.4	49.3 - 55.6	2,800
Female	1,300	48.0	44.8 - 51.3	1,400	52.0	48.7 - 55.2	2,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	57.3	54.0 - 60.4	1,200	42.7	39.6 - 46.0	2,700
No	1,100	38.7	35.6 - 41.8	1,700	61.3	58.2 - 64.4	2,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,100	39.4	36.3 - 42.7	1,700	60.6	57.3 - 63.7	2,700
131-185%	400	48.6	42.5 - 54.7	400	51.4	45.3 - 57.5	700
186+%	1,100	63.9	59.9 - 67.7	600	36.1	32.3 - 40.1	1,700

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	32.3	28.2 - 36.7	1,000	67.7	63.3 - 71.8	1,400
\$10,000-\$24,999	600	46.4	41.8 - 51.0	700	53.6	49.0 - 58.2	1,300
\$25,000-\$49,999	700	56.5	51.7 - 61.2	500	43.5	38.8 - 48.3	1,200
>=\$50,000	800	62.8	58.0 - 67.3	400	37.2	32.7 - 42.0	1,200

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	45.9	39.6 - 52.3	200	54.1	47.7 - 60.4	400
Normal birth weight	2,500	48.0	45.6 - 50.4	2,700	52.0	49.6 - 54.4	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	39.9	33.9 - 46.2	500	60.1	53.8 - 66.1	800
No	2,300	48.9	46.5 - 51.4	2,400	51.1	48.6 - 53.5	4,700

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	42.9	38.7 - 47.2	900	57.1	52.8 - 61.3	1,600
No	1,900	49.6	46.9 - 52.3	2,000	50.4	47.7 - 53.1	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	42.1	39.1 - 45.2	1,700	57.9	54.8 - 60.9	3,000
No	1,400	54.3	50.9 - 57.7	1,100	45.7	42.3 - 49.1	2,500

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,500	45.9	43.8 - 48.0	3,000	54.1	52.0 - 56.2	5,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	38.6	33.5 - 43.9	400	61.4	56.1 - 66.5	700
Honolulu	1,800	46.7	44.1 - 49.4	2,100	53.3	50.6 - 55.9	3,900
Kauai	200	50.1	42.3 - 57.9	200	49.9	42.1 - 57.7	300
Maui	300	47.1	41.4 - 52.9	300	52.9	47.1 - 58.6	600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	52.2	47.2 - 57.1	400	47.8	42.9 - 52.8	900
Native Hawaiian	900	44.3	40.6 - 48.0	1,100	55.7	52.0 - 59.4	2,000
Chinese	100	56.6	44.6 - 68.0	100	43.4	32.0 - 55.4	200
Filipino	400	42.7	38.0 - 47.5	500	57.3	52.5 - 62.0	900
Japanese	300	57.1	50.2 - 63.8	200	42.9	36.2 - 49.8	500
Other	400	39.2	34.4 - 44.2	600	60.8	55.8 - 65.6	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	24.2	19.5 - 29.7	600	75.8	70.3 - 80.5	700
20-24	700	40.7	36.9 - 44.7	900	59.3	55.3 - 63.1	1,600
25-34	1,300	53.9	50.7 - 57.0	1,100	46.1	43.0 - 49.3	2,400
35+	400	52.7	47.1 - 58.3	400	47.3	41.7 - 52.9	800

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	47.0	44.0 - 49.9	1,500	53.0	50.1 - 56.0	2,800
Female	1,200	44.8	41.8 - 47.8	1,500	55.2	52.2 - 58.2	2,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	56.6	53.6 - 59.6	1,100	43.4	40.4 - 46.4	2,600
No	1,100	36.4	33.6 - 39.3	1,900	63.6	60.7 - 66.4	2,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	37.4	34.5 - 40.4	1,700	62.6	59.6 - 65.5	2,800
131-185%	300	47.2	41.3 - 53.1	400	52.8	46.9 - 58.7	700
186+%	1,000	63.5	59.8 - 67.0	600	36.5	33.0 - 40.2	1,600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	31.2	27.5 - 35.2	1,000	68.8	64.8 - 72.5	1,500
\$10,000-\$24,999	600	44.5	40.3 - 48.7	700	55.5	51.3 - 59.7	1,400
\$25,000-\$49,999	600	53.3	48.7 - 57.9	600	46.7	42.1 - 51.3	1,200
>=\$50,000	700	64.2	59.7 - 68.5	400	35.8	31.5 - 40.3	1,100

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	42.2	35.9 - 48.8	300	57.8	51.2 - 64.1	400
Normal birth weight	2,400	46.3	44.0 - 48.5	2,700	53.7	51.5 - 56.0	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	37.1	31.6 - 42.9	500	62.9	57.1 - 68.4	800
No	2,200	47.2	45.0 - 49.5	2,400	52.8	50.5 - 55.0	4,600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	41.7	37.8 - 45.7	900	58.3	54.3 - 62.2	1,600
No	1,800	47.6	45.0 - 50.1	2,000	52.4	49.9 - 55.0	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	39.6	36.7 - 42.4	1,800	60.4	57.6 - 63.3	3,000
No	1,300	53.4	50.3 - 56.6	1,100	46.6	43.4 - 49.7	2,400

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,500	45.8	43.9 - 47.8	2,900	54.2	52.2 - 56.1	5,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	36.9	31.7 - 42.5	400	63.1	57.5 - 68.3	700
Honolulu	1,800	47.2	44.9 - 49.6	2,000	52.8	50.4 - 55.1	3,800
Kauai	100	49.4	41.0 - 57.9	100	50.6	42.1 - 59.0	300
Maui	300	45.9	39.8 - 52.0	300	54.1	48.0 - 60.2	600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	400	50.0	45.3 - 54.7	400	50.0	45.3 - 54.7	900
Native Hawaiian	800	44.4	40.9 - 48.0	1,000	55.6	52.0 - 59.1	1,900
Chinese	100	62.3	55.9 - 68.4	<50	37.7	31.6 - 44.1	100
Filipino	400	46.0	41.8 - 50.3	500	54.0	49.7 - 58.2	900
Japanese	300	54.8	48.5 - 60.9	200	45.2	39.1 - 51.5	500
Other	400	38.0	33.7 - 42.6	600	62.0	57.4 - 66.3	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	23.9	19.2 - 29.3	500	76.1	70.7 - 80.8	700
20-24	700	40.1	36.6 - 43.7	1,000	59.9	56.3 - 63.4	1,600
25-34	1,300	53.8	50.9 - 56.8	1,100	46.2	43.2 - 49.1	2,300
35+	400	53.3	48.3 - 58.3	300	46.7	41.7 - 51.7	700

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,300	46.8	44.1 - 49.5	1,500	53.2	50.5 - 55.9	2,800
Female	1,100	44.8	42.0 - 47.7	1,400	55.2	52.3 - 58.0	2,500

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,400	55.0	52.3 - 57.7	1,200	45.0	42.3 - 47.7	2,600
No	1,000	37.0	34.3 - 39.8	1,700	63.0	60.2 - 65.7	2,700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,000	38.4	35.6 - 41.2	1,600	61.6	58.8 - 64.4	2,700
131-185%	300	46.3	40.8 - 52.0	300	53.7	48.0 - 59.2	600
186+%	1,000	61.8	58.4 - 65.1	600	38.2	34.9 - 41.6	1,600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	32.0	28.4 - 35.8	1,000	68.0	64.2 - 71.6	1,400
\$10,000-\$24,999	600	44.8	40.9 - 48.7	800	55.2	51.3 - 59.1	1,400
\$25,000-\$49,999	600	53.8	49.6 - 58.0	500	46.2	42.0 - 50.4	1,100
>=\$50,000	700	62.8	58.6 - 66.9	400	37.2	33.1 - 41.4	1,000

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	38.6	31.9 - 45.9	200	61.4	54.1 - 68.1	400
Normal birth weight	2,300	46.4	44.4 - 48.5	2,700	53.6	51.5 - 55.6	4,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	37.0	31.9 - 42.5	500	63.0	57.5 - 68.1	700
No	2,100	47.5	45.3 - 49.6	2,400	52.5	50.4 - 54.7	4,500

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	42.0	38.3 - 45.8	900	58.0	54.2 - 61.7	1,500
No	1,800	47.7	45.4 - 50.1	1,900	52.3	49.9 - 54.6	3,700

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	40.1	37.4 - 42.8	1,700	59.9	57.2 - 62.6	2,900
No	1,200	53.3	50.4 - 56.2	1,100	46.7	43.8 - 49.6	2,300

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,500	46.3	44.3 - 48.3	2,900	53.7	51.7 - 55.7	5,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	38.3	33.4 - 43.4	400	61.7	56.6 - 66.6	700
Honolulu	1,900	47.6	45.2 - 50.1	2,000	52.4	49.9 - 54.8	3,900
Kauai	100	47.0	39.3 - 54.9	200	53.0	45.1 - 60.7	300
Maui	300	46.4	40.7 - 52.1	300	53.6	47.9 - 59.3	600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	50.8	45.9 - 55.8	400	49.2	44.2 - 54.1	900
Native Hawaiian	800	43.4	40.1 - 46.7	1,100	56.6	53.3 - 59.9	1,900
Chinese	100	62.0	51.9 - 71.1	100	38.0	28.9 - 48.1	100
Filipino	500	45.5	41.1 - 50.0	600	54.5	50.0 - 58.9	1,000
Japanese	300	56.5	49.8 - 63.0	200	43.5	37.0 - 50.2	500
Other	400	41.2	36.5 - 46.1	600	58.8	53.9 - 63.5	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	20.2	16.2 - 24.9	600	79.8	75.1 - 83.8	800
20-24	700	42.2	38.7 - 45.8	1,000	57.8	54.2 - 61.3	1,700
25-34	1,300	54.9	51.8 - 57.9	1,000	45.1	42.1 - 48.2	2,300
35+	400	55.6	50.3 - 60.8	300	44.4	39.2 - 49.7	700

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,400	48.3	45.6 - 51.0	1,500	51.7	49.0 - 54.4	2,900
Female	1,100	44.0	41.2 - 46.9	1,500	56.0	53.1 - 58.8	2,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,500	56.8	54.0 - 59.6	1,200	43.2	40.4 - 46.0	2,700
No	1,000	36.2	33.5 - 38.9	1,800	63.8	61.1 - 66.5	2,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,100	38.8	36.1 - 41.6	1,700	61.2	58.4 - 63.9	2,800
131-185%	300	51.9	46.1 - 57.5	300	48.1	42.5 - 53.9	700
186+%	900	63.0	59.3 - 66.5	500	37.0	33.5 - 40.7	1,500

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	38.3	31.5 - 45.5	300	61.7	54.5 - 68.5	400
Normal birth weight	2,400	46.9	44.9 - 49.0	2,700	53.1	51.0 - 55.1	5,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	35.7	30.7 - 41.0	500	64.3	59.0 - 69.3	800
No	2,200	48.2	46.1 - 50.4	2,400	51.8	49.6 - 53.9	4,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	41.1	37.5 - 44.8	900	58.9	55.2 - 62.5	1,600
No	1,800	48.5	46.1 - 50.9	1,900	51.5	49.1 - 53.9	3,700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	39.9	37.3 - 42.6	1,800	60.1	57.4 - 62.7	3,000
No	1,300	54.6	51.6 - 57.6	1,100	45.4	42.4 - 48.4	2,400

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,600	48.5	46.4 - 50.5	2,800	51.5	49.5 - 53.6	5,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	42.4	37.8 - 47.1	400	57.6	52.9 - 62.2	700
Honolulu	2,000	50.3	47.8 - 52.8	1,900	49.7	47.2 - 52.2	3,900
Kauai	100	44.1	36.6 - 51.9	100	55.9	48.1 - 63.4	300
Maui	300	45.4	40.2 - 50.6	300	54.6	49.4 - 59.8	600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	54.2	48.9 - 59.3	400	45.8	40.7 - 51.1	900
Native Hawaiian	800	44.6	41.7 - 47.6	1,000	55.4	52.4 - 58.3	1,900
Chinese	100	60.0	48.5 - 70.5	100	40.0	29.5 - 51.5	100
Filipino	500	48.8	44.0 - 53.6	500	51.2	46.4 - 56.0	1,000
Japanese	300	55.6	48.4 - 62.6	200	44.4	37.4 - 51.6	500
Other	400	45.1	39.9 - 50.3	500	54.9	49.7 - 60.1	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	22.7	18.6 - 27.4	600	77.3	72.6 - 81.4	700
20-24	800	46.6	43.0 - 50.3	900	53.4	49.7 - 57.0	1,700
25-34	1,200	55.8	52.6 - 59.0	1,000	44.2	41.0 - 47.4	2,200
35+	400	56.5	51.1 - 61.7	300	43.5	38.3 - 48.9	700

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,400	49.6	46.8 - 52.4	1,400	50.4	47.6 - 53.2	2,800
Female	1,200	47.2	44.3 - 50.1	1,400	52.8	49.9 - 55.7	2,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,600	58.6	55.7 - 61.4	1,100	41.4	38.6 - 44.3	2,800
No	1,000	38.0	35.3 - 40.8	1,700	62.0	59.2 - 64.7	2,700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,100	41.8	39.1 - 44.7	1,600	58.2	55.3 - 60.9	2,700
131-185%	400	55.6	49.8 - 61.2	300	44.4	38.8 - 50.2	700
186+%	900	63.4	59.5 - 67.1	500	36.6	32.9 - 40.5	1,400

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	42.1	34.8 - 49.9	200	57.9	50.1 - 65.2	400
Normal birth weight	2,500	48.9	46.8 - 51.0	2,600	51.1	49.0 - 53.2	5,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	39.9	34.8 - 45.2	500	60.1	54.8 - 65.2	800
No	2,300	50.3	48.1 - 52.5	2,300	49.7	47.5 - 51.9	4,500

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	43.9	40.3 - 47.6	900	56.1	52.4 - 59.7	1,600
No	1,900	50.8	48.3 - 53.2	1,800	49.2	46.8 - 51.7	3,700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	42.6	39.9 - 45.4	1,700	57.4	54.6 - 60.1	2,900
No	1,300	56.0	52.9 - 59.0	1,100	44.0	41.0 - 47.1	2,400

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,700	49.3	47.3 - 51.2	2,800	50.7	48.8 - 52.7	5,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	45.6	41.4 - 49.8	400	54.4	50.2 - 58.6	700
Honolulu	2,000	50.5	48.0 - 53.0	1,900	49.5	47.0 - 52.0	3,900
Kauai	100	45.5	38.9 - 52.3	100	54.5	47.7 - 61.1	300
Maui	300	47.4	42.7 - 52.0	300	52.6	48.0 - 57.3	600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	54.6	49.4 - 59.7	400	45.4	40.3 - 50.6	900
Native Hawaiian	900	45.9	43.3 - 48.6	1,000	54.1	51.4 - 56.7	1,900
Chinese	100	64.2	52.0 - 74.7	100	35.8	25.3 - 48.0	200
Filipino	500	47.9	43.4 - 52.5	600	52.1	47.5 - 56.6	1,100
Japanese	300	58.6	51.5 - 65.4	200	41.4	34.6 - 48.5	500
Other	400	45.0	39.6 - 50.5	500	55.0	49.5 - 60.4	900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	25.1	21.2 - 29.5	600	74.9	70.5 - 78.8	800
20-24	800	46.7	43.3 - 50.2	900	53.3	49.8 - 56.7	1,700
25-34	1,300	57.1	54.0 - 60.1	1,000	42.9	39.9 - 46.0	2,200
35+	400	57.7	52.3 - 62.9	300	42.3	37.1 - 47.7	700

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,400	50.0	47.3 - 52.7	1,400	50.0	47.3 - 52.7	2,900
Female	1,300	48.4	45.6 - 51.3	1,300	51.6	48.7 - 54.4	2,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,700	61.0	58.3 - 63.7	1,100	39.0	36.3 - 41.7	2,800
No	1,000	36.7	34.1 - 39.3	1,700	63.3	60.7 - 65.9	2,600

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,200	43.1	40.4 - 45.8	1,600	56.9	54.2 - 59.6	2,700
131-185%	400	56.3	51.1 - 61.4	300	43.7	38.6 - 48.9	800
186+%	800	63.4	59.4 - 67.2	500	36.6	32.8 - 40.6	1,300

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	43.5	36.2 - 51.0	200	56.5	49.0 - 63.8	400
Normal birth weight	2,500	49.7	47.7 - 51.7	2,500	50.3	48.3 - 52.3	5,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	42.1	37.2 - 47.1	500	57.9	52.9 - 62.8	800
No	2,300	50.7	48.6 - 52.9	2,200	49.3	47.1 - 51.4	4,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	44.9	41.4 - 48.5	900	55.1	51.5 - 58.6	1,600
No	1,900	51.4	49.0 - 53.8	1,800	48.6	46.2 - 51.0	3,700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	43.8	41.2 - 46.4	1,600	56.2	53.6 - 58.8	2,900
No	1,400	56.1	53.2 - 59.0	1,100	43.9	41.0 - 46.8	2,500

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	2,700	48.9	47.0 - 50.8	2,800	51.1	49.2 - 53.0	5,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	300	45.1	41.4 - 48.9	400	54.9	51.1 - 58.6	700
Honolulu	1,900	49.8	47.3 - 52.2	2,000	50.2	47.8 - 52.7	3,900
Kauai	100	46.6	40.6 - 52.8	100	53.4	47.2 - 59.4	300
Maui	300	48.9	44.8 - 53.1	300	51.1	46.9 - 55.2	600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	500	55.6	50.6 - 60.5	400	44.4	39.5 - 49.4	900
Native Hawaiian	800	43.6	41.4 - 45.9	1,100	56.4	54.1 - 58.6	1,900
Chinese	100	64.2	51.0 - 75.6	100	35.8	24.4 - 49.0	200
Filipino	600	48.5	44.0 - 53.0	600	51.5	47.0 - 56.0	1,200
Japanese	300	59.9	52.6 - 66.8	200	40.1	33.2 - 47.4	500
Other	400	45.4	39.9 - 51.1	500	54.6	48.9 - 60.1	900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	24.5	21.0 - 28.5	600	75.5	71.5 - 79.0	800
20-24	800	45.4	42.1 - 48.8	900	54.6	51.2 - 57.9	1,700
25-34	1,300	58.0	54.9 - 61.0	900	42.0	39.0 - 45.1	2,200
35+	400	57.8	52.6 - 62.9	300	42.2	37.1 - 47.4	800

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	1,400	49.0	46.5 - 51.6	1,500	51.0	48.4 - 53.5	2,900
Female	1,300	48.8	46.0 - 51.6	1,300	51.2	48.4 - 54.0	2,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,800	60.0	57.3 - 62.6	1,200	40.0	37.4 - 42.7	2,900
No	900	36.1	33.6 - 38.7	1,600	63.9	61.3 - 66.4	2,500

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,200	42.9	40.4 - 45.5	1,600	57.1	54.5 - 59.6	2,900
131-185%	500	57.3	52.3 - 62.2	300	42.7	37.8 - 47.7	800
186+%	800	63.4	59.3 - 67.3	400	36.6	32.7 - 40.7	1,200

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	200	48.0	40.7 - 55.4	200	52.0	44.6 - 59.3	400
Normal birth weight	2,500	49.0	47.0 - 51.0	2,600	51.0	49.0 - 53.0	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	42.2	37.4 - 47.1	400	57.8	52.9 - 62.6	800
No	2,300	50.4	48.3 - 52.5	2,300	49.6	47.5 - 51.7	4,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	43.8	40.4 - 47.3	900	56.2	52.7 - 59.6	1,600
No	1,900	51.4	49.1 - 53.8	1,800	48.6	46.2 - 50.9	3,700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- didn't mind getting pregnant- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	43.6	41.0 - 46.1	1,600	56.4	53.9 - 59.0	2,900
No	1,400	55.5	52.6 - 58.3	1,100	44.5	41.7 - 47.4	2,500