

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- for the State of Hawaii, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
No contraception at conception- problems getting it	Among women not on contraception at the time of conception, those who were not on it because they had problems getting birth control

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/22/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- for the State of Hawaii, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013


Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2004	200	4.2	3.5 - 4.9	5,300	95.8	95.1 - 96.5	5,500
2001-2005	200	4.3	3.6 - 5.1	5,200	95.7	94.9 - 96.4	5,400
2002-2006	200	4.2	3.5 - 5.1	5,200	95.8	94.9 - 96.5	5,400
2003-2007	300	4.6	3.9 - 5.5	5,200	95.4	94.5 - 96.1	5,500
2004-2008	300	5.1	4.3 - 6.1	5,100	94.9	93.9 - 95.7	5,400
2005-2009	300	4.8	4.0 - 5.8	5,300	95.2	94.2 - 96.0	5,500
2006-2010	300	4.5	3.7 - 5.5	5,300	95.5	94.5 - 96.3	5,600
2007-2011	200	4.3	3.5 - 5.3	5,300	95.7	94.7 - 96.5	5,500
2008-2012	200	3.5	2.7 - 4.5	5,200	96.5	95.5 - 97.3	5,400
2009-2013	200	3.0	2.3 - 4.0	5,400	97.0	96.0 - 97.7	5,500

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- for the State of Hawaii, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	200	3.0	2.3 - 4.0	5,400	97.0	96.0 - 97.7	5,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	4.6	3.1 - 6.8	700	95.4	93.2 - 96.9	700
Honolulu	100	2.4	1.5 - 3.8	3,800	97.6	96.2 - 98.5	3,900
Kauai	<50	4.4	2.7 - 6.9	200	95.6	93.1 - 97.3	300
Maui	<50	4.5	3.1 - 6.6	600	95.5	93.4 - 96.9	600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	<50	3.9	2.2 - 6.7	1,000	96.1	93.3 - 97.8	1,000
Native Hawaiian	100	3.8	2.4 - 5.7	1,900	96.2	94.3 - 97.6	2,000
Chinese	<50	1.0	0.3 - 3.6	200	99.0	96.4 - 99.7	200
Filipino	<50	2.1	1.1 - 4.1	1,000	97.9	95.9 - 98.9	1,000
Japanese	<50	2.3	0.7 - 7.6	400	97.7	92.4 - 99.3	400
Other	<50	2.4	1.1 - 5.4	900	97.6	94.6 - 98.9	900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	8.5	4.7 - 14.9	500	91.5	85.1 - 95.3	500
20-24	<50	2.9	1.7 - 4.7	1,500	97.1	95.3 - 98.3	1,600
25-34	100	2.8	1.9 - 4.2	2,500	97.2	95.8 - 98.1	2,600
35+	<50	0.5	0.2 - 1.5	900	99.5	98.5 - 99.8	900

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	100	2.4	1.6 - 3.6	2,600	97.6	96.4 - 98.4	2,700
Female	100	3.6	2.5 - 5.2	2,800	96.4	94.8 - 97.5	2,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	1.4	0.8 - 2.4	2,700	98.6	97.6 - 99.2	2,700
No	100	4.6	3.3 - 6.3	2,700	95.4	93.7 - 96.7	2,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	100	3.9	2.7 - 5.6	2,500	96.1	94.4 - 97.3	2,600
131-185%	<50	3.5	1.9 - 6.5	800	96.5	93.5 - 98.1	800
186+%	<50	1.9	0.9 - 3.9	1,500	98.1	96.1 - 99.1	1,600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	4.0	2.4 - 6.5	400	96.0	93.5 - 97.6	400
Normal birth weight	200	3.0	2.2 - 4.0	5,000	97.0	96.0 - 97.8	5,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	5.2	2.4 - 10.7	500	94.8	89.3 - 97.6	500
No	100	2.9	2.1 - 3.8	4,700	97.1	96.2 - 97.9	4,900

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	5.6	3.7 - 8.3	1,300	94.4	91.7 - 96.3	1,400
No	100	2.2	1.5 - 3.3	4,000	97.8	96.7 - 98.5	4,000

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	3.7	2.6 - 5.1	2,800	96.3	94.9 - 97.4	2,900
No	100	2.4	1.4 - 4.0	2,500	97.6	96.0 - 98.6	2,500

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	200	3.5	2.7 - 4.5	5,200	96.5	95.5 - 97.3	5,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	3.1	1.9 - 5.2	700	96.9	94.8 - 98.1	700
Honolulu	100	3.3	2.3 - 4.6	3,700	96.7	95.4 - 97.7	3,800
Kauai	<50	3.4	2.0 - 5.8	300	96.6	94.2 - 98.0	300
Maui	<50	5.7	3.9 - 8.3	600	94.3	91.7 - 96.1	600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	<50	4.1	2.3 - 7.2	900	95.9	92.8 - 97.7	1,000
Native Hawaiian	100	4.6	3.1 - 6.6	1,800	95.4	93.4 - 96.9	1,900
Chinese	<50	1.8	0.7 - 4.4	200	98.2	95.6 - 99.3	200
Filipino	<50	1.7	0.8 - 3.8	1,000	98.3	96.2 - 99.2	1,000
Japanese	<50	3.7	1.4 - 9.1	400	96.3	90.9 - 98.6	400
Other	<50	3.0	1.5 - 5.9	900	97.0	94.1 - 98.5	900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	7.2	3.9 - 12.9	500	92.8	87.1 - 96.1	600
20-24	100	4.2	2.8 - 6.3	1,400	95.8	93.7 - 97.2	1,500
25-34	100	3.3	2.2 - 4.8	2,400	96.7	95.2 - 97.8	2,500
35+	<50	0.6	0.2 - 2.1	800	99.4	97.9 - 99.8	900

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	100	3.0	2.1 - 4.3	2,700	97.0	95.7 - 97.9	2,700
Female	100	4.0	2.8 - 5.7	2,600	96.0	94.3 - 97.2	2,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	2.2	1.4 - 3.3	2,600	97.8	96.7 - 98.6	2,700
No	100	4.9	3.5 - 6.6	2,600	95.1	93.4 - 96.5	2,700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	100	4.6	3.4 - 6.3	2,500	95.4	93.7 - 96.6	2,600
131-185%	<50	4.2	2.3 - 7.5	700	95.8	92.5 - 97.7	700
186+%	<50	2.2	1.2 - 4.2	1,600	97.8	95.8 - 98.8	1,600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	3.1	1.8 - 5.2	400	96.9	94.8 - 98.2	400
Normal birth weight	200	3.6	2.7 - 4.6	4,900	96.4	95.4 - 97.3	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	6.2	3.3 - 11.4	600	93.8	88.6 - 96.7	600
No	200	3.3	2.5 - 4.3	4,600	96.7	95.7 - 97.5	4,700

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	6.5	4.5 - 9.4	1,300	93.5	90.6 - 95.5	1,400
No	100	2.5	1.8 - 3.6	3,800	97.5	96.4 - 98.2	3,900

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	4.3	3.1 - 5.8	2,800	95.7	94.2 - 96.9	2,900
No	100	2.7	1.7 - 4.2	2,400	97.3	95.8 - 98.3	2,400

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	200	4.3	3.5 - 5.3	5,300	95.7	94.7 - 96.5	5,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	4.6	2.9 - 7.2	700	95.4	92.8 - 97.1	700
Honolulu	200	4.0	3.0 - 5.3	3,700	96.0	94.7 - 97.0	3,800
Kauai	<50	6.1	3.5 - 10.4	300	93.9	89.6 - 96.5	300
Maui	<50	5.0	3.3 - 7.5	600	95.0	92.5 - 96.7	600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	5.6	3.6 - 8.6	900	94.4	91.4 - 96.4	1,000
Native Hawaiian	100	5.0	3.6 - 7.0	1,900	95.0	93.0 - 96.4	2,000
Chinese	<50	2.1	0.8 - 4.9	200	97.9	95.1 - 99.2	200
Filipino	<50	3.2	1.8 - 5.5	1,000	96.8	94.5 - 98.2	1,000
Japanese	<50	4.6	2.2 - 9.7	400	95.4	90.3 - 97.8	400
Other	<50	2.7	1.4 - 5.2	900	97.3	94.8 - 98.6	900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	7.2	4.2 - 12.1	600	92.8	87.9 - 95.8	600
20-24	100	5.5	3.9 - 7.8	1,500	94.5	92.2 - 96.1	1,600
25-34	100	4.0	2.9 - 5.5	2,400	96.0	94.5 - 97.1	2,500
35+	<50	0.6	0.2 - 2.2	800	99.4	97.8 - 99.8	800

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	100	3.8	2.8 - 5.1	2,700	96.2	94.9 - 97.2	2,800
Female	100	4.8	3.5 - 6.5	2,500	95.2	93.5 - 96.5	2,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	3.0	2.1 - 4.2	2,600	97.0	95.8 - 97.9	2,700
No	200	5.5	4.2 - 7.3	2,600	94.5	92.7 - 95.8	2,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	5.9	4.6 - 7.6	2,500	94.1	92.4 - 95.4	2,700
131-185%	<50	4.5	2.5 - 8.0	700	95.5	92.0 - 97.5	700
186+%	<50	2.1	1.1 - 3.9	1,600	97.9	96.1 - 98.9	1,700

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	6.2	4.3 - 8.9	1,300	93.8	91.1 - 95.7	1,400
\$10,000-\$24,999	100	5.3	3.7 - 7.6	1,200	94.7	92.4 - 96.3	1,300
\$25,000-\$49,999	100	4.5	2.8 - 7.2	1,200	95.5	92.8 - 97.2	1,200
>=\$50,000	<50	1.3	0.6 - 3.0	1,200	98.7	97.0 - 99.4	1,200

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	3.5	2.0 - 5.9	400	96.5	94.1 - 98.0	400
Normal birth weight	200	4.4	3.5 - 5.4	4,900	95.6	94.6 - 96.5	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	6.3	3.6 - 10.6	600	93.7	89.4 - 96.4	600
No	200	4.1	3.3 - 5.2	4,600	95.9	94.8 - 96.7	4,800

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	7.0	5.0 - 9.7	1,400	93.0	90.3 - 95.0	1,500
No	100	3.4	2.6 - 4.4	3,800	96.6	95.6 - 97.4	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	5.5	4.3 - 7.1	2,700	94.5	92.9 - 95.7	2,900
No	100	2.8	1.8 - 4.3	2,400	97.2	95.7 - 98.2	2,500

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	300	4.5	3.7 - 5.5	5,300	95.5	94.5 - 96.3	5,600

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	4.7	2.9 - 7.6	700	95.3	92.4 - 97.1	700
Honolulu	200	4.3	3.3 - 5.6	3,700	95.7	94.4 - 96.7	3,900
Kauai	<50	6.4	3.7 - 11.0	300	93.6	89.0 - 96.3	300
Maui	<50	4.8	2.9 - 7.7	600	95.2	92.3 - 97.1	600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	5.9	3.9 - 8.8	900	94.1	91.2 - 96.1	1,000
Native Hawaiian	100	5.3	3.8 - 7.4	1,900	94.7	92.6 - 96.2	2,000
Chinese	<50	2.1	0.9 - 4.9	200	97.9	95.1 - 99.1	200
Filipino	<50	3.4	2.0 - 5.8	900	96.6	94.2 - 98.0	1,000
Japanese	<50	4.0	2.0 - 7.9	400	96.0	92.1 - 98.0	400
Other	<50	3.4	2.0 - 5.8	1,000	96.6	94.2 - 98.0	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	7.0	4.1 - 11.7	600	93.0	88.3 - 95.9	700
20-24	100	6.2	4.5 - 8.5	1,500	93.8	91.5 - 95.5	1,600
25-34	100	3.9	2.8 - 5.3	2,400	96.1	94.7 - 97.2	2,500
35+	<50	1.0	0.4 - 2.8	800	99.0	97.2 - 99.6	800

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	100	3.9	2.9 - 5.3	2,700	96.1	94.7 - 97.1	2,800
Female	100	5.1	3.9 - 6.8	2,600	94.9	93.2 - 96.1	2,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	3.2	2.3 - 4.3	2,600	96.8	95.7 - 97.7	2,700
No	200	5.8	4.4 - 7.6	2,700	94.2	92.4 - 95.6	2,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	6.2	4.8 - 7.9	2,600	93.8	92.1 - 95.2	2,700
131-185%	<50	4.4	2.5 - 7.6	700	95.6	92.4 - 97.5	700
186+%	<50	2.3	1.3 - 4.0	1,600	97.7	96.0 - 98.7	1,700

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	6.5	4.6 - 9.2	1,300	93.5	90.8 - 95.4	1,400
\$10,000-\$24,999	100	5.6	3.9 - 7.8	1,200	94.4	92.2 - 96.1	1,300
\$25,000-\$49,999	100	5.0	3.2 - 7.6	1,200	95.0	92.4 - 96.8	1,200
>=\$50,000	<50	1.0	0.5 - 2.2	1,200	99.0	97.8 - 99.5	1,200

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	4.0	2.2 - 7.2	400	96.0	92.8 - 97.8	400
Normal birth weight	200	4.6	3.7 - 5.7	4,900	95.4	94.3 - 96.3	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	5.7	3.3 - 9.5	700	94.3	90.5 - 96.7	800
No	200	4.4	3.6 - 5.5	4,500	95.6	94.5 - 96.4	4,700

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	6.4	4.6 - 9.0	1,500	93.6	91.0 - 95.4	1,600
No	200	3.9	3.0 - 5.0	3,800	96.1	95.0 - 97.0	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	5.9	4.6 - 7.5	2,800	94.1	92.5 - 95.4	3,000
No	100	2.9	1.9 - 4.3	2,400	97.1	95.7 - 98.1	2,500

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	300	4.8	4.0 - 5.8	5,300	95.2	94.2 - 96.0	5,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	4.9	3.0 - 7.9	700	95.1	92.1 - 97.0	700
Honolulu	200	4.5	3.5 - 5.7	3,700	95.5	94.3 - 96.5	3,900
Kauai	<50	8.2	4.9 - 13.3	300	91.8	86.7 - 95.1	300
Maui	<50	5.6	3.4 - 9.0	600	94.4	91.0 - 96.6	600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	5.7	3.7 - 8.6	800	94.3	91.4 - 96.3	900
Native Hawaiian	100	6.2	4.6 - 8.2	1,900	93.8	91.8 - 95.4	2,000
Chinese	<50	2.1	0.9 - 4.9	200	97.9	95.1 - 99.1	200
Filipino	<50	4.5	2.9 - 7.1	900	95.5	92.9 - 97.1	900
Japanese	<50	3.0	1.4 - 6.5	500	97.0	93.5 - 98.6	500
Other	<50	3.2	1.9 - 5.3	1,000	96.8	94.7 - 98.1	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	7.8	5.0 - 12.1	700	92.2	87.9 - 95.0	700
20-24	100	6.0	4.4 - 8.1	1,500	94.0	91.9 - 95.6	1,600
25-34	100	4.2	3.2 - 5.6	2,300	95.8	94.4 - 96.8	2,400
35+	<50	1.4	0.6 - 3.3	700	98.6	96.7 - 99.4	800

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	100	4.4	3.4 - 5.8	2,700	95.6	94.2 - 96.6	2,800
Female	100	5.3	4.1 - 6.8	2,500	94.7	93.2 - 95.9	2,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	4.1	3.1 - 5.3	2,500	95.9	94.7 - 96.9	2,600
No	200	5.5	4.3 - 7.1	2,800	94.5	92.9 - 95.7	2,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	6.0	4.7 - 7.6	2,600	94.0	92.4 - 95.3	2,800
131-185%	<50	5.3	3.1 - 8.8	700	94.7	91.2 - 96.9	700
186+%	<50	2.5	1.5 - 4.1	1,600	97.5	95.9 - 98.5	1,600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	6.1	4.3 - 8.5	1,400	93.9	91.5 - 95.7	1,500
\$10,000-\$24,999	100	5.7	4.1 - 7.9	1,300	94.3	92.1 - 95.9	1,400
\$25,000-\$49,999	100	5.6	3.7 - 8.2	1,100	94.4	91.8 - 96.3	1,200
>=\$50,000	<50	1.4	0.7 - 2.7	1,100	98.6	97.3 - 99.3	1,100

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	6.5	3.8 - 10.9	400	93.5	89.1 - 96.2	400
Normal birth weight	200	4.7	3.8 - 5.7	4,800	95.3	94.3 - 96.2	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	5.2	3.1 - 8.7	700	94.8	91.3 - 96.9	800
No	200	4.9	4.0 - 6.0	4,400	95.1	94.0 - 96.0	4,600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	6.3	4.6 - 8.7	1,500	93.7	91.3 - 95.4	1,600
No	200	4.4	3.5 - 5.5	3,600	95.6	94.5 - 96.5	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	6.2	4.9 - 7.8	2,800	93.8	92.2 - 95.1	3,000
No	100	3.2	2.2 - 4.5	2,400	96.8	95.5 - 97.8	2,400

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	300	5.1	4.3 - 6.1	5,100	94.9	93.9 - 95.7	5,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	5.3	3.2 - 8.6	700	94.7	91.4 - 96.8	700
Honolulu	200	4.8	3.9 - 6.0	3,600	95.2	94.0 - 96.1	3,800
Kauai	<50	7.9	4.5 - 13.4	300	92.1	86.6 - 95.5	300
Maui	<50	5.6	3.3 - 9.2	600	94.4	90.8 - 96.7	600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	6.1	4.2 - 8.7	800	93.9	91.3 - 95.8	900
Native Hawaiian	100	6.3	4.8 - 8.4	1,700	93.7	91.6 - 95.2	1,900
Chinese	<50	2.6	1.1 - 6.0	100	97.4	94.0 - 98.9	100
Filipino	<50	4.9	3.3 - 7.1	900	95.1	92.9 - 96.7	900
Japanese	<50	3.4	1.7 - 6.9	500	96.6	93.1 - 98.3	500
Other	<50	3.6	2.2 - 5.9	1,000	96.4	94.1 - 97.8	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	8.2	5.5 - 12.1	600	91.8	87.9 - 94.5	700
20-24	100	6.7	5.1 - 8.7	1,500	93.3	91.3 - 94.9	1,600
25-34	100	4.4	3.3 - 5.8	2,200	95.6	94.2 - 96.7	2,300
35+	<50	1.3	0.5 - 3.3	700	98.7	96.7 - 99.5	700

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	100	4.6	3.5 - 5.9	2,700	95.4	94.1 - 96.5	2,800
Female	100	5.8	4.5 - 7.3	2,400	94.2	92.7 - 95.5	2,500

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	4.6	3.6 - 5.9	2,500	95.4	94.1 - 96.4	2,600
No	200	5.7	4.5 - 7.2	2,600	94.3	92.8 - 95.5	2,700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	6.6	5.3 - 8.2	2,500	93.4	91.8 - 94.7	2,700
131-185%	<50	5.4	3.3 - 8.6	600	94.6	91.4 - 96.7	600
186+%	<50	2.6	1.7 - 4.0	1,600	97.4	96.0 - 98.3	1,600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	6.9	5.1 - 9.2	1,300	93.1	90.8 - 94.9	1,400
\$10,000-\$24,999	100	6.2	4.5 - 8.4	1,300	93.8	91.6 - 95.5	1,400
\$25,000-\$49,999	100	5.1	3.5 - 7.4	1,100	94.9	92.6 - 96.5	1,100
>=\$50,000	<50	1.7	0.9 - 3.3	1,000	98.3	96.7 - 99.1	1,000

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	6.4	3.5 - 11.2	400	93.6	88.8 - 96.5	400
Normal birth weight	300	5.0	4.2 - 6.1	4,700	95.0	93.9 - 95.8	4,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	4.4	2.5 - 7.4	700	95.6	92.6 - 97.5	700
No	200	5.4	4.5 - 6.5	4,300	94.6	93.5 - 95.5	4,500

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	5.6	4.1 - 7.7	1,400	94.4	92.3 - 95.9	1,500
No	200	5.1	4.1 - 6.3	3,500	94.9	93.7 - 95.9	3,700

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	6.4	5.2 - 7.9	2,700	93.6	92.1 - 94.8	2,900
No	100	3.5	2.5 - 4.8	2,200	96.5	95.2 - 97.5	2,300

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	300	4.6	3.9 - 5.5	5,200	95.4	94.5 - 96.1	5,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	5.1	3.1 - 8.1	700	94.9	91.9 - 96.9	700
Honolulu	200	4.2	3.4 - 5.3	3,700	95.8	94.7 - 96.6	3,900
Kauai	<50	8.8	5.4 - 14.1	300	91.2	85.9 - 94.6	300
Maui	<50	4.5	2.6 - 7.7	600	95.5	92.3 - 97.4	600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	6.0	4.0 - 8.8	800	94.0	91.2 - 96.0	900
Native Hawaiian	100	5.9	4.5 - 7.7	1,800	94.1	92.3 - 95.5	1,900
Chinese	<50	0.5	0.1 - 2.7	100	99.5	97.3 - 99.9	100
Filipino	<50	4.3	3.0 - 6.3	1,000	95.7	93.7 - 97.0	1,000
Japanese	<50	2.5	1.1 - 5.8	500	97.5	94.2 - 98.9	500
Other	<50	2.9	1.6 - 5.0	1,000	97.1	95.0 - 98.4	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	6.9	4.6 - 10.2	700	93.1	89.8 - 95.4	800
20-24	100	6.0	4.6 - 7.9	1,600	94.0	92.1 - 95.4	1,700
25-34	100	3.9	2.9 - 5.2	2,200	96.1	94.8 - 97.1	2,300
35+	<50	1.2	0.5 - 2.8	700	98.8	97.2 - 99.5	700

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	100	4.0	3.1 - 5.2	2,800	96.0	94.8 - 96.9	2,900
Female	100	5.2	4.1 - 6.7	2,500	94.8	93.3 - 95.9	2,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	3.8	2.9 - 5.0	2,600	96.2	95.0 - 97.1	2,700
No	200	5.4	4.3 - 6.7	2,600	94.6	93.3 - 95.7	2,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	5.6	4.5 - 7.0	2,600	94.4	93.0 - 95.5	2,800
131-185%	<50	4.1	2.4 - 6.9	600	95.9	93.1 - 97.6	700
186+%	<50	2.6	1.6 - 4.2	1,400	97.4	95.8 - 98.4	1,500

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	6.0	3.3 - 10.6	400	94.0	89.4 - 96.7	400
Normal birth weight	200	4.5	3.7 - 5.4	4,800	95.5	94.6 - 96.3	5,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	3.6	2.0 - 6.4	700	96.4	93.6 - 98.0	800
No	200	4.8	4.0 - 5.8	4,400	95.2	94.2 - 96.0	4,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	5.1	3.7 - 6.9	1,500	94.9	93.1 - 96.3	1,600
No	200	4.5	3.6 - 5.6	3,600	95.5	94.4 - 96.4	3,700

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	5.8	4.6 - 7.1	2,800	94.2	92.9 - 95.4	3,000
No	100	3.2	2.3 - 4.4	2,300	96.8	95.6 - 97.7	2,400

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	200	4.2	3.5 - 5.1	5,200	95.8	94.9 - 96.5	5,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	4.0	2.4 - 6.5	700	96.0	93.5 - 97.6	700
Honolulu	200	4.0	3.1 - 5.0	3,800	96.0	95.0 - 96.9	3,900
Kauai	<50	7.0	4.1 - 11.8	200	93.0	88.2 - 95.9	300
Maui	<50	5.0	3.0 - 8.2	500	95.0	91.8 - 97.0	600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	<50	4.3	2.6 - 6.8	900	95.7	93.2 - 97.4	900
Native Hawaiian	100	5.8	4.5 - 7.4	1,800	94.2	92.6 - 95.5	1,900
Chinese	<50	3.1	0.6 - 14.4	100	96.9	85.6 - 99.4	100
Filipino	<50	3.6	2.4 - 5.5	1,000	96.4	94.5 - 97.6	1,000
Japanese	<50	2.9	1.1 - 7.5	500	97.1	92.5 - 98.9	500
Other	<50	2.8	1.5 - 4.9	1,000	97.2	95.1 - 98.5	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	6.3	4.2 - 9.3	700	93.7	90.7 - 95.8	700
20-24	100	5.4	4.1 - 7.2	1,600	94.6	92.8 - 95.9	1,700
25-34	100	3.5	2.5 - 4.9	2,200	96.5	95.1 - 97.5	2,200
35+	<50	1.6	0.8 - 3.2	700	98.4	96.8 - 99.2	700

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	100	3.7	2.8 - 4.8	2,700	96.3	95.2 - 97.2	2,800
Female	100	4.8	3.7 - 6.2	2,500	95.2	93.8 - 96.3	2,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	3.2	2.3 - 4.3	2,700	96.8	95.7 - 97.7	2,800
No	100	5.3	4.2 - 6.7	2,500	94.7	93.3 - 95.8	2,700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	100	4.6	3.7 - 5.9	2,600	95.4	94.1 - 96.3	2,700
131-185%	<50	3.3	1.9 - 5.7	700	96.7	94.3 - 98.1	700
186+%	<50	3.3	2.1 - 5.1	1,300	96.7	94.9 - 97.9	1,400

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	7.4	4.2 - 12.6	400	92.6	87.4 - 95.8	400
Normal birth weight	200	4.0	3.3 - 4.8	4,800	96.0	95.2 - 96.7	5,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	3.3	1.8 - 6.0	800	96.7	94.0 - 98.2	800
No	200	4.4	3.6 - 5.4	4,300	95.6	94.6 - 96.4	4,500

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	4.8	3.4 - 6.6	1,500	95.2	93.4 - 96.6	1,600
No	100	4.1	3.3 - 5.1	3,500	95.9	94.9 - 96.7	3,700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	4.5	3.6 - 5.8	2,800	95.5	94.2 - 96.4	2,900
No	100	3.9	2.9 - 5.2	2,300	96.1	94.8 - 97.1	2,400

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	200	4.3	3.6 - 5.1	5,200	95.7	94.9 - 96.4	5,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	3.7	2.4 - 5.8	700	96.3	94.2 - 97.6	700
Honolulu	200	4.1	3.3 - 5.2	3,700	95.9	94.8 - 96.7	3,900
Kauai	<50	6.2	3.7 - 10.4	300	93.8	89.6 - 96.3	300
Maui	<50	5.2	3.4 - 8.0	500	94.8	92.0 - 96.6	600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	<50	4.8	3.0 - 7.4	800	95.2	92.6 - 97.0	900
Native Hawaiian	100	5.9	4.7 - 7.3	1,800	94.1	92.7 - 95.3	1,900
Chinese	<50	3.0	0.6 - 13.7	200	97.0	86.3 - 99.4	200
Filipino	<50	3.6	2.5 - 5.3	1,100	96.4	94.7 - 97.5	1,100
Japanese	<50	1.9	0.5 - 6.9	500	98.1	93.1 - 99.5	500
Other	<50	3.0	1.7 - 5.3	900	97.0	94.7 - 98.3	900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	7.2	5.2 - 10.0	700	92.8	90.0 - 94.8	800
20-24	100	5.2	4.0 - 6.7	1,600	94.8	93.3 - 96.0	1,700
25-34	100	3.5	2.5 - 4.9	2,100	96.5	95.1 - 97.5	2,200
35+	<50	1.6	0.8 - 3.3	700	98.4	96.7 - 99.2	700

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	100	3.7	2.8 - 4.8	2,800	96.3	95.2 - 97.2	2,900
Female	100	5.0	3.9 - 6.3	2,500	95.0	93.7 - 96.1	2,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	3.2	2.3 - 4.2	2,700	96.8	95.8 - 97.7	2,800
No	100	5.5	4.5 - 6.9	2,500	94.5	93.1 - 95.5	2,600

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	100	4.7	3.8 - 5.9	2,600	95.3	94.1 - 96.2	2,700
131-185%	<50	3.2	2.0 - 5.1	800	96.8	94.9 - 98.0	800
186+%	<50	3.3	2.1 - 5.2	1,200	96.7	94.8 - 97.9	1,300

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	6.2	3.4 - 11.2	400	93.8	88.8 - 96.6	400
Normal birth weight	200	4.1	3.4 - 5.0	4,800	95.9	95.0 - 96.6	5,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	3.8	2.2 - 6.4	800	96.2	93.6 - 97.8	800
No	200	4.4	3.7 - 5.3	4,400	95.6	94.7 - 96.3	4,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	5.2	3.9 - 7.0	1,500	94.8	93.0 - 96.1	1,600
No	100	4.0	3.3 - 5.0	3,500	96.0	95.0 - 96.7	3,700

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	4.8	3.9 - 6.1	2,700	95.2	93.9 - 96.1	2,900
No	100	3.7	2.8 - 4.9	2,400	96.3	95.1 - 97.2	2,500

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	200	4.2	3.5 - 4.9	5,300	95.8	95.1 - 96.5	5,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	<50	4.0	2.7 - 5.8	700	96.0	94.2 - 97.3	700
Honolulu	200	4.1	3.3 - 5.1	3,800	95.9	94.9 - 96.7	3,900
Kauai	<50	4.4	2.5 - 7.6	300	95.6	92.4 - 97.5	300
Maui	<50	4.4	3.0 - 6.4	600	95.6	93.6 - 97.0	600

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	<50	4.8	3.1 - 7.5	800	95.2	92.5 - 96.9	900
Native Hawaiian	100	5.3	4.4 - 6.5	1,800	94.7	93.5 - 95.6	1,900
Chinese	<50	2.6	0.4 - 15.4	100	97.4	84.6 - 99.6	200
Filipino	<50	3.5	2.3 - 5.2	1,200	96.5	94.8 - 97.7	1,200
Japanese	<50	2.2	0.7 - 7.0	500	97.8	93.0 - 99.3	500
Other	<50	3.2	1.8 - 5.5	900	96.8	94.5 - 98.2	900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	6.0	4.3 - 8.2	800	94.0	91.8 - 95.7	800
20-24	100	5.8	4.5 - 7.3	1,600	94.2	92.7 - 95.5	1,700
25-34	100	3.1	2.2 - 4.4	2,100	96.9	95.6 - 97.8	2,200
35+	<50	1.6	0.8 - 3.0	700	98.4	97.0 - 99.2	800

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	100	3.6	2.8 - 4.7	2,800	96.4	95.3 - 97.2	2,900
Female	100	4.7	3.8 - 5.9	2,500	95.3	94.1 - 96.2	2,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	3.2	2.4 - 4.2	2,900	96.8	95.8 - 97.6	2,900
No	100	5.3	4.3 - 6.5	2,400	94.7	93.5 - 95.7	2,500

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	100	4.8	3.9 - 5.8	2,700	95.2	94.2 - 96.1	2,900
131-185%	<50	2.5	1.6 - 4.0	800	97.5	96.0 - 98.4	800
186+%	<50	3.4	2.2 - 5.4	1,200	96.6	94.6 - 97.8	1,200

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	2.5	0.9 - 6.3	400	97.5	93.7 - 99.1	400
Normal birth weight	200	4.3	3.6 - 5.1	4,900	95.7	94.9 - 96.4	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	4.4	2.8 - 6.9	700	95.6	93.1 - 97.2	800
No	200	4.1	3.4 - 5.0	4,400	95.9	95.0 - 96.6	4,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	5.0	3.8 - 6.7	1,500	95.0	93.3 - 96.2	1,600
No	100	3.8	3.1 - 4.7	3,600	96.2	95.3 - 96.9	3,700

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- problems getting it- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	4.5	3.6 - 5.6	2,800	95.5	94.4 - 96.4	2,900
No	100	3.8	2.9 - 4.9	2,400	96.2	95.1 - 97.1	2,500