

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- for the State of Hawaii, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
No contraception at conception- side effects	Among women not on contraception at the time of conception, those who were not on it because of side effects from birth control

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/22/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- for the State of Hawaii,
for the Year(s)**

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013


Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2004	600	10.6	9.5 - 11.8	4,900	89.4	88.2 - 90.5	5,500
2001-2005	500	9.8	8.7 - 11.0	4,900	90.2	89.0 - 91.3	5,400
2002-2006	500	9.6	8.5 - 10.9	4,900	90.4	89.1 - 91.5	5,400
2003-2007	500	9.8	8.7 - 11.1	4,900	90.2	88.9 - 91.3	5,500
2004-2008	500	9.8	8.7 - 11.1	4,800	90.2	88.9 - 91.3	5,400
2005-2009	500	9.5	8.4 - 10.9	5,000	90.5	89.1 - 91.6	5,500
2006-2010	500	9.4	8.1 - 10.7	5,000	90.6	89.3 - 91.9	5,600
2007-2011	500	9.0	7.7 - 10.4	5,000	91.0	89.6 - 92.3	5,500
2008-2012	500	8.4	7.1 - 10.0	5,000	91.6	90.0 - 92.9	5,400
2009-2013	500	8.6	7.2 - 10.3	5,100	91.4	89.7 - 92.8	5,500

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- for the State of Hawaii,
for the Year(s)**

2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	500	8.6	7.2 - 10.3	5,100	91.4	89.7 - 92.8	5,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	8.0	6.0 - 10.6	700	92.0	89.4 - 94.0	700
Honolulu	300	8.5	6.7 - 10.8	3,600	91.5	89.2 - 93.3	3,900
Kauai	<50	11.1	8.4 - 14.5	200	88.9	85.5 - 91.6	300
Maui	100	9.1	7.0 - 11.7	500	90.9	88.3 - 93.0	600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	12.1	8.4 - 17.2	900	87.9	82.8 - 91.6	1,000
Native Hawaiian	200	8.2	6.2 - 10.9	1,800	91.8	89.1 - 93.8	2,000
Chinese	<50	11.7	5.4 - 23.7	200	88.3	76.3 - 94.6	200
Filipino	100	7.5	4.6 - 11.9	900	92.5	88.1 - 95.4	1,000
Japanese	<50	7.6	3.9 - 14.3	400	92.4	85.7 - 96.1	400
Other	100	6.5	3.9 - 10.8	800	93.5	89.2 - 96.1	900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	3.8	2.0 - 7.0	500	96.2	93.0 - 98.0	500
20-24	200	13.2	10.0 - 17.2	1,400	86.8	82.8 - 90.0	1,600
25-34	200	7.5	5.7 - 9.9	2,400	92.5	90.1 - 94.3	2,600
35+	100	6.6	3.9 - 10.8	800	93.4	89.2 - 96.1	900

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	8.2	6.3 - 10.6	2,500	91.8	89.4 - 93.7	2,700
Female	300	9.0	7.1 - 11.4	2,600	91.0	88.6 - 92.9	2,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.3	7.2 - 11.9	2,500	90.7	88.1 - 92.8	2,700
No	200	8.0	6.2 - 10.3	2,600	92.0	89.7 - 93.8	2,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	7.8	6.0 - 10.2	2,400	92.2	89.8 - 94.0	2,600
131-185%	100	15.1	10.5 - 21.4	700	84.9	78.6 - 89.5	800
186+%	100	8.0	5.8 - 11.1	1,500	92.0	88.9 - 94.2	1,600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	7.6	5.5 - 10.5	300	92.4	89.5 - 94.5	400
Normal birth weight	500	8.7	7.2 - 10.5	4,700	91.3	89.5 - 92.8	5,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	6.8	3.7 - 12.2	500	93.2	87.8 - 96.3	500
No	400	8.9	7.4 - 10.7	4,400	91.1	89.3 - 92.6	4,900

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	8.2	5.8 - 11.6	1,300	91.8	88.4 - 94.2	1,400
No	400	8.9	7.2 - 10.9	3,700	91.1	89.1 - 92.8	4,000

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	8.6	6.8 - 10.8	2,700	91.4	89.2 - 93.2	2,900
No	200	8.9	6.7 - 11.6	2,300	91.1	88.4 - 93.3	2,500

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	500	8.4	7.1 - 10.0	5,000	91.6	90.0 - 92.9	5,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	9.6	7.2 - 12.6	700	90.4	87.4 - 92.8	700
Honolulu	300	7.7	6.0 - 9.8	3,500	92.3	90.2 - 94.0	3,800
Kauai	<50	12.5	9.0 - 17.1	200	87.5	82.9 - 91.0	300
Maui	100	9.7	7.3 - 12.8	500	90.3	87.2 - 92.7	600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	11.1	7.7 - 15.6	900	88.9	84.4 - 92.3	1,000
Native Hawaiian	200	8.0	6.1 - 10.5	1,800	92.0	89.5 - 93.9	1,900
Chinese	<50	10.0	4.5 - 21.0	200	90.0	79.0 - 95.5	200
Filipino	100	8.1	5.3 - 12.2	900	91.9	87.8 - 94.7	1,000
Japanese	<50	8.9	4.8 - 15.8	400	91.1	84.2 - 95.2	400
Other	100	6.4	3.8 - 10.4	900	93.6	89.6 - 96.2	900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	2.4	1.0 - 5.5	600	97.6	94.5 - 99.0	600
20-24	200	13.6	10.4 - 17.5	1,300	86.4	82.5 - 89.6	1,500
25-34	200	7.4	5.8 - 9.5	2,300	92.6	90.5 - 94.2	2,500
35+	100	6.2	3.7 - 10.2	800	93.8	89.8 - 96.3	900

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	7.9	6.1 - 10.1	2,500	92.1	89.9 - 93.9	2,700
Female	200	9.0	7.1 - 11.2	2,400	91.0	88.8 - 92.9	2,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	8.7	6.8 - 11.0	2,500	91.3	89.0 - 93.2	2,700
No	200	8.1	6.4 - 10.3	2,500	91.9	89.7 - 93.6	2,700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	7.2	5.5 - 9.4	2,400	92.8	90.6 - 94.5	2,600
131-185%	100	13.6	9.4 - 19.1	600	86.4	80.9 - 90.6	700
186+%	100	9.2	6.8 - 12.2	1,500	90.8	87.8 - 93.2	1,600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	7.7	5.2 - 11.2	300	92.3	88.8 - 94.8	400
Normal birth weight	400	8.5	7.1 - 10.1	4,600	91.5	89.9 - 92.9	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	<50	6.8	3.8 - 11.8	500	93.2	88.2 - 96.2	600
No	400	8.6	7.2 - 10.3	4,300	91.4	89.7 - 92.8	4,700

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	8.4	6.0 - 11.6	1,300	91.6	88.4 - 94.0	1,400
No	300	8.4	6.9 - 10.3	3,600	91.6	89.7 - 93.1	3,900

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	8.0	6.3 - 10.1	2,700	92.0	89.9 - 93.7	2,900
No	200	9.0	7.0 - 11.6	2,200	91.0	88.4 - 93.0	2,400

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	500	9.0	7.7 - 10.4	5,000	91.0	89.6 - 92.3	5,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	9.8	7.3 - 13.0	700	90.2	87.0 - 92.7	700
Honolulu	300	8.4	6.8 - 10.4	3,500	91.6	89.6 - 93.2	3,800
Kauai	<50	11.1	7.6 - 15.9	300	88.9	84.1 - 92.4	300
Maui	100	10.4	7.6 - 14.0	600	89.6	86.0 - 92.4	600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	11.2	8.0 - 15.4	900	88.8	84.6 - 92.0	1,000
Native Hawaiian	200	9.8	7.7 - 12.4	1,800	90.2	87.6 - 92.3	2,000
Chinese	<50	10.4	4.5 - 22.5	200	89.6	77.5 - 95.5	200
Filipino	100	8.6	5.8 - 12.5	900	91.4	87.5 - 94.2	1,000
Japanese	<50	8.5	5.1 - 13.9	400	91.5	86.1 - 94.9	400
Other	<50	5.2	3.1 - 8.6	900	94.8	91.4 - 96.9	900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	5.9	3.4 - 9.9	600	94.1	90.1 - 96.6	600
20-24	200	13.8	10.8 - 17.5	1,400	86.2	82.5 - 89.2	1,600
25-34	200	7.4	5.8 - 9.3	2,300	92.6	90.7 - 94.2	2,500
35+	100	6.8	4.3 - 10.6	800	93.2	89.4 - 95.7	800

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	200	8.1	6.5 - 10.2	2,600	91.9	89.8 - 93.5	2,800
Female	300	9.8	8.0 - 12.0	2,400	90.2	88.0 - 92.0	2,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	8.3	6.6 - 10.4	2,500	91.7	89.6 - 93.4	2,700
No	300	9.6	7.7 - 11.8	2,500	90.4	88.2 - 92.3	2,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	8.6	6.8 - 10.7	2,500	91.4	89.3 - 93.2	2,700
131-185%	100	12.2	8.5 - 17.4	600	87.8	82.6 - 91.5	700
186+%	200	9.2	7.0 - 12.0	1,500	90.8	88.0 - 93.0	1,700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	8.6	6.2 - 11.7	1,300	91.4	88.3 - 93.8	1,400
\$10,000-\$24,999	100	11.0	8.1 - 14.8	1,100	89.0	85.2 - 91.9	1,300
\$25,000-\$49,999	100	8.7	6.3 - 11.7	1,100	91.3	88.3 - 93.7	1,200
>=\$50,000	100	8.7	6.3 - 12.0	1,100	91.3	88.0 - 93.7	1,200

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	9.0	6.1 - 13.1	400	91.0	86.9 - 93.9	400
Normal birth weight	500	9.0	7.6 - 10.5	4,600	91.0	89.5 - 92.4	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	8.1	5.0 - 13.0	600	91.9	87.0 - 95.0	600
No	400	9.2	7.8 - 10.8	4,300	90.8	89.2 - 92.2	4,800

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	8.6	6.3 - 11.6	1,400	91.4	88.4 - 93.7	1,500
No	400	9.2	7.7 - 11.0	3,600	90.8	89.0 - 92.3	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.0	7.3 - 11.0	2,600	91.0	89.0 - 92.7	2,900
No	200	9.0	7.1 - 11.3	2,300	91.0	88.7 - 92.9	2,500

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	500	9.4	8.1 - 10.7	5,000	90.6	89.3 - 91.9	5,600

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	10.8	8.0 - 14.5	600	89.2	85.5 - 92.0	700
Honolulu	300	8.6	7.1 - 10.3	3,600	91.4	89.7 - 92.9	3,900
Kauai	<50	11.7	7.9 - 17.1	300	88.3	82.9 - 92.1	300
Maui	100	11.4	8.4 - 15.3	600	88.6	84.7 - 91.6	600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	11.3	8.3 - 15.1	900	88.7	84.9 - 91.7	1,000
Native Hawaiian	200	11.1	9.0 - 13.6	1,800	88.9	86.4 - 91.0	2,000
Chinese	<50	10.9	4.9 - 22.7	200	89.1	77.3 - 95.1	200
Filipino	100	9.5	6.6 - 13.3	900	90.5	86.7 - 93.4	1,000
Japanese	<50	6.3	3.9 - 10.2	400	93.7	89.8 - 96.1	400
Other	100	5.2	3.3 - 8.1	1,000	94.8	91.9 - 96.7	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	<50	6.5	4.0 - 10.3	600	93.5	89.7 - 96.0	700
20-24	200	14.2	11.5 - 17.6	1,400	85.8	82.4 - 88.5	1,600
25-34	200	7.5	6.0 - 9.2	2,300	92.5	90.8 - 94.0	2,500
35+	100	8.0	5.3 - 11.9	700	92.0	88.1 - 94.7	800

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	9.0	7.3 - 10.9	2,600	91.0	89.1 - 92.7	2,800
Female	300	9.8	8.1 - 11.8	2,500	90.2	88.2 - 91.9	2,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.2	7.5 - 11.2	2,500	90.8	88.8 - 92.5	2,700
No	300	9.5	7.8 - 11.5	2,600	90.5	88.5 - 92.2	2,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	200	8.7	7.1 - 10.7	2,500	91.3	89.3 - 92.9	2,700
131-185%	100	11.0	7.9 - 15.2	600	89.0	84.8 - 92.1	700
186+%	200	10.6	8.3 - 13.3	1,500	89.4	86.7 - 91.7	1,700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	7.6	5.5 - 10.4	1,300	92.4	89.6 - 94.5	1,400
\$10,000-\$24,999	100	10.4	8.0 - 13.5	1,200	89.6	86.5 - 92.0	1,300
\$25,000-\$49,999	100	11.2	8.6 - 14.4	1,100	88.8	85.6 - 91.4	1,200
>=\$50,000	100	9.4	7.0 - 12.6	1,100	90.6	87.4 - 93.0	1,200

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	8.8	5.8 - 13.2	400	91.2	86.8 - 94.2	400
Normal birth weight	500	9.4	8.1 - 10.9	4,700	90.6	89.1 - 91.9	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	10.2	6.9 - 14.7	700	89.8	85.3 - 93.1	800
No	400	9.3	8.0 - 10.8	4,300	90.7	89.2 - 92.0	4,700

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	9.5	7.3 - 12.3	1,400	90.5	87.7 - 92.7	1,600
No	400	9.4	8.0 - 11.1	3,500	90.6	88.9 - 92.0	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.0	7.5 - 10.8	2,700	91.0	89.2 - 92.5	3,000
No	200	9.6	7.7 - 11.9	2,300	90.4	88.1 - 92.3	2,500

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	500	9.5	8.4 - 10.9	5,000	90.5	89.1 - 91.6	5,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	10.9	8.0 - 14.6	600	89.1	85.4 - 92.0	700
Honolulu	300	8.9	7.5 - 10.5	3,600	91.1	89.5 - 92.5	3,900
Kauai	<50	10.0	6.3 - 15.6	300	90.0	84.4 - 93.7	300
Maui	100	12.0	8.7 - 16.4	500	88.0	83.6 - 91.3	600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	11.4	8.7 - 14.8	800	88.6	85.2 - 91.3	900
Native Hawaiian	200	11.6	9.5 - 14.2	1,700	88.4	85.8 - 90.5	2,000
Chinese	<50	12.3	5.7 - 24.8	100	87.7	75.2 - 94.3	200
Filipino	100	8.9	6.3 - 12.3	900	91.1	87.7 - 93.7	900
Japanese	<50	7.1	4.6 - 10.9	500	92.9	89.1 - 95.4	500
Other	100	5.2	3.4 - 8.0	1,000	94.8	92.0 - 96.6	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	8.2	5.5 - 12.0	700	91.8	88.0 - 94.5	700
20-24	200	13.2	10.6 - 16.2	1,400	86.8	83.8 - 89.4	1,600
25-34	200	8.2	6.7 - 10.0	2,200	91.8	90.0 - 93.3	2,400
35+	100	7.4	4.9 - 10.9	700	92.6	89.1 - 95.1	800

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	8.9	7.3 - 10.8	2,600	91.1	89.2 - 92.7	2,800
Female	300	10.2	8.5 - 12.1	2,400	89.8	87.9 - 91.5	2,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	8.7	7.2 - 10.5	2,400	91.3	89.5 - 92.8	2,600
No	300	10.3	8.6 - 12.2	2,600	89.7	87.8 - 91.4	2,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	9.6	7.9 - 11.6	2,500	90.4	88.4 - 92.1	2,800
131-185%	100	8.4	5.9 - 11.8	600	91.6	88.2 - 94.1	700
186+%	200	10.8	8.7 - 13.3	1,400	89.2	86.7 - 91.3	1,600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	8.1	6.0 - 10.9	1,400	91.9	89.1 - 94.0	1,500
\$10,000-\$24,999	100	10.9	8.4 - 13.9	1,200	89.1	86.1 - 91.6	1,400
\$25,000-\$49,999	100	10.8	8.4 - 13.8	1,100	89.2	86.2 - 91.6	1,200
>=\$50,000	100	9.3	7.0 - 12.3	1,000	90.7	87.7 - 93.0	1,100

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	7.6	4.7 - 12.0	400	92.4	88.0 - 95.3	400
Normal birth weight	500	9.7	8.5 - 11.1	4,600	90.3	88.9 - 91.5	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	10.8	7.5 - 15.3	700	89.2	84.7 - 92.5	800
No	400	9.5	8.2 - 10.9	4,200	90.5	89.1 - 91.8	4,600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	9.9	7.7 - 12.7	1,400	90.1	87.3 - 92.3	1,600
No	400	9.6	8.2 - 11.2	3,400	90.4	88.8 - 91.8	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.5	7.9 - 11.3	2,700	90.5	88.7 - 92.1	3,000
No	200	9.6	7.9 - 11.7	2,200	90.4	88.3 - 92.1	2,400

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	500	9.8	8.7 - 11.1	4,800	90.2	88.9 - 91.3	5,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	10.5	7.6 - 14.5	600	89.5	85.5 - 92.4	700
Honolulu	400	9.4	8.1 - 10.8	3,400	90.6	89.2 - 91.9	3,800
Kauai	<50	9.6	5.6 - 15.9	300	90.4	84.1 - 94.4	300
Maui	100	11.9	8.5 - 16.5	500	88.1	83.5 - 91.5	600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	12.4	9.6 - 15.9	800	87.6	84.1 - 90.4	900
Native Hawaiian	200	12.0	9.8 - 14.5	1,600	88.0	85.5 - 90.2	1,900
Chinese	<50	7.1	4.4 - 11.3	100	92.9	88.7 - 95.6	100
Filipino	100	8.2	6.2 - 10.9	900	91.8	89.1 - 93.8	900
Japanese	<50	8.0	5.2 - 12.0	500	92.0	88.0 - 94.8	500
Other	100	6.3	4.4 - 9.0	900	93.7	91.0 - 95.6	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	9.9	6.8 - 14.2	600	90.1	85.8 - 93.2	700
20-24	200	12.5	10.3 - 15.2	1,400	87.5	84.8 - 89.7	1,600
25-34	200	8.7	7.2 - 10.5	2,100	91.3	89.5 - 92.8	2,300
35+	100	7.4	5.1 - 10.7	700	92.6	89.3 - 94.9	700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	9.3	7.9 - 11.1	2,500	90.7	88.9 - 92.1	2,800
Female	300	10.3	8.7 - 12.2	2,300	89.7	87.8 - 91.3	2,500

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	9.2	7.8 - 10.9	2,400	90.8	89.1 - 92.2	2,600
No	300	10.4	8.8 - 12.3	2,400	89.6	87.7 - 91.2	2,700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	9.4	7.9 - 11.3	2,400	90.6	88.7 - 92.1	2,700
131-185%	100	9.0	6.3 - 12.7	600	91.0	87.3 - 93.7	600
186+%	200	11.6	9.6 - 14.1	1,400	88.4	85.9 - 90.4	1,600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	100	8.4	6.4 - 11.0	1,300	91.6	89.0 - 93.6	1,400
\$10,000-\$24,999	100	10.1	8.0 - 12.8	1,200	89.9	87.2 - 92.0	1,400
\$25,000-\$49,999	100	12.1	9.6 - 15.2	1,000	87.9	84.8 - 90.4	1,100
>=\$50,000	100	9.7	7.4 - 12.6	900	90.3	87.4 - 92.6	1,000

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	7.0	4.0 - 11.9	400	93.0	88.1 - 96.0	400
Normal birth weight	500	10.0	8.9 - 11.4	4,500	90.0	88.6 - 91.1	4,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	9.9	7.0 - 13.8	700	90.1	86.2 - 93.0	700
No	400	9.9	8.7 - 11.3	4,100	90.1	88.7 - 91.3	4,500

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	10.0	8.0 - 12.5	1,400	90.0	87.5 - 92.0	1,500
No	400	9.9	8.5 - 11.4	3,300	90.1	88.6 - 91.5	3,700

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.8	8.3 - 11.6	2,600	90.2	88.4 - 91.7	2,900
No	200	9.6	8.0 - 11.4	2,100	90.4	88.6 - 92.0	2,300

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	500	9.8	8.7 - 11.1	4,900	90.2	88.9 - 91.3	5,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	10.4	7.6 - 14.0	600	89.6	86.0 - 92.4	700
Honolulu	400	9.7	8.3 - 11.2	3,500	90.3	88.8 - 91.7	3,900
Kauai	<50	7.9	4.6 - 13.3	300	92.1	86.7 - 95.4	300
Maui	100	10.9	7.7 - 15.2	500	89.1	84.8 - 92.3	600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	11.8	8.9 - 15.3	800	88.2	84.7 - 91.1	900
Native Hawaiian	200	11.8	9.8 - 14.2	1,700	88.2	85.8 - 90.2	1,900
Chinese	<50	8.2	4.0 - 16.1	100	91.8	83.9 - 96.0	100
Filipino	100	8.3	6.1 - 11.2	900	91.7	88.8 - 93.9	1,000
Japanese	<50	8.4	5.4 - 12.9	500	91.6	87.1 - 94.6	500
Other	100	7.0	4.9 - 9.9	1,000	93.0	90.1 - 95.1	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	12.6	9.2 - 16.9	700	87.4	83.1 - 90.8	800
20-24	200	12.1	9.9 - 14.7	1,500	87.9	85.3 - 90.1	1,700
25-34	200	8.0	6.5 - 9.8	2,100	92.0	90.2 - 93.5	2,300
35+	100	7.4	5.1 - 10.6	700	92.6	89.4 - 94.9	700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	9.3	7.8 - 11.1	2,600	90.7	88.9 - 92.2	2,900
Female	300	10.4	8.7 - 12.3	2,300	89.6	87.7 - 91.3	2,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	9.2	7.7 - 11.0	2,400	90.8	89.0 - 92.3	2,700
No	300	10.4	8.8 - 12.3	2,500	89.6	87.7 - 91.2	2,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	9.8	8.2 - 11.7	2,500	90.2	88.3 - 91.8	2,800
131-185%	100	9.1	6.3 - 13.1	600	90.9	86.9 - 93.7	700
186+%	200	11.3	9.2 - 13.8	1,300	88.7	86.2 - 90.8	1,500

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	5.9	3.4 - 10.3	400	94.1	89.7 - 96.6	400
Normal birth weight	500	10.1	9.0 - 11.5	4,500	89.9	88.5 - 91.0	5,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	11.9	8.6 - 16.1	700	88.1	83.9 - 91.4	800
No	400	9.6	8.4 - 10.9	4,200	90.4	89.1 - 91.6	4,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	10.9	8.7 - 13.4	1,400	89.1	86.6 - 91.3	1,600
No	400	9.6	8.3 - 11.1	3,400	90.4	88.9 - 91.7	3,700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	10.3	8.7 - 12.0	2,700	89.7	88.0 - 91.3	3,000
No	200	9.0	7.5 - 10.9	2,200	91.0	89.1 - 92.5	2,400

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	500	9.6	8.5 - 10.9	4,900	90.4	89.1 - 91.5	5,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	10.5	7.9 - 14.0	600	89.5	86.0 - 92.1	700
Honolulu	400	9.3	8.0 - 10.9	3,500	90.7	89.1 - 92.0	3,900
Kauai	<50	8.3	4.9 - 13.7	200	91.7	86.3 - 95.1	300
Maui	100	11.0	8.1 - 14.7	500	89.0	85.3 - 91.9	600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	11.8	9.0 - 15.5	800	88.2	84.5 - 91.0	900
Native Hawaiian	200	10.6	8.8 - 12.6	1,700	89.4	87.4 - 91.2	1,900
Chinese	<50	11.5	5.4 - 22.8	100	88.5	77.2 - 94.6	100
Filipino	100	8.5	6.1 - 11.7	900	91.5	88.3 - 93.9	1,000
Japanese	<50	8.6	5.4 - 13.7	400	91.4	86.3 - 94.6	500
Other	100	7.2	4.9 - 10.4	900	92.8	89.6 - 95.1	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	11.3	8.2 - 15.4	700	88.7	84.6 - 91.8	700
20-24	200	12.2	10.0 - 14.8	1,500	87.8	85.2 - 90.0	1,700
25-34	200	8.6	7.0 - 10.5	2,000	91.4	89.5 - 93.0	2,200
35+	<50	5.3	3.5 - 8.0	700	94.7	92.0 - 96.5	700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	9.5	7.9 - 11.3	2,500	90.5	88.7 - 92.1	2,800
Female	300	9.8	8.2 - 11.6	2,400	90.2	88.4 - 91.8	2,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	8.6	7.1 - 10.3	2,500	91.4	89.7 - 92.9	2,800
No	300	10.7	9.1 - 12.7	2,400	89.3	87.3 - 90.9	2,700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	9.7	8.1 - 11.5	2,500	90.3	88.5 - 91.9	2,700
131-185%	100	8.2	5.6 - 11.8	700	91.8	88.2 - 94.4	700
186+%	200	11.6	9.3 - 14.4	1,200	88.4	85.6 - 90.7	1,400

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	8.1	4.5 - 14.1	400	91.9	85.9 - 95.5	400
Normal birth weight	500	9.8	8.6 - 11.1	4,500	90.2	88.9 - 91.4	5,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	11.2	8.1 - 15.2	700	88.8	84.8 - 91.9	800
No	400	9.5	8.2 - 10.8	4,100	90.5	89.2 - 91.8	4,500

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	10.8	8.7 - 13.3	1,400	89.2	86.7 - 91.3	1,600
No	300	9.2	7.9 - 10.7	3,300	90.8	89.3 - 92.1	3,700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.8	8.3 - 11.6	2,600	90.2	88.4 - 91.7	2,900
No	200	9.2	7.5 - 11.1	2,200	90.8	88.9 - 92.5	2,400

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	500	9.8	8.7 - 11.0	4,900	90.2	89.0 - 91.3	5,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	9.8	7.6 - 12.6	600	90.2	87.4 - 92.4	700
Honolulu	400	9.7	8.4 - 11.3	3,500	90.3	88.7 - 91.6	3,900
Kauai	<50	7.8	5.0 - 12.1	200	92.2	87.9 - 95.0	300
Maui	100	10.7	8.1 - 13.9	500	89.3	86.1 - 91.9	600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	12.7	9.7 - 16.5	800	87.3	83.5 - 90.3	900
Native Hawaiian	200	10.0	8.5 - 11.6	1,700	90.0	88.4 - 91.5	1,900
Chinese	<50	10.3	4.6 - 21.4	100	89.7	78.6 - 95.4	200
Filipino	100	8.3	6.0 - 11.4	1,000	91.7	88.6 - 94.0	1,100
Japanese	100	11.7	7.9 - 17.1	400	88.3	82.9 - 92.1	500
Other	100	7.2	4.8 - 10.6	800	92.8	89.4 - 95.2	900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	11.4	8.5 - 15.1	700	88.6	84.9 - 91.5	800
20-24	200	10.8	8.8 - 13.1	1,500	89.2	86.9 - 91.2	1,700
25-34	200	9.9	8.2 - 11.9	2,000	90.1	88.1 - 91.8	2,200
35+	<50	5.4	3.5 - 8.1	700	94.6	91.9 - 96.5	700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	9.1	7.6 - 10.8	2,600	90.9	89.2 - 92.4	2,900
Female	300	10.5	8.9 - 12.4	2,300	89.5	87.6 - 91.1	2,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	8.7	7.3 - 10.4	2,600	91.3	89.6 - 92.7	2,800
No	300	10.9	9.3 - 12.7	2,300	89.1	87.3 - 90.7	2,600

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	10.0	8.5 - 11.7	2,500	90.0	88.3 - 91.5	2,700
131-185%	100	7.8	5.5 - 10.9	700	92.2	89.1 - 94.5	800
186+%	200	12.0	9.6 - 15.0	1,100	88.0	85.0 - 90.4	1,300

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	9.3	5.6 - 15.2	400	90.7	84.8 - 94.4	400
Normal birth weight	500	9.8	8.7 - 11.1	4,500	90.2	88.9 - 91.3	5,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	9.8	7.1 - 13.4	700	90.2	86.6 - 92.9	800
No	400	9.9	8.7 - 11.2	4,100	90.1	88.8 - 91.3	4,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	10.4	8.4 - 12.7	1,400	89.6	87.3 - 91.6	1,600
No	400	9.6	8.3 - 11.1	3,300	90.4	88.9 - 91.7	3,700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2001-2005

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.7	8.2 - 11.3	2,600	90.3	88.7 - 91.8	2,900
No	200	9.8	8.2 - 11.8	2,200	90.2	88.2 - 91.8	2,500

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	600	10.6	9.5 - 11.8	4,900	89.4	88.2 - 90.5	5,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	100	10.6	8.4 - 13.1	600	89.4	86.9 - 91.6	700
Honolulu	400	10.6	9.2 - 12.2	3,500	89.4	87.8 - 90.8	3,900
Kauai	<50	10.5	7.3 - 15.0	200	89.5	85.0 - 92.7	300
Maui	100	10.7	8.4 - 13.4	500	89.3	86.6 - 91.6	600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	12.0	9.2 - 15.6	800	88.0	84.4 - 90.8	900
Native Hawaiian	200	10.9	9.6 - 12.3	1,700	89.1	87.7 - 90.4	1,900
Chinese	<50	11.8	5.4 - 24.1	100	88.2	75.9 - 94.6	200
Filipino	100	10.1	7.6 - 13.2	1,100	89.9	86.8 - 92.4	1,200
Japanese	100	11.8	7.8 - 17.5	400	88.2	82.5 - 92.2	500
Other	100	8.5	5.9 - 12.1	800	91.5	87.9 - 94.1	900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	100	11.4	8.7 - 14.8	700	88.6	85.2 - 91.3	800
20-24	200	12.9	10.8 - 15.3	1,500	87.1	84.7 - 89.2	1,700
25-34	200	10.2	8.5 - 12.1	2,000	89.8	87.9 - 91.5	2,200
35+	<50	5.8	4.0 - 8.5	700	94.2	91.5 - 96.0	800

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	300	10.4	8.9 - 12.1	2,600	89.6	87.9 - 91.1	2,900
Female	300	10.8	9.2 - 12.6	2,300	89.2	87.4 - 90.8	2,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	9.7	8.3 - 11.3	2,700	90.3	88.7 - 91.7	2,900
No	300	11.7	10.0 - 13.6	2,200	88.3	86.4 - 90.0	2,500

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	300	11.4	9.9 - 13.2	2,500	88.6	86.8 - 90.1	2,900
131-185%	100	8.9	6.5 - 11.9	700	91.1	88.1 - 93.5	800
186+%	100	11.5	9.1 - 14.4	1,100	88.5	85.6 - 90.9	1,200

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	<50	11.7	7.6 - 17.8	300	88.3	82.2 - 92.4	400
Normal birth weight	500	10.5	9.4 - 11.8	4,500	89.5	88.2 - 90.6	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	100	10.9	8.1 - 14.5	700	89.1	85.5 - 91.9	800
No	500	10.7	9.5 - 12.0	4,100	89.3	88.0 - 90.5	4,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	11.4	9.4 - 13.8	1,400	88.6	86.2 - 90.6	1,600
No	400	10.3	9.0 - 11.8	3,400	89.7	88.2 - 91.0	3,700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- side effects- by
State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2000-2004

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	11.1	9.6 - 12.8	2,600	88.9	87.2 - 90.4	2,900
No	300	10.0	8.4 - 11.8	2,300	90.0	88.2 - 91.6	2,500