

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant- for the State of Hawaii, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
No contraception at conception- thought couldn't get pregnant	Among women not on contraception at the time of conception, those who were not on it because they believed they could not get pregnant at that time

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/22/17*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant- for the State of Hawaii, for the Year(s)**

**2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**


*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Years	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2004	1,200	22.4	20.9 - 24.0	4,300	77.6	76.0 - 79.1	5,500
2001-2005	1,200	22.8	21.2 - 24.5	4,200	77.2	75.5 - 78.8	5,400
2002-2006	1,300	23.7	22.0 - 25.4	4,100	76.3	74.6 - 78.0	5,400
2003-2007	1,400	25.1	23.4 - 26.9	4,100	74.9	73.1 - 76.6	5,500
2004-2008	1,400	25.9	24.2 - 27.7	4,000	74.1	72.3 - 75.8	5,400
2005-2009	1,500	27.4	25.5 - 29.4	4,000	72.6	70.6 - 74.5	5,500
2006-2010	1,500	27.3	25.3 - 29.4	4,000	72.7	70.6 - 74.7	5,600
2007-2011	1,500	27.4	25.3 - 29.6	4,000	72.6	70.4 - 74.7	5,500
2008-2012	1,500	27.8	25.5 - 30.1	3,900	72.2	69.9 - 74.5	5,400
2009-2013	1,600	28.2	25.8 - 30.7	4,000	71.8	69.3 - 74.2	5,500

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant- for the State of Hawaii, for the Year(s)**

**2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*



**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,600	28.2	25.8 - 30.7	4,000	71.8	69.3 - 74.2	5,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	31.1	27.4 - 35.2	500	68.9	64.8 - 72.6	700
<b>Honolulu</b>	1,100	28.0	24.9 - 31.4	2,800	72.0	68.6 - 75.1	3,900
<b>Kauai</b>	100	23.6	19.8 - 28.0	200	76.4	72.0 - 80.2	300
<b>Maui</b>	200	27.4	23.9 - 31.2	400	72.6	68.8 - 76.1	600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	21.3	16.6 - 27.0	800	78.7	73.0 - 83.4	1,000
Native Hawaiian	600	29.9	26.1 - 33.9	1,400	70.1	66.1 - 73.9	2,000
Chinese	<50	15.0	7.9 - 26.7	200	85.0	73.3 - 92.1	200
Filipino	300	30.8	25.2 - 37.0	700	69.2	63.0 - 74.8	1,000
Japanese	100	18.1	11.7 - 26.9	300	81.9	73.1 - 88.3	400
Other	300	37.5	30.9 - 44.5	600	62.5	55.5 - 69.1	900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	43.8	35.6 - 52.4	300	56.2	47.6 - 64.4	500
20-24	500	29.2	24.8 - 34.1	1,100	70.8	65.9 - 75.2	1,600
25-34	600	23.4	20.3 - 26.9	2,000	76.6	73.1 - 79.7	2,600
35+	300	30.7	24.9 - 37.1	600	69.3	62.9 - 75.1	900

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	28.9	25.5 - 32.5	1,900	71.1	67.5 - 74.5	2,700
Female	800	27.6	24.3 - 31.1	2,100	72.4	68.9 - 75.7	2,900

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	23.6	20.4 - 27.1	2,100	76.4	72.9 - 79.6	2,700
No	900	32.7	29.3 - 36.2	1,900	67.3	63.8 - 70.7	2,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	34.9	31.3 - 38.7	1,700	65.1	61.3 - 68.7	2,600
131-185%	200	21.5	16.2 - 27.9	600	78.5	72.1 - 83.8	800
186+%	300	17.7	14.3 - 21.8	1,300	82.3	78.2 - 85.7	1,600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	33.3	29.3 - 37.6	300	66.7	62.4 - 70.7	400
Normal birth weight	1,400	27.7	25.2 - 30.3	3,700	72.3	69.7 - 74.8	5,200

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	32.2	24.7 - 40.7	400	67.8	59.3 - 75.3	500
No	1,400	27.9	25.4 - 30.5	3,500	72.1	69.5 - 74.6	4,900

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	27.1	22.7 - 32.0	1,000	72.9	68.0 - 77.3	1,400
No	1,200	28.7	25.9 - 31.7	2,900	71.3	68.3 - 74.1	4,000

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2009-2013**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	900	30.9	27.7 - 34.4	2,000	69.1	65.6 - 72.3	2,900
<b>No</b>	600	24.7	21.4 - 28.3	1,900	75.3	71.7 - 78.6	2,500



**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,500	27.8	25.5 - 30.1	3,900	72.2	69.9 - 74.5	5,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	28.2	24.4 - 32.4	500	71.8	67.6 - 75.6	700
<b>Honolulu</b>	1,100	27.7	24.7 - 30.9	2,800	72.3	69.1 - 75.3	3,800
<b>Kauai</b>	100	24.1	19.3 - 29.5	200	75.9	70.5 - 80.7	300
<b>Maui</b>	200	29.3	25.3 - 33.7	400	70.7	66.3 - 74.7	600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	21.5	17.0 - 26.7	800	78.5	73.3 - 83.0	1,000
Native Hawaiian	600	28.8	25.1 - 32.8	1,400	71.2	67.2 - 74.9	1,900
Chinese	<50	20.4	11.8 - 32.9	200	79.6	67.1 - 88.2	200
Filipino	300	29.6	24.4 - 35.3	700	70.4	64.7 - 75.6	1,000
Japanese	100	18.7	12.6 - 26.9	300	81.3	73.1 - 87.4	400
Other	300	35.5	29.5 - 42.0	600	64.5	58.0 - 70.5	900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	42.4	34.7 - 50.5	300	57.6	49.5 - 65.3	600
20-24	400	28.7	24.4 - 33.4	1,100	71.3	66.6 - 75.6	1,500
25-34	600	22.5	19.6 - 25.7	1,900	77.5	74.3 - 80.4	2,500
35+	300	31.7	26.1 - 38.0	600	68.3	62.0 - 73.9	900

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	29.4	26.3 - 32.8	1,900	70.6	67.2 - 73.7	2,700
Female	700	26.1	23.0 - 29.4	2,000	73.9	70.6 - 77.0	2,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	23.4	20.5 - 26.6	2,100	76.6	73.4 - 79.5	2,700
No	900	32.1	28.8 - 35.6	1,900	67.9	64.4 - 71.2	2,700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	33.2	29.8 - 36.8	1,700	66.8	63.2 - 70.2	2,600
131-185%	200	22.4	17.2 - 28.6	600	77.6	71.4 - 82.8	700
186+%	300	19.0	15.7 - 22.8	1,300	81.0	77.2 - 84.3	1,600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	30.8	26.1 - 36.0	300	69.2	64.0 - 73.9	400
Normal birth weight	1,400	27.4	25.0 - 29.9	3,700	72.6	70.1 - 75.0	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	25.9	19.7 - 33.2	400	74.1	66.8 - 80.3	600
No	1,300	28.0	25.6 - 30.6	3,400	72.0	69.4 - 74.4	4,700

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	24.0	20.1 - 28.4	1,100	76.0	71.6 - 79.9	1,400
No	1,100	29.1	26.4 - 32.0	2,800	70.9	68.0 - 73.6	3,900

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2008-2012**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	29.5	26.5 - 32.8	2,000	70.5	67.2 - 73.5	2,900
No	600	25.2	22.0 - 28.8	1,800	74.8	71.2 - 78.0	2,400

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,500	27.4	25.3 - 29.6	4,000	72.6	70.4 - 74.7	5,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	28.1	24.0 - 32.7	500	71.9	67.3 - 76.0	700
<b>Honolulu</b>	1,000	27.0	24.2 - 29.9	2,800	73.0	70.1 - 75.8	3,800
<b>Kauai</b>	100	25.5	20.2 - 31.7	200	74.5	68.3 - 79.8	300
<b>Maui</b>	200	30.4	26.0 - 35.1	400	69.6	64.9 - 74.0	600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	22.9	18.5 - 27.8	800	77.1	72.2 - 81.5	1,000
Native Hawaiian	500	26.8	23.4 - 30.5	1,400	73.2	69.5 - 76.6	2,000
Chinese	<50	22.8	13.4 - 36.1	100	77.2	63.9 - 86.6	200
Filipino	300	30.5	25.6 - 35.9	700	69.5	64.1 - 74.4	1,000
Japanese	100	19.6	13.9 - 26.8	400	80.4	73.2 - 86.1	400
Other	300	35.1	29.4 - 41.2	600	64.9	58.8 - 70.6	900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	38.9	32.1 - 46.1	400	61.1	53.9 - 67.9	600
20-24	500	29.1	25.1 - 33.5	1,100	70.9	66.5 - 74.9	1,600
25-34	500	21.8	19.0 - 24.8	1,900	78.2	75.2 - 81.0	2,500
35+	300	32.4	26.8 - 38.6	600	67.6	61.4 - 73.2	800

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	28.8	25.8 - 31.9	2,000	71.2	68.1 - 74.2	2,800
Female	700	26.0	23.0 - 29.2	2,000	74.0	70.8 - 77.0	2,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	24.0	21.2 - 27.1	2,100	76.0	72.9 - 78.8	2,700
No	900	30.8	27.7 - 34.0	1,900	69.2	66.0 - 72.3	2,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	32.9	29.7 - 36.3	1,800	67.1	63.7 - 70.3	2,700
131-185%	200	22.3	17.3 - 28.2	600	77.7	71.8 - 82.7	700
186+%	300	19.6	16.4 - 23.1	1,400	80.4	76.9 - 83.6	1,700



**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	35.5	31.0 - 40.2	900	64.5	59.8 - 69.0	1,400
\$10,000-\$24,999	400	30.2	25.7 - 35.0	900	69.8	65.0 - 74.3	1,300
\$25,000-\$49,999	300	20.8	17.1 - 25.2	1,000	79.2	74.8 - 82.9	1,200
>=\$50,000	300	21.2	17.3 - 25.5	1,000	78.8	74.5 - 82.7	1,200

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	31.0	25.7 - 36.8	300	69.0	63.2 - 74.3	400
Normal birth weight	1,400	27.1	24.8 - 29.4	3,700	72.9	70.6 - 75.2	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	25.3	19.6 - 32.0	500	74.7	68.0 - 80.4	600
No	1,300	27.5	25.2 - 29.9	3,500	72.5	70.1 - 74.8	4,800

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2007-2011**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	400	24.8	21.1 - 28.9	1,100	75.2	71.1 - 78.9	1,500
<b>No</b>	1,100	28.2	25.6 - 30.8	2,800	71.8	69.2 - 74.4	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	800	29.2	26.3 - 32.2	2,100	70.8	67.8 - 73.7	2,900
<b>No</b>	600	25.5	22.5 - 28.9	1,800	74.5	71.1 - 77.5	2,500

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,500	27.3	25.3 - 29.4	4,000	72.7	70.6 - 74.7	5,600

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	29.2	24.7 - 34.1	500	70.8	65.9 - 75.3	700
<b>Honolulu</b>	1,000	26.5	24.0 - 29.2	2,900	73.5	70.8 - 76.0	3,900
<b>Kauai</b>	100	27.1	21.1 - 34.2	200	72.9	65.8 - 78.9	300
<b>Maui</b>	200	30.2	25.5 - 35.3	400	69.8	64.7 - 74.5	600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	21.6	17.6 - 26.3	800	78.4	73.7 - 82.4	1,000
Native Hawaiian	500	26.8	23.4 - 30.4	1,500	73.2	69.6 - 76.6	2,000
Chinese	<50	18.8	11.4 - 29.5	100	81.2	70.5 - 88.6	200
Filipino	300	30.5	25.8 - 35.6	700	69.5	64.4 - 74.2	1,000
Japanese	100	22.2	16.5 - 29.2	300	77.8	70.8 - 83.5	400
Other	400	34.4	29.4 - 39.8	700	65.6	60.2 - 70.6	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	39.1	32.9 - 45.8	400	60.9	54.2 - 67.1	700
20-24	400	27.8	24.1 - 31.8	1,100	72.2	68.2 - 75.9	1,600
25-34	600	23.0	20.3 - 25.9	1,900	77.0	74.1 - 79.7	2,500
35+	200	29.8	24.6 - 35.5	600	70.2	64.5 - 75.4	800

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	28.6	25.8 - 31.6	2,000	71.4	68.4 - 74.2	2,800
Female	700	25.9	23.2 - 28.9	2,000	74.1	71.1 - 76.8	2,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	22.6	20.0 - 25.4	2,100	77.4	74.6 - 80.0	2,700
No	900	31.9	29.0 - 35.0	1,900	68.1	65.0 - 71.0	2,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	32.2	29.2 - 35.4	1,800	67.8	64.6 - 70.8	2,700
131-185%	200	25.2	20.1 - 31.1	500	74.8	68.9 - 79.9	700
186+%	300	18.8	15.9 - 22.1	1,400	81.2	77.9 - 84.1	1,700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	34.1	29.9 - 38.6	900	65.9	61.4 - 70.1	1,400
\$10,000-\$24,999	400	31.4	27.2 - 35.9	900	68.6	64.1 - 72.8	1,300
\$25,000-\$49,999	200	20.1	16.5 - 24.3	1,000	79.9	75.7 - 83.5	1,200
>=\$50,000	300	20.8	17.3 - 24.9	1,000	79.2	75.1 - 82.7	1,200

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	28.2	22.7 - 34.4	300	71.8	65.6 - 77.3	400
Normal birth weight	1,400	27.2	25.1 - 29.4	3,700	72.8	70.6 - 74.9	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	26.2	21.0 - 32.2	600	73.8	67.8 - 79.0	800
No	1,300	27.1	25.0 - 29.4	3,400	72.9	70.6 - 75.0	4,700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2006-2010**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	27.1	23.3 - 31.1	1,100	72.9	68.9 - 76.7	1,600
No	1,100	27.0	24.6 - 29.4	2,800	73.0	70.6 - 75.4	3,900

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	29.9	27.1 - 32.8	2,100	70.1	67.2 - 72.9	3,000
No	600	24.5	21.7 - 27.6	1,900	75.5	72.4 - 78.3	2,500

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,500	27.4	25.5 - 29.4	4,000	72.6	70.6 - 74.5	5,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	26.6	22.1 - 31.7	500	73.4	68.3 - 77.9	700
<b>Honolulu</b>	1,100	27.3	25.0 - 29.8	2,800	72.7	70.2 - 75.0	3,900
<b>Kauai</b>	100	27.5	21.0 - 35.0	200	72.5	65.0 - 79.0	300
<b>Maui</b>	200	28.9	23.9 - 34.4	400	71.1	65.6 - 76.1	600



**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	21.9	18.0 - 26.3	700	78.1	73.7 - 82.0	900
Native Hawaiian	500	25.2	22.1 - 28.6	1,500	74.8	71.4 - 77.9	2,000
Chinese	<50	24.1	15.7 - 35.0	100	75.9	65.0 - 84.3	200
Filipino	300	32.8	28.4 - 37.6	600	67.2	62.4 - 71.6	900
Japanese	100	22.3	17.0 - 28.7	400	77.7	71.3 - 83.0	500
Other	400	34.5	29.8 - 39.6	700	65.5	60.4 - 70.2	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	39.3	33.5 - 45.4	500	60.7	54.6 - 66.5	700
20-24	400	26.1	22.7 - 29.8	1,200	73.9	70.2 - 77.3	1,600
25-34	500	22.3	19.7 - 25.1	1,900	77.7	74.9 - 80.3	2,400
35+	300	34.8	29.6 - 40.4	500	65.2	59.6 - 70.4	800

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	28.8	26.1 - 31.6	2,000	71.2	68.4 - 73.9	2,800
Female	700	26.0	23.3 - 28.8	2,000	74.0	71.2 - 76.7	2,700

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	23.2	20.8 - 25.9	2,000	76.8	74.1 - 79.2	2,600
No	900	31.1	28.4 - 34.0	2,000	68.9	66.0 - 71.6	2,900

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	900	31.8	29.0 - 34.7	1,900	68.2	65.3 - 71.0	2,800
131-185%	200	25.6	20.6 - 31.4	500	74.4	68.6 - 79.4	700
186+%	300	19.9	17.1 - 23.1	1,300	80.1	76.9 - 82.9	1,600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	33.7	29.8 - 37.9	1,000	66.3	62.1 - 70.2	1,500
\$10,000-\$24,999	400	29.2	25.4 - 33.3	1,000	70.8	66.7 - 74.6	1,400
\$25,000-\$49,999	300	23.9	20.1 - 28.2	900	76.1	71.8 - 79.9	1,200
>=\$50,000	200	20.1	16.8 - 24.0	900	79.9	76.0 - 83.2	1,100

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	28.5	22.8 - 35.0	300	71.5	65.0 - 77.2	400
Normal birth weight	1,400	27.2	25.3 - 29.3	3,700	72.8	70.7 - 74.7	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	23.9	19.2 - 29.4	600	76.1	70.6 - 80.8	800
No	1,300	27.7	25.6 - 29.8	3,400	72.3	70.2 - 74.4	4,600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2005-2009**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	26.8	23.3 - 30.6	1,200	73.2	69.4 - 76.7	1,600
No	1,000	27.3	25.1 - 29.7	2,800	72.7	70.3 - 74.9	3,800

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	29.7	27.1 - 32.5	2,100	70.3	67.5 - 72.9	3,000
No	600	24.7	21.9 - 27.6	1,800	75.3	72.4 - 78.1	2,400

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,400	25.9	24.2 - 27.7	4,000	74.1	72.3 - 75.8	5,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	24.2	19.7 - 29.5	500	75.8	70.5 - 80.3	700
<b>Honolulu</b>	1,000	25.7	23.7 - 27.8	2,800	74.3	72.2 - 76.3	3,800
<b>Kauai</b>	100	29.3	22.2 - 37.7	200	70.7	62.3 - 77.8	300
<b>Maui</b>	200	27.6	22.5 - 33.3	400	72.4	66.7 - 77.5	600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	21.1	17.5 - 25.2	700	78.9	74.8 - 82.5	900
Native Hawaiian	500	24.7	21.7 - 27.9	1,400	75.3	72.1 - 78.3	1,900
Chinese	<50	23.1	18.1 - 29.0	100	76.9	71.0 - 81.9	100
Filipino	300	30.1	26.3 - 34.1	700	69.9	65.9 - 73.7	900
Japanese	100	22.5	17.6 - 28.2	400	77.5	71.8 - 82.4	500
Other	300	30.5	26.3 - 35.1	700	69.5	64.9 - 73.7	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	40.3	34.6 - 46.2	400	59.7	53.8 - 65.4	700
20-24	400	25.5	22.4 - 28.8	1,200	74.5	71.2 - 77.6	1,600
25-34	500	21.1	18.8 - 23.7	1,800	78.9	76.3 - 81.2	2,300
35+	200	28.7	24.3 - 33.4	500	71.3	66.6 - 75.7	700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	800	26.9	24.5 - 29.4	2,100	73.1	70.6 - 75.5	2,800
Female	600	24.8	22.4 - 27.4	1,900	75.2	72.6 - 77.6	2,500

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	600	21.3	19.2 - 23.6	2,100	78.7	76.4 - 80.8	2,600
No	800	30.3	27.7 - 33.0	1,900	69.7	67.0 - 72.3	2,700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	800	30.5	27.9 - 33.2	1,900	69.5	66.8 - 72.1	2,700
131-185%	100	23.0	18.6 - 28.1	500	77.0	71.9 - 81.4	600
186+%	300	19.3	16.7 - 22.2	1,300	80.7	77.8 - 83.3	1,600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Income (2004-2011)	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	500	34.7	30.9 - 38.6	900	65.3	61.4 - 69.1	1,400
\$10,000-\$24,999	400	25.5	22.3 - 29.1	1,000	74.5	70.9 - 77.7	1,400
\$25,000-\$49,999	200	21.2	18.0 - 24.8	900	78.8	75.2 - 82.0	1,100
>=\$50,000	200	19.7	16.5 - 23.3	800	80.3	76.7 - 83.5	1,000

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	30.5	24.2 - 37.6	300	69.5	62.4 - 75.8	400
Normal birth weight	1,300	25.5	23.8 - 27.4	3,700	74.5	72.6 - 76.2	4,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	24.9	20.4 - 30.0	500	75.1	70.0 - 79.6	700
No	1,200	25.9	24.0 - 27.8	3,400	74.1	72.2 - 76.0	4,500



**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2004-2008**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	27.6	24.4 - 31.1	1,100	72.4	68.9 - 75.6	1,500
No	900	25.0	23.0 - 27.1	2,800	75.0	72.9 - 77.0	3,700

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	29.5	27.1 - 32.1	2,000	70.5	67.9 - 72.9	2,900
No	500	21.9	19.5 - 24.4	1,800	78.1	75.6 - 80.5	2,300

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,400	25.1	23.4 - 26.9	4,100	74.9	73.1 - 76.6	5,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	200	24.4	20.1 - 29.3	500	75.6	70.7 - 79.9	700
<b>Honolulu</b>	1,000	25.1	23.1 - 27.3	2,900	74.9	72.7 - 76.9	3,900
<b>Kauai</b>	100	27.5	21.0 - 35.2	200	72.5	64.8 - 79.0	300
<b>Maui</b>	100	24.7	20.1 - 29.9	400	75.3	70.1 - 79.9	600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	19.2	15.6 - 23.4	700	80.8	76.6 - 84.4	900
Native Hawaiian	500	24.8	22.0 - 27.8	1,400	75.2	72.2 - 78.0	1,900
Chinese	<50	20.2	13.2 - 29.4	100	79.8	70.6 - 86.8	100
Filipino	300	29.5	25.5 - 33.8	700	70.5	66.2 - 74.5	1,000
Japanese	100	21.1	16.2 - 26.9	400	78.9	73.1 - 83.8	500
Other	300	29.1	24.9 - 33.8	700	70.9	66.2 - 75.1	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	41.3	36.0 - 46.9	400	58.7	53.1 - 64.0	800
20-24	400	23.7	20.8 - 27.0	1,300	76.3	73.0 - 79.2	1,700
25-34	500	20.3	17.9 - 22.8	1,800	79.7	77.2 - 82.1	2,300
35+	200	26.9	22.5 - 31.9	500	73.1	68.1 - 77.5	700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	700	24.9	22.6 - 27.3	2,200	75.1	72.7 - 77.4	2,900
Female	700	25.4	22.9 - 28.0	1,900	74.6	72.0 - 77.1	2,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	19.5	17.3 - 21.7	2,200	80.5	78.3 - 82.7	2,700
No	900	30.5	28.0 - 33.2	1,900	69.5	66.8 - 72.0	2,800

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	800	29.6	27.1 - 32.3	2,000	70.4	67.7 - 72.9	2,800
131-185%	100	21.6	17.3 - 26.6	500	78.4	73.4 - 82.7	700
186+%	300	18.5	15.8 - 21.5	1,200	81.5	78.5 - 84.2	1,500

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	30.9	24.5 - 38.1	300	69.1	61.9 - 75.5	400
Normal birth weight	1,200	24.6	22.9 - 26.5	3,800	75.4	73.5 - 77.1	5,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	24.6	20.3 - 29.5	600	75.4	70.5 - 79.7	800
No	1,200	24.9	23.1 - 26.9	3,500	75.1	73.1 - 76.9	4,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	28.5	25.3 - 31.9	1,100	71.5	68.1 - 74.7	1,600
No	900	23.4	21.4 - 25.5	2,900	76.6	74.5 - 78.6	3,700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2003-2007**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	900	29.0	26.6 - 31.6	2,100	71.0	68.4 - 73.4	3,000
<b>No</b>	500	20.7	18.4 - 23.3	1,900	79.3	76.7 - 81.6	2,400

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,300	23.7	22.0 - 25.4	4,100	76.3	74.6 - 78.0	5,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	20.7	17.0 - 24.9	500	79.3	75.1 - 83.0	700
<b>Honolulu</b>	900	24.1	22.0 - 26.3	3,000	75.9	73.7 - 78.0	3,900
<b>Kauai</b>	100	25.5	19.1 - 33.2	200	74.5	66.8 - 80.9	300
<b>Maui</b>	100	23.5	19.4 - 28.2	400	76.5	71.8 - 80.6	600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	200	17.2	13.6 - 21.4	700	82.8	78.6 - 86.4	900
Native Hawaiian	500	24.4	21.9 - 27.1	1,400	75.6	72.9 - 78.1	1,900
Chinese	<50	23.3	14.9 - 34.5	100	76.7	65.5 - 85.1	100
Filipino	300	27.8	23.7 - 32.3	700	72.2	67.7 - 76.3	1,000
Japanese	100	20.7	15.5 - 27.2	400	79.3	72.8 - 84.5	500
Other	300	25.3	21.1 - 30.1	700	74.7	69.9 - 78.9	1,000

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	40.1	34.9 - 45.6	400	59.9	54.4 - 65.1	700
20-24	400	21.3	18.5 - 24.3	1,300	78.7	75.7 - 81.5	1,700
25-34	400	18.7	16.4 - 21.3	1,800	81.3	78.7 - 83.6	2,200
35+	200	27.4	22.8 - 32.4	500	72.6	67.6 - 77.2	700



**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	700	23.8	21.5 - 26.2	2,100	76.2	73.8 - 78.5	2,800
Female	600	23.6	21.2 - 26.1	2,000	76.4	73.9 - 78.8	2,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	18.0	15.9 - 20.3	2,300	82.0	79.7 - 84.1	2,800
No	800	29.5	27.0 - 32.2	1,900	70.5	67.8 - 73.0	2,700

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	800	27.6	25.1 - 30.2	2,000	72.4	69.8 - 74.9	2,700
131-185%	100	20.4	16.2 - 25.4	600	79.6	74.6 - 83.8	700
186+%	200	17.7	14.9 - 20.9	1,100	82.3	79.1 - 85.1	1,400

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	27.9	21.6 - 35.2	300	72.1	64.8 - 78.4	400
Normal birth weight	1,200	23.3	21.6 - 25.1	3,800	76.7	74.9 - 78.4	5,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	22.9	18.8 - 27.6	600	77.1	72.4 - 81.2	800
No	1,100	23.6	21.8 - 25.5	3,500	76.4	74.5 - 78.2	4,500

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	26.7	23.6 - 30.1	1,200	73.3	69.9 - 76.4	1,600
No	800	22.2	20.2 - 24.3	2,800	77.8	75.7 - 79.8	3,700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2002-2006**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	27.1	24.7 - 29.6	2,100	72.9	70.4 - 75.3	2,900
No	500	19.8	17.5 - 22.3	1,900	80.2	77.7 - 82.5	2,400

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,200	22.8	21.2 - 24.5	4,200	77.2	75.5 - 78.8	5,400

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	18.3	15.3 - 21.8	600	81.7	78.2 - 84.7	700
<b>Honolulu</b>	900	23.9	21.8 - 26.0	3,000	76.1	74.0 - 78.2	3,900
<b>Kauai</b>	100	22.1	16.8 - 28.5	200	77.9	71.5 - 83.2	300
<b>Maui</b>	100	21.8	18.2 - 25.8	400	78.2	74.2 - 81.8	600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	16.9	13.4 - 21.1	700	83.1	78.9 - 86.6	900
Native Hawaiian	500	24.0	21.8 - 26.3	1,400	76.0	73.7 - 78.2	1,900
Chinese	<50	19.2	11.3 - 30.9	100	80.8	69.1 - 88.7	200
Filipino	300	28.1	24.1 - 32.4	800	71.9	67.6 - 75.9	1,100
Japanese	100	17.6	12.8 - 23.6	400	82.4	76.4 - 87.2	500
Other	200	23.1	19.0 - 27.9	700	76.9	72.1 - 81.0	900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	37.0	32.3 - 41.9	500	63.0	58.1 - 67.7	800
20-24	400	21.1	18.5 - 24.0	1,300	78.9	76.0 - 81.5	1,700
25-34	400	18.0	15.8 - 20.5	1,800	82.0	79.5 - 84.2	2,200
35+	200	26.0	21.6 - 31.0	500	74.0	69.0 - 78.4	700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	700	23.2	21.0 - 25.5	2,200	76.8	74.5 - 79.0	2,900
Female	600	22.4	20.2 - 24.9	2,000	77.6	75.1 - 79.8	2,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	17.7	15.7 - 19.9	2,300	82.3	80.1 - 84.3	2,800
No	700	28.3	25.9 - 30.8	1,900	71.7	69.2 - 74.1	2,600

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	26.3	24.0 - 28.8	2,000	73.7	71.2 - 76.0	2,700
131-185%	200	20.0	16.2 - 24.5	600	80.0	75.5 - 83.8	800
186+%	200	17.2	14.4 - 20.4	1,100	82.8	79.6 - 85.6	1,300

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	27.3	21.1 - 34.4	300	72.7	65.6 - 78.9	400
Normal birth weight	1,100	22.5	20.9 - 24.2	3,900	77.5	75.8 - 79.1	5,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	21.6	17.8 - 25.9	600	78.4	74.1 - 82.2	800
No	1,000	23.0	21.3 - 24.8	3,500	77.0	75.2 - 78.7	4,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	25.3	22.3 - 28.4	1,200	74.7	71.6 - 77.7	1,600
No	800	21.9	19.9 - 23.9	2,900	78.1	76.1 - 80.1	3,700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2001-2005**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	700	25.4	23.2 - 27.8	2,100	74.6	72.2 - 76.8	2,900
<b>No</b>	500	19.9	17.7 - 22.3	2,000	80.1	77.7 - 82.3	2,500



**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

State	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	1,200	22.4	20.9 - 24.0	4,300	77.6	76.0 - 79.1	5,500

County	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	100	19.6	16.8 - 22.8	600	80.4	77.2 - 83.2	700
<b>Honolulu</b>	900	23.3	21.3 - 25.4	3,000	76.7	74.6 - 78.7	3,900
<b>Kauai</b>	100	20.2	15.5 - 25.9	200	79.8	74.1 - 84.5	300
<b>Maui</b>	100	21.2	18.0 - 24.8	500	78.8	75.2 - 82.0	600

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	100	16.1	12.8 - 20.0	700	83.9	80.0 - 87.2	900
Native Hawaiian	400	23.6	21.8 - 25.6	1,400	76.4	74.4 - 78.2	1,900
Chinese	<50	20.6	11.9 - 33.3	100	79.4	66.7 - 88.1	200
Filipino	300	26.0	22.2 - 30.2	900	74.0	69.8 - 77.8	1,200
Japanese	100	19.8	14.7 - 26.3	400	80.2	73.7 - 85.3	500
Other	200	23.0	18.6 - 28.0	700	77.0	72.0 - 81.4	900

PRAMS Age Group	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	36.4	32.1 - 40.9	500	63.6	59.1 - 67.9	800
20-24	400	21.2	18.6 - 24.0	1,300	78.8	76.0 - 81.4	1,700
25-34	400	17.6	15.4 - 20.1	1,800	82.4	79.9 - 84.6	2,200
35+	200	23.6	19.4 - 28.3	600	76.4	71.7 - 80.6	800

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

Infant Gender	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	700	22.5	20.4 - 24.7	2,300	77.5	75.3 - 79.6	2,900
Female	600	22.3	20.0 - 24.7	2,000	77.7	75.3 - 80.0	2,600

Married	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	500	17.0	15.0 - 19.1	2,400	83.0	80.9 - 85.0	2,900
No	700	28.7	26.4 - 31.2	1,800	71.3	68.8 - 73.6	2,500

Poverty Level	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	700	25.8	23.6 - 28.1	2,100	74.2	71.9 - 76.4	2,900
131-185%	200	19.2	15.5 - 23.6	700	80.8	76.4 - 84.5	800
186+%	200	15.9	13.1 - 19.2	1,000	84.1	80.8 - 86.9	1,200

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

Birthweight	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	100	26.0	20.0 - 33.1	300	74.0	66.9 - 80.0	400
Normal birth weight	1,100	22.2	20.6 - 23.8	4,000	77.8	76.2 - 79.4	5,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	21.9	18.2 - 26.1	600	78.1	73.9 - 81.8	800
No	1,000	22.3	20.6 - 24.1	3,600	77.7	75.9 - 79.4	4,600

Smoke Before Pregnant	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	25.2	22.3 - 28.4	1,200	74.8	71.6 - 77.7	1,600
No	800	21.2	19.4 - 23.2	3,000	78.8	76.8 - 80.6	3,700

**PRAMS Health Indicator 5-Year Aggregate Report - No contraception at conception- thought couldn't get pregnant-  
by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income  
(2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2004;2001-2005;2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

*Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Year: 2000-2004**

WIC During Pregnancy	Yes			No			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	24.7	22.6 - 27.0	2,200	75.3	73.0 - 77.4	2,900
No	500	19.9	17.7 - 22.3	2,000	80.1	77.7 - 82.3	2,500