

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- for the State of Hawaii, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 3-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012. Because of this, income data does not exist for some 3-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Coverage for PNC	Coverage for PNC

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 4/3/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- for the State of Hawaii, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2002-2004	7,300	43.0	41.5 - 44.5	300	1.9	1.5 - 2.3	2,400	14.2	13.2 - 15.4	4,600	26.8	25.6 - 28.1	2,400	14.1	13.1 - 15.1	17,000
2003-2005	7,100	41.3	40.0 - 42.7	300	2.0	1.7 - 2.4	2,400	14.0	13.0 - 15.0	5,000	29.2	28.0 - 30.5	2,300	13.5	12.6 - 14.5	17,100
2004-2006	6,900	40.0	38.7 - 41.3	400	2.0	1.7 - 2.5	2,400	13.9	13.1 - 14.8	5,200	30.0	28.7 - 31.2	2,400	14.1	13.2 - 15.1	17,300
2005-2007	6,900	39.4	38.0 - 40.7	400	2.0	1.6 - 2.4	2,300	13.3	12.5 - 14.2	5,600	31.7	30.4 - 33.0	2,400	13.6	12.7 - 14.6	17,500
2006-2008	7,000	38.8	37.5 - 40.2	300	1.9	1.6 - 2.3	2,400	13.2	12.3 - 14.0	5,800	32.3	31.0 - 33.6	2,500	13.8	12.9 - 14.8	18,000
2007-2009	7,700	42.7	41.2 - 44.2	300	1.8	1.4 - 2.2	2,200	12.0	11.1 - 13.0	6,000	33.1	31.7 - 34.5	1,900	10.4	9.6 - 11.3	18,000
2008-2010	8,200	45.2	43.5 - 46.9	300	1.5	1.2 - 2.0	2,300	12.5	11.3 - 13.7	6,100	33.5	31.9 - 35.1	1,300	7.3	6.5 - 8.2	18,100
2009-2011	8,800	48.3	46.5 - 50.2	200	1.2	0.8 - 1.7	2,300	12.5	11.2 - 13.9	6,100	33.8	32.1 - 35.5	800	4.2	3.5 - 5.1	18,100
2010-2012	8,500	46.7	44.9 - 48.6	200	0.9	0.6 - 1.3	2,500	13.6	12.2 - 15.0	6,400	35.3	33.5 - 37.0	600	3.5	2.9 - 4.3	18,200
2011-2013	8,400	46.0	44.1 - 47.9	200	0.9	0.6 - 1.3	2,600	14.5	13.0 - 16.0	6,600	36.0	34.2 - 37.9	500	2.6	2.1 - 3.3	18,200

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- for the State of Hawaii, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2011-2013

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	8,400	46.0	44.1 - 47.9	200	0.9	0.6 - 1.3	2,600	14.5	13.0 - 16.0	6,600	36.0	34.2 - 37.9	500	2.6	2.1 - 3.3	18,200

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	900	39.9	37.0 - 42.9	<50	1.4	0.8 - 2.3	<50	0.2	0.1 - 0.8	1,300	57.1	54.1 - 60.1	<50	1.4	0.8 - 2.3	2,300
Honolulu	6,000	45.5	43.0 - 48.1	100	0.8	0.4 - 1.4	2,600	19.8	17.9 - 22.0	4,000	30.9	28.5 - 33.3	400	2.9	2.2 - 3.9	13,100
Kauai	400	50.5	47.0 - 54.0	<50	0.3	0.1 - 1.1	<50	1.4	0.8 - 2.4	400	45.8	42.4 - 49.3	<50	1.9	1.1 - 3.3	800
Maui	1,100	54.4	51.4 - 57.3	<50	1.1	0.6 - 1.9	<50	0.9	0.5 - 1.8	800	41.2	38.3 - 44.2	<50	2.3	1.6 - 3.5	1,900

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2011-2013

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,700	38.0	34.4 - 41.7	100	1.6	0.9 - 2.8	1,800	39.0	35.2 - 43.0	800	18.1	15.6 - 21.0	100	3.3	2.2 - 4.9	4,500
Native Hawaiian	2,000	38.0	34.7 - 41.4	<50	0.3	0.1 - 0.9	100	2.0	1.2 - 3.5	3,000	57.3	53.9 - 60.7	100	2.3	1.4 - 3.6	5,300
Chinese	600	64.9	55.8 - 73.0	<50	0.7	0.2 - 2.6	100	8.5	4.4 - 15.7	200	23.2	16.5 - 31.5	<50	2.8	1.0 - 7.8	900
Filipino	2,000	61.7	57.1 - 66.1	<50	1.3	0.5 - 3.1	100	4.5	2.8 - 7.1	1,000	30.1	26.1 - 34.5	100	2.4	1.3 - 4.4	3,200
Japanese	1,300	77.6	71.9 - 82.5	<50	1.2	0.4 - 3.6	<50	1.5	0.5 - 4.1	300	15.3	11.3 - 20.4	100	4.3	2.3 - 8.0	1,700
Other	800	29.7	25.1 - 34.7	<50	0.1	0.0 - 0.4	500	19.6	15.5 - 24.6	1,300	49.3	44.0 - 54.6	<50	1.3	0.5 - 3.2	2,600

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	200	27.1	20.5 - 34.8	0	0.0	-	<50	2.2	0.6 - 7.6	600	68.0	60.0 - 75.1	<50	2.7	1.1 - 6.6	900
20-24	900	22.6	19.3 - 26.2	<50	0.8	0.3 - 2.3	700	18.1	14.8 - 21.9	2,200	55.2	51.0 - 59.4	100	3.3	2.1 - 5.2	4,000
25-34	5,000	49.7	47.1 - 52.3	100	0.8	0.4 - 1.3	1,600	16.4	14.4 - 18.6	3,100	30.6	28.3 - 33.1	200	2.5	1.8 - 3.5	10,000
35+	2,200	69.2	65.0 - 73.1	100	1.6	0.8 - 3.1	200	7.5	5.3 - 10.4	600	19.6	16.4 - 23.2	100	2.2	1.2 - 4.0	3,200

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2011-2013

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	4,200	45.9	43.2 - 48.6	100	1.2	0.7 - 2.0	1,500	16.1	14.0 - 18.4	3,100	34.4	31.9 - 37.0	200	2.5	1.8 - 3.4	9,100
Female	4,200	46.1	43.4 - 48.8	100	0.6	0.3 - 1.0	1,200	12.9	11.0 - 15.0	3,400	37.7	35.1 - 40.3	300	2.8	2.0 - 3.9	9,100

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,300	55.0	52.6 - 57.5	100	1.0	0.6 - 1.6	2,500	22.0	19.9 - 24.3	2,100	18.7	17.0 - 20.6	400	3.2	2.4 - 4.2	11,400
No	2,100	30.7	28.0 - 33.6	<50	0.6	0.3 - 1.5	100	1.8	1.0 - 3.1	4,400	65.2	62.2 - 68.1	100	1.7	1.0 - 2.7	6,800

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,100	17.0	14.8 - 19.5	<50	0.7	0.4 - 1.3	500	8.0	6.2 - 10.2	4,700	72.2	69.2 - 75.0	100	2.1	1.4 - 3.3	6,500
131-185%	1,100	41.7	36.9 - 46.6	<50	1.3	0.6 - 3.0	700	26.8	22.2 - 31.9	800	28.0	23.8 - 32.6	100	2.3	1.2 - 4.4	2,800
186+%	5,400	72.9	70.0 - 75.6	<50	0.7	0.3 - 1.3	1,200	16.1	13.9 - 18.7	500	7.1	5.7 - 8.9	200	3.1	2.2 - 4.4	7,400

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2011-2013

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	44.0	41.0 - 47.1	<50	0.5	0.2 - 1.1	200	15.2	13.3 - 17.3	500	36.9	33.9 - 40.0	<50	3.4	2.4 - 4.7	1,300
Normal birth weight	7,800	46.1	44.0 - 48.1	200	0.9	0.6 - 1.4	2,400	14.4	12.9 - 16.1	6,100	36.0	34.1 - 38.0	400	2.6	2.0 - 3.3	16,900

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	200	27.1	20.3 - 35.3	<50	0.2	0.0 - 1.5	100	7.7	3.9 - 14.7	500	61.9	53.5 - 69.7	<50	3.1	1.1 - 7.9	900
No	7,900	46.9	44.9 - 48.9	200	0.9	0.6 - 1.4	2,500	15.0	13.5 - 16.7	5,900	34.6	32.8 - 36.5	400	2.6	2.0 - 3.3	16,900

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	32.6	28.4 - 37.0	<50	0.6	0.2 - 1.7	400	12.8	9.7 - 16.7	1,600	51.1	46.6 - 55.6	100	2.9	1.7 - 4.8	3,200
No	7,100	48.8	46.6 - 50.9	100	0.9	0.6 - 1.5	2,200	15.0	13.4 - 16.8	4,800	32.7	30.7 - 34.7	400	2.5	1.9 - 3.3	14,600

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2011-2013

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,800	22.2	19.9 - 24.6	<50	0.5	0.3 - 1.0	900	11.7	9.7 - 13.9	5,200	63.9	61.0 - 66.6	100	1.8	1.1 - 2.7	8,100
No	6,600	65.3	62.7 - 67.8	100	1.2	0.7 - 1.9	1,700	16.7	14.7 - 19.0	1,400	13.5	11.9 - 15.4	300	3.3	2.5 - 4.4	10,000

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2010-2012

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	8,500	46.7	44.9 - 48.6	200	0.9	0.6 - 1.3	2,500	13.6	12.2 - 15.0	6,400	35.3	33.5 - 37.0	600	3.5	2.9 - 4.3	18,200

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,000	42.2	39.3 - 45.2	<50	0.9	0.5 - 1.6	<50	0.5	0.2 - 1.2	1,300	54.9	51.9 - 57.8	<50	1.5	0.9 - 2.4	2,300
Honolulu	6,000	45.9	43.4 - 48.4	100	0.9	0.5 - 1.5	2,400	18.6	16.7 - 20.6	4,000	30.4	28.1 - 32.8	600	4.2	3.3 - 5.3	13,100
Kauai	400	51.5	47.9 - 55.0	<50	0.4	0.1 - 1.2	<50	1.5	0.8 - 2.6	400	45.0	41.5 - 48.6	<50	1.7	0.9 - 3.1	800
Maui	1,100	55.7	52.9 - 58.5	<50	1.3	0.7 - 2.1	<50	0.4	0.2 - 0.9	800	40.6	37.9 - 43.4	<50	2.1	1.4 - 3.1	1,900

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2010-2012

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,600	36.8	33.4 - 40.3	100	1.3	0.7 - 2.4	1,700	38.2	34.5 - 42.1	800	18.3	15.8 - 21.1	200	5.4	3.9 - 7.6	4,400
Native Hawaiian	2,100	40.5	37.2 - 43.8	<50	0.4	0.2 - 1.2	100	2.1	1.2 - 3.6	2,900	54.4	51.1 - 57.8	100	2.5	1.6 - 3.9	5,300
Chinese	600	66.3	57.1 - 74.4	<50	0.3	0.0 - 1.6	100	12.1	7.0 - 20.1	200	18.1	12.2 - 26.0	<50	3.2	1.1 - 9.3	800
Filipino	2,000	61.4	57.0 - 65.6	<50	0.5	0.2 - 1.4	100	4.5	2.9 - 6.9	1,000	31.2	27.2 - 35.4	100	2.4	1.3 - 4.2	3,300
Japanese	1,300	76.8	71.1 - 81.6	<50	1.8	0.7 - 4.5	<50	0.9	0.3 - 2.9	300	15.7	11.7 - 20.7	100	4.8	2.7 - 8.6	1,700
Other	900	32.9	28.3 - 37.8	<50	1.2	0.4 - 3.4	400	15.2	11.6 - 19.5	1,300	47.7	42.6 - 52.8	100	3.0	1.6 - 5.6	2,800

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	26.4	20.3 - 33.5	0	0.0	-	100	7.0	3.5 - 13.5	600	64.1	56.5 - 71.1	<50	2.5	1.0 - 5.9	1,000
20-24	1,000	23.8	20.7 - 27.3	100	1.2	0.5 - 2.9	700	16.2	13.3 - 19.7	2,200	54.2	50.2 - 58.2	200	4.5	3.0 - 6.6	4,100
25-34	5,000	50.6	48.0 - 53.1	100	0.8	0.5 - 1.3	1,500	15.2	13.3 - 17.3	2,900	29.9	27.6 - 32.3	300	3.6	2.7 - 4.7	9,800
35+	2,300	70.9	66.8 - 74.7	<50	1.2	0.6 - 2.4	200	7.3	5.2 - 10.2	600	18.2	15.1 - 21.7	100	2.5	1.4 - 4.3	3,200

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2010-2012

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	4,200	45.4	42.8 - 48.1	100	1.3	0.8 - 2.1	1,300	14.1	12.2 - 16.2	3,200	35.4	32.9 - 37.9	300	3.8	2.8 - 5.0	9,200
Female	4,300	48.0	45.4 - 50.7	<50	0.5	0.3 - 0.9	1,200	13.0	11.2 - 15.1	3,200	35.2	32.7 - 37.7	300	3.3	2.4 - 4.4	9,000

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,400	55.7	53.3 - 58.1	100	1.1	0.7 - 1.7	2,400	20.9	18.9 - 23.1	2,000	17.9	16.2 - 19.7	500	4.5	3.5 - 5.6	11,400
No	2,200	31.7	29.0 - 34.6	<50	0.6	0.3 - 1.3	100	1.2	0.6 - 2.3	4,400	64.5	61.6 - 67.3	100	2.0	1.2 - 3.1	6,800

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,200	19.0	16.7 - 21.5	100	1.0	0.5 - 1.7	400	6.5	4.9 - 8.4	4,500	71.1	68.1 - 73.9	200	2.5	1.7 - 3.8	6,400
131-185%	1,400	46.4	41.7 - 51.2	<50	1.4	0.6 - 3.2	700	22.7	18.7 - 27.3	800	26.4	22.5 - 30.8	100	3.1	1.8 - 5.4	2,900
186+%	5,400	70.4	67.6 - 73.1	100	0.8	0.4 - 1.6	1,300	17.0	14.7 - 19.5	500	7.1	5.8 - 8.8	400	4.7	3.6 - 6.2	7,600

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2010-2012

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	45.5	42.3 - 48.6	<50	0.6	0.3 - 1.3	200	12.8	10.9 - 14.9	500	38.0	35.0 - 41.2	<50	3.1	2.2 - 4.3	1,300
Normal birth weight	7,900	46.8	44.8 - 48.8	200	0.9	0.6 - 1.4	2,300	13.7	12.2 - 15.2	5,900	35.1	33.2 - 37.0	600	3.6	2.9 - 4.4	16,900

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	28.9	22.3 - 36.4	<50	0.3	0.1 - 1.3	100	8.6	4.8 - 14.9	600	57.4	49.6 - 64.9	<50	4.8	2.2 - 10.0	1,000
No	8,100	47.8	45.9 - 49.8	200	1.0	0.6 - 1.4	2,400	14.0	12.6 - 15.6	5,700	33.7	31.9 - 35.6	600	3.5	2.8 - 4.3	16,900

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	33.0	29.1 - 37.2	<50	1.2	0.5 - 2.9	400	11.1	8.4 - 14.5	1,700	50.7	46.5 - 55.0	100	4.0	2.5 - 6.2	3,400
No	7,200	49.9	47.8 - 52.0	100	0.9	0.6 - 1.3	2,100	14.3	12.8 - 16.0	4,600	31.5	29.6 - 33.4	500	3.5	2.7 - 4.4	14,500

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2010-2012

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	24.3	22.1 - 26.8	<50	0.4	0.2 - 0.9	800	9.8	8.1 - 11.8	5,100	62.8	60.0 - 65.5	200	2.7	1.8 - 3.8	8,100
No	6,500	65.1	62.6 - 67.5	100	1.3	0.8 - 2.0	1,700	16.6	14.7 - 18.8	1,300	12.7	11.1 - 14.5	400	4.3	3.3 - 5.5	10,000

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	8,800	48.3	46.5 - 50.2	200	1.2	0.8 - 1.7	2,300	12.5	11.2 - 13.9	6,100	33.8	32.1 - 35.5	800	4.2	3.5 - 5.1	18,100

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,000	44.3	41.4 - 47.2	<50	1.0	0.6 - 1.8	<50	0.4	0.2 - 1.0	1,200	52.7	49.8 - 55.6	<50	1.6	1.0 - 2.5	2,300
Honolulu	6,100	47.4	44.9 - 49.9	200	1.2	0.8 - 1.9	2,200	17.2	15.5 - 19.2	3,800	29.0	26.8 - 31.4	700	5.1	4.1 - 6.3	12,900
Kauai	500	54.6	51.1 - 58.0	<50	1.2	0.7 - 2.3	<50	1.1	0.6 - 2.0	300	40.9	37.6 - 44.4	<50	2.2	1.3 - 3.5	800
Maui	1,100	56.5	53.8 - 59.2	<50	1.3	0.8 - 2.1	<50	0.5	0.2 - 1.0	800	39.2	36.5 - 41.9	100	2.6	1.8 - 3.6	2,000

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,700	39.3	35.8 - 42.8	100	1.4	0.8 - 2.3	1,500	34.7	31.1 - 38.5	800	17.1	14.7 - 19.8	300	7.5	5.7 - 9.9	4,400
Native Hawaiian	2,400	42.8	39.6 - 46.1	<50	0.7	0.3 - 1.5	100	1.3	0.7 - 2.5	2,900	52.5	49.2 - 55.8	100	2.7	1.8 - 4.0	5,500
Chinese	500	67.3	57.6 - 75.7	<50	0.5	0.1 - 1.8	100	10.6	5.8 - 18.7	100	17.8	11.5 - 26.4	<50	3.8	1.2 - 10.9	700
Filipino	1,900	59.7	55.3 - 63.9	<50	1.0	0.4 - 2.5	200	5.2	3.5 - 7.7	1,000	31.0	27.1 - 35.2	100	3.1	1.9 - 5.1	3,200
Japanese	1,300	78.6	73.1 - 83.3	<50	1.3	0.4 - 3.7	<50	1.4	0.4 - 4.1	200	14.6	10.8 - 19.5	100	4.1	2.1 - 7.6	1,700
Other	900	35.6	30.7 - 40.7	100	2.3	1.1 - 4.8	400	15.5	11.8 - 20.1	1,100	43.0	37.9 - 48.2	100	3.6	2.0 - 6.3	2,500

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	27.0	21.4 - 33.5	<50	1.8	0.5 - 5.9	100	7.5	4.2 - 13.1	800	61.8	54.9 - 68.3	<50	1.8	1.1 - 3.0	1,300
20-24	1,200	28.3	25.0 - 31.9	100	1.8	1.0 - 3.4	600	13.8	11.2 - 17.0	2,200	50.6	46.7 - 54.5	200	5.4	3.8 - 7.6	4,300
25-34	4,900	52.4	49.8 - 55.0	100	0.7	0.4 - 1.2	1,400	14.6	12.7 - 16.7	2,600	27.8	25.6 - 30.1	400	4.5	3.5 - 5.8	9,400
35+	2,300	72.2	68.1 - 76.0	<50	1.5	0.8 - 2.8	200	6.3	4.3 - 9.1	500	17.2	14.2 - 20.6	100	2.8	1.6 - 4.8	3,100

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	4,400	47.4	44.9 - 50.0	100	1.5	1.0 - 2.3	1,200	12.5	10.8 - 14.6	3,100	33.7	31.3 - 36.2	400	4.8	3.8 - 6.1	9,300
Female	4,300	49.3	46.6 - 51.9	100	0.8	0.5 - 1.4	1,100	12.4	10.6 - 14.5	3,000	33.8	31.4 - 36.3	300	3.7	2.7 - 4.9	8,800

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,400	57.5	55.1 - 59.8	100	1.2	0.8 - 1.8	2,200	19.4	17.4 - 21.5	1,800	16.2	14.6 - 18.0	600	5.7	4.7 - 7.0	11,200
No	2,300	33.6	30.9 - 36.4	100	1.1	0.6 - 2.0	100	1.4	0.8 - 2.5	4,300	62.0	59.1 - 64.8	100	1.9	1.2 - 2.9	6,900

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,300	20.2	17.9 - 22.8	100	1.4	0.9 - 2.4	400	6.7	5.1 - 8.7	4,400	69.4	66.4 - 72.2	100	2.2	1.4 - 3.4	6,300
131-185%	1,400	48.9	44.2 - 53.7	100	1.9	0.9 - 4.0	600	19.8	16.0 - 24.2	700	25.9	22.0 - 30.2	100	3.4	2.1 - 5.6	2,800
186+%	5,600	72.1	69.3 - 74.6	100	0.7	0.4 - 1.2	1,100	14.5	12.5 - 16.8	500	6.5	5.3 - 8.0	500	6.3	5.0 - 7.9	7,700

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

Income (2004-2011)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	11.1	8.6 - 14.1	<50	1.4	0.7 - 2.8	100	2.0	1.0 - 4.0	2,600	83.1	79.5 - 86.2	100	2.4	1.3 - 4.5	3,100
\$10,000-\$24,999	1,200	35.3	31.4 - 39.4	100	1.8	0.9 - 3.4	400	10.6	8.0 - 13.9	1,700	49.7	45.5 - 53.8	100	2.6	1.6 - 4.3	3,400
\$25,000-\$49,999	2,200	51.0	47.1 - 54.8	<50	1.0	0.4 - 2.3	800	19.1	16.0 - 22.6	1,000	24.5	21.4 - 28.0	200	4.4	3.0 - 6.4	4,300
>=\$50,000	4,500	74.0	71.0 - 76.8	100	0.8	0.4 - 1.6	900	14.3	12.1 - 17.0	300	4.8	3.6 - 6.3	400	6.0	4.6 - 7.8	6,100

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	48.2	45.1 - 51.3	<50	0.9	0.5 - 1.7	100	10.4	8.7 - 12.3	500	37.4	34.4 - 40.5	<50	3.1	2.3 - 4.3	1,300
Normal birth weight	8,100	48.3	46.4 - 50.3	200	1.2	0.8 - 1.7	2,100	12.6	11.3 - 14.1	5,600	33.5	31.7 - 35.4	700	4.3	3.6 - 5.3	16,800

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	26.3	20.8 - 32.7	<50	1.3	0.4 - 4.3	100	9.0	5.5 - 14.3	800	59.1	52.2 - 65.6	100	4.4	2.2 - 8.8	1,300
No	8,300	50.0	48.1 - 52.0	200	1.2	0.8 - 1.7	2,100	12.7	11.4 - 14.2	5,300	31.8	30.0 - 33.6	700	4.3	3.5 - 5.2	16,500

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2009-2011

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	31.6	28.0 - 35.5	100	1.7	0.8 - 3.3	400	11.2	8.7 - 14.4	1,900	51.0	47.0 - 55.0	200	4.4	3.0 - 6.6	3,700
No	7,400	52.6	50.5 - 54.7	200	1.1	0.7 - 1.6	1,800	12.7	11.3 - 14.4	4,100	29.3	27.4 - 31.2	600	4.2	3.4 - 5.2	14,100

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,000	25.7	23.4 - 28.1	100	0.8	0.4 - 1.5	700	9.1	7.5 - 11.1	4,800	61.3	58.5 - 64.0	200	3.1	2.2 - 4.4	7,800
No	6,600	66.0	63.5 - 68.4	200	1.5	1.0 - 2.2	1,500	15.0	13.1 - 17.0	1,200	12.3	10.7 - 14.0	500	5.2	4.2 - 6.5	10,000

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	8,200	45.2	43.5 - 46.9	300	1.5	1.2 - 2.0	2,300	12.5	11.3 - 13.7	6,100	33.5	31.9 - 35.1	1,300	7.3	6.5 - 8.2	18,100

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,000	40.1	37.0 - 43.4	<50	1.1	0.6 - 2.2	<50	0.4	0.2 - 1.0	1,200	52.1	48.8 - 55.4	100	6.2	4.6 - 8.2	2,400
Honolulu	5,700	44.2	42.0 - 46.5	200	1.5	1.0 - 2.1	2,200	17.3	15.7 - 19.0	3,800	29.3	27.3 - 31.5	1,000	7.6	6.6 - 8.8	12,900
Kauai	500	57.8	53.2 - 62.3	<50	2.1	1.1 - 4.1	<50	1.6	0.7 - 3.5	300	35.3	31.1 - 39.8	<50	3.1	1.7 - 5.5	800
Maui	1,100	51.7	48.4 - 55.0	<50	2.1	1.3 - 3.3	<50	0.5	0.2 - 1.3	800	37.3	34.1 - 40.6	200	8.5	6.6 - 10.8	2,000

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,600	37.0	33.9 - 40.3	100	1.7	1.1 - 2.6	1,500	35.6	32.3 - 39.1	700	17.0	14.8 - 19.4	400	8.7	6.9 - 10.9	4,300
Native Hawaiian	2,200	40.4	37.3 - 43.5	<50	0.9	0.5 - 1.7	100	1.4	0.8 - 2.5	2,800	51.5	48.4 - 54.6	300	5.8	4.6 - 7.4	5,500
Chinese	400	62.6	53.9 - 70.5	<50	0.6	0.2 - 1.6	100	9.1	4.9 - 16.0	100	19.5	13.2 - 27.8	100	8.3	5.2 - 13.1	700
Filipino	1,800	55.6	51.7 - 59.5	<50	1.1	0.5 - 2.4	200	5.4	3.8 - 7.6	1,000	29.8	26.3 - 33.6	300	8.0	6.4 - 10.1	3,200
Japanese	1,300	72.8	67.9 - 77.3	<50	1.6	0.7 - 3.5	<50	2.0	0.9 - 4.4	300	15.8	12.2 - 20.2	100	7.8	5.5 - 10.8	1,800
Other	800	32.3	28.1 - 36.9	100	3.3	1.9 - 5.7	400	14.0	10.9 - 17.8	1,100	43.7	39.1 - 48.4	200	6.7	4.7 - 9.4	2,600

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	23.5	18.6 - 29.1	<50	2.0	0.7 - 5.5	100	8.4	5.2 - 13.2	900	62.3	56.1 - 68.1	100	4.0	2.5 - 6.2	1,400
20-24	1,200	27.9	24.8 - 31.3	100	2.3	1.3 - 3.8	600	14.4	11.9 - 17.2	2,100	49.4	45.8 - 53.0	300	6.1	4.5 - 8.2	4,200
25-34	4,600	49.3	47.0 - 51.7	100	1.2	0.8 - 1.7	1,300	13.8	12.2 - 15.7	2,600	27.7	25.7 - 29.9	700	7.9	6.8 - 9.3	9,300
35+	2,100	65.3	61.5 - 69.0	<50	1.5	0.9 - 2.4	300	7.9	6.0 - 10.5	500	16.7	13.9 - 20.0	300	8.6	6.8 - 10.7	3,200

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	4,200	44.7	42.4 - 47.0	200	1.9	1.3 - 2.7	1,100	11.9	10.4 - 13.6	3,200	33.6	31.4 - 35.8	800	8.0	6.8 - 9.3	9,400
Female	4,000	45.7	43.3 - 48.2	100	1.2	0.8 - 1.7	1,100	13.1	11.4 - 15.0	2,900	33.4	31.2 - 35.7	600	6.6	5.5 - 7.9	8,700

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,000	53.2	51.0 - 55.3	200	1.6	1.2 - 2.2	2,200	19.2	17.5 - 21.0	1,900	16.9	15.4 - 18.5	1,000	9.2	8.0 - 10.4	11,200
No	2,200	32.3	29.7 - 34.9	100	1.4	0.9 - 2.3	100	1.6	1.0 - 2.5	4,200	60.4	57.7 - 63.1	300	4.3	3.4 - 5.5	6,900

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,300	20.6	18.4 - 23.0	100	2.0	1.4 - 3.0	400	5.9	4.6 - 7.6	4,400	68.1	65.4 - 70.8	200	3.3	2.4 - 4.4	6,400
131-185%	1,300	47.7	43.3 - 52.1	<50	1.7	0.8 - 3.5	500	16.6	13.5 - 20.4	700	26.6	22.9 - 30.7	200	7.4	5.6 - 9.8	2,800
186+%	5,000	66.2	63.7 - 68.6	100	0.8	0.5 - 1.4	1,200	16.0	14.1 - 18.1	500	6.0	5.0 - 7.3	800	10.9	9.4 - 12.6	7,600

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

Income (2004-2011)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	12.9	10.5 - 15.9	100	1.9	1.0 - 3.4	100	2.5	1.4 - 4.4	2,400	79.9	76.3 - 83.0	100	2.8	1.7 - 4.6	3,100
\$10,000-\$24,999	1,200	32.3	28.9 - 36.0	100	2.4	1.5 - 3.9	300	8.4	6.3 - 11.0	1,900	52.2	48.5 - 56.0	200	4.6	3.4 - 6.4	3,600
\$25,000-\$49,999	2,000	47.3	43.8 - 50.8	<50	0.9	0.4 - 2.1	800	19.2	16.4 - 22.3	1,000	24.9	21.9 - 28.0	300	7.7	6.1 - 9.7	4,200
>=\$50,000	4,200	68.9	66.1 - 71.5	100	1.0	0.6 - 1.6	900	14.9	12.8 - 17.2	300	4.3	3.2 - 5.6	700	11.0	9.4 - 12.9	6,100

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	47.0	43.1 - 50.8	<50	1.4	0.7 - 2.9	100	11.0	8.8 - 13.6	500	37.1	33.3 - 41.0	<50	3.6	2.4 - 5.4	1,300
Normal birth weight	7,600	45.1	43.3 - 46.9	300	1.6	1.2 - 2.1	2,100	12.5	11.3 - 13.8	5,600	33.2	31.6 - 34.9	1,300	7.6	6.8 - 8.6	16,800

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	23.4	18.7 - 28.9	<50	1.5	0.6 - 4.0	100	9.3	6.2 - 13.7	900	61.4	55.3 - 67.1	100	4.4	2.3 - 8.1	1,500
No	7,700	47.1	45.3 - 48.9	300	1.6	1.2 - 2.1	2,100	12.7	11.5 - 14.0	5,100	31.0	29.4 - 32.7	1,200	7.7	6.8 - 8.6	16,300

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2008-2010

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	28.8	25.6 - 32.4	100	1.8	0.9 - 3.3	400	12.2	9.8 - 15.2	1,900	51.8	48.0 - 55.6	200	5.3	3.8 - 7.4	3,700
No	7,000	49.3	47.4 - 51.2	200	1.5	1.1 - 2.0	1,800	12.4	11.2 - 13.8	4,100	28.9	27.2 - 30.6	1,100	7.9	7.0 - 8.9	14,100

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,900	24.3	22.2 - 26.6	100	1.2	0.7 - 1.9	700	9.0	7.6 - 10.7	4,700	61.1	58.6 - 63.6	300	4.4	3.4 - 5.6	7,700
No	6,200	60.8	58.5 - 63.0	200	1.8	1.3 - 2.6	1,500	15.1	13.4 - 16.9	1,300	12.6	11.1 - 14.2	1,000	9.7	8.5 - 11.0	10,200

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	7,700	42.7	41.2 - 44.2	300	1.8	1.4 - 2.2	2,200	12.0	11.1 - 13.0	6,000	33.1	31.7 - 34.5	1,900	10.4	9.6 - 11.3	18,000

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	900	36.9	33.6 - 40.3	<50	2.0	1.2 - 3.3	<50	0.3	0.1 - 0.9	1,200	50.1	46.5 - 53.7	300	10.8	8.7 - 13.4	2,400
Honolulu	5,200	41.3	39.4 - 43.2	200	1.4	1.0 - 2.0	2,100	17.0	15.6 - 18.4	3,700	29.7	27.9 - 31.5	1,300	10.6	9.6 - 11.8	12,600
Kauai	500	56.2	50.6 - 61.5	<50	3.5	1.8 - 6.4	<50	1.2	0.5 - 3.0	300	34.0	29.0 - 39.4	<50	5.2	3.2 - 8.4	900
Maui	1,100	51.7	48.0 - 55.4	100	3.0	1.9 - 4.6	<50	0.5	0.2 - 1.5	700	33.8	30.3 - 37.5	200	11.1	8.8 - 13.8	2,100

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,600	37.9	35.0 - 41.0	100	1.8	1.2 - 2.8	1,400	33.2	30.2 - 36.2	700	17.2	15.0 - 19.5	400	9.9	8.2 - 12.0	4,200
Native Hawaiian	2,000	38.1	35.3 - 41.1	100	1.2	0.7 - 2.0	100	1.0	0.5 - 1.8	2,700	50.4	47.4 - 53.4	500	9.4	7.8 - 11.1	5,300
Chinese	400	58.1	51.1 - 64.8	<50	1.0	0.4 - 2.1	<50	7.0	3.8 - 12.4	100	20.5	15.0 - 27.4	100	13.5	10.1 - 17.8	700
Filipino	1,700	52.5	49.0 - 55.9	100	1.6	0.9 - 2.9	200	5.4	4.0 - 7.3	900	28.0	25.0 - 31.3	400	12.5	10.5 - 14.7	3,300
Japanese	1,200	63.2	58.6 - 67.5	<50	2.0	1.1 - 3.6	100	3.0	1.7 - 5.3	300	17.0	13.5 - 21.0	300	14.9	12.2 - 18.1	1,900
Other	800	28.6	25.1 - 32.5	100	3.3	2.1 - 5.2	400	16.4	13.4 - 19.8	1,200	44.8	40.8 - 49.0	200	6.9	5.3 - 8.9	2,600

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	23.2	18.8 - 28.4	<50	2.5	1.1 - 5.6	100	6.4	4.1 - 9.9	1,000	59.6	54.0 - 65.0	100	8.3	5.9 - 11.6	1,600
20-24	1,100	26.9	24.1 - 30.0	100	2.0	1.3 - 3.2	600	15.1	13.0 - 17.5	2,000	48.7	45.4 - 51.9	300	7.3	5.8 - 9.2	4,200
25-34	4,300	47.3	45.1 - 49.4	100	1.2	0.8 - 1.7	1,200	13.2	11.7 - 14.7	2,500	27.3	25.5 - 29.3	1,000	11.0	9.8 - 12.4	9,100
35+	1,900	60.5	57.0 - 63.9	100	2.8	1.9 - 4.1	200	7.5	5.8 - 9.6	500	15.2	12.7 - 18.2	400	14.0	11.9 - 16.3	3,100

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	4,100	43.2	41.1 - 45.3	200	2.0	1.5 - 2.7	1,100	12.2	10.8 - 13.6	3,000	31.8	29.9 - 33.9	1,000	10.8	9.6 - 12.0	9,500
Female	3,600	42.1	39.9 - 44.3	100	1.5	1.1 - 2.1	1,000	11.9	10.5 - 13.4	3,000	34.5	32.4 - 36.6	900	10.1	8.9 - 11.4	8,600

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,600	50.6	48.7 - 52.5	200	1.8	1.4 - 2.4	2,000	18.2	16.8 - 19.8	1,800	16.4	15.0 - 17.9	1,400	12.9	11.8 - 14.2	11,100
No	2,100	30.0	27.6 - 32.4	100	1.7	1.1 - 2.6	100	2.1	1.4 - 3.0	4,100	59.9	57.3 - 62.4	400	6.4	5.3 - 7.7	6,900

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,300	19.8	17.8 - 21.9	100	2.3	1.6 - 3.2	400	6.0	4.8 - 7.5	4,400	66.9	64.4 - 69.3	300	5.0	4.1 - 6.2	6,500
131-185%	1,200	45.7	41.7 - 49.7	100	2.4	1.5 - 3.8	400	14.5	11.9 - 17.6	700	24.8	21.5 - 28.5	300	12.6	10.3 - 15.3	2,700
186+%	4,600	62.4	60.1 - 64.5	100	0.8	0.5 - 1.3	1,200	15.9	14.2 - 17.6	500	6.1	5.1 - 7.2	1,100	14.8	13.3 - 16.5	7,500

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

Income (2004-2011)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	12.8	10.5 - 15.7	100	1.7	1.0 - 2.9	100	3.3	2.1 - 5.2	2,300	78.2	74.8 - 81.3	100	4.0	2.7 - 5.7	2,900
\$10,000-\$24,999	1,100	28.9	25.9 - 32.0	100	3.2	2.2 - 4.7	300	7.6	5.9 - 9.7	2,100	53.7	50.4 - 57.1	300	6.6	5.2 - 8.4	3,900
\$25,000-\$49,999	1,700	43.9	40.7 - 47.1	100	1.3	0.8 - 2.2	800	19.6	17.2 - 22.2	900	23.7	21.1 - 26.6	500	11.5	9.6 - 13.6	4,000
>=\$50,000	4,000	66.0	63.6 - 68.4	100	0.9	0.6 - 1.4	800	13.6	11.9 - 15.6	200	3.6	2.8 - 4.7	1,000	15.8	14.1 - 17.6	6,000

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	44.5	40.2 - 49.0	<50	1.3	0.6 - 2.8	200	11.2	8.7 - 14.3	500	34.7	30.5 - 39.2	100	8.3	6.1 - 11.2	1,400
Normal birth weight	7,100	42.5	41.0 - 44.1	300	1.8	1.5 - 2.3	2,000	12.0	11.0 - 13.1	5,500	33.0	31.5 - 34.5	1,800	10.6	9.7 - 11.6	16,600

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	21.0	16.9 - 25.8	<50	1.9	0.8 - 4.4	100	8.0	5.5 - 11.4	1,000	62.8	57.4 - 68.0	100	6.3	4.0 - 9.7	1,500
No	7,200	44.8	43.2 - 46.4	300	1.8	1.4 - 2.3	2,000	12.3	11.3 - 13.4	4,900	30.1	28.7 - 31.6	1,800	10.9	10.0 - 11.9	16,100

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2007-2009

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	28.2	25.1 - 31.4	100	1.9	1.2 - 3.3	400	11.5	9.4 - 14.0	1,800	50.8	47.3 - 54.4	300	7.5	5.9 - 9.6	3,600
No	6,500	46.4	44.6 - 48.1	300	1.8	1.4 - 2.3	1,700	12.1	11.0 - 13.2	4,000	28.5	26.9 - 30.1	1,600	11.3	10.3 - 12.4	14,100

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,700	23.1	21.1 - 25.2	100	1.7	1.1 - 2.4	700	9.3	8.0 - 10.7	4,600	60.4	58.0 - 62.7	400	5.6	4.7 - 6.8	7,500
No	5,800	56.9	54.9 - 58.9	200	1.9	1.5 - 2.5	1,400	14.1	12.7 - 15.6	1,300	13.0	11.6 - 14.4	1,400	14.1	12.9 - 15.5	10,200

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	7,000	38.8	37.5 - 40.2	300	1.9	1.6 - 2.3	2,400	13.2	12.3 - 14.0	5,800	32.3	31.0 - 33.6	2,500	13.8	12.9 - 14.8	18,000

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	800	33.5	29.9 - 37.4	100	2.3	1.3 - 3.8	<50	0.5	0.2 - 1.4	1,100	49.8	45.8 - 53.8	300	13.9	11.4 - 16.9	2,300
Honolulu	4,700	37.2	35.7 - 38.8	200	1.5	1.2 - 2.0	2,300	18.4	17.2 - 19.5	3,700	29.0	27.5 - 30.5	1,800	13.9	12.9 - 15.1	12,700
Kauai	500	52.0	45.8 - 58.1	<50	3.7	1.9 - 7.2	<50	1.4	0.5 - 3.6	300	34.4	28.7 - 40.6	100	8.6	5.7 - 12.6	900
Maui	1,000	48.7	44.5 - 52.9	100	3.1	2.0 - 5.0	<50	0.4	0.1 - 1.5	700	32.5	28.6 - 36.7	300	15.2	12.4 - 18.5	2,000

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,400	32.2	29.6 - 34.9	100	1.6	1.1 - 2.5	1,600	38.4	35.7 - 41.3	700	16.6	14.6 - 18.9	500	11.1	9.5 - 13.1	4,200
Native Hawaiian	1,700	33.9	31.3 - 36.7	100	1.5	0.9 - 2.4	100	1.1	0.6 - 1.8	2,500	50.4	47.5 - 53.2	700	13.2	11.4 - 15.2	5,000
Chinese	400	58.4	54.4 - 62.3	<50	1.9	1.1 - 3.3	<50	5.0	3.5 - 7.2	100	17.2	14.3 - 20.5	100	17.4	14.6 - 20.6	600
Filipino	1,700	49.7	46.6 - 52.7	100	1.8	1.2 - 2.8	200	5.5	4.3 - 7.1	900	26.9	24.3 - 29.7	500	16.1	14.0 - 18.5	3,300
Japanese	1,200	60.1	56.1 - 64.0	<50	2.2	1.3 - 3.8	<50	2.0	1.2 - 3.4	300	15.2	12.3 - 18.6	400	20.4	17.5 - 23.8	2,100
Other	700	24.7	21.8 - 27.8	100	3.0	1.9 - 4.6	400	15.7	13.2 - 18.5	1,300	46.2	42.5 - 49.8	300	10.6	8.6 - 12.9	2,800

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	19.8	15.9 - 24.3	<50	1.4	0.5 - 3.5	100	6.0	4.0 - 8.9	900	61.0	55.8 - 66.0	200	11.8	8.8 - 15.7	1,500
20-24	1,000	22.8	20.4 - 25.4	100	1.8	1.1 - 2.8	800	17.6	15.6 - 19.9	2,100	48.9	46.0 - 51.9	400	8.8	7.3 - 10.6	4,300
25-34	3,900	43.3	41.4 - 45.3	100	1.6	1.1 - 2.1	1,300	14.1	12.9 - 15.4	2,400	26.6	24.9 - 28.4	1,300	14.3	13.1 - 15.7	9,000
35+	1,800	56.4	53.3 - 59.5	100	3.3	2.4 - 4.6	300	7.9	6.4 - 9.7	400	12.5	10.5 - 14.9	600	19.9	17.5 - 22.5	3,200

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	3,700	39.4	37.6 - 41.3	200	2.1	1.6 - 2.8	1,200	12.6	11.4 - 13.8	2,900	31.6	29.8 - 33.4	1,300	14.3	13.0 - 15.7	9,300
Female	3,300	38.2	36.3 - 40.1	100	1.7	1.2 - 2.3	1,200	13.8	12.5 - 15.2	2,900	33.1	31.2 - 35.0	1,200	13.3	12.0 - 14.7	8,700

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,200	46.0	44.4 - 47.7	200	2.1	1.6 - 2.6	2,200	19.7	18.4 - 21.0	1,800	15.9	14.6 - 17.2	1,900	16.3	15.1 - 17.6	11,400
No	1,800	26.4	24.4 - 28.6	100	1.6	1.1 - 2.4	100	2.0	1.4 - 2.8	4,000	60.5	58.1 - 62.8	600	9.5	8.2 - 11.0	6,600

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,300	19.5	17.7 - 21.5	100	2.2	1.6 - 3.1	400	5.7	4.7 - 6.9	4,200	65.0	62.7 - 67.2	500	7.5	6.4 - 8.9	6,500
131-185%	1,000	39.6	36.1 - 43.3	100	2.7	1.8 - 4.1	500	18.0	15.4 - 21.0	600	23.5	20.4 - 26.8	400	16.1	13.6 - 19.1	2,500
186+%	4,300	55.6	53.6 - 57.6	100	1.2	0.8 - 1.8	1,400	17.8	16.3 - 19.4	500	6.4	5.5 - 7.6	1,500	18.9	17.3 - 20.5	7,700

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

Income (2004-2011)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	12.3	10.2 - 14.8	100	2.0	1.2 - 3.3	100	3.0	2.0 - 4.4	2,300	76.7	73.5 - 79.5	200	6.1	4.6 - 8.0	3,000
\$10,000-\$24,999	1,000	25.9	23.3 - 28.7	100	2.9	2.0 - 4.2	300	8.5	7.0 - 10.4	2,000	53.0	49.9 - 56.1	400	9.7	8.0 - 11.7	3,800
\$25,000-\$49,999	1,700	40.4	37.6 - 43.2	100	1.6	1.0 - 2.5	900	22.6	20.4 - 25.1	900	21.6	19.3 - 24.2	600	13.7	11.9 - 15.8	4,100
>=\$50,000	3,600	59.8	57.5 - 62.0	100	1.3	0.9 - 2.0	900	14.5	13.0 - 16.2	200	3.6	2.8 - 4.6	1,200	20.8	19.0 - 22.8	6,000

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	37.9	33.2 - 42.8	<50	0.9	0.3 - 2.5	200	12.9	9.9 - 16.6	500	33.9	29.2 - 39.0	200	14.4	11.2 - 18.2	1,400
Normal birth weight	6,500	39.0	37.6 - 40.4	300	2.0	1.6 - 2.4	2,200	13.2	12.3 - 14.1	5,300	32.1	30.8 - 33.5	2,300	13.8	12.8 - 14.8	16,600

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	20.2	16.5 - 24.5	<50	1.7	0.8 - 3.6	100	9.8	7.3 - 13.0	900	58.9	53.9 - 63.7	100	9.4	6.8 - 12.8	1,500
No	6,600	40.7	39.3 - 42.2	300	1.9	1.6 - 2.4	2,200	13.5	12.6 - 14.5	4,800	29.6	28.3 - 30.9	2,300	14.2	13.3 - 15.3	16,200

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2006-2008

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	900	26.4	23.6 - 29.3	100	1.6	1.0 - 2.7	400	12.4	10.5 - 14.6	1,700	49.6	46.3 - 52.8	400	10.0	8.2 - 12.2	3,500
No	6,000	42.1	40.6 - 43.6	300	2.0	1.6 - 2.5	1,900	13.4	12.4 - 14.4	3,900	27.8	26.4 - 29.2	2,100	14.7	13.7 - 15.9	14,200

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,700	21.6	19.8 - 23.4	100	1.6	1.1 - 2.3	800	10.9	9.7 - 12.3	4,500	58.4	56.2 - 60.5	600	7.6	6.5 - 8.8	7,700
No	5,300	51.6	49.8 - 53.4	200	2.2	1.7 - 2.8	1,500	14.9	13.7 - 16.2	1,300	12.9	11.6 - 14.2	1,900	18.5	17.2 - 19.9	10,300

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	6,900	39.4	38.0 - 40.7	400	2.0	1.6 - 2.4	2,300	13.3	12.5 - 14.2	5,600	31.7	30.4 - 33.0	2,400	13.6	12.7 - 14.6	17,500

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	800	35.6	31.8 - 39.5	100	2.4	1.4 - 4.0	<50	1.1	0.5 - 2.3	1,000	47.4	43.3 - 51.5	300	13.6	11.1 - 16.5	2,200
Honolulu	4,700	37.4	35.9 - 39.0	200	1.6	1.3 - 2.1	2,300	18.3	17.2 - 19.5	3,600	28.7	27.3 - 30.2	1,700	13.9	12.9 - 15.1	12,600
Kauai	400	46.1	39.9 - 52.5	<50	4.9	2.7 - 8.7	<50	0.6	0.1 - 2.8	300	38.2	32.2 - 44.6	100	10.2	7.0 - 14.6	900
Maui	1,000	53.3	48.9 - 57.6	100	2.7	1.6 - 4.6	<50	0.2	0.0 - 1.4	600	30.3	26.4 - 34.6	300	13.4	10.7 - 16.7	1,900

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,300	33.5	30.8 - 36.3	100	1.3	0.7 - 2.1	1,600	39.2	36.3 - 42.1	600	16.2	14.1 - 18.5	400	9.9	8.3 - 11.8	4,000
Native Hawaiian	1,700	34.8	32.1 - 37.6	100	1.9	1.3 - 2.9	<50	1.0	0.6 - 1.8	2,400	49.1	46.2 - 52.0	600	13.2	11.3 - 15.2	4,900
Chinese	400	59.9	55.9 - 63.7	<50	1.7	0.9 - 3.1	<50	5.5	4.0 - 7.6	100	16.6	13.8 - 19.8	100	16.3	13.6 - 19.4	600
Filipino	1,600	49.1	46.1 - 52.2	100	2.2	1.4 - 3.2	200	5.4	4.2 - 6.9	900	28.2	25.6 - 31.1	500	15.0	13.0 - 17.3	3,300
Japanese	1,200	58.8	54.8 - 62.6	<50	2.3	1.4 - 3.9	<50	2.3	1.4 - 3.8	300	13.8	11.2 - 17.0	500	22.7	19.7 - 26.2	2,100
Other	600	24.3	21.5 - 27.4	100	2.9	1.9 - 4.4	500	16.9	14.3 - 19.9	1,200	45.3	41.6 - 49.0	300	10.6	8.6 - 13.0	2,700

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	20.6	16.7 - 25.1	<50	2.1	1.0 - 4.1	100	7.0	4.8 - 10.0	900	59.6	54.5 - 64.6	200	10.7	7.9 - 14.5	1,500
20-24	1,000	23.3	21.0 - 25.9	100	2.1	1.4 - 3.1	800	17.9	15.8 - 20.1	2,100	47.5	44.6 - 50.4	400	9.2	7.7 - 11.0	4,300
25-34	3,800	44.5	42.5 - 46.4	100	1.5	1.1 - 2.1	1,200	14.5	13.2 - 15.9	2,200	25.5	23.8 - 27.3	1,200	14.0	12.7 - 15.4	8,600
35+	1,700	57.2	54.0 - 60.3	100	3.3	2.3 - 4.7	200	6.6	5.2 - 8.4	400	12.6	10.5 - 14.9	600	20.3	17.9 - 23.0	3,100

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	3,600	40.5	38.6 - 42.4	200	1.9	1.4 - 2.5	1,100	12.3	11.2 - 13.6	2,800	31.4	29.5 - 33.2	1,300	14.0	12.7 - 15.4	9,000
Female	3,300	38.2	36.3 - 40.1	200	2.1	1.6 - 2.8	1,200	14.3	13.0 - 15.7	2,700	32.1	30.2 - 34.0	1,100	13.3	12.0 - 14.7	8,600

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,200	46.5	44.8 - 48.1	200	2.1	1.6 - 2.6	2,200	19.9	18.6 - 21.2	1,700	15.3	14.1 - 16.6	1,800	16.2	15.0 - 17.5	11,100
No	1,700	27.0	25.0 - 29.2	100	1.9	1.3 - 2.7	100	1.9	1.3 - 2.6	3,900	60.1	57.7 - 62.4	600	9.1	7.8 - 10.6	6,400

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,300	20.0	18.1 - 21.9	200	2.5	1.9 - 3.4	400	6.0	4.9 - 7.2	4,000	63.4	61.0 - 65.7	500	8.2	6.9 - 9.6	6,300
131-185%	900	40.6	36.8 - 44.5	100	2.8	1.8 - 4.3	400	17.7	14.9 - 20.9	500	24.1	20.9 - 27.7	300	14.8	12.2 - 17.8	2,300
186+%	4,300	55.7	53.7 - 57.8	100	1.4	1.0 - 2.0	1,400	18.2	16.7 - 19.8	500	6.1	5.2 - 7.2	1,400	18.5	17.0 - 20.1	7,600

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

Income (2004-2011)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	300	11.2	9.2 - 13.5	100	2.5	1.6 - 3.9	100	3.1	2.1 - 4.5	2,200	76.7	73.6 - 79.6	200	6.5	5.0 - 8.5	2,900
\$10,000-\$24,999	1,000	27.3	24.6 - 30.2	100	2.7	1.9 - 4.0	400	10.0	8.3 - 12.0	1,800	50.1	47.0 - 53.3	400	9.8	8.1 - 11.8	3,600
\$25,000-\$49,999	1,700	42.0	39.2 - 44.9	100	1.8	1.2 - 2.8	900	22.3	20.0 - 24.7	800	19.6	17.4 - 22.1	600	14.2	12.3 - 16.4	4,100
>=\$50,000	3,400	60.6	58.2 - 62.8	100	1.5	1.0 - 2.2	800	14.5	12.9 - 16.2	200	3.3	2.5 - 4.4	1,100	20.2	18.3 - 22.1	5,700

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	36.8	32.2 - 41.6	<50	1.2	0.5 - 2.9	200	12.9	9.9 - 16.7	400	32.0	27.4 - 37.0	200	17.1	13.6 - 21.2	1,400
Normal birth weight	6,400	39.6	38.2 - 41.0	300	2.1	1.7 - 2.5	2,200	13.3	12.5 - 14.3	5,100	31.6	30.3 - 33.0	2,100	13.3	12.4 - 14.3	16,100

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	21.6	17.8 - 26.0	<50	1.3	0.5 - 3.1	100	8.9	6.5 - 12.0	900	58.4	53.4 - 63.2	100	9.9	7.2 - 13.4	1,500
No	6,500	41.3	39.8 - 42.7	300	2.1	1.7 - 2.5	2,200	13.8	12.9 - 14.8	4,600	28.9	27.6 - 30.2	2,200	14.0	13.0 - 15.0	15,800

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2005-2007

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	27.3	24.6 - 30.2	100	1.7	1.0 - 2.8	400	12.2	10.3 - 14.3	1,700	48.9	45.7 - 52.1	400	9.9	8.2 - 12.0	3,600
No	5,800	42.8	41.2 - 44.3	300	2.1	1.7 - 2.6	1,900	13.7	12.7 - 14.8	3,700	26.8	25.4 - 28.3	2,000	14.6	13.6 - 15.7	13,700

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,700	23.2	21.4 - 25.1	100	1.9	1.4 - 2.6	800	10.4	9.2 - 11.8	4,200	56.6	54.4 - 58.7	600	7.9	6.8 - 9.2	7,500
No	5,100	51.4	49.6 - 53.2	200	2.1	1.6 - 2.7	1,500	15.6	14.4 - 16.9	1,300	12.9	11.6 - 14.2	1,800	18.0	16.7 - 19.4	9,900

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	6,900	40.0	38.7 - 41.3	400	2.0	1.7 - 2.5	2,400	13.9	13.1 - 14.8	5,200	30.0	28.7 - 31.2	2,400	14.1	13.2 - 15.1	17,300

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	800	36.0	32.3 - 39.9	100	2.8	1.8 - 4.4	<50	1.2	0.6 - 2.5	1,000	45.9	41.9 - 50.0	300	14.0	11.5 - 17.0	2,100
Honolulu	4,900	38.6	37.1 - 40.1	200	1.7	1.3 - 2.1	2,400	18.8	17.7 - 20.0	3,400	27.0	25.6 - 28.4	1,800	14.0	12.9 - 15.1	12,600
Kauai	400	46.9	40.6 - 53.4	<50	4.8	2.6 - 8.5	<50	1.0	0.3 - 3.4	300	34.8	28.8 - 41.3	100	12.4	8.8 - 17.3	800
Maui	900	51.6	47.3 - 55.9	<50	2.3	1.3 - 4.0	<50	0.2	0.0 - 1.3	500	29.9	26.1 - 34.1	300	15.9	13.1 - 19.3	1,800

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,300	31.9	29.3 - 34.6	100	1.5	1.0 - 2.4	1,600	40.4	37.6 - 43.2	600	16.0	14.0 - 18.2	400	10.3	8.7 - 12.2	3,900
Native Hawaiian	1,700	35.8	33.1 - 38.5	100	2.0	1.3 - 2.9	100	1.6	1.1 - 2.5	2,300	47.4	44.6 - 50.3	600	13.2	11.4 - 15.2	4,800
Chinese	400	60.9	57.4 - 64.3	<50	2.5	1.6 - 3.8	<50	5.6	4.2 - 7.6	100	13.5	11.2 - 16.2	100	17.4	14.9 - 20.2	600
Filipino	1,600	48.3	45.3 - 51.2	100	2.6	1.8 - 3.7	200	6.4	5.1 - 7.9	900	27.6	25.0 - 30.3	500	15.2	13.2 - 17.4	3,200
Japanese	1,400	63.4	59.7 - 67.0	<50	1.5	0.8 - 2.8	<50	2.2	1.3 - 3.6	200	11.0	8.7 - 13.7	500	21.9	19.0 - 25.2	2,200
Other	600	25.2	22.4 - 28.3	100	2.6	1.7 - 4.1	500	17.7	15.0 - 20.7	1,100	41.7	38.1 - 45.3	300	12.8	10.6 - 15.4	2,600

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	21.8	17.9 - 26.3	<50	2.3	1.2 - 4.2	100	8.4	6.1 - 11.5	900	60.2	55.1 - 65.0	100	7.3	5.0 - 10.5	1,400
20-24	1,100	25.1	22.8 - 27.6	100	1.9	1.2 - 2.8	800	18.8	16.8 - 21.0	1,900	44.3	41.6 - 47.2	400	9.8	8.3 - 11.6	4,300
25-34	3,800	44.7	42.9 - 46.7	200	1.8	1.4 - 2.4	1,300	14.8	13.5 - 16.1	2,000	23.7	22.0 - 25.4	1,300	15.0	13.6 - 16.4	8,500
35+	1,700	55.9	52.8 - 58.9	100	2.7	1.8 - 3.9	200	7.2	5.7 - 8.9	400	13.5	11.5 - 15.8	600	20.8	18.4 - 23.4	3,100

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	3,600	40.3	38.5 - 42.1	200	1.8	1.4 - 2.4	1,200	13.2	12.0 - 14.4	2,700	29.9	28.2 - 31.7	1,300	14.8	13.5 - 16.1	9,100
Female	3,300	39.7	37.8 - 41.6	200	2.3	1.7 - 2.9	1,200	14.7	13.4 - 16.1	2,500	30.1	28.2 - 31.9	1,100	13.3	12.1 - 14.7	8,300

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,300	46.1	44.5 - 47.7	200	1.9	1.5 - 2.4	2,300	19.9	18.7 - 21.2	1,800	15.7	14.5 - 16.9	1,900	16.4	15.3 - 17.7	11,400
No	1,700	28.2	26.1 - 30.5	100	2.2	1.6 - 3.0	100	2.3	1.7 - 3.1	3,400	57.7	55.2 - 60.1	600	9.6	8.3 - 11.1	5,900

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,300	20.7	18.9 - 22.7	200	2.5	1.9 - 3.3	500	7.9	6.8 - 9.2	3,700	60.1	57.8 - 62.4	500	8.8	7.5 - 10.2	6,200
131-185%	800	40.0	36.1 - 43.9	<50	1.8	1.0 - 3.1	400	20.6	17.6 - 24.0	500	23.0	19.8 - 26.6	300	14.7	12.1 - 17.7	2,100
186+%	4,400	56.8	54.9 - 58.8	100	1.7	1.2 - 2.3	1,300	17.2	15.8 - 18.7	400	5.4	4.5 - 6.4	1,500	19.0	17.5 - 20.6	7,700

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

Income (2004-2011)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	13.6	11.4 - 16.1	100	2.7	1.8 - 4.0	100	2.4	1.6 - 3.8	2,100	74.9	71.8 - 77.8	200	6.3	4.9 - 8.2	2,800
\$10,000-\$24,999	1,000	27.4	24.9 - 30.1	100	2.2	1.5 - 3.3	500	14.0	12.2 - 16.1	1,700	45.3	42.4 - 48.2	400	11.0	9.3 - 13.0	3,800
\$25,000-\$49,999	1,800	43.5	40.8 - 46.2	100	1.8	1.2 - 2.7	900	22.5	20.3 - 24.8	700	16.9	14.8 - 19.1	600	15.3	13.4 - 17.5	4,200
>=\$50,000	3,300	62.1	59.8 - 64.4	100	1.6	1.1 - 2.3	700	13.2	11.7 - 14.9	100	2.7	2.0 - 3.7	1,100	20.3	18.5 - 22.3	5,300

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	400	34.7	30.2 - 39.7	<50	1.4	0.6 - 3.4	200	14.0	10.8 - 18.0	400	30.4	25.8 - 35.5	200	19.4	15.7 - 23.7	1,200
Normal birth weight	6,500	40.4	39.1 - 41.8	300	2.1	1.7 - 2.5	2,200	13.9	13.0 - 14.8	4,800	29.9	28.6 - 31.2	2,200	13.7	12.7 - 14.7	16,100

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	400	24.5	20.5 - 29.0	<50	1.0	0.4 - 2.7	200	10.6	8.0 - 13.8	800	55.5	50.6 - 60.4	100	8.4	6.0 - 11.7	1,400
No	6,500	41.7	40.3 - 43.1	300	2.1	1.7 - 2.6	2,200	14.3	13.4 - 15.2	4,300	27.3	26.1 - 28.6	2,300	14.5	13.6 - 15.6	15,600

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2004-2006

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	29.1	26.4 - 32.0	<50	1.3	0.8 - 2.3	500	12.9	11.0 - 15.0	1,700	46.6	43.5 - 49.7	400	10.1	8.4 - 12.1	3,600
No	5,800	43.2	41.8 - 44.8	300	2.2	1.8 - 2.7	1,900	14.3	13.3 - 15.3	3,400	25.2	23.9 - 26.6	2,000	15.1	14.0 - 16.2	13,500

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,800	23.9	22.2 - 25.8	100	1.9	1.4 - 2.5	900	11.7	10.5 - 13.1	4,000	53.2	51.1 - 55.3	700	9.2	8.1 - 10.5	7,500
No	5,000	52.5	50.7 - 54.2	200	2.2	1.7 - 2.8	1,500	15.8	14.6 - 17.1	1,100	11.5	10.4 - 12.8	1,700	18.0	16.7 - 19.4	9,600

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	7,100	41.3	40.0 - 42.7	300	2.0	1.7 - 2.4	2,400	14.0	13.0 - 15.0	5,000	29.2	28.0 - 30.5	2,300	13.5	12.6 - 14.5	17,100

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	700	35.8	32.4 - 39.2	100	3.5	2.5 - 5.0	<50	1.0	0.5 - 2.2	900	44.6	41.0 - 48.2	300	15.1	12.7 - 17.9	2,100
Honolulu	5,000	40.2	38.5 - 41.8	200	1.6	1.2 - 2.1	2,300	18.9	17.6 - 20.2	3,300	26.4	24.9 - 27.9	1,600	13.0	11.9 - 14.2	12,400
Kauai	400	50.5	44.9 - 56.1	<50	4.0	2.1 - 7.2	<50	0.5	0.1 - 2.2	300	33.0	27.9 - 38.6	100	12.0	8.7 - 16.2	800
Maui	900	52.3	48.5 - 56.0	<50	2.4	1.5 - 3.8	<50	0.4	0.1 - 1.2	500	29.1	25.7 - 32.7	300	15.8	13.3 - 18.7	1,800

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,300	34.5	31.7 - 37.5	100	1.7	1.2 - 2.5	1,500	38.8	35.8 - 41.9	600	16.3	14.2 - 18.6	300	8.7	7.1 - 10.5	3,800
Native Hawaiian	1,700	36.5	34.1 - 38.9	100	1.8	1.3 - 2.6	100	2.3	1.7 - 3.2	2,200	46.4	44.0 - 48.9	600	12.9	11.3 - 14.7	4,700
Chinese	400	61.0	54.9 - 66.8	<50	1.6	0.9 - 2.7	<50	4.9	3.0 - 7.8	100	11.8	8.5 - 16.1	100	20.7	16.0 - 26.4	600
Filipino	1,700	48.8	45.6 - 52.0	100	1.8	1.2 - 2.6	200	6.5	5.0 - 8.3	1,000	28.5	25.7 - 31.6	500	14.5	12.4 - 16.8	3,400
Japanese	1,300	60.8	56.6 - 64.8	100	3.1	1.8 - 5.2	100	3.9	2.5 - 6.1	200	9.9	7.7 - 12.8	500	22.3	19.0 - 26.0	2,100
Other	700	28.6	25.1 - 32.3	100	2.4	1.5 - 3.9	500	19.9	16.7 - 23.5	900	38.2	34.3 - 42.1	300	10.9	8.8 - 13.6	2,400

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	23.3	19.4 - 27.7	<50	2.3	1.3 - 4.1	100	10.1	7.3 - 13.9	800	57.5	52.6 - 62.3	100	6.7	4.8 - 9.4	1,400
20-24	1,100	25.6	23.2 - 28.1	100	2.0	1.3 - 2.9	700	17.7	15.6 - 20.1	1,900	45.1	42.3 - 47.9	400	9.6	8.1 - 11.4	4,200
25-34	3,900	46.7	44.7 - 48.8	200	1.8	1.4 - 2.4	1,300	15.0	13.5 - 16.6	1,900	22.4	20.7 - 24.1	1,200	14.1	12.8 - 15.5	8,400
35+	1,700	56.7	53.4 - 60.0	100	2.6	1.7 - 3.8	200	7.6	5.9 - 9.7	400	12.7	10.7 - 15.1	600	20.4	17.8 - 23.2	3,000

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	3,700	41.2	39.3 - 43.1	200	1.9	1.4 - 2.5	1,200	13.5	12.2 - 15.0	2,600	29.2	27.5 - 31.0	1,300	14.2	13.0 - 15.6	9,000
Female	3,300	41.5	39.5 - 43.6	200	2.2	1.7 - 2.9	1,200	14.4	13.0 - 16.0	2,300	29.2	27.4 - 31.1	1,000	12.6	11.4 - 14.0	8,000

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,400	47.4	45.7 - 49.1	200	2.0	1.6 - 2.5	2,300	19.8	18.4 - 21.3	1,700	15.1	13.9 - 16.4	1,800	15.7	14.5 - 17.0	11,400
No	1,700	29.2	27.0 - 31.4	100	2.1	1.5 - 2.9	100	2.2	1.6 - 3.1	3,300	57.5	55.1 - 59.8	500	9.0	7.8 - 10.5	5,700

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,600	24.0	22.1 - 26.0	200	2.6	2.0 - 3.4	600	9.7	8.3 - 11.2	3,700	55.1	52.9 - 57.4	600	8.6	7.4 - 9.9	6,600
131-185%	900	44.7	40.7 - 48.8	<50	1.3	0.7 - 2.7	400	20.1	16.8 - 23.9	400	17.9	15.1 - 21.1	300	15.9	13.1 - 19.0	2,100
186+%	4,000	58.8	56.6 - 61.0	100	1.4	1.0 - 2.0	1,200	16.8	15.2 - 18.6	300	4.4	3.6 - 5.4	1,300	18.5	16.9 - 20.2	6,900

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	39.2	34.0 - 44.7	<50	1.8	0.8 - 3.9	200	13.6	10.0 - 18.2	300	28.6	24.0 - 33.6	200	16.9	13.2 - 21.3	1,200
Normal birth weight	6,600	41.5	40.1 - 42.9	300	2.0	1.7 - 2.5	2,200	14.0	13.0 - 15.1	4,600	29.2	28.0 - 30.6	2,100	13.2	12.3 - 14.2	15,900

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	24.4	20.4 - 28.8	<50	0.6	0.2 - 1.5	200	13.0	9.7 - 17.3	800	55.9	50.8 - 60.8	100	6.2	4.2 - 8.9	1,400
No	6,600	43.1	41.6 - 44.5	300	2.1	1.8 - 2.6	2,200	14.0	13.0 - 15.1	4,100	26.6	25.3 - 27.9	2,200	14.2	13.2 - 15.2	15,400

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	30.1	27.3 - 33.0	100	1.5	0.9 - 2.3	500	13.7	11.5 - 16.2	1,600	44.8	41.7 - 47.9	300	10.0	8.3 - 12.0	3,500
No	5,900	44.6	43.0 - 46.2	300	2.2	1.8 - 2.7	1,900	14.0	12.9 - 15.2	3,300	24.7	23.3 - 26.1	1,900	14.5	13.4 - 15.6	13,200

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2003-2005

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,800	24.3	22.5 - 26.1	200	2.1	1.6 - 2.7	900	12.2	10.8 - 13.8	3,900	52.2	50.1 - 54.4	700	9.2	8.1 - 10.5	7,400
No	5,200	54.7	52.8 - 56.6	200	2.0	1.5 - 2.6	1,500	15.5	14.1 - 17.0	1,000	10.9	9.8 - 12.2	1,600	16.9	15.5 - 18.3	9,400

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	7,300	43.0	41.5 - 44.5	300	1.9	1.5 - 2.3	2,400	14.2	13.2 - 15.4	4,600	26.8	25.6 - 28.1	2,400	14.1	13.1 - 15.1	17,000

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	700	36.3	33.4 - 39.3	100	4.1	3.0 - 5.5	<50	0.5	0.2 - 1.3	900	43.9	40.9 - 47.0	300	15.2	13.0 - 17.6	2,000
Honolulu	5,200	42.1	40.3 - 44.0	200	1.3	0.9 - 1.7	2,400	19.2	17.7 - 20.8	2,900	23.7	22.2 - 25.3	1,700	13.7	12.5 - 15.0	12,400
Kauai	400	51.8	46.8 - 56.7	<50	2.9	1.6 - 5.3	<50	1.0	0.4 - 2.7	200	31.3	26.9 - 36.0	100	13.0	10.0 - 16.9	800
Maui	900	52.9	49.7 - 56.2	100	3.3	2.3 - 4.8	<50	0.6	0.2 - 1.4	500	27.5	24.6 - 30.5	300	15.7	13.4 - 18.3	1,800

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,200	33.4	30.4 - 36.5	100	2.2	1.5 - 3.2	1,500	39.9	36.6 - 43.3	600	15.5	13.4 - 17.9	300	9.0	7.4 - 11.0	3,700
Native Hawaiian	1,700	37.3	35.3 - 39.4	100	1.3	0.9 - 1.8	100	2.8	2.2 - 3.6	2,100	45.5	43.4 - 47.6	600	13.0	11.7 - 14.5	4,700
Chinese	400	62.0	54.1 - 69.3	<50	1.7	1.0 - 3.0	<50	3.6	1.6 - 7.7	100	10.7	6.8 - 16.6	100	22.0	16.1 - 29.3	600
Filipino	1,800	52.2	48.7 - 55.8	100	1.6	1.1 - 2.4	200	6.4	4.8 - 8.5	900	25.0	22.1 - 28.3	500	14.7	12.4 - 17.2	3,500
Japanese	1,400	63.0	58.5 - 67.4	<50	2.1	1.1 - 4.1	100	3.3	2.0 - 5.6	200	8.5	6.2 - 11.6	500	23.0	19.4 - 27.0	2,200
Other	700	31.8	27.7 - 36.2	100	2.7	1.6 - 4.5	500	21.0	17.4 - 25.1	700	31.8	27.6 - 36.3	300	12.7	10.0 - 16.0	2,300

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	25.3	21.3 - 29.6	<50	1.7	0.9 - 3.1	100	9.8	6.7 - 14.2	800	55.3	50.2 - 60.2	100	8.0	5.8 - 10.9	1,400
20-24	1,100	27.5	25.0 - 30.1	100	1.8	1.2 - 2.6	800	18.8	16.4 - 21.4	1,800	42.7	39.8 - 45.6	400	9.3	7.7 - 11.1	4,100
25-34	4,000	47.9	45.7 - 50.0	200	1.8	1.3 - 2.4	1,300	15.3	13.7 - 17.1	1,700	19.7	18.1 - 21.4	1,300	15.4	13.9 - 17.0	8,400
35+	1,800	59.4	55.8 - 62.9	100	2.4	1.6 - 3.7	200	7.1	5.4 - 9.3	300	11.2	9.3 - 13.4	600	19.9	17.2 - 22.9	3,000

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	3,700	41.8	39.8 - 43.8	200	2.0	1.5 - 2.6	1,300	14.4	12.9 - 16.1	2,400	26.7	25.0 - 28.5	1,300	15.0	13.7 - 16.5	8,900
Female	3,600	44.3	42.1 - 46.5	100	1.8	1.3 - 2.3	1,100	14.0	12.5 - 15.8	2,200	26.9	25.1 - 28.8	1,000	13.0	11.6 - 14.5	8,100

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,600	48.6	46.8 - 50.5	200	1.9	1.5 - 2.4	2,300	19.8	18.3 - 21.5	1,600	13.4	12.2 - 14.6	1,900	16.3	15.0 - 17.7	11,600
No	1,700	30.8	28.6 - 33.1	100	1.9	1.4 - 2.6	100	2.2	1.5 - 3.1	3,000	55.8	53.3 - 58.3	500	9.3	7.9 - 10.8	5,400

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,900	27.7	25.7 - 29.8	200	2.3	1.7 - 3.1	700	10.3	8.9 - 12.1	3,500	51.0	48.7 - 53.3	600	8.7	7.5 - 10.1	6,800
131-185%	1,200	47.1	43.2 - 51.1	<50	1.3	0.8 - 2.3	700	24.7	21.2 - 28.7	300	11.4	9.3 - 13.9	400	15.4	13.0 - 18.3	2,600
186+%	3,700	60.3	57.8 - 62.7	100	1.2	0.8 - 1.8	900	14.7	12.9 - 16.7	200	3.2	2.5 - 4.0	1,300	20.7	18.7 - 22.8	6,100

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	42.0	36.2 - 47.9	<50	1.1	0.5 - 2.6	200	13.4	9.4 - 18.8	300	27.0	22.3 - 32.3	200	16.5	12.7 - 21.1	1,100
Normal birth weight	6,800	43.1	41.6 - 44.6	300	1.9	1.6 - 2.4	2,300	14.2	13.1 - 15.4	4,300	26.9	25.6 - 28.2	2,200	13.9	12.9 - 15.0	15,800

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	25.2	21.1 - 29.8	<50	0.8	0.4 - 1.9	200	15.0	11.1 - 19.8	700	52.8	47.7 - 57.8	100	6.1	4.3 - 8.7	1,400
No	6,800	44.7	43.1 - 46.3	300	1.9	1.6 - 2.4	2,200	14.2	13.0 - 15.4	3,700	24.4	23.1 - 25.7	2,300	14.8	13.8 - 16.0	15,300

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	30.4	27.5 - 33.5	<50	1.3	0.8 - 2.2	500	15.0	12.5 - 17.9	1,400	42.9	39.7 - 46.1	300	10.4	8.6 - 12.6	3,400
No	6,100	46.5	44.8 - 48.2	300	2.1	1.7 - 2.6	1,800	13.9	12.7 - 15.3	3,000	22.4	21.0 - 23.7	2,000	15.2	14.0 - 16.4	13,200

**PRAMS Health Indicator 3-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)
2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years: 2002-2004

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,900	26.5	24.6 - 28.5	100	1.8	1.3 - 2.3	1,000	14.0	12.4 - 15.9	3,500	47.8	45.6 - 50.0	700	9.9	8.7 - 11.2	7,300
No	5,300	55.6	53.5 - 57.6	200	2.0	1.5 - 2.6	1,400	14.6	13.1 - 16.2	1,000	10.6	9.4 - 11.8	1,600	17.4	15.9 - 18.9	9,500