

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- for the State of Hawaii, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 3-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012. Because of this, income data does not exist for some 3-year aggregate periods.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
Discuss HIV testing with HCW during PNC	Discuss HIV testing with HCW during PNC

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/16/17*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- for the State of Hawaii, for the Year(s)**  
**2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**


*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Years	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2002	13,700	83.1	81.9 - 84.1	2,800	16.9	15.9 - 18.1	16,500
2001-2003	13,800	82.5	81.3 - 83.6	2,900	17.5	16.4 - 18.7	16,700
2002-2004	13,500	79.8	78.6 - 81.0	3,400	20.2	19.0 - 21.4	17,000
2003-2005	13,200	77.6	76.4 - 78.7	3,800	22.4	21.3 - 23.6	17,000
2004-2006	13,000	75.5	74.3 - 76.7	4,200	24.5	23.3 - 25.7	17,300
2005-2007	13,100	75.0	73.7 - 76.1	4,400	25.0	23.9 - 26.3	17,500
2006-2008	13,400	74.6	73.4 - 75.8	4,600	25.4	24.2 - 26.6	17,900
2007-2009	13,100	72.9	71.5 - 74.2	4,900	27.1	25.8 - 28.5	18,000
2008-2010	12,900	71.5	70.0 - 73.1	5,100	28.5	26.9 - 30.0	18,100
2009-2011	12,700	70.5	68.8 - 72.2	5,300	29.5	27.8 - 31.2	18,000
2010-2012	12,500	69.5	67.7 - 71.2	5,500	30.5	28.8 - 32.3	18,100
2011-2013	12,200	67.4	65.6 - 69.2	5,900	32.6	30.8 - 34.4	18,000

# PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- for the State of Hawaii, for the Year(s)

2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013

Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2011-2013**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	12,200	67.4	65.6 - 69.2	5,900	32.6	30.8 - 34.4	18,000

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,600	68.2	65.3 - 71.0	700	31.8	29.0 - 34.7	2,300
<b>Honolulu</b>	8,700	67.2	64.7 - 69.6	4,300	32.8	30.4 - 35.3	13,000
<b>Kauai</b>	600	68.4	65.0 - 71.5	300	31.6	28.5 - 35.0	800
<b>Maui</b>	1,300	67.5	64.7 - 70.2	600	32.5	29.8 - 35.3	1,900

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2011-2013**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,900	66.2	62.4 - 69.8	1,500	33.8	30.2 - 37.6	4,500
Native Hawaiian	3,800	71.8	68.6 - 74.8	1,500	28.2	25.2 - 31.4	5,200
Chinese	600	65.1	55.9 - 73.3	300	34.9	26.7 - 44.1	900
Filipino	2,100	65.4	60.9 - 69.6	1,100	34.6	30.4 - 39.1	3,100
Japanese	900	52.7	46.1 - 59.1	800	47.3	40.9 - 53.9	1,700
Other	1,900	73.5	68.6 - 77.9	700	26.5	22.1 - 31.4	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	800	82.2	75.1 - 87.7	200	17.8	12.3 - 24.9	900
20-24	3,000	74.8	71.0 - 78.3	1,000	25.2	21.7 - 29.0	4,000
25-34	6,500	65.3	62.8 - 67.8	3,400	34.7	32.2 - 37.2	9,900
35+	1,900	60.4	55.9 - 64.6	1,300	39.6	35.4 - 44.1	3,200

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2011-2013**

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,000	67.2	64.5 - 69.7	2,900	32.8	30.3 - 35.5	9,000
Female	6,100	67.7	65.1 - 70.2	2,900	32.3	29.8 - 34.9	9,100

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,200	63.5	61.1 - 65.9	4,100	36.5	34.1 - 38.9	11,300
No	5,000	74.0	71.2 - 76.6	1,800	26.0	23.4 - 28.8	6,800

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,800	74.5	71.7 - 77.1	1,600	25.5	22.9 - 28.3	6,400
131-185%	2,000	72.4	67.7 - 76.6	800	27.6	23.4 - 32.3	2,700
186+%	4,300	58.6	55.5 - 61.5	3,100	41.4	38.5 - 44.5	7,400

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2011-2013**

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	63.6	60.5 - 66.5	500	36.4	33.5 - 39.5	1,300
Normal birth weight	11,300	67.8	65.8 - 69.7	5,400	32.2	30.3 - 34.2	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	74.6	67.4 - 80.7	200	25.4	19.3 - 32.6	900
No	11,300	67.6	65.7 - 69.4	5,400	32.4	30.6 - 34.3	16,800

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,300	72.8	68.6 - 76.6	900	27.2	23.4 - 31.4	3,200
No	9,700	66.9	64.8 - 68.9	4,800	33.1	31.1 - 35.2	14,500

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2011-2013**

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,900	74.0	71.5 - 76.4	2,100	26.0	23.6 - 28.5	8,000
<b>No</b>	6,200	62.1	59.5 - 64.6	3,800	37.9	35.4 - 40.5	10,000



**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2010-2012**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	12,500	69.5	67.7 - 71.2	5,500	30.5	28.8 - 32.3	18,100

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,700	71.6	68.8 - 74.2	700	28.4	25.8 - 31.2	2,300
<b>Honolulu</b>	9,000	69.2	66.9 - 71.5	4,000	30.8	28.5 - 33.1	13,000
<b>Kauai</b>	600	67.0	63.5 - 70.2	300	33.0	29.8 - 36.5	800
<b>Maui</b>	1,300	69.8	67.1 - 72.3	600	30.2	27.7 - 32.9	1,900

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2010-2012**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	70.3	66.8 - 73.6	1,300	29.7	26.4 - 33.2	4,300
Native Hawaiian	3,800	72.9	69.8 - 75.7	1,400	27.1	24.3 - 30.2	5,200
Chinese	500	64.5	55.4 - 72.6	300	35.5	27.4 - 44.6	800
Filipino	2,100	64.7	60.4 - 68.9	1,100	35.3	31.1 - 39.6	3,200
Japanese	900	56.7	50.3 - 62.8	700	43.3	37.2 - 49.7	1,700
Other	2,100	76.5	71.9 - 80.5	600	23.5	19.5 - 28.1	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	85.0	79.0 - 89.5	200	15.0	10.5 - 21.0	1,000
20-24	3,100	76.1	72.5 - 79.4	1,000	23.9	20.6 - 27.5	4,100
25-34	6,600	67.9	65.5 - 70.3	3,100	32.1	29.7 - 34.5	9,700
35+	1,900	60.8	56.4 - 65.0	1,300	39.2	35.0 - 43.6	3,200

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2010-2012**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Infant Gender</b>							
<b>Male</b>	6,400	70.2	67.7 - 72.5	2,700	29.8	27.5 - 32.3	9,100
<b>Female</b>	6,200	68.8	66.3 - 71.2	2,800	31.2	28.8 - 33.7	9,000

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Married</b>							
<b>Yes</b>	7,500	66.5	64.2 - 68.7	3,800	33.5	31.3 - 35.8	11,300
<b>No</b>	5,100	74.5	71.8 - 77.0	1,700	25.5	23.0 - 28.2	6,800

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Poverty Level</b>							
<b>0-130%</b>	4,700	75.1	72.3 - 77.7	1,600	24.9	22.3 - 27.7	6,300
<b>131-185%</b>	2,100	72.9	68.4 - 76.9	800	27.1	23.1 - 31.6	2,900
<b>186+%</b>	4,800	63.5	60.6 - 66.3	2,800	36.5	33.7 - 39.4	7,500

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2010-2012**

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	800	66.4	63.3 - 69.3	400	33.6	30.7 - 36.7	1,300
Normal birth weight	11,700	69.8	67.9 - 71.6	5,100	30.2	28.4 - 32.1	16,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	73.2	65.9 - 79.4	300	26.8	20.6 - 34.1	1,000
No	11,600	69.6	67.8 - 71.3	5,100	30.4	28.7 - 32.2	16,700

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	71.3	67.3 - 75.0	1,000	28.7	25.0 - 32.7	3,400
No	10,000	69.4	67.4 - 71.3	4,400	30.6	28.7 - 32.6	14,400

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2010-2012**

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,100	75.5	73.1 - 77.8	2,000	24.5	22.2 - 26.9	8,000
<b>No</b>	6,400	64.7	62.2 - 67.1	3,500	35.3	32.9 - 37.8	9,900

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2009-2011**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	12,700	70.5	68.8 - 72.2	5,300	29.5	27.8 - 31.2	18,000

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,700	72.2	69.5 - 74.8	600	27.8	25.2 - 30.5	2,300
<b>Honolulu</b>	9,000	70.3	68.0 - 72.5	3,800	29.7	27.5 - 32.0	12,900
<b>Kauai</b>	600	68.2	64.8 - 71.3	300	31.8	28.7 - 35.2	800
<b>Maui</b>	1,400	70.8	68.3 - 73.2	600	29.2	26.8 - 31.7	2,000

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2009-2011**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	70.5	67.1 - 73.8	1,300	29.5	26.2 - 32.9	4,400
Native Hawaiian	4,000	73.4	70.4 - 76.2	1,500	26.6	23.8 - 29.6	5,500
Chinese	500	60.1	50.5 - 69.0	300	39.9	31.0 - 49.5	700
Filipino	2,200	69.1	64.8 - 73.0	1,000	30.9	27.0 - 35.2	3,200
Japanese	1,000	59.2	53.0 - 65.1	700	40.8	34.9 - 47.0	1,700
Other	1,900	76.6	71.8 - 80.7	600	23.4	19.3 - 28.2	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	84.4	79.1 - 88.6	200	15.6	11.4 - 20.9	1,300
20-24	3,400	78.6	75.2 - 81.6	900	21.4	18.4 - 24.8	4,300
25-34	6,300	67.6	65.2 - 70.0	3,000	32.4	30.0 - 34.8	9,300
35+	1,900	62.4	58.0 - 66.6	1,200	37.6	33.4 - 42.0	3,100

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2009-2011**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Infant Gender</b>							
<b>Male</b>	6,500	70.7	68.2 - 73.0	2,700	29.3	27.0 - 31.8	9,200
<b>Female</b>	6,200	70.3	67.9 - 72.7	2,600	29.7	27.3 - 32.1	8,800

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Married</b>							
<b>Yes</b>	7,400	66.8	64.5 - 69.0	3,700	33.2	31.0 - 35.5	11,000
<b>No</b>	5,300	76.4	73.8 - 78.8	1,600	23.6	21.2 - 26.2	7,000

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Poverty Level</b>							
<b>0-130%</b>	4,800	76.0	73.2 - 78.5	1,500	24.0	21.5 - 26.8	6,300
<b>131-185%</b>	2,100	73.8	69.3 - 77.8	700	26.2	22.2 - 30.7	2,800
<b>186+%</b>	4,800	63.3	60.5 - 66.0	2,800	36.7	34.0 - 39.5	7,600



**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2009-2011**

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,500	80.9	77.2 - 84.1	600	19.1	15.9 - 22.8	3,200
\$10,000-\$24,999	2,500	74.9	71.1 - 78.4	900	25.1	21.6 - 28.9	3,400
\$25,000-\$49,999	3,000	71.5	67.9 - 74.9	1,200	28.5	25.1 - 32.1	4,300
>=\$50,000	3,600	60.0	56.9 - 63.2	2,400	40.0	36.8 - 43.1	6,100

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	69.6	66.7 - 72.4	400	30.4	27.6 - 33.3	1,300
Normal birth weight	11,800	70.6	68.7 - 72.3	4,900	29.4	27.7 - 31.3	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	75.0	68.7 - 80.4	300	25.0	19.6 - 31.3	1,300
No	11,500	70.2	68.4 - 72.0	4,900	29.8	28.0 - 31.6	16,400

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2009-2011**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	73.9	70.3 - 77.3	1,000	26.1	22.7 - 29.7	3,700
No	9,800	69.7	67.7 - 71.6	4,300	30.3	28.4 - 32.3	14,000

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	76.7	74.3 - 78.9	1,800	23.3	21.1 - 25.7	7,800
No	6,600	66.0	63.6 - 68.4	3,400	34.0	31.6 - 36.4	10,000

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2008-2010**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	12,900	71.5	70.0 - 73.1	5,100	28.5	26.9 - 30.0	18,100

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,800	74.5	71.5 - 77.2	600	25.5	22.8 - 28.5	2,400
<b>Honolulu</b>	9,100	71.3	69.2 - 73.2	3,700	28.7	26.8 - 30.8	12,800
<b>Kauai</b>	600	69.9	65.5 - 73.9	300	30.1	26.1 - 34.5	800
<b>Maui</b>	1,400	70.7	67.6 - 73.6	600	29.3	26.4 - 32.4	2,000

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2008-2010**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	73.4	70.3 - 76.3	1,200	26.6	23.7 - 29.7	4,300
Native Hawaiian	3,900	72.3	69.4 - 75.0	1,500	27.7	25.0 - 30.6	5,500
Chinese	400	60.9	52.2 - 68.9	300	39.1	31.1 - 47.8	700
Filipino	2,300	71.1	67.3 - 74.6	900	28.9	25.4 - 32.7	3,200
Japanese	1,100	63.1	57.7 - 68.1	700	36.9	31.9 - 42.3	1,800
Other	2,000	76.1	72.0 - 79.8	600	23.9	20.2 - 28.0	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	81.5	76.4 - 85.7	300	18.5	14.3 - 23.6	1,400
20-24	3,300	78.4	75.3 - 81.2	900	21.6	18.8 - 24.7	4,200
25-34	6,400	69.1	66.9 - 71.3	2,900	30.9	28.7 - 33.1	9,200
35+	2,100	65.1	61.2 - 68.8	1,100	34.9	31.2 - 38.8	3,200

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2008-2010**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Infant Gender</b>							
<b>Male</b>	6,600	70.7	68.5 - 72.8	2,700	29.3	27.2 - 31.5	9,400
<b>Female</b>	6,300	72.4	70.2 - 74.6	2,400	27.6	25.4 - 29.8	8,700

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Married</b>							
<b>Yes</b>	7,500	67.9	65.8 - 69.9	3,600	32.1	30.1 - 34.2	11,100
<b>No</b>	5,400	77.4	75.0 - 79.6	1,600	22.6	20.4 - 25.0	6,900

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Poverty Level</b>							
<b>0-130%</b>	4,800	75.6	73.1 - 78.0	1,600	24.4	22.0 - 26.9	6,400
<b>131-185%</b>	2,100	74.2	70.1 - 77.9	700	25.8	22.1 - 29.9	2,800
<b>186+%</b>	5,000	65.8	63.3 - 68.2	2,600	34.2	31.8 - 36.7	7,500

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2008-2010**

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,400	77.8	74.2 - 81.1	700	22.2	18.9 - 25.8	3,100
\$10,000-\$24,999	2,800	78.2	75.0 - 81.1	800	21.8	18.9 - 25.0	3,600
\$25,000-\$49,999	2,900	70.2	66.8 - 73.4	1,200	29.8	26.6 - 33.2	4,100
>=\$50,000	3,900	63.8	61.0 - 66.6	2,200	36.2	33.4 - 39.0	6,100

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	70.3	66.6 - 73.7	400	29.7	26.3 - 33.4	1,300
Normal birth weight	12,000	71.6	69.9 - 73.2	4,800	28.4	26.8 - 30.1	16,700

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	77.0	71.4 - 81.8	300	23.0	18.2 - 28.6	1,500
No	11,500	71.1	69.5 - 72.7	4,700	28.9	27.3 - 30.5	16,200

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2008-2010**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	75.3	71.9 - 78.4	900	24.7	21.6 - 28.1	3,700
No	9,900	70.7	68.9 - 72.4	4,100	29.3	27.6 - 31.1	14,000

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,800	76.0	73.7 - 78.1	1,800	24.0	21.9 - 26.3	7,700
No	6,900	68.6	66.5 - 70.7	3,200	31.4	29.3 - 33.5	10,100

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2007-2009**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	13,100	72.9	71.5 - 74.2	4,900	27.1	25.8 - 28.5	18,000

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,800	75.5	72.3 - 78.5	600	24.5	21.5 - 27.7	2,400
<b>Honolulu</b>	9,100	72.5	70.8 - 74.3	3,400	27.5	25.7 - 29.2	12,600
<b>Kauai</b>	700	73.0	67.9 - 77.5	200	27.0	22.5 - 32.1	900
<b>Maui</b>	1,500	71.9	68.4 - 75.1	600	28.1	24.9 - 31.6	2,100



**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2007-2009**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	75.4	72.6 - 78.0	1,000	24.6	22.0 - 27.4	4,200
Native Hawaiian	3,900	74.4	71.7 - 76.9	1,400	25.6	23.1 - 28.3	5,300
Chinese	400	61.7	54.7 - 68.2	300	38.3	31.8 - 45.3	700
Filipino	2,400	72.6	69.3 - 75.6	900	27.4	24.4 - 30.7	3,200
Japanese	1,200	63.3	58.7 - 67.6	700	36.7	32.4 - 41.3	1,900
Other	2,000	76.0	72.3 - 79.3	600	24.0	20.7 - 27.7	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	81.4	76.6 - 85.3	300	18.6	14.7 - 23.4	1,600
20-24	3,300	79.2	76.4 - 81.7	900	20.8	18.3 - 23.6	4,200
25-34	6,400	70.5	68.4 - 72.4	2,700	29.5	27.6 - 31.6	9,000
35+	2,100	67.1	63.7 - 70.3	1,000	32.9	29.7 - 36.3	3,100

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2007-2009**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Infant Gender</b>							
<b>Male</b>	6,800	72.2	70.2 - 74.1	2,600	27.8	25.9 - 29.8	9,400
<b>Female</b>	6,300	73.6	71.7 - 75.5	2,300	26.4	24.5 - 28.3	8,500

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Married</b>							
<b>Yes</b>	7,700	69.5	67.7 - 71.2	3,400	30.5	28.8 - 32.3	11,000
<b>No</b>	5,400	78.3	76.1 - 80.4	1,500	21.7	19.6 - 23.9	6,900

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Poverty Level</b>							
<b>0-130%</b>	5,000	77.0	74.8 - 79.2	1,500	23.0	20.8 - 25.2	6,500
<b>131-185%</b>	2,000	74.5	70.7 - 77.9	700	25.5	22.1 - 29.3	2,700
<b>186+%</b>	5,000	67.4	65.2 - 69.6	2,400	32.6	30.4 - 34.8	7,400

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2007-2009**

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,300	78.1	74.7 - 81.2	600	21.9	18.8 - 25.3	3,000
\$10,000-\$24,999	3,000	79.2	76.4 - 81.7	800	20.8	18.3 - 23.6	3,800
\$25,000-\$49,999	2,800	70.7	67.6 - 73.6	1,200	29.3	26.4 - 32.4	3,900
>=\$50,000	4,000	66.4	63.9 - 68.8	2,000	33.6	31.2 - 36.1	6,000

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	72.2	68.1 - 75.9	400	27.8	24.1 - 31.9	1,400
Normal birth weight	12,100	72.9	71.5 - 74.3	4,500	27.1	25.7 - 28.5	16,600

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	80.4	75.5 - 84.5	300	19.6	15.5 - 24.5	1,500
No	11,600	72.3	70.8 - 73.7	4,500	27.7	26.3 - 29.2	16,100

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2007-2009**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	79.1	76.1 - 81.7	700	20.9	18.3 - 23.9	3,600
No	10,000	71.4	69.8 - 73.0	4,000	28.6	27.0 - 30.2	14,000

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,800	76.9	74.8 - 78.9	1,700	23.1	21.1 - 25.2	7,500
No	7,200	70.3	68.4 - 72.1	3,000	29.7	27.9 - 31.6	10,200

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2006-2008**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	13,400	74.6	73.4 - 75.8	4,600	25.4	24.2 - 26.6	17,900

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,800	77.6	74.0 - 80.7	500	22.4	19.3 - 26.0	2,300
<b>Honolulu</b>	9,400	73.9	72.4 - 75.3	3,300	26.1	24.7 - 27.6	12,700
<b>Kauai</b>	700	76.9	71.4 - 81.7	200	23.1	18.3 - 28.6	900
<b>Maui</b>	1,500	74.6	70.7 - 78.1	500	25.4	21.9 - 29.3	2,000

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2006-2008**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,300	78.5	76.1 - 80.8	900	21.5	19.2 - 23.9	4,200
Native Hawaiian	3,700	74.9	72.3 - 77.3	1,300	25.1	22.7 - 27.7	5,000
Chinese	400	66.2	62.3 - 69.9	200	33.8	30.1 - 37.7	600
Filipino	2,400	73.8	71.0 - 76.4	900	26.2	23.6 - 29.0	3,300
Japanese	1,300	64.7	60.8 - 68.5	700	35.3	31.5 - 39.2	2,100
Other	2,200	78.1	75.0 - 80.9	600	21.9	19.1 - 25.0	2,800

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	81.4	77.0 - 85.2	300	18.6	14.8 - 23.0	1,500
20-24	3,400	79.0	76.5 - 81.3	900	21.0	18.7 - 23.5	4,200
25-34	6,600	73.3	71.5 - 75.0	2,400	26.7	25.0 - 28.5	9,000
35+	2,200	69.0	66.1 - 71.8	1,000	31.0	28.2 - 33.9	3,200

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2006-2008**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Infant Gender</b>							
<b>Male</b>	6,800	73.7	72.0 - 75.4	2,400	26.3	24.6 - 28.0	9,300
<b>Female</b>	6,600	75.5	73.8 - 77.2	2,100	24.5	22.8 - 26.2	8,700

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Married</b>							
<b>Yes</b>	8,200	72.7	71.2 - 74.2	3,100	27.3	25.8 - 28.8	11,300
<b>No</b>	5,100	77.8	75.7 - 79.7	1,500	22.2	20.3 - 24.3	6,600

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Poverty Level</b>							
<b>0-130%</b>	5,000	77.5	75.4 - 79.5	1,500	22.5	20.5 - 24.6	6,500
<b>131-185%</b>	1,900	76.1	72.8 - 79.1	600	23.9	20.9 - 27.2	2,500
<b>186+%</b>	5,500	71.2	69.4 - 73.0	2,200	28.8	27.0 - 30.6	7,700

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2006-2008**

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,300	77.7	74.5 - 80.6	700	22.3	19.4 - 25.5	2,900
\$10,000-\$24,999	3,000	78.4	75.7 - 80.9	800	21.6	19.1 - 24.3	3,800
\$25,000-\$49,999	3,000	74.0	71.4 - 76.5	1,100	26.0	23.5 - 28.6	4,100
>=\$50,000	4,200	70.8	68.7 - 72.9	1,700	29.2	27.1 - 31.3	6,000

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	73.8	69.2 - 77.9	400	26.2	22.1 - 30.8	1,400
Normal birth weight	12,300	74.7	73.4 - 75.9	4,200	25.3	24.1 - 26.6	16,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,300	83.2	79.1 - 86.6	300	16.8	13.4 - 20.9	1,500
No	11,900	73.8	72.5 - 75.0	4,200	26.2	25.0 - 27.5	16,100



**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2006-2008**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,800	80.0	77.3 - 82.5	700	20.0	17.5 - 22.7	3,500
No	10,300	73.2	71.8 - 74.6	3,800	26.8	25.4 - 28.2	14,100

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,900	77.7	75.8 - 79.5	1,700	22.3	20.5 - 24.2	7,600
No	7,400	72.4	70.7 - 73.9	2,800	27.6	26.1 - 29.3	10,200

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2005-2007**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	13,100	75.0	73.7 - 76.1	4,400	25.0	23.9 - 26.3	17,500

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,700	75.8	72.2 - 79.1	500	24.2	20.9 - 27.8	2,200
<b>Honolulu</b>	9,300	74.0	72.5 - 75.4	3,300	26.0	24.6 - 27.5	12,500
<b>Kauai</b>	700	81.6	76.2 - 86.0	200	18.4	14.0 - 23.8	900
<b>Maui</b>	1,400	77.2	73.3 - 80.7	400	22.8	19.3 - 26.7	1,900

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2005-2007**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,200	79.1	76.6 - 81.4	800	20.9	18.6 - 23.4	4,000
Native Hawaiian	3,700	76.5	74.0 - 78.9	1,100	23.5	21.1 - 26.0	4,900
Chinese	400	67.8	64.0 - 71.3	200	32.2	28.7 - 36.0	600
Filipino	2,400	73.9	71.1 - 76.4	800	26.1	23.6 - 28.9	3,200
Japanese	1,300	62.8	59.0 - 66.5	800	37.2	33.5 - 41.0	2,100
Other	2,100	78.4	75.3 - 81.3	600	21.6	18.7 - 24.7	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,300	82.1	77.8 - 85.8	300	17.9	14.2 - 22.2	1,600
20-24	3,500	80.3	77.9 - 82.5	900	19.7	17.5 - 22.1	4,300
25-34	6,300	73.4	71.6 - 75.1	2,300	26.6	24.9 - 28.4	8,600
35+	2,100	68.2	65.2 - 71.0	1,000	31.8	29.0 - 34.8	3,000

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2005-2007**

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,700	74.7	72.9 - 76.3	2,300	25.3	23.7 - 27.1	8,900
Female	6,400	75.3	73.5 - 76.9	2,100	24.7	23.1 - 26.5	8,500

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,100	73.4	71.8 - 74.8	3,000	26.6	25.2 - 28.2	11,100
No	5,000	77.7	75.6 - 79.7	1,400	22.3	20.3 - 24.4	6,400

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,800	76.7	74.6 - 78.7	1,500	23.3	21.3 - 25.4	6,300
131-185%	1,700	75.6	72.1 - 78.8	500	24.4	21.2 - 27.9	2,200
186+%	5,600	72.8	70.9 - 74.5	2,100	27.2	25.5 - 29.1	7,700

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2005-2007**

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,300	78.3	75.2 - 81.1	600	21.7	18.9 - 24.8	2,900
\$10,000-\$24,999	2,800	76.4	73.7 - 79.0	900	23.6	21.0 - 26.3	3,600
\$25,000-\$49,999	3,100	75.5	72.9 - 77.9	1,000	24.5	22.1 - 27.1	4,000
>=\$50,000	4,100	71.4	69.2 - 73.4	1,600	28.6	26.6 - 30.8	5,700

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	74.5	69.9 - 78.5	400	25.5	21.5 - 30.1	1,400
Normal birth weight	12,100	75.0	73.7 - 76.2	4,000	25.0	23.8 - 26.3	16,100

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	80.9	76.6 - 84.6	300	19.1	15.4 - 23.4	1,500
No	11,700	74.4	73.1 - 75.6	4,000	25.6	24.4 - 26.9	15,700

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2005-2007**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,800	79.3	76.6 - 81.8	700	20.7	18.2 - 23.4	3,600
<b>No</b>	10,000	73.8	72.4 - 75.1	3,600	26.2	24.9 - 27.6	13,600

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,800	78.2	76.4 - 80.0	1,600	21.8	20.0 - 23.6	7,400
<b>No</b>	7,200	72.6	70.9 - 74.1	2,700	27.4	25.9 - 29.1	9,900

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2004-2006**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	13,000	75.5	74.3 - 76.7	4,200	24.5	23.3 - 25.7	17,300

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,600	75.5	71.9 - 78.8	500	24.5	21.2 - 28.1	2,100
<b>Honolulu</b>	9,300	74.3	72.9 - 75.7	3,200	25.7	24.3 - 27.1	12,600
<b>Kauai</b>	700	87.1	82.1 - 90.8	100	12.9	9.2 - 17.9	800
<b>Maui</b>	1,400	78.7	75.0 - 82.0	400	21.3	18.0 - 25.0	1,800

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2004-2006**

DOH Race- Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	78.6	76.2 - 80.9	800	21.4	19.1 - 23.8	3,900
Native Hawaiian	3,700	76.4	73.9 - 78.7	1,100	23.6	21.3 - 26.1	4,800
Chinese	400	72.1	68.8 - 75.2	200	27.9	24.8 - 31.2	600
Filipino	2,400	75.0	72.3 - 77.4	800	25.0	22.6 - 27.7	3,200
Japanese	1,400	64.8	61.1 - 68.3	800	35.2	31.7 - 38.9	2,200
Other	2,000	79.7	76.7 - 82.4	500	20.3	17.6 - 23.3	2,600

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,100	80.8	76.5 - 84.5	300	19.2	15.5 - 23.5	1,400
20-24	3,500	80.7	78.3 - 82.8	800	19.3	17.2 - 21.7	4,300
25-34	6,300	74.3	72.6 - 75.9	2,200	25.7	24.1 - 27.4	8,400
35+	2,100	69.2	66.4 - 72.0	1,000	30.8	28.0 - 33.6	3,100



**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2004-2006**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Infant Gender</b>							
<b>Male</b>	6,800	75.6	74.0 - 77.2	2,200	24.4	22.8 - 26.0	9,000
<b>Female</b>	6,200	75.4	73.6 - 77.0	2,000	24.6	23.0 - 26.4	8,200

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Married</b>							
<b>Yes</b>	8,400	74.2	72.7 - 75.6	2,900	25.8	24.4 - 27.3	11,400
<b>No</b>	4,600	78.1	76.0 - 80.1	1,300	21.9	19.9 - 24.0	5,900

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Poverty Level</b>							
<b>0-130%</b>	4,700	76.7	74.7 - 78.6	1,400	23.3	21.4 - 25.3	6,200
<b>131-185%</b>	1,600	78.1	74.6 - 81.2	400	21.9	18.8 - 25.4	2,000
<b>186+%</b>	5,700	73.6	71.8 - 75.3	2,000	26.4	24.7 - 28.2	7,700

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2004-2006**

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	2,200	76.8	73.7 - 79.7	600	23.2	20.3 - 26.3	2,800
\$10,000-\$24,999	2,900	76.8	74.3 - 79.2	900	23.2	20.8 - 25.7	3,800
\$25,000-\$49,999	3,200	77.5	75.1 - 79.8	900	22.5	20.2 - 24.9	4,100
>=\$50,000	3,800	72.0	69.8 - 74.0	1,500	28.0	26.0 - 30.2	5,300

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	74.9	70.2 - 79.1	300	25.1	20.9 - 29.8	1,200
Normal birth weight	12,100	75.5	74.3 - 76.7	3,900	24.5	23.3 - 25.7	16,000

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	78.9	74.6 - 82.7	300	21.1	17.3 - 25.4	1,400
No	11,700	75.2	73.9 - 76.4	3,900	24.8	23.6 - 26.1	15,500

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2004-2006**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	2,800	78.4	75.7 - 80.8	800	21.6	19.2 - 24.3	3,600
<b>No</b>	10,000	74.7	73.3 - 76.0	3,400	25.3	24.0 - 26.7	13,400

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,900	78.4	76.6 - 80.1	1,600	21.6	19.9 - 23.4	7,500
<b>No</b>	7,000	73.3	71.7 - 74.8	2,600	26.7	25.2 - 28.3	9,600

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2003-2005**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	13,200	77.6	76.4 - 78.7	3,800	22.4	21.3 - 23.6	17,000

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,600	77.8	74.7 - 80.7	500	22.2	19.3 - 25.3	2,100
<b>Honolulu</b>	9,500	76.5	75.0 - 77.9	2,900	23.5	22.1 - 25.0	12,400
<b>Kauai</b>	700	88.8	84.8 - 91.8	100	11.2	8.2 - 15.2	800
<b>Maui</b>	1,400	80.3	77.1 - 83.2	300	19.7	16.8 - 22.9	1,700

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2003-2005**

DOH Race- Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,900	78.4	75.7 - 80.9	800	21.6	19.1 - 24.3	3,800
Native Hawaiian	3,700	78.8	76.7 - 80.8	1,000	21.2	19.2 - 23.3	4,800
Chinese	500	78.6	73.8 - 82.8	100	21.4	17.2 - 26.2	600
Filipino	2,600	79.1	76.4 - 81.6	700	20.9	18.4 - 23.6	3,300
Japanese	1,400	66.2	62.1 - 70.0	700	33.8	30.0 - 37.9	2,200
Other	2,000	81.9	78.7 - 84.7	400	18.1	15.3 - 21.3	2,400

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	82.9	79.1 - 86.2	200	17.1	13.8 - 20.9	1,400
20-24	3,400	81.8	79.5 - 83.9	800	18.2	16.1 - 20.5	4,200
25-34	6,500	76.8	75.0 - 78.4	2,000	23.2	21.6 - 25.0	8,400
35+	2,100	71.5	68.4 - 74.4	900	28.5	25.6 - 31.6	3,000

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2003-2005**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Infant Gender</b>							
<b>Male</b>	7,100	78.9	77.3 - 80.4	1,900	21.1	19.6 - 22.7	9,000
<b>Female</b>	6,100	76.1	74.3 - 77.8	1,900	23.9	22.2 - 25.7	8,000

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Married</b>							
<b>Yes</b>	8,600	76.0	74.5 - 77.5	2,700	24.0	22.5 - 25.5	11,300
<b>No</b>	4,600	80.8	78.8 - 82.6	1,100	19.2	17.4 - 21.2	5,700

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Poverty Level</b>							
<b>0-130%</b>	5,300	79.7	77.8 - 81.4	1,400	20.3	18.6 - 22.2	6,700
<b>131-185%</b>	1,600	77.8	74.1 - 81.1	500	22.2	18.9 - 25.9	2,100
<b>186+%</b>	5,100	74.8	72.9 - 76.7	1,700	25.2	23.3 - 27.1	6,900

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2003-2005**

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	77.6	72.8 - 81.8	300	22.4	18.2 - 27.2	1,100
Normal birth weight	12,300	77.6	76.4 - 78.8	3,600	22.4	21.2 - 23.6	15,900

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	77.5	72.9 - 81.5	300	22.5	18.5 - 27.1	1,400
No	11,900	77.6	76.4 - 78.8	3,400	22.4	21.2 - 23.6	15,300

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	78.3	75.6 - 80.8	800	21.7	19.2 - 24.4	3,500
No	10,200	77.4	76.0 - 78.7	3,000	22.6	21.3 - 24.0	13,200

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2003-2005**

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,000	80.1	78.4 - 81.8	1,500	19.9	18.2 - 21.6	7,400
<b>No</b>	7,100	75.7	74.0 - 77.2	2,300	24.3	22.8 - 26.0	9,400



**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2002-2004**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	13,500	79.8	78.6 - 81.0	3,400	20.2	19.0 - 21.4	17,000

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,600	81.0	78.4 - 83.4	400	19.0	16.6 - 21.6	2,000
<b>Honolulu</b>	9,800	78.8	77.2 - 80.3	2,600	21.2	19.7 - 22.8	12,400
<b>Kauai</b>	700	87.5	83.9 - 90.5	100	12.5	9.5 - 16.1	800
<b>Maui</b>	1,500	82.2	79.5 - 84.6	300	17.8	15.4 - 20.5	1,800

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2002-2004**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,900	78.8	75.9 - 81.5	800	21.2	18.5 - 24.1	3,700
Native Hawaiian	3,800	81.7	79.9 - 83.3	900	18.3	16.7 - 20.1	4,700
Chinese	500	74.6	67.0 - 80.9	200	25.4	19.1 - 33.0	600
Filipino	2,800	80.5	77.6 - 83.1	700	19.5	16.9 - 22.4	3,400
Japanese	1,600	72.1	67.8 - 76.1	600	27.9	23.9 - 32.2	2,200
Other	2,000	85.2	81.7 - 88.1	300	14.8	11.9 - 18.3	2,300

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,200	85.2	81.5 - 88.3	200	14.8	11.7 - 18.5	1,400
20-24	3,400	81.8	79.3 - 84.0	800	18.2	16.0 - 20.7	4,200
25-34	6,700	79.4	77.6 - 81.1	1,700	20.6	18.9 - 22.4	8,400
35+	2,200	75.3	72.1 - 78.3	700	24.7	21.7 - 27.9	2,900

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2002-2004**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Infant Gender</b>							
<b>Male</b>	7,200	81.0	79.4 - 82.6	1,700	19.0	17.4 - 20.6	8,900
<b>Female</b>	6,300	78.4	76.5 - 80.2	1,700	21.6	19.8 - 23.5	8,000

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Married</b>							
<b>Yes</b>	9,000	78.1	76.5 - 79.6	2,500	21.9	20.4 - 23.5	11,600
<b>No</b>	4,500	83.4	81.4 - 85.2	900	16.6	14.8 - 18.6	5,400

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Poverty Level</b>							
<b>0-130%</b>	5,600	82.8	80.9 - 84.5	1,200	17.2	15.5 - 19.1	6,800
<b>131-185%</b>	2,100	79.3	75.8 - 82.4	500	20.7	17.6 - 24.2	2,600
<b>186+%</b>	4,700	76.6	74.4 - 78.7	1,400	23.4	21.3 - 25.6	6,100

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2002-2004**

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	77.1	71.5 - 81.9	300	22.9	18.1 - 28.5	1,100
Normal birth weight	12,700	80.0	78.7 - 81.2	3,200	20.0	18.8 - 21.3	15,800

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	79.1	74.5 - 83.0	300	20.9	17.0 - 25.5	1,400
No	12,200	79.9	78.6 - 81.1	3,100	20.1	18.9 - 21.4	15,300

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	79.8	77.0 - 82.4	700	20.2	17.6 - 23.0	3,300
No	10,500	79.7	78.3 - 81.1	2,700	20.3	18.9 - 21.7	13,200

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2002-2004**

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	6,100	82.4	80.6 - 84.1	1,300	17.6	15.9 - 19.4	7,300
<b>No</b>	7,400	77.8	76.1 - 79.5	2,100	22.2	20.5 - 23.9	9,500

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2001-2003**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	13,800	82.5	81.3 - 83.6	2,900	17.5	16.4 - 18.7	16,700

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,600	83.0	80.9 - 84.9	300	17.0	15.1 - 19.1	1,900
<b>Honolulu</b>	10,100	81.7	80.1 - 83.2	2,200	18.3	16.8 - 19.9	12,300
<b>Kauai</b>	700	86.3	83.0 - 89.1	100	13.7	10.9 - 17.0	800
<b>Maui</b>	1,500	85.5	83.3 - 87.5	200	14.5	12.5 - 16.7	1,700

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2001-2003**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,900	81.2	78.2 - 83.9	700	18.8	16.1 - 21.8	3,600
Native Hawaiian	3,900	84.7	83.5 - 85.9	700	15.3	14.1 - 16.5	4,500
Chinese	500	80.2	72.0 - 86.5	100	19.8	13.5 - 28.0	700
Filipino	3,000	84.1	81.2 - 86.6	600	15.9	13.4 - 18.8	3,500
Japanese	1,600	74.3	69.7 - 78.4	500	25.7	21.6 - 30.3	2,100
Other	1,900	86.0	82.4 - 89.0	300	14.0	11.0 - 17.6	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,400	88.6	85.7 - 91.0	200	11.4	9.0 - 14.3	1,500
20-24	3,400	83.3	80.9 - 85.4	700	16.7	14.6 - 19.1	4,100
25-34	6,800	82.6	80.8 - 84.3	1,400	17.4	15.7 - 19.2	8,300
35+	2,100	77.5	73.9 - 80.6	600	22.5	19.4 - 26.1	2,800

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2001-2003**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Infant Gender</b>							
<b>Male</b>	7,100	83.3	81.6 - 84.8	1,400	16.7	15.2 - 18.4	8,500
<b>Female</b>	6,700	81.6	79.8 - 83.3	1,500	18.4	16.7 - 20.2	8,200

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Married</b>							
<b>Yes</b>	9,100	81.1	79.5 - 82.6	2,100	18.9	17.4 - 20.5	11,200
<b>No</b>	4,700	85.3	83.5 - 87.0	800	14.7	13.0 - 16.5	5,500

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Poverty Level</b>							
<b>0-130%</b>	5,700	84.7	83.0 - 86.3	1,000	15.3	13.7 - 17.0	6,700
<b>131-185%</b>	2,500	81.1	78.0 - 83.8	600	18.9	16.2 - 22.0	3,100
<b>186+%</b>	4,300	79.9	77.5 - 82.1	1,100	20.1	17.9 - 22.5	5,400



**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2001-2003**

Income (2000-2003)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<=\$15,000	3,000	85.2	82.8 - 87.2	500	14.8	12.8 - 17.2	3,500
\$15,001-\$25,000	1,900	84.5	81.3 - 87.3	400	15.5	12.7 - 18.7	2,300
\$25,001-\$40,000	2,800	82.3	79.4 - 84.8	600	17.7	15.2 - 20.6	3,400
>=\$40,001	5,100	79.7	77.6 - 81.8	1,300	20.3	18.2 - 22.4	6,400

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	900	80.9	75.4 - 85.4	200	19.1	14.6 - 24.6	1,100
Normal birth weight	12,800	82.7	81.4 - 83.8	2,700	17.3	16.2 - 18.6	15,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,200	82.0	77.9 - 85.5	300	18.0	14.5 - 22.1	1,400
No	12,300	82.6	81.3 - 83.8	2,600	17.4	16.2 - 18.7	14,900

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2001-2003**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	82.4	79.7 - 84.9	600	17.6	15.1 - 20.3	3,300
No	10,600	82.5	81.1 - 83.8	2,300	17.5	16.2 - 18.9	12,900

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,000	84.7	83.0 - 86.3	1,100	15.3	13.7 - 17.0	7,100
No	7,700	80.9	79.2 - 82.5	1,800	19.1	17.5 - 20.8	9,500

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2000-2002**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	13,700	83.1	81.9 - 84.1	2,800	16.9	15.9 - 18.1	16,500

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,500	81.7	79.5 - 83.7	300	18.3	16.3 - 20.5	1,900
<b>Honolulu</b>	10,100	82.5	81.1 - 83.9	2,100	17.5	16.1 - 18.9	12,300
<b>Kauai</b>	600	85.7	82.3 - 88.6	100	14.3	11.4 - 17.7	700
<b>Maui</b>	1,500	87.3	85.1 - 89.2	200	12.7	10.8 - 14.9	1,700

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2000-2002**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	82.7	80.1 - 85.0	600	17.3	15.0 - 19.9	3,700
Native Hawaiian	3,800	85.4	84.2 - 86.4	700	14.6	13.6 - 15.8	4,500
Chinese	500	78.7	70.6 - 85.0	100	21.3	15.0 - 29.4	700
Filipino	2,900	85.1	82.4 - 87.5	500	14.9	12.5 - 17.6	3,400
Japanese	1,600	74.2	69.9 - 78.0	600	25.8	22.0 - 30.1	2,100
Other	1,900	85.6	82.1 - 88.6	300	14.4	11.4 - 17.9	2,200

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	1,400	88.0	85.2 - 90.3	200	12.0	9.7 - 14.8	1,600
20-24	3,500	84.5	82.3 - 86.4	600	15.5	13.6 - 17.7	4,100
25-34	6,700	83.5	81.8 - 85.0	1,300	16.5	15.0 - 18.2	8,100
35+	2,100	76.8	73.5 - 79.8	600	23.2	20.2 - 26.5	2,700

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2000-2002**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Infant Gender</b>							
<b>Male</b>	7,000	83.4	81.9 - 84.9	1,400	16.6	15.1 - 18.1	8,400
<b>Female</b>	6,700	82.7	81.0 - 84.2	1,400	17.3	15.8 - 19.0	8,100

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Married</b>							
<b>Yes</b>	9,200	81.8	80.4 - 83.2	2,100	18.2	16.8 - 19.6	11,300
<b>No</b>	4,500	85.7	84.0 - 87.3	800	14.3	12.7 - 16.0	5,300

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Poverty Level</b>							
<b>0-130%</b>	5,600	85.1	83.4 - 86.5	1,000	14.9	13.5 - 16.6	6,500
<b>131-185%</b>	2,500	81.9	79.1 - 84.4	600	18.1	15.6 - 20.9	3,100
<b>186+%</b>	4,600	81.7	79.6 - 83.7	1,000	18.3	16.3 - 20.4	5,600

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2000-2002**

Income (2000-2003)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>&lt;=\$15,000</b>	2,900	84.6	82.4 - 86.5	500	15.4	13.5 - 17.6	3,400
<b>\$15,001-\$25,000</b>	2,100	85.2	82.3 - 87.7	400	14.8	12.3 - 17.7	2,400
<b>\$25,001-\$40,000</b>	2,900	83.0	80.4 - 85.3	600	17.0	14.7 - 19.6	3,400
<b>&gt;=\$40,001</b>	5,200	81.4	79.4 - 83.2	1,200	18.6	16.8 - 20.6	6,300

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Low birth weight</b>	900	82.2	76.9 - 86.5	200	17.8	13.5 - 23.1	1,100
<b>Normal birth weight</b>	12,800	83.1	82.0 - 84.2	2,600	16.9	15.8 - 18.0	15,400

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	1,200	85.3	81.8 - 88.2	200	14.7	11.8 - 18.2	1,400
<b>No</b>	12,300	83.0	81.8 - 84.1	2,500	17.0	15.9 - 18.2	14,800

**PRAMS Health Indicator 3-Year Aggregate Report - Discuss HIV testing with HCW during PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)  
2000-2002;2001-2003;2002-2004;2003-2005;2004-2006;2005-2007;2006-2008;2007-2009;2008-2010;2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2000-2002**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,700	84.9	82.5 - 87.0	500	15.1	13.0 - 17.5	3,200
No	10,600	82.7	81.4 - 83.9	2,200	17.3	16.1 - 18.6	12,800

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,000	85.2	83.6 - 86.7	1,000	14.8	13.3 - 16.4	7,000
No	7,600	81.7	80.1 - 83.2	1,700	18.3	16.8 - 19.9	9,400