

**PRAMS Health Indicator 3-Year Aggregate Report - Received early and adequate prenatal care- for the State of Hawaii, for the Year(s) 2009-2011;2010-2012;2011-2013**

PRAMS Health Indicator 3-Year Aggregate Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011;2010-2012;2011-2013

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

*The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 3-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Note: Data collection for household income changed in 2004 and again in 2012. Because of this, income data does not exist for some 3-year aggregate periods.*

*Below are the indicators included in this report and the long description for each indicator.*

PRAMS Health Indicator	Health Indicator Description
Received early and adequate prenatal care	Received early and adequate prenatal care

*Suggested citation:*

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/16/17*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact  
The Hawai'i Health Data Warehouse**


[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**

## PRAMS Health Indicator 3-Year Aggregate Report - Received early and adequate prenatal care- for the State of Hawaii, for the Year(s) 2009-2011;2010-2012;2011-2013

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

Years	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2009-2011	12,200	69.6	67.9 - 71.3	5,300	30.4	28.7 - 32.1	17,600
2010-2012	12,500	70.1	68.3 - 71.8	5,300	29.9	28.2 - 31.7	17,800
2011-2013	12,800	70.2	68.4 - 71.9	5,400	29.8	28.1 - 31.6	18,200



**PRAMS Health Indicator 3-Year Aggregate Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2011-2013**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	12,800	70.2	68.4 - 71.9	5,400	29.8	28.1 - 31.6	18,200

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,400	60.6	57.4 - 63.6	900	39.4	36.4 - 42.6	2,200
<b>Honolulu</b>	9,400	71.9	69.5 - 74.1	3,700	28.1	25.9 - 30.5	13,100
<b>Kauai</b>	700	80.9	78.0 - 83.5	200	19.1	16.5 - 22.0	800
<b>Maui</b>	1,300	65.2	62.4 - 67.9	700	34.8	32.1 - 37.6	2,000

**PRAMS Health Indicator 3-Year Aggregate Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2011-2013**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,100	68.1	64.4 - 71.6	1,400	31.9	28.4 - 35.6	4,500
Native Hawaiian	3,700	70.4	67.1 - 73.4	1,600	29.6	26.6 - 32.9	5,200
Chinese	700	79.3	70.9 - 85.7	200	20.7	14.3 - 29.1	900
Filipino	2,400	77.6	73.6 - 81.1	700	22.4	18.9 - 26.4	3,100
Japanese	1,300	75.0	69.0 - 80.2	400	25.0	19.8 - 31.0	1,700
Other	1,600	58.4	53.2 - 63.5	1,100	41.6	36.5 - 46.8	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	600	59.5	51.4 - 67.1	400	40.5	32.9 - 48.6	1,000
20-24	2,800	69.9	66.0 - 73.6	1,200	30.1	26.4 - 34.0	4,000
25-34	7,000	69.9	67.4 - 72.2	3,000	30.1	27.8 - 32.6	10,000
35+	2,400	74.5	70.5 - 78.2	800	25.5	21.8 - 29.5	3,300

**PRAMS Health Indicator 3-Year Aggregate Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2011-2013**

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,200	68.8	66.2 - 71.3	2,800	31.2	28.7 - 33.8	9,100
Female	6,500	71.5	69.0 - 73.9	2,600	28.5	26.1 - 31.0	9,100

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,200	71.6	69.3 - 73.8	3,200	28.4	26.2 - 30.7	11,400
No	4,600	67.7	64.8 - 70.5	2,200	32.3	29.5 - 35.2	6,800

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,200	64.6	61.5 - 67.6	2,300	35.4	32.4 - 38.5	6,500
131-185%	2,000	71.5	66.7 - 75.8	800	28.5	24.2 - 33.3	2,700
186+%	5,500	74.3	71.5 - 76.9	1,900	25.7	23.1 - 28.5	7,400

**PRAMS Health Indicator 3-Year Aggregate Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2011-2013**

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Birthweight</b>							
<b>Low birth weight</b>	1,000	81.1	78.5 - 83.5	200	18.9	16.5 - 21.5	1,300
<b>Normal birth weight</b>	11,700	69.3	67.4 - 71.2	5,200	30.7	28.8 - 32.6	16,900

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Smoke 3rd Trimester</b>							
<b>Yes</b>	600	67.4	59.6 - 74.4	300	32.6	25.6 - 40.4	900
<b>No</b>	11,900	70.3	68.5 - 72.1	5,000	29.7	27.9 - 31.5	16,900

	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Smoke Before Pregnant</b>							
<b>Yes</b>	2,300	71.7	67.5 - 75.6	900	28.3	24.4 - 32.5	3,200
<b>No</b>	10,200	69.9	67.8 - 71.8	4,400	30.1	28.2 - 32.2	14,600

**PRAMS Health Indicator 3-Year Aggregate Report - Received early and adequate prenatal care- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2011-2013**

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,500	68.6	65.8 - 71.2	2,500	31.4	28.8 - 34.2	8,100
<b>No</b>	7,100	71.4	69.0 - 73.7	2,900	28.6	26.3 - 31.0	10,000

**PRAMS Health Indicator 3-Year Aggregate Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2010-2012**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	12,500	70.1	68.3 - 71.8	5,300	29.9	28.2 - 31.7	17,800

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,300	61.4	58.3 - 64.5	800	38.6	35.5 - 41.7	2,100
<b>Honolulu</b>	9,300	71.9	69.6 - 74.2	3,600	28.1	25.8 - 30.4	12,900
<b>Kauai</b>	700	81.3	78.3 - 83.9	200	18.7	16.1 - 21.7	800
<b>Maui</b>	1,200	62.4	59.7 - 65.0	700	37.6	35.0 - 40.3	2,000



**PRAMS Health Indicator 3-Year Aggregate Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2010-2012**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	3,000	70.9	67.3 - 74.2	1,200	29.1	25.8 - 32.7	4,300
Native Hawaiian	3,600	70.2	67.1 - 73.2	1,500	29.8	26.8 - 32.9	5,100
Chinese	600	77.3	68.5 - 84.1	200	22.7	15.9 - 31.5	800
Filipino	2,400	76.7	72.8 - 80.2	700	23.3	19.8 - 27.2	3,200
Japanese	1,200	75.2	69.4 - 80.2	400	24.8	19.8 - 30.6	1,700
Other	1,500	55.5	50.4 - 60.6	1,200	44.5	39.4 - 49.6	2,700

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	600	58.9	51.2 - 66.3	400	41.1	33.7 - 48.8	1,000
20-24	2,800	68.6	64.8 - 72.2	1,300	31.4	27.8 - 35.2	4,000
25-34	6,800	70.0	67.6 - 72.4	2,900	30.0	27.6 - 32.4	9,600
35+	2,400	75.8	71.7 - 79.4	800	24.2	20.6 - 28.3	3,100

**PRAMS Health Indicator 3-Year Aggregate Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2010-2012**

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,200	68.7	66.2 - 71.2	2,800	31.3	28.8 - 33.8	9,000
Female	6,300	71.4	69.0 - 73.8	2,500	28.6	26.2 - 31.0	8,900

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	8,000	71.8	69.6 - 74.0	3,100	28.2	26.0 - 30.4	11,100
No	4,500	67.2	64.3 - 69.9	2,200	32.8	30.1 - 35.7	6,700

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,100	66.1	63.1 - 69.1	2,100	33.9	30.9 - 36.9	6,200
131-185%	1,900	68.8	64.1 - 73.1	900	31.2	26.9 - 35.9	2,800
186+%	5,500	74.1	71.4 - 76.6	1,900	25.9	23.4 - 28.6	7,500

**PRAMS Health Indicator 3-Year Aggregate Report - Received early and adequate prenatal care- by State;County;DOH Race- Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2010-2012**

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	81.3	78.6 - 83.7	200	18.7	16.3 - 21.4	1,300
Normal birth weight	11,400	69.2	67.3 - 71.0	5,100	30.8	29.0 - 32.7	16,500

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	700	67.7	60.4 - 74.3	300	32.3	25.7 - 39.6	1,000
No	11,600	70.3	68.4 - 72.0	4,900	29.7	28.0 - 31.6	16,500

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,400	72.7	68.8 - 76.3	900	27.3	23.7 - 31.2	3,300
No	9,900	69.5	67.5 - 71.4	4,300	30.5	28.6 - 32.5	14,200

**PRAMS Health Indicator 3-Year Aggregate Report - Received early and adequate prenatal care- by State;County;DOH Race-  
Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd  
Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2010-2012**

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Yes</b>	5,400	68.7	66.0 - 71.2	2,500	31.3	28.8 - 34.0	7,900
<b>No</b>	6,900	70.9	68.5 - 73.2	2,800	29.1	26.8 - 31.5	9,800

**PRAMS Health Indicator 3-Year Aggregate Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2009-2011**

State	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Totals</b>	12,200	69.6	67.9 - 71.3	5,300	30.4	28.7 - 32.1	17,600

County	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>Hawaii</b>	1,200	60.3	57.1 - 63.4	800	39.7	36.6 - 42.9	2,000
<b>Honolulu</b>	9,100	71.5	69.2 - 73.8	3,600	28.5	26.2 - 30.8	12,700
<b>Kauai</b>	700	82.8	80.0 - 85.3	100	17.2	14.7 - 20.0	800
<b>Maui</b>	1,200	61.4	58.7 - 64.0	800	38.6	36.0 - 41.3	2,000

**PRAMS Health Indicator 3-Year Aggregate Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2009-2011**

DOH Race-Ethnicity	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	2,900	67.7	64.2 - 71.1	1,400	32.3	28.9 - 35.8	4,300
Native Hawaiian	3,800	71.9	68.8 - 74.8	1,500	28.1	25.2 - 31.2	5,300
Chinese	600	78.5	69.0 - 85.6	200	21.5	14.4 - 31.0	700
Filipino	2,400	74.8	70.8 - 78.4	800	25.2	21.6 - 29.2	3,200
Japanese	1,200	75.9	70.1 - 80.8	400	24.1	19.2 - 29.9	1,600
Other	1,400	55.1	49.8 - 60.3	1,100	44.9	39.7 - 50.2	2,500

PRAMS Age Group	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	900	69.5	62.8 - 75.4	400	30.5	24.6 - 37.2	1,300
20-24	2,800	67.0	63.2 - 70.6	1,400	33.0	29.4 - 36.8	4,200
25-34	6,200	68.1	65.6 - 70.5	2,900	31.9	29.5 - 34.4	9,100
35+	2,300	77.9	74.0 - 81.3	700	22.1	18.7 - 26.0	3,000

**PRAMS Health Indicator 3-Year Aggregate Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2009-2011**

Infant Gender	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	6,200	68.9	66.4 - 71.3	2,800	31.1	28.7 - 33.6	9,000
Female	6,000	70.4	67.9 - 72.8	2,500	29.6	27.2 - 32.1	8,500

Married	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	7,600	70.6	68.3 - 72.8	3,200	29.4	27.2 - 31.7	10,800
No	4,600	68.1	65.2 - 70.8	2,200	31.9	29.2 - 34.8	6,700

Poverty Level	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	4,100	66.6	63.6 - 69.5	2,000	33.4	30.5 - 36.4	6,100
131-185%	1,800	66.4	61.6 - 70.8	900	33.6	29.2 - 38.4	2,700
186+%	5,600	74.0	71.4 - 76.5	2,000	26.0	23.5 - 28.6	7,600

**PRAMS Health Indicator 3-Year Aggregate Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2009-2011**

Income (2004-2011)	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	1,900	62.9	58.5 - 67.1	1,100	37.1	32.9 - 41.5	3,100
\$10,000-\$24,999	2,300	69.5	65.5 - 73.3	1,000	30.5	26.7 - 34.5	3,300
\$25,000-\$49,999	2,900	70.0	66.3 - 73.4	1,200	30.0	26.6 - 33.7	4,100
>=\$50,000	4,400	73.6	70.6 - 76.4	1,600	26.4	23.6 - 29.4	6,000

Birthweight	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	1,000	82.1	79.5 - 84.5	200	17.9	15.5 - 20.5	1,300
Normal birth weight	11,200	68.7	66.8 - 70.5	5,100	31.3	29.5 - 33.2	16,300

Smoke 3rd Trimester	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	800	65.1	58.4 - 71.3	400	34.9	28.7 - 41.6	1,300
No	11,200	69.8	67.9 - 71.6	4,800	30.2	28.4 - 32.1	16,000



**PRAMS Health Indicator 3-Year Aggregate Report - Received early and adequate prenatal care- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2000-2003);Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2009-2011;2010-2012;2011-2013**

*Note: Weighted counts (#) represent 3-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown*

**Years: 2009-2011**

Smoke Before Pregnant	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	2,600	71.8	68.1 - 75.3	1,000	28.2	24.7 - 31.9	3,600
No	9,400	68.8	66.8 - 70.8	4,300	31.2	29.2 - 33.2	13,700

WIC During Pregnancy	Yes			No			Weighted Total Responses (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,200	69.1	66.4 - 71.6	2,300	30.9	28.4 - 33.6	7,500
No	6,800	69.9	67.5 - 72.2	3,000	30.1	27.8 - 32.5	9,800