

**PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- for the State of Hawaii, for the Year(s)
2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s) 2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

The trend analysis section shows the trend for the selected health variable over selected years in a table and a graph. 5-Year Weighted Total Responses: This number is a weighted representation of the mothers of babies delivered in a given year, who responded to a particular question in the survey. For most questions this will be the mothers of all babies delivered in a given year. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they smoked during pregnancy, but only those who answered yes were asked how many cigarettes a day. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Note: Data collection for household income changed in 2004 and again in 2012. Because of this, 5-year aggregate data does not exist for all 5-year aggregate periods.

Below are the indicators included in this report and the long description for each indicator.

PRAMS Health Indicator	Health Indicator Description
Coverage for PNC	How was your prenatal care paid for?

Suggested citation:

Hawaii Health Data Warehouse, Hawaii State Department of Health, Pregnancy Risk Assessment Monitoring System, (report title and years), Report Created: 2/23/17

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access PRAMS documentation](#)

[Click here to access DOH-Race Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawai'i Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


**PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- for the State of Hawaii, for the Year(s)
2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Years	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2002-2006	7,200	41.7	40.6 - 42.8	300	2.0	1.7 - 2.3	2,400	14.0	13.2 - 14.8	4,900	28.6	27.6 - 29.6	2,400	13.7	13.0 - 14.5	17,100
2003-2007	7,000	40.3	39.3 - 41.4	300	2.0	1.7 - 2.3	2,400	13.7	13.0 - 14.5	5,200	30.1	29.2 - 31.1	2,400	13.8	13.1 - 14.6	17,400
2004-2008	6,900	39.4	38.4 - 40.4	300	2.0	1.7 - 2.3	2,400	13.4	12.8 - 14.1	5,500	31.4	30.4 - 32.3	2,400	13.9	13.2 - 14.6	17,600
2005-2009	7,400	41.6	40.5 - 42.7	300	1.9	1.6 - 2.2	2,200	12.6	11.9 - 13.4	5,700	32.3	31.3 - 33.4	2,000	11.5	10.9 - 12.3	17,800
2006-2010	7,700	42.7	41.5 - 43.9	300	1.7	1.4 - 2.0	2,300	12.9	12.0 - 13.7	5,900	32.7	31.6 - 33.8	1,800	10.1	9.4 - 10.8	18,000
2007-2011	8,000	44.4	43.1 - 45.7	300	1.5	1.2 - 1.8	2,300	12.6	11.7 - 13.5	6,100	33.6	32.4 - 34.8	1,400	8.0	7.3 - 8.7	18,100
2008-2012	8,400	46.0	44.6 - 47.3	200	1.2	1.0 - 1.6	2,300	12.8	11.9 - 13.8	6,300	34.5	33.2 - 35.8	1,000	5.5	4.9 - 6.1	18,200
2009-2013	8,500	47.0	45.5 - 48.4	200	1.1	0.8 - 1.4	2,500	13.6	12.6 - 14.8	6,300	34.9	33.6 - 36.3	600	3.4	2.9 - 4.0	18,100

**PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- for the State of Hawaii, for the Year(s)
2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013**

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown



PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	8,500	47.0	45.5 - 48.4	200	1.1	0.8 - 1.4	2,500	13.6	12.6 - 14.8	6,300	34.9	33.6 - 36.3	600	3.4	2.9 - 4.0	18,100

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,000	41.8	39.6 - 44.2	<50	1.1	0.7 - 1.7	<50	0.4	0.2 - 0.8	1,300	55.2	52.9 - 57.5	<50	1.4	1.0 - 2.1	2,300
Honolulu	6,000	46.2	44.3 - 48.2	100	1.0	0.7 - 1.5	2,400	18.8	17.3 - 20.4	3,900	30.0	28.2 - 31.9	500	3.9	3.2 - 4.8	13,000
Kauai	400	52.6	49.9 - 55.3	<50	1.0	0.6 - 1.6	<50	1.3	0.8 - 2.0	400	43.2	40.5 - 45.8	<50	2.0	1.3 - 2.9	800
Maui	1,100	55.6	53.4 - 57.8	<50	1.3	0.9 - 1.9	<50	0.7	0.4 - 1.2	800	39.7	37.6 - 41.9	100	2.6	2.0 - 3.4	2,000

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,700	38.3	35.6 - 41.1	100	1.6	1.0 - 2.4	1,700	37.4	34.4 - 40.4	800	17.7	15.8 - 19.8	200	5.0	3.9 - 6.5	4,400
Native Hawaiian	2,200	40.5	38.0 - 43.1	<50	0.5	0.2 - 1.0	100	1.8	1.1 - 2.7	3,000	54.7	52.1 - 57.3	100	2.5	1.8 - 3.6	5,400
Chinese	500	65.0	57.8 - 71.5	<50	0.5	0.2 - 1.7	100	9.2	5.6 - 14.6	200	22.2	16.8 - 28.7	<50	3.1	1.4 - 7.1	800
Filipino	1,900	60.7	57.3 - 64.1	<50	1.2	0.6 - 2.4	200	4.9	3.5 - 6.8	1,000	30.6	27.4 - 33.9	100	2.6	1.7 - 4.0	3,200
Japanese	1,300	77.7	73.3 - 81.5	<50	1.1	0.5 - 2.8	<50	1.6	0.7 - 3.6	300	15.5	12.3 - 19.4	100	4.0	2.4 - 6.7	1,700
Other	800	32.6	28.9 - 36.5	<50	1.4	0.7 - 2.9	500	17.7	14.6 - 21.3	1,200	45.4	41.4 - 49.5	100	2.9	1.8 - 4.7	2,600

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	26.6	21.9 - 32.0	<50	1.2	0.4 - 4.1	100	5.8	3.3 - 9.8	700	64.2	58.5 - 69.5	<50	2.2	1.2 - 4.0	1,100
20-24	1,100	26.2	23.6 - 29.0	100	1.5	0.9 - 2.6	700	15.8	13.5 - 18.5	2,200	52.4	49.3 - 55.5	200	4.0	2.9 - 5.6	4,100
25-34	4,900	50.7	48.6 - 52.7	100	0.8	0.5 - 1.2	1,500	15.7	14.1 - 17.3	2,800	29.4	27.6 - 31.2	300	3.5	2.8 - 4.3	9,700
35+	2,200	69.8	66.6 - 72.8	<50	1.3	0.7 - 2.2	200	7.5	5.8 - 9.7	600	18.8	16.4 - 21.6	100	2.6	1.7 - 4.0	3,200

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	4,300	46.8	44.7 - 48.8	100	1.4	1.0 - 2.0	1,300	14.2	12.6 - 15.8	3,100	34.1	32.2 - 36.1	300	3.5	2.8 - 4.4	9,200
Female	4,200	47.2	45.1 - 49.3	100	0.7	0.5 - 1.1	1,200	13.1	11.6 - 14.7	3,200	35.8	33.8 - 37.8	300	3.2	2.5 - 4.1	9,000

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,300	55.7	53.8 - 57.6	100	1.1	0.8 - 1.6	2,400	21.0	19.4 - 22.7	2,000	17.8	16.5 - 19.3	500	4.3	3.6 - 5.2	11,300
No	2,200	32.7	30.6 - 34.9	100	0.9	0.6 - 1.6	100	1.5	1.0 - 2.4	4,300	63.0	60.8 - 65.3	100	1.8	1.3 - 2.5	6,900

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,200	18.9	17.0 - 20.8	100	1.2	0.8 - 1.8	500	7.3	6.0 - 8.9	4,500	70.6	68.3 - 72.8	100	2.1	1.5 - 2.9	6,400
131-185%	1,300	45.9	42.2 - 49.7	<50	1.6	0.8 - 2.9	600	22.4	19.1 - 26.0	800	27.4	24.2 - 30.8	100	2.7	1.7 - 4.3	2,800
186+%	5,400	72.0	69.8 - 74.1	<50	0.7	0.4 - 1.1	1,200	16.0	14.2 - 17.9	500	6.6	5.6 - 7.8	400	4.8	3.9 - 5.9	7,500

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	46.1	43.7 - 48.4	<50	0.7	0.4 - 1.2	200	13.1	11.7 - 14.7	500	37.0	34.7 - 39.3	<50	3.1	2.4 - 4.0	1,300
Normal birth weight	7,900	47.0	45.5 - 48.6	200	1.1	0.8 - 1.5	2,300	13.7	12.5 - 14.9	5,800	34.8	33.4 - 36.3	600	3.4	2.9 - 4.0	16,800

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	26.8	22.0 - 32.2	<50	0.9	0.2 - 3.0	100	8.2	5.3 - 12.5	700	60.4	54.6 - 65.9	<50	3.8	2.0 - 7.1	1,100
No	8,000	48.2	46.7 - 49.8	200	1.1	0.8 - 1.4	2,300	14.1	13.0 - 15.3	5,500	33.2	31.8 - 34.6	600	3.4	2.8 - 4.0	16,600

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	31.8	28.8 - 35.0	<50	1.2	0.6 - 2.3	400	12.5	10.2 - 15.2	1,800	51.0	47.6 - 54.3	100	3.6	2.5 - 5.1	3,400
No	7,200	50.5	48.8 - 52.1	100	1.0	0.8 - 1.4	2,000	14.0	12.8 - 15.3	4,500	31.1	29.6 - 32.7	500	3.4	2.8 - 4.0	14,300

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2009-2013

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,900	24.3	22.5 - 26.2	100	0.7	0.4 - 1.2	800	10.1	8.7 - 11.7	4,900	62.4	60.2 - 64.5	200	2.5	1.8 - 3.3	7,900
No	6,500	64.9	62.9 - 66.8	100	1.3	0.9 - 1.9	1,600	16.4	14.9 - 18.1	1,300	13.2	12.0 - 14.6	400	4.1	3.4 - 5.0	10,100

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	8,400	46.0	44.6 - 47.3	200	1.2	1.0 - 1.6	2,300	12.8	11.9 - 13.8	6,300	34.5	33.2 - 35.8	1,000	5.5	4.9 - 6.1	18,200

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	1,000	41.3	38.9 - 43.7	<50	1.2	0.8 - 1.9	<50	0.4	0.2 - 0.8	1,200	52.9	50.4 - 55.4	100	4.2	3.2 - 5.5	2,400
Honolulu	5,900	45.1	43.3 - 47.0	100	1.2	0.8 - 1.6	2,300	17.7	16.4 - 19.1	3,900	30.1	28.4 - 31.8	800	5.9	5.1 - 6.7	13,000
Kauai	500	54.8	51.5 - 58.0	<50	1.4	0.8 - 2.6	<50	1.6	0.9 - 2.7	300	39.7	36.5 - 42.9	<50	2.6	1.6 - 4.2	800
Maui	1,100	53.2	50.7 - 55.6	<50	1.8	1.2 - 2.6	<50	0.4	0.2 - 0.9	800	38.8	36.5 - 41.2	100	5.9	4.6 - 7.4	2,000

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,600	38.0	35.4 - 40.6	100	1.6	1.1 - 2.3	1,600	35.7	33.0 - 38.5	800	17.7	15.8 - 19.7	300	7.0	5.7 - 8.6	4,300
Native Hawaiian	2,200	40.4	37.9 - 42.8	<50	0.7	0.4 - 1.3	100	1.7	1.1 - 2.6	2,800	52.9	50.4 - 55.4	200	4.3	3.5 - 5.4	5,400
Chinese	500	63.5	56.7 - 69.8	<50	0.5	0.2 - 1.2	100	10.7	6.9 - 16.3	100	19.3	14.5 - 25.3	<50	6.0	3.7 - 9.6	800
Filipino	1,900	58.3	55.1 - 61.5	<50	0.9	0.5 - 1.8	200	4.9	3.7 - 6.6	1,000	30.1	27.2 - 33.1	200	5.7	4.5 - 7.2	3,300
Japanese	1,300	73.9	69.8 - 77.6	<50	1.7	0.9 - 3.2	<50	1.8	0.9 - 3.4	300	16.1	13.1 - 19.7	100	6.5	4.8 - 8.9	1,700
Other	900	32.0	28.6 - 35.6	100	2.0	1.2 - 3.4	400	15.3	12.6 - 18.4	1,200	46.5	42.7 - 50.2	100	4.2	3.0 - 5.9	2,700

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	25.6	21.3 - 30.4	<50	1.3	0.5 - 3.8	100	6.7	4.2 - 10.3	800	62.8	57.7 - 67.7	<50	3.6	2.3 - 5.6	1,300
20-24	1,100	26.0	23.5 - 28.6	100	1.6	1.0 - 2.7	600	15.2	13.1 - 17.6	2,100	51.8	48.8 - 54.7	200	5.4	4.2 - 7.0	4,100
25-34	4,800	50.0	48.2 - 51.9	100	0.9	0.7 - 1.3	1,400	14.4	13.0 - 15.9	2,800	28.9	27.2 - 30.6	500	5.7	4.9 - 6.6	9,600
35+	2,200	67.5	64.5 - 70.4	<50	1.6	1.0 - 2.4	200	7.4	5.8 - 9.3	600	17.9	15.6 - 20.5	200	5.7	4.5 - 7.1	3,200

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	4,200	45.1	43.3 - 47.1	100	1.6	1.1 - 2.1	1,200	13.4	12.0 - 14.8	3,200	34.1	32.3 - 35.9	500	5.9	5.1 - 6.8	9,300
Female	4,100	46.9	44.9 - 48.8	100	0.9	0.6 - 1.3	1,100	12.2	10.9 - 13.7	3,100	34.9	33.1 - 36.8	500	5.1	4.3 - 6.0	8,800

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,200	54.6	52.9 - 56.4	100	1.3	1.0 - 1.7	2,200	19.7	18.3 - 21.2	2,000	17.5	16.3 - 18.8	800	6.8	6.0 - 7.7	11,300
No	2,200	31.8	29.8 - 33.9	100	1.1	0.7 - 1.7	100	1.5	1.0 - 2.3	4,300	62.2	60.1 - 64.3	200	3.3	2.6 - 4.1	6,900

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,200	19.3	17.6 - 21.2	100	1.5	1.0 - 2.1	400	6.3	5.2 - 7.7	4,500	70.0	67.8 - 72.1	200	2.9	2.2 - 3.7	6,400
131-185%	1,300	46.8	43.2 - 50.3	<50	1.5	0.8 - 2.7	600	19.7	16.8 - 22.9	700	26.4	23.5 - 29.7	200	5.6	4.3 - 7.3	2,800
186+%	5,200	68.9	66.9 - 70.8	100	0.8	0.5 - 1.3	1,200	15.9	14.4 - 17.7	500	6.5	5.6 - 7.6	600	7.8	6.8 - 9.0	7,600

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	46.1	43.3 - 48.9	<50	1.0	0.6 - 1.9	200	12.1	10.5 - 14.0	500	37.3	34.6 - 40.1	<50	3.4	2.5 - 4.6	1,300
Normal birth weight	7,700	45.9	44.5 - 47.4	200	1.3	1.0 - 1.6	2,200	12.8	11.8 - 13.9	5,800	34.3	32.9 - 35.7	1,000	5.7	5.1 - 6.3	16,900

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	25.2	20.9 - 30.0	<50	1.2	0.5 - 3.0	100	8.3	5.7 - 11.9	800	60.9	55.6 - 65.9	100	4.4	2.6 - 7.5	1,200
No	7,900	47.5	46.1 - 49.0	200	1.3	1.0 - 1.6	2,200	13.2	12.2 - 14.3	5,400	32.4	31.1 - 33.7	900	5.6	5.0 - 6.3	16,600

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,100	31.4	28.5 - 34.3	<50	1.4	0.8 - 2.5	400	11.2	9.2 - 13.6	1,800	51.3	48.1 - 54.4	200	4.7	3.5 - 6.3	3,500
No	7,100	49.5	47.9 - 51.0	200	1.2	0.9 - 1.6	1,900	13.2	12.1 - 14.4	4,300	30.3	28.9 - 31.7	800	5.7	5.1 - 6.5	14,400

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2008-2012

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,900	23.8	22.1 - 25.6	100	0.9	0.6 - 1.3	800	9.5	8.3 - 10.9	4,900	62.5	60.4 - 64.5	300	3.3	2.6 - 4.1	7,900
No	6,400	63.3	61.5 - 65.1	200	1.5	1.2 - 2.1	1,500	15.3	14.0 - 16.8	1,300	12.5	11.3 - 13.8	700	7.3	6.5 - 8.3	10,100

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	8,000	44.4	43.1 - 45.7	300	1.5	1.2 - 1.8	2,300	12.6	11.7 - 13.5	6,100	33.6	32.4 - 34.8	1,400	8.0	7.3 - 8.7	18,100

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	900	38.9	36.4 - 41.4	<50	1.5	1.0 - 2.4	<50	0.3	0.1 - 0.7	1,200	52.0	49.4 - 54.6	200	7.3	6.0 - 9.0	2,400
Honolulu	5,500	43.3	41.6 - 45.0	200	1.3	1.0 - 1.7	2,200	17.5	16.3 - 18.8	3,800	29.5	27.9 - 31.1	1,100	8.4	7.6 - 9.3	12,800
Kauai	500	55.0	51.2 - 58.7	<50	2.2	1.2 - 4.1	<50	1.2	0.6 - 2.2	300	37.6	34.1 - 41.3	<50	4.0	2.6 - 6.0	900
Maui	1,100	53.1	50.5 - 55.8	<50	2.2	1.5 - 3.2	<50	0.5	0.2 - 1.1	700	36.5	34.0 - 39.1	200	7.7	6.2 - 9.4	2,000

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,600	37.1	34.6 - 39.6	100	1.5	1.0 - 2.2	1,500	35.4	32.9 - 38.1	700	17.2	15.4 - 19.1	400	8.8	7.4 - 10.4	4,300
Native Hawaiian	2,100	39.1	36.8 - 41.5	<50	0.9	0.6 - 1.5	100	1.3	0.8 - 2.0	2,800	51.9	49.5 - 54.4	400	6.8	5.7 - 8.0	5,300
Chinese	400	63.6	57.2 - 69.5	<50	0.7	0.3 - 1.6	100	8.7	5.3 - 13.7	100	17.7	13.3 - 23.2	100	9.3	6.7 - 12.8	700
Filipino	1,800	55.5	52.5 - 58.4	<50	1.2	0.7 - 2.1	200	5.2	3.9 - 6.7	1,000	29.5	26.8 - 32.3	300	8.7	7.3 - 10.3	3,300
Japanese	1,300	69.5	65.7 - 73.0	<50	1.9	1.1 - 3.3	<50	2.0	1.1 - 3.4	300	15.5	12.7 - 18.7	200	11.2	9.1 - 13.6	1,800
Other	800	30.8	27.6 - 34.2	100	2.7	1.7 - 4.2	400	15.4	12.9 - 18.4	1,200	45.4	41.8 - 48.9	200	5.7	4.3 - 7.4	2,600

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	23.5	19.7 - 27.8	<50	1.7	0.7 - 4.0	100	7.1	4.8 - 10.4	800	61.2	56.5 - 65.8	100	6.5	4.7 - 8.8	1,400
20-24	1,100	25.7	23.4 - 28.1	100	1.8	1.1 - 2.7	700	15.5	13.5 - 17.6	2,200	50.6	47.8 - 53.3	300	6.5	5.3 - 8.0	4,300
25-34	4,500	48.9	47.1 - 50.7	100	1.0	0.7 - 1.4	1,300	13.9	12.6 - 15.3	2,600	27.9	26.3 - 29.5	800	8.3	7.4 - 9.3	9,300
35+	2,100	65.6	62.7 - 68.4	100	2.3	1.6 - 3.3	200	7.0	5.6 - 8.8	500	15.4	13.4 - 17.8	300	9.7	8.2 - 11.3	3,200

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	4,100	44.1	42.3 - 45.9	200	1.8	1.4 - 2.4	1,200	12.5	11.2 - 13.8	3,100	33.1	31.4 - 34.8	800	8.5	7.6 - 9.5	9,400
Female	3,900	44.7	42.9 - 46.6	100	1.1	0.8 - 1.5	1,100	12.7	11.4 - 14.0	3,000	34.1	32.4 - 35.9	600	7.4	6.5 - 8.3	8,700

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	6,000	52.9	51.3 - 54.5	200	1.6	1.2 - 2.0	2,200	19.1	17.8 - 20.5	1,800	16.4	15.2 - 17.6	1,100	10.0	9.1 - 11.0	11,300
No	2,100	30.4	28.5 - 32.4	100	1.3	0.9 - 1.9	100	1.7	1.2 - 2.5	4,200	61.9	59.8 - 63.9	300	4.7	3.9 - 5.5	6,800

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,300	19.8	18.1 - 21.5	100	1.8	1.3 - 2.5	400	6.2	5.2 - 7.5	4,400	68.0	65.9 - 70.0	300	4.2	3.4 - 5.1	6,500
131-185%	1,300	45.6	42.2 - 49.0	100	2.2	1.4 - 3.4	500	18.3	15.6 - 21.2	700	25.2	22.4 - 28.3	200	8.8	7.2 - 10.7	2,700
186+%	5,000	65.6	63.7 - 67.5	100	0.8	0.5 - 1.2	1,200	15.8	14.3 - 17.3	500	6.7	5.8 - 7.7	900	11.2	10.0 - 12.4	7,600

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Income (2004-2011)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	11.7	9.8 - 13.8	<50	1.6	1.0 - 2.6	100	2.4	1.5 - 3.6	2,500	80.9	78.3 - 83.3	100	3.4	2.4 - 4.8	3,100
\$10,000-\$24,999	1,100	30.6	28.0 - 33.4	100	2.3	1.6 - 3.4	300	9.3	7.6 - 11.4	1,900	52.3	49.4 - 55.1	200	5.4	4.3 - 6.8	3,600
\$25,000-\$49,999	2,000	46.5	43.8 - 49.2	100	1.2	0.7 - 2.0	900	20.2	18.0 - 22.6	1,000	24.0	21.7 - 26.4	300	8.1	6.8 - 9.6	4,200
>=\$50,000	4,200	68.4	66.3 - 70.5	100	0.9	0.6 - 1.4	900	14.3	12.7 - 16.0	300	4.4	3.6 - 5.5	700	11.9	10.7 - 13.3	6,100

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	45.3	42.2 - 48.4	<50	1.1	0.6 - 2.0	100	11.1	9.3 - 13.1	500	36.1	33.1 - 39.2	100	6.4	5.0 - 8.3	1,300
Normal birth weight	7,400	44.3	43.0 - 45.7	300	1.5	1.2 - 1.9	2,100	12.7	11.7 - 13.6	5,600	33.4	32.1 - 34.7	1,400	8.1	7.4 - 8.8	16,700

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	22.9	19.2 - 27.2	<50	1.4	0.7 - 3.1	100	9.1	6.6 - 12.4	800	60.7	56.0 - 65.3	100	5.8	3.9 - 8.5	1,400
No	7,600	46.2	44.9 - 47.6	200	1.5	1.2 - 1.9	2,100	12.8	11.9 - 13.8	5,100	31.3	30.0 - 32.5	1,400	8.2	7.6 - 8.9	16,400

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2007-2011

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	29.2	26.7 - 32.0	100	1.8	1.1 - 2.8	400	11.6	9.7 - 13.7	1,800	51.1	48.2 - 54.0	200	6.3	5.0 - 7.9	3,600
No	6,900	48.2	46.7 - 49.7	200	1.4	1.1 - 1.8	1,800	12.8	11.8 - 13.8	4,100	29.1	27.8 - 30.5	1,200	8.5	7.8 - 9.3	14,200

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,800	23.6	22.0 - 25.3	100	1.2	0.8 - 1.7	800	9.7	8.5 - 11.0	4,700	60.9	58.9 - 62.8	400	4.7	3.9 - 5.6	7,700
No	6,100	60.2	58.5 - 61.9	200	1.7	1.3 - 2.2	1,500	14.7	13.5 - 16.1	1,300	12.7	11.6 - 13.9	1,100	10.6	9.7 - 11.6	10,200

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	7,700	42.7	41.5 - 43.9	300	1.7	1.4 - 2.0	2,300	12.9	12.0 - 13.7	5,900	32.7	31.6 - 33.8	1,800	10.1	9.4 - 10.8	18,000

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	900	38.1	35.4 - 40.8	<50	1.6	1.0 - 2.6	<50	0.5	0.3 - 1.1	1,200	50.8	48.0 - 53.6	200	8.9	7.4 - 10.8	2,300
Honolulu	5,300	41.3	39.8 - 42.8	200	1.4	1.1 - 1.9	2,300	17.9	16.7 - 19.0	3,700	28.9	27.5 - 30.3	1,300	10.5	9.7 - 11.4	12,800
Kauai	500	53.4	49.2 - 57.6	<50	3.0	1.8 - 5.2	<50	1.3	0.6 - 2.6	300	36.1	32.2 - 40.3	100	6.1	4.3 - 8.7	900
Maui	1,100	52.1	49.2 - 55.0	100	2.6	1.8 - 3.7	<50	0.4	0.2 - 1.0	700	34.5	31.8 - 37.4	200	10.4	8.6 - 12.5	2,000

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,500	34.9	32.6 - 37.3	100	1.6	1.1 - 2.3	1,600	36.9	34.5 - 39.4	700	16.8	15.1 - 18.6	400	9.7	8.3 - 11.4	4,300
Native Hawaiian	2,000	38.2	36.0 - 40.6	100	1.1	0.7 - 1.7	100	1.2	0.7 - 1.9	2,700	50.7	48.3 - 53.0	500	8.8	7.6 - 10.1	5,300
Chinese	400	61.5	55.7 - 66.9	<50	1.2	0.7 - 2.0	<50	7.5	4.6 - 11.8	100	18.7	14.3 - 24.0	100	11.2	8.6 - 14.4	700
Filipino	1,700	53.4	50.6 - 56.2	<50	1.5	1.0 - 2.3	200	5.5	4.4 - 7.0	900	28.6	26.1 - 31.2	400	11.0	9.5 - 12.6	3,300
Japanese	1,300	66.2	62.6 - 69.6	<50	1.8	1.1 - 3.1	<50	1.9	1.1 - 3.3	300	15.4	12.8 - 18.4	300	14.6	12.4 - 17.2	1,900
Other	800	29.3	26.4 - 32.4	100	3.2	2.1 - 4.7	400	15.3	13.0 - 17.9	1,200	43.6	40.3 - 46.9	200	8.6	7.0 - 10.6	2,700

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	22.3	18.8 - 26.3	<50	1.8	0.8 - 3.8	100	7.2	5.0 - 10.3	900	60.8	56.3 - 65.1	100	7.9	6.0 - 10.4	1,500
20-24	1,100	26.2	24.0 - 28.6	100	2.1	1.4 - 3.0	700	15.6	13.8 - 17.6	2,100	48.7	46.1 - 51.3	300	7.3	6.1 - 8.8	4,300
25-34	4,300	46.9	45.2 - 48.6	100	1.3	1.0 - 1.7	1,300	14.3	13.1 - 15.5	2,400	26.9	25.4 - 28.5	1,000	10.6	9.6 - 11.7	9,100
35+	2,000	62.1	59.3 - 64.8	100	2.3	1.7 - 3.2	200	7.8	6.3 - 9.5	500	14.6	12.6 - 16.8	400	13.3	11.6 - 15.1	3,200

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	4,000	42.9	41.2 - 44.6	200	1.9	1.5 - 2.5	1,100	12.1	11.0 - 13.3	3,000	32.4	30.9 - 34.1	1,000	10.6	9.7 - 11.7	9,300
Female	3,700	42.5	40.7 - 44.2	100	1.4	1.1 - 1.8	1,200	13.7	12.5 - 15.0	2,900	33.0	31.3 - 34.6	800	9.5	8.6 - 10.5	8,700

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,600	50.2	48.7 - 51.7	200	1.8	1.4 - 2.2	2,200	19.6	18.4 - 20.9	1,800	16.1	15.0 - 17.3	1,400	12.3	11.4 - 13.3	11,300
No	2,000	30.2	28.4 - 32.1	100	1.5	1.1 - 2.1	100	1.7	1.2 - 2.3	4,100	60.2	58.2 - 62.2	400	6.4	5.5 - 7.4	6,800

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,300	20.4	18.7 - 22.1	100	2.1	1.6 - 2.8	400	5.9	5.0 - 7.1	4,200	66.2	64.2 - 68.2	300	5.4	4.5 - 6.3	6,400
131-185%	1,200	45.0	41.8 - 48.3	100	2.4	1.6 - 3.6	500	17.2	14.8 - 19.9	700	24.8	22.1 - 27.7	300	10.6	8.9 - 12.6	2,700
186+%	4,700	61.5	59.7 - 63.3	100	1.0	0.7 - 1.4	1,300	17.0	15.6 - 18.5	500	6.2	5.4 - 7.1	1,100	14.3	13.1 - 15.6	7,600

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Income (2004-2011)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	12.1	10.3 - 14.2	100	1.9	1.2 - 3.0	100	2.8	1.9 - 4.1	2,400	78.6	76.0 - 81.0	100	4.5	3.4 - 6.0	3,000
\$10,000-\$24,999	1,100	30.5	28.0 - 33.1	100	2.6	1.8 - 3.6	300	8.8	7.2 - 10.6	1,900	51.2	48.4 - 53.9	300	7.0	5.8 - 8.5	3,700
\$25,000-\$49,999	1,900	44.8	42.3 - 47.4	100	1.4	0.9 - 2.1	900	20.8	18.7 - 23.0	900	22.8	20.7 - 25.1	400	10.2	8.8 - 11.8	4,100
>=\$50,000	3,900	65.0	63.0 - 67.0	100	1.1	0.8 - 1.6	900	14.8	13.3 - 16.5	200	4.0	3.3 - 5.0	900	15.1	13.7 - 16.5	6,000

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	600	42.2	38.9 - 45.5	<50	1.0	0.5 - 1.9	200	11.8	9.8 - 14.2	500	35.2	31.9 - 38.5	100	9.9	7.9 - 12.3	1,400
Normal birth weight	7,100	42.8	41.5 - 44.1	300	1.7	1.4 - 2.1	2,100	12.9	12.1 - 13.8	5,400	32.5	31.3 - 33.7	1,700	10.1	9.4 - 10.9	16,600

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	22.7	19.3 - 26.6	<50	1.6	0.8 - 3.2	100	9.3	7.0 - 12.3	900	59.0	54.6 - 63.2	100	7.4	5.4 - 10.0	1,500
No	7,200	44.6	43.3 - 45.9	300	1.7	1.4 - 2.1	2,100	13.2	12.3 - 14.1	4,900	30.1	29.0 - 31.3	1,700	10.4	9.7 - 11.1	16,200

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2006-2010

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	28.3	25.8 - 30.8	100	1.7	1.1 - 2.7	400	12.3	10.5 - 14.3	1,800	50.1	47.3 - 52.8	300	7.7	6.3 - 9.3	3,600
No	6,500	46.4	45.1 - 47.8	200	1.7	1.4 - 2.1	1,800	13.0	12.1 - 14.0	4,000	28.1	26.9 - 29.4	1,500	10.8	10.0 - 11.6	14,100

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,800	24.0	22.4 - 25.7	100	1.4	1.0 - 1.9	700	9.6	8.5 - 10.8	4,500	59.1	57.2 - 60.9	500	6.0	5.2 - 7.0	7,600
No	5,800	56.6	55.0 - 58.2	200	1.9	1.5 - 2.4	1,600	15.3	14.1 - 16.6	1,300	12.8	11.8 - 14.0	1,400	13.3	12.3 - 14.4	10,200

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	7,400	41.6	40.5 - 42.7	300	1.9	1.6 - 2.2	2,200	12.6	11.9 - 13.4	5,700	32.3	31.3 - 33.4	2,000	11.5	10.9 - 12.3	17,800

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	900	37.5	34.7 - 40.3	<50	2.1	1.4 - 3.2	<50	0.7	0.3 - 1.4	1,100	48.5	45.5 - 51.5	300	11.3	9.5 - 13.3	2,300
Honolulu	5,100	40.1	38.7 - 41.4	200	1.6	1.3 - 2.0	2,200	17.5	16.6 - 18.6	3,700	29.1	27.8 - 30.4	1,500	11.7	10.9 - 12.6	12,600
Kauai	500	51.4	46.8 - 56.0	<50	4.1	2.6 - 6.5	<50	1.0	0.4 - 2.4	300	35.7	31.4 - 40.3	100	7.8	5.6 - 10.7	900
Maui	1,000	51.8	48.7 - 54.8	100	2.6	1.8 - 3.8	<50	0.3	0.1 - 1.0	700	32.9	30.0 - 35.9	200	12.4	10.5 - 14.7	2,000

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,500	36.1	33.9 - 38.4	100	1.6	1.1 - 2.2	1,500	36.2	33.9 - 38.5	700	16.4	14.8 - 18.2	400	9.7	8.4 - 11.2	4,100
Native Hawaiian	1,900	37.1	34.9 - 39.4	100	1.6	1.1 - 2.3	100	1.0	0.6 - 1.6	2,500	49.8	47.5 - 52.1	500	10.5	9.2 - 11.9	5,100
Chinese	400	59.2	54.4 - 63.8	<50	1.4	0.8 - 2.3	<50	6.7	4.4 - 10.0	100	18.7	14.9 - 23.2	100	14.0	11.5 - 17.0	600
Filipino	1,700	51.0	48.4 - 53.5	100	1.9	1.3 - 2.8	200	5.5	4.4 - 6.8	900	28.3	26.0 - 30.7	400	13.3	11.8 - 15.1	3,300
Japanese	1,300	62.8	59.6 - 66.0	<50	2.0	1.3 - 3.1	100	2.6	1.6 - 4.0	300	14.9	12.5 - 17.7	400	17.7	15.4 - 20.2	2,000
Other	700	26.7	24.2 - 29.5	100	3.0	2.1 - 4.3	400	16.4	14.2 - 18.9	1,200	45.0	41.9 - 48.0	200	8.9	7.4 - 10.6	2,600

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	400	22.3	19.0 - 26.1	<50	2.3	1.2 - 4.2	100	6.7	4.9 - 9.2	900	60.5	56.3 - 64.5	100	8.2	6.3 - 10.7	1,600
20-24	1,100	25.6	23.5 - 27.8	100	2.2	1.5 - 3.0	700	16.2	14.6 - 18.0	2,000	47.7	45.3 - 50.1	400	8.3	7.1 - 9.7	4,200
25-34	4,100	46.4	44.8 - 48.0	100	1.4	1.1 - 1.8	1,200	13.9	12.9 - 15.1	2,300	26.3	24.8 - 27.7	1,100	12.0	11.0 - 13.0	8,900
35+	1,800	59.3	56.7 - 61.9	100	2.8	2.1 - 3.8	200	7.0	5.8 - 8.5	500	14.6	12.7 - 16.7	500	16.3	14.6 - 18.2	3,100

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	3,900	42.2	40.7 - 43.8	200	1.9	1.5 - 2.4	1,100	12.3	11.3 - 13.4	2,900	31.7	30.2 - 33.2	1,100	11.8	10.9 - 12.9	9,200
Female	3,500	40.9	39.3 - 42.5	200	1.9	1.5 - 2.4	1,100	13.0	11.9 - 14.1	2,800	33.0	31.5 - 34.6	1,000	11.2	10.2 - 12.3	8,600

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,400	49.1	47.7 - 50.5	200	1.9	1.6 - 2.3	2,100	19.0	18.0 - 20.2	1,800	16.0	15.0 - 17.1	1,600	14.0	13.0 - 14.9	11,100
No	1,900	29.1	27.4 - 30.9	100	1.9	1.4 - 2.5	100	1.9	1.5 - 2.6	4,000	59.6	57.7 - 61.5	500	7.5	6.6 - 8.5	6,700

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,300	19.9	18.4 - 21.5	200	2.4	1.9 - 3.1	400	6.0	5.1 - 7.0	4,200	65.4	63.5 - 67.3	400	6.2	5.4 - 7.2	6,400
131-185%	1,100	43.6	40.5 - 46.7	100	2.3	1.5 - 3.4	400	16.4	14.2 - 18.9	600	25.2	22.5 - 28.1	300	12.5	10.6 - 14.6	2,400
186+%	4,600	60.0	58.4 - 61.7	100	1.2	0.9 - 1.6	1,300	16.7	15.5 - 18.0	400	5.9	5.2 - 6.7	1,200	16.2	15.0 - 17.4	7,600

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Income (2004-2011)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	12.4	10.6 - 14.5	100	2.1	1.4 - 3.0	100	3.1	2.2 - 4.4	2,300	77.3	74.8 - 79.6	100	5.1	4.0 - 6.4	2,900
\$10,000-\$24,999	1,100	28.5	26.2 - 30.8	100	2.9	2.2 - 4.0	300	8.9	7.5 - 10.5	1,900	52.0	49.5 - 54.5	300	7.7	6.5 - 9.1	3,700
\$25,000-\$49,999	1,700	43.5	41.2 - 45.9	100	1.5	1.0 - 2.1	800	20.7	18.8 - 22.6	900	21.8	19.8 - 23.9	500	12.6	11.1 - 14.2	4,000
>=\$50,000	3,800	64.4	62.5 - 66.2	100	1.3	0.9 - 1.7	800	14.0	12.7 - 15.4	200	3.3	2.7 - 4.1	1,000	17.0	15.7 - 18.5	5,800

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	40.7	37.2 - 44.3	<50	1.4	0.7 - 2.6	200	12.2	10.0 - 14.9	500	33.6	30.2 - 37.3	200	12.0	9.8 - 14.7	1,300
Normal birth weight	6,800	41.7	40.5 - 42.9	300	1.9	1.6 - 2.3	2,100	12.6	11.9 - 13.4	5,300	32.2	31.1 - 33.4	1,900	11.5	10.8 - 12.2	16,400

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	21.6	18.4 - 25.1	<50	1.6	0.8 - 3.2	100	8.5	6.5 - 11.0	900	60.8	56.7 - 64.7	100	7.5	5.5 - 10.0	1,500
No	6,900	43.6	42.4 - 44.8	300	1.9	1.6 - 2.3	2,100	13.0	12.2 - 13.8	4,700	29.4	28.3 - 30.6	1,900	12.0	11.2 - 12.7	15,900

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2005-2009

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	28.0	25.7 - 30.4	100	1.7	1.1 - 2.6	400	11.9	10.3 - 13.7	1,800	50.2	47.5 - 52.8	300	8.3	6.9 - 9.8	3,600
No	6,300	45.3	44.0 - 46.5	300	2.0	1.6 - 2.3	1,800	12.8	12.0 - 13.7	3,800	27.5	26.4 - 28.7	1,700	12.4	11.7 - 13.3	13,800

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,700	23.1	21.6 - 24.7	100	1.8	1.3 - 2.3	700	9.9	8.9 - 11.0	4,400	58.7	56.9 - 60.5	500	6.5	5.7 - 7.4	7,500
No	5,500	55.2	53.7 - 56.7	200	2.0	1.7 - 2.5	1,500	14.7	13.7 - 15.8	1,300	12.6	11.6 - 13.7	1,600	15.5	14.4 - 16.5	10,100

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	6,900	39.4	38.4 - 40.4	300	2.0	1.7 - 2.3	2,400	13.4	12.8 - 14.1	5,500	31.4	30.4 - 32.3	2,400	13.9	13.2 - 14.6	17,600

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	800	33.8	31.0 - 36.8	100	2.6	1.8 - 3.7	<50	0.8	0.4 - 1.6	1,100	48.1	45.0 - 51.2	300	14.8	12.7 - 17.0	2,200
Honolulu	4,800	37.9	36.8 - 39.1	200	1.6	1.3 - 1.9	2,300	18.5	17.6 - 19.3	3,600	28.2	27.1 - 29.4	1,700	13.8	13.0 - 14.6	12,600
Kauai	400	50.8	45.9 - 55.6	<50	4.2	2.6 - 6.8	<50	1.2	0.5 - 2.7	300	34.1	29.6 - 39.0	100	9.7	7.2 - 12.9	900
Maui	1,000	50.2	46.9 - 53.5	100	2.8	1.9 - 4.1	<50	0.4	0.1 - 1.1	600	31.2	28.1 - 34.4	300	15.5	13.3 - 18.0	1,900

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,300	32.6	30.6 - 34.7	100	1.6	1.1 - 2.3	1,600	38.8	36.7 - 41.0	700	16.5	15.0 - 18.3	400	10.5	9.2 - 11.9	4,000
Native Hawaiian	1,700	34.6	32.6 - 36.7	100	1.7	1.2 - 2.4	100	1.5	1.0 - 2.1	2,400	48.9	46.7 - 51.1	700	13.3	11.9 - 14.8	4,900
Chinese	400	59.3	56.4 - 62.1	<50	1.9	1.3 - 2.9	<50	5.4	4.2 - 6.9	100	15.2	13.2 - 17.5	100	18.2	16.1 - 20.4	600
Filipino	1,600	48.7	46.4 - 51.0	100	2.1	1.6 - 2.9	200	5.8	4.9 - 7.0	900	27.5	25.4 - 29.6	500	15.9	14.3 - 17.6	3,300
Japanese	1,300	61.4	58.4 - 64.3	<50	2.0	1.3 - 3.0	100	2.4	1.7 - 3.5	300	13.1	11.1 - 15.4	500	21.2	18.9 - 23.7	2,100
Other	700	24.9	22.7 - 27.2	100	2.9	2.1 - 4.0	400	16.7	14.7 - 18.9	1,200	44.6	41.8 - 47.4	300	11.0	9.4 - 12.8	2,700

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	20.7	17.6 - 24.1	<50	2.0	1.2 - 3.5	100	7.6	5.8 - 9.9	900	60.3	56.3 - 64.1	100	9.4	7.3 - 12.1	1,500
20-24	1,000	23.7	21.9 - 25.7	100	1.8	1.3 - 2.5	800	18.5	16.9 - 20.2	2,000	46.8	44.6 - 49.0	400	9.2	8.0 - 10.5	4,300
25-34	3,900	44.2	42.7 - 45.7	100	1.7	1.4 - 2.1	1,200	14.0	13.0 - 15.0	2,200	25.5	24.2 - 26.8	1,300	14.6	13.6 - 15.7	8,700
35+	1,800	55.8	53.5 - 58.2	100	3.0	2.3 - 3.9	200	7.5	6.4 - 8.9	400	13.3	11.7 - 15.1	600	20.4	18.5 - 22.3	3,200

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	3,700	39.8	38.4 - 41.2	200	2.0	1.6 - 2.5	1,200	12.8	11.9 - 13.8	2,800	30.8	29.5 - 32.2	1,300	14.5	13.5 - 15.5	9,200
Female	3,300	38.9	37.4 - 40.4	200	1.9	1.6 - 2.4	1,200	14.0	13.0 - 15.1	2,700	31.9	30.5 - 33.4	1,100	13.2	12.2 - 14.3	8,400

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,300	46.1	44.8 - 47.4	200	2.0	1.7 - 2.4	2,200	19.5	18.5 - 20.4	1,800	16.0	15.1 - 17.0	1,900	16.4	15.5 - 17.3	11,400
No	1,700	27.1	25.5 - 28.8	100	1.9	1.5 - 2.5	100	2.3	1.8 - 2.9	3,700	59.4	57.6 - 61.2	600	9.3	8.3 - 10.5	6,200

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,300	20.1	18.7 - 21.5	200	2.4	1.9 - 3.1	400	6.9	6.1 - 7.9	4,000	62.6	60.8 - 64.3	500	8.0	7.1 - 9.0	6,400
131-185%	900	40.0	37.1 - 42.9	<50	2.1	1.4 - 3.1	400	18.4	16.3 - 20.7	500	23.5	21.0 - 26.1	400	16.0	13.9 - 18.3	2,300
186+%	4,300	56.4	54.9 - 57.9	100	1.4	1.1 - 1.8	1,300	17.4	16.3 - 18.6	500	6.0	5.3 - 6.8	1,400	18.8	17.7 - 20.1	7,700

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Income (2004-2011)	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<\$10,000	400	13.2	11.5 - 15.1	100	2.4	1.7 - 3.4	100	2.7	1.9 - 3.7	2,200	75.9	73.6 - 78.2	200	5.8	4.6 - 7.2	2,900
\$10,000-\$24,999	1,000	26.2	24.2 - 28.2	100	2.6	1.9 - 3.4	400	11.5	10.1 - 13.0	1,900	49.5	47.2 - 51.8	400	10.3	9.0 - 11.8	3,800
\$25,000-\$49,999	1,700	41.9	39.8 - 44.1	100	1.7	1.2 - 2.3	900	22.3	20.6 - 24.1	800	19.4	17.7 - 21.2	600	14.7	13.3 - 16.3	4,100
>=\$50,000	3,400	61.2	59.4 - 62.9	100	1.4	1.0 - 1.9	800	13.6	12.5 - 14.9	200	3.2	2.6 - 4.0	1,200	20.6	19.2 - 22.1	5,600

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	37.5	33.8 - 41.4	<50	1.4	0.7 - 2.7	200	13.2	10.7 - 16.0	400	32.1	28.4 - 36.0	200	15.9	13.2 - 18.9	1,300
Normal birth weight	6,500	39.6	38.5 - 40.6	300	2.0	1.7 - 2.4	2,200	13.4	12.7 - 14.1	5,100	31.3	30.3 - 32.3	2,200	13.7	13.0 - 14.5	16,300

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	22.0	19.0 - 25.3	<50	1.3	0.6 - 2.5	100	10.0	8.0 - 12.5	800	58.6	54.7 - 62.3	100	8.1	6.2 - 10.5	1,400
No	6,500	41.2	40.1 - 42.3	300	2.1	1.8 - 2.4	2,200	13.8	13.1 - 14.5	4,500	28.6	27.6 - 29.6	2,300	14.4	13.7 - 15.2	15,900

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2004-2008

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	27.6	25.5 - 29.9	100	1.6	1.1 - 2.3	400	12.6	11.1 - 14.2	1,700	48.4	46.0 - 50.9	300	9.8	8.4 - 11.4	3,500
No	5,900	42.6	41.4 - 43.7	300	2.1	1.8 - 2.5	1,900	13.7	12.9 - 14.5	3,700	26.7	25.7 - 27.8	2,100	14.9	14.1 - 15.8	13,800

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,700	22.5	21.2 - 23.9	100	1.8	1.4 - 2.3	900	11.3	10.3 - 12.3	4,300	56.1	54.4 - 57.7	600	8.3	7.5 - 9.3	7,600
No	5,200	52.2	50.8 - 53.5	200	2.1	1.8 - 2.6	1,500	15.2	14.2 - 16.2	1,200	12.3	11.4 - 13.3	1,800	18.2	17.2 - 19.3	9,900

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	7,000	40.3	39.3 - 41.4	300	2.0	1.7 - 2.3	2,400	13.7	13.0 - 14.5	5,200	30.1	29.2 - 31.1	2,400	13.8	13.1 - 14.6	17,400

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	800	35.3	32.6 - 38.2	100	3.1	2.2 - 4.2	<50	0.9	0.5 - 1.7	1,000	46.3	43.4 - 49.3	300	14.4	12.5 - 16.5	2,100
Honolulu	4,900	38.8	37.5 - 40.1	200	1.5	1.2 - 1.9	2,400	18.8	17.8 - 19.8	3,400	27.1	26.0 - 28.3	1,700	13.8	12.9 - 14.7	12,500
Kauai	400	49.3	44.7 - 53.8	<50	4.1	2.5 - 6.6	<50	0.7	0.2 - 1.9	300	34.9	30.6 - 39.5	100	11.1	8.6 - 14.3	900
Maui	1,000	52.5	49.3 - 55.6	100	2.8	1.9 - 4.1	<50	0.4	0.1 - 1.0	500	29.6	26.8 - 32.6	300	14.7	12.7 - 17.1	1,900

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,300	33.3	31.2 - 35.5	100	1.6	1.1 - 2.2	1,500	38.9	36.6 - 41.2	600	16.4	14.8 - 18.2	400	9.8	8.6 - 11.3	3,900
Native Hawaiian	1,700	35.7	33.8 - 37.7	100	1.7	1.2 - 2.3	100	1.7	1.3 - 2.3	2,300	47.6	45.6 - 49.7	600	13.2	11.9 - 14.7	4,800
Chinese	400	60.4	56.2 - 64.5	<50	1.9	1.2 - 2.8	<50	4.8	3.4 - 6.7	100	13.9	11.4 - 16.9	100	19.0	15.7 - 22.7	600
Filipino	1,700	49.3	46.9 - 51.8	100	1.9	1.4 - 2.6	200	6.2	5.1 - 7.5	900	27.8	25.7 - 30.1	500	14.8	13.2 - 16.5	3,400
Japanese	1,300	59.6	56.4 - 62.7	100	2.7	1.7 - 4.1	100	3.1	2.1 - 4.5	300	11.9	9.9 - 14.3	500	22.8	20.2 - 25.5	2,100
Other	700	27.1	24.6 - 29.8	100	2.7	1.9 - 3.8	500	18.7	16.3 - 21.2	1,000	40.4	37.5 - 43.4	300	11.1	9.4 - 13.1	2,600

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	22.2	19.1 - 25.6	<50	2.0	1.2 - 3.3	100	8.3	6.3 - 10.8	900	58.0	54.1 - 61.9	100	9.5	7.5 - 12.1	1,500
20-24	1,100	24.9	23.0 - 26.8	100	1.9	1.4 - 2.6	800	17.6	16.0 - 19.4	2,000	46.2	44.0 - 48.4	400	9.4	8.2 - 10.8	4,300
25-34	3,900	45.3	43.7 - 46.8	100	1.6	1.3 - 2.1	1,300	15.0	13.9 - 16.1	2,000	23.7	22.4 - 25.1	1,200	14.4	13.4 - 15.5	8,600
35+	1,700	56.9	54.4 - 59.4	100	3.0	2.2 - 4.0	200	7.6	6.3 - 9.1	400	12.1	10.5 - 13.9	600	20.4	18.5 - 22.6	3,100

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	3,700	40.8	39.3 - 42.2	200	1.9	1.5 - 2.4	1,200	13.1	12.1 - 14.1	2,700	29.8	28.4 - 31.2	1,300	14.4	13.4 - 15.5	9,100
Female	3,300	39.9	38.3 - 41.4	200	2.0	1.6 - 2.5	1,200	14.5	13.4 - 15.6	2,500	30.5	29.1 - 32.0	1,100	13.1	12.1 - 14.2	8,300

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,300	46.8	45.5 - 48.1	200	2.0	1.7 - 2.4	2,300	20.0	18.9 - 21.1	1,700	15.0	14.1 - 16.0	1,800	16.2	15.3 - 17.2	11,400
No	1,700	28.2	26.6 - 29.9	100	1.9	1.5 - 2.5	100	2.0	1.5 - 2.6	3,500	58.5	56.7 - 60.4	600	9.3	8.3 - 10.5	6,000

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,500	22.5	21.0 - 24.0	200	2.4	1.9 - 3.1	500	8.2	7.2 - 9.3	3,800	58.4	56.6 - 60.1	600	8.5	7.6 - 9.6	6,600
131-185%	1,000	42.9	39.9 - 45.9	100	2.3	1.6 - 3.4	400	19.3	16.9 - 21.9	400	19.6	17.3 - 22.1	400	15.9	13.8 - 18.3	2,300
186+%	4,100	57.0	55.4 - 58.7	100	1.3	1.0 - 1.8	1,300	17.5	16.3 - 18.8	400	5.2	4.5 - 6.0	1,400	18.8	17.6 - 20.2	7,200

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	37.7	33.9 - 41.7	<50	1.2	0.6 - 2.3	200	13.3	10.7 - 16.4	400	30.4	26.8 - 34.3	200	17.4	14.6 - 20.6	1,300
Normal birth weight	6,500	40.6	39.5 - 41.7	300	2.0	1.7 - 2.4	2,200	13.8	13.0 - 14.6	4,800	30.1	29.1 - 31.1	2,200	13.5	12.8 - 14.3	16,100

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	23.2	20.2 - 26.6	<50	1.0	0.5 - 2.1	200	11.5	9.1 - 14.4	800	55.7	51.8 - 59.5	100	8.5	6.6 - 10.9	1,500
No	6,600	42.1	41.0 - 43.3	300	2.1	1.8 - 2.4	2,200	14.0	13.2 - 14.8	4,300	27.5	26.5 - 28.5	2,200	14.3	13.6 - 15.1	15,600

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	28.9	26.8 - 31.2	100	1.6	1.1 - 2.3	500	13.2	11.5 - 15.0	1,600	45.8	43.4 - 48.3	400	10.5	9.1 - 12.1	3,500
No	5,900	43.6	42.4 - 44.8	300	2.1	1.8 - 2.5	1,900	14.0	13.1 - 14.8	3,500	25.6	24.6 - 26.7	2,000	14.7	13.9 - 15.6	13,500

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2003-2007

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,800	24.0	22.6 - 25.4	100	1.9	1.5 - 2.4	900	11.5	10.5 - 12.7	4,000	53.7	52.1 - 55.4	700	8.9	8.0 - 9.9	7,500
No	5,100	52.8	51.4 - 54.3	200	2.0	1.7 - 2.5	1,500	15.6	14.6 - 16.7	1,200	11.9	11.0 - 12.9	1,700	17.7	16.6 - 18.8	9,700

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

State	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Totals	7,200	41.7	40.6 - 42.8	300	2.0	1.7 - 2.3	2,400	14.0	13.2 - 14.8	4,900	28.6	27.6 - 29.6	2,400	13.7	13.0 - 14.5	17,100

County	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii	800	37.2	34.5 - 39.9	100	3.4	2.5 - 4.4	<50	0.9	0.5 - 1.7	900	44.7	41.9 - 47.5	300	13.9	12.1 - 15.8	2,100
Honolulu	5,100	40.6	39.2 - 41.9	200	1.5	1.2 - 1.9	2,400	18.9	17.8 - 20.0	3,200	25.5	24.4 - 26.7	1,700	13.6	12.6 - 14.5	12,500
Kauai	400	48.2	43.8 - 52.7	<50	3.9	2.4 - 6.2	<50	0.9	0.4 - 2.3	300	34.3	30.2 - 38.8	100	12.7	10.0 - 16.0	800
Maui	900	52.5	49.6 - 55.4	<50	2.8	2.0 - 3.9	<50	0.3	0.1 - 0.8	500	29.0	26.4 - 31.8	300	15.4	13.4 - 17.6	1,800

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

DOH Race-Ethnicity	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Caucasian	1,300	33.3	31.1 - 35.6	100	1.8	1.3 - 2.5	1,500	40.3	37.9 - 42.8	600	15.4	13.7 - 17.2	300	9.2	7.9 - 10.6	3,800
Native Hawaiian	1,700	36.5	34.7 - 38.4	100	1.7	1.3 - 2.3	100	2.1	1.6 - 2.7	2,200	46.9	45.0 - 48.8	600	12.8	11.5 - 14.1	4,700
Chinese	400	61.7	56.5 - 66.6	<50	1.8	1.2 - 2.8	<50	4.6	3.0 - 7.0	100	12.6	9.7 - 16.3	100	19.3	15.3 - 23.9	600
Filipino	1,700	50.9	48.3 - 53.5	100	1.9	1.4 - 2.6	200	6.1	5.0 - 7.6	900	26.4	24.2 - 28.8	500	14.6	12.9 - 16.5	3,400
Japanese	1,400	62.8	59.5 - 66.0	<50	2.1	1.3 - 3.4	100	2.8	1.8 - 4.2	200	10.0	8.1 - 12.3	500	22.4	19.7 - 25.3	2,200
Other	700	28.4	25.6 - 31.4	100	2.7	1.8 - 3.8	500	19.0	16.5 - 21.9	900	37.5	34.4 - 40.7	300	12.4	10.4 - 14.7	2,400

PRAMS Age Group	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<20	300	23.5	20.4 - 26.8	<50	1.8	1.1 - 2.9	100	8.8	6.5 - 11.7	800	58.0	54.1 - 61.8	100	8.0	6.2 - 10.3	1,500
20-24	1,100	25.9	24.0 - 27.9	100	2.0	1.5 - 2.7	800	18.4	16.6 - 20.3	1,900	44.2	41.9 - 46.4	400	9.5	8.2 - 10.9	4,200
25-34	4,000	46.7	45.1 - 48.4	100	1.7	1.4 - 2.2	1,300	15.2	14.1 - 16.5	1,800	21.6	20.4 - 23.0	1,200	14.6	13.6 - 15.8	8,500
35+	1,800	58.6	56.0 - 61.2	100	2.6	1.9 - 3.5	200	6.7	5.5 - 8.2	400	12.1	10.6 - 13.9	600	19.9	17.9 - 22.1	3,000

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Infant Gender	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	3,700	41.4	39.8 - 42.9	200	1.9	1.5 - 2.3	1,200	13.7	12.6 - 14.9	2,500	28.6	27.3 - 30.0	1,300	14.5	13.4 - 15.6	8,900
Female	3,500	42.2	40.5 - 43.8	200	2.1	1.7 - 2.5	1,200	14.3	13.1 - 15.5	2,400	28.6	27.1 - 30.0	1,100	13.0	11.9 - 14.1	8,200

Married	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	5,500	47.9	46.5 - 49.3	200	1.9	1.6 - 2.3	2,300	20.0	18.9 - 21.2	1,600	14.1	13.2 - 15.1	1,800	16.0	15.0 - 17.0	11,400
No	1,700	29.5	27.8 - 31.2	100	2.0	1.5 - 2.6	100	2.0	1.5 - 2.6	3,300	57.3	55.4 - 59.2	500	9.3	8.2 - 10.4	5,700

Poverty Level	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
0-130%	1,600	24.8	23.3 - 26.5	200	2.4	1.9 - 3.0	600	8.7	7.6 - 9.9	3,600	55.5	53.7 - 57.3	600	8.5	7.5 - 9.5	6,500
131-185%	1,100	44.5	41.4 - 47.6	<50	1.6	1.1 - 2.5	600	23.1	20.4 - 26.1	400	16.4	14.3 - 18.7	300	14.3	12.4 - 16.5	2,400
186+%	4,000	58.6	56.9 - 60.3	100	1.4	1.1 - 1.9	1,100	16.2	14.9 - 17.6	300	4.3	3.6 - 5.0	1,300	19.5	18.1 - 20.9	6,800

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

Birthweight	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Low birth weight	500	38.8	34.7 - 43.1	<50	1.3	0.7 - 2.5	200	13.6	10.7 - 17.2	300	29.1	25.4 - 33.1	200	17.1	14.1 - 20.5	1,200
Normal birth weight	6,700	42.0	40.8 - 43.1	300	2.0	1.7 - 2.3	2,200	14.0	13.2 - 14.8	4,500	28.6	27.5 - 29.6	2,100	13.5	12.7 - 14.3	15,900

Smoke 3rd Trimester	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	300	24.1	20.9 - 27.6	<50	0.9	0.5 - 1.9	200	12.6	10.0 - 15.8	800	54.9	50.9 - 58.7	100	7.5	5.7 - 9.7	1,400
No	6,700	43.6	42.4 - 44.7	300	2.0	1.7 - 2.4	2,200	14.1	13.3 - 15.0	4,000	26.0	25.0 - 27.0	2,200	14.3	13.5 - 15.2	15,400

Smoke Before Pregnant	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,000	29.3	27.1 - 31.6	<50	1.3	0.9 - 2.0	500	13.9	12.1 - 15.9	1,600	45.5	43.0 - 48.0	300	10.0	8.6 - 11.6	3,400
No	6,000	45.3	44.0 - 46.5	300	2.1	1.8 - 2.5	1,900	14.0	13.1 - 14.9	3,200	23.8	22.8 - 24.9	2,000	14.8	13.9 - 15.7	13,300

PRAMS Health Indicator 5-Year Aggregate Report - Coverage for PNC- by State;County;DOH Race-Ethnicity;PRAMS Age Group;Infant Gender;Married;Poverty Level;Income (2004-2011);Birthweight;Smoke 3rd Trimester;Smoke Before Pregnant;WIC During Pregnancy, for the Year(s)

2002-2006;2003-2007;2004-2008;2005-2009;2006-2010;2007-2011;2008-2012;2009-2013

Note: Weighted counts (#) represent 5-yr averages, rounded to the nearest hundred; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <30 that row will not be shown

Year: 2002-2006

WIC During Pregnancy	Private insurance			Self pay			Tricare			Medicaid/QUEST			Other			Weighted Total Responses (5-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Yes	1,900	25.2	23.7 - 26.7	100	1.8	1.4 - 2.3	900	12.8	11.6 - 14.1	3,800	51.2	49.5 - 52.9	700	9.0	8.1 - 10.0	7,400
No	5,200	54.3	52.8 - 55.8	200	2.1	1.7 - 2.5	1,400	15.0	14.0 - 16.2	1,100	11.2	10.2 - 12.1	1,700	17.4	16.3 - 18.6	9,600