

Deaths in Hawaii Due to Coronary Heart Disease

Death Counts, Age-Adjusted Mortality Rates, and Years of Potential Life Lost for Coronary Heart Disease for the State of Hawaii (Residents Only), by State, County of Residence, Gender, and Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

This report displays the number of deaths, the age-adjusted mortality rate (AAMR) per 100,000 population, and the years of potential life lost (YPLL) where the underlying cause of death is coronary heart disease (ICD-10 codes I20-I25). Mortality rates are age-adjusted using the 2000 U.S. Standard Population, and YPLL is measured to age 75 years. Data are shown by year, in descending order. The data are displayed by selected dimensions and attributes. If a dimension or attribute value is unknown for a particular record, that record will not be included in the counts for that particular dimension. More detailed race data is not available because denominators are restricted by data available from the census.

Suggested Citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Office of Health Status Monitoring, Vital Statistics; United States Census, (report title and years), Report Created: 6/15/17

[Click here to access Race-Ethnicity coding](#)

[Click here to access The Hawaii Data Guide](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899, ext. 15

Deaths for the State of Hawaii (Residents Only), Due to Coronary Heart Disease, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

State

Aggregate Year	Hawaii State		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	1,234	66.4	6,870
2010-2012	1,162	67.2	6,320
2007-2009	1,208	76.1	6,500
2004-2006	1,259	86.4	6,790
2001-2003	1,335	100.9	7,290

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 06/15/2017

Deaths for the State of Hawaii (Residents Only), Due to Coronary Heart Disease, by County of Residence, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

County of Residence

Aggregate Year	Hawaii			Honolulu			Kauai			Maui		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	192	75.1	1,080	822	63.5	4,640	69	70.8	350	150	75.2	800
2010-2012	183	79.2	1,030	773	63.0	4,120	68	75.9	380	139	80.0	800
2007-2009	197	95.4	1,110	791	69.4	4,170	71	84.9	370	149	97.1	850
2004-2006	195	103.9	1,090	854	81.3	4,590	74	96.1	320	136	97.2	790
2001-2003	204	120.8	1,360	917	95.6	4,780	79	113.9	330	136	106.7	820

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 06/15/2017

Deaths for the State of Hawaii (Residents Only), Due to Coronary Heart Disease, by Gender, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Gender

Aggregate Year	Female			Male		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	467	41.5	1,580	767	96.6	5,290
2010-2012	436	42.6	1,390	726	97.6	4,930
2007-2009	447	47.4	1,640	761	112.3	4,860
2004-2006	484	57.1	1,650	775	122.8	5,140
2001-2003	514	68.5	2,020	821	140.8	5,270

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 06/15/2017

Deaths for the State of Hawaii (Residents Only), Due to Coronary Heart Disease, by Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Census Race-Ethnicity

Aggregate Year	White			Native Hawaiian and Other Pacific Islander			Asian			Black or African American			Native Alaskan/American Indian			Other		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	310	65.9	1,480	272	238.8	2,660	598	53.8	2,230	11	60.6	160	8	213.9	110	17	10.7	70
2010-2012	297	68.0	1,640	259	262.5	2,400	572	53.7	2,020	9	91.9	80	7	207.8	60	14	9.8	80
2007-2009	294	74.4	1,530	265	283.6	2,660	614	62.2	2,080	10	81.3	80	6	128.6	50	18	16.0	80
2004-2006	323	89.7	1,750	245	299.4	2,310	657	72.7	2,480	8	79.8	90	n/r	n/r	n/r	16	17.0	70
2001-2003	328	100.3	1,750	275	384.8	2,730	704	84.7	2,590	6	73.0	90	n/r	n/r	n/r	16	17.4	80

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 06/15/2017