

Deaths in Hawaii Due to Asthma Among Adults Aged 35-64 Years

Death Counts, Mortality Rates, and Years of Potential Life Lost for Asthma Among Adults Aged 35-64 Years for the State of Hawaii (Residents Only), by State, County of Residence, Gender, and Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

For persons aged 35-64 years, this report displays the number of deaths, the mortality rate (MR) per 100,000 population aged 35-64 years, and the years of potential life lost (YPLL) where the underlying cause of death is asthma (ICD-10 codes J45-J46). YPLL is measured to age 75 years. Data are shown by year, in descending order. The data are displayed by selected dimensions and attributes. If a dimension or attribute value is unknown for a particular record, that record will not be included in the counts for that particular dimension. More detailed race data is not available because denominators are restricted by data available from the census.

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Office of Health Status Monitoring, Vital Statistics; United States Census, (report title and years), Report Created: 2/10/17

[Click here to access Race-Ethnicity coding](#)

[Click here to access The Hawaii Data Guide](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899, ext. 15

*Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census*

Report Date:02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Asthma, Among Adults Aged 35-64 Years, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; MR = Mortality Rate per 100,000 population aged 35-64 years; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

State

Aggregate Year	Hawaii State		
	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL
2013-2015	9	1.6	180
2010-2012	8	1.4	170
2007-2009	10	1.9	220
2004-2006	9	1.8	210
2001-2003	11	2.3	230

*Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census*

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Asthma, Among Adults Aged 35-64 Years, by County of Residence, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; MR = Mortality Rate per 100,000 population aged 35-64 years; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

County of Residence

Aggregate Year	Hawaii			Honolulu			Kauai			Maui		
	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL
2013-2015	n/r	n/r	n/r	6	1.6	120	n/r	n/r	n/r	n/r	n/r	n/r
2010-2012	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2007-2009	n/r	n/r	n/r	7	2.1	160	n/r	n/r	n/r	n/r	n/r	n/r
2004-2006	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2001-2003	n/r	n/r	n/r	6	1.7	120	n/r	n/r	n/r	n/r	n/r	n/r

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Asthma, Among Adults Aged 35-64 Years, by Gender, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; MR = Mortality Rate per 100,000 population aged 35-64 years; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Gender

Aggregate Year	Female			Male		
	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL
2013-2015	6	2.3	120	n/r	n/r	n/r
2010-2012	n/r	n/r	n/r	n/r	n/r	n/r
2007-2009	n/r	n/r	n/r	n/r	n/r	n/r
2004-2006	n/r	n/r	n/r	n/r	n/r	n/r
2001-2003	6	2.6	130	n/r	n/r	n/r

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Asthma, Among Adults Aged 35-64 Years, by Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; MR = Mortality Rate per 100,000 population aged 35-64 years; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Census Race-Ethnicity

Aggregate Year	White			Native Hawaiian and Other Pacific Islander			Asian			Black or African American			Native Alaskan/American Indian			Other		
	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL
2013-2015	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	0	0	0	0	0	0
2010-2012	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	0	0	0	0	0	0	n/r	n/r	n/r
2007-2009	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	0	0	0	0	0	0
2004-2006	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	0	0	0	0	0	0	0	0	0
2001-2003	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	0	0	0	n/r	n/r	n/r	n/r	n/r	n/r

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 02/10/2017