Deaths in Hawaii Due to Asthma Among Persons Under 35 Years Old

Death Counts, Mortality Rates, and Years of Potential Life Lost for Asthma Among Persons Under 35 Years Old for the State of Hawaii (Residents Only), by State, County of Residence, Gender, and Census Race-Ethnicity, by 10-Year Aggregate, for the Years 2006-2015

For persons under 35 years old, this report displays the number of deaths, the mortality rate (MR) per 100,000 population under 35 years old, and the years of potential life lost (YPLL) where the underlying cause of death is asthma (ICD-10 codes J45-J46). YPLL is measured to age 75 years. Data are shown by year, in descending order. The data are displayed by selected dimensions and attributes. If a dimension or attribute value is unknown for a particular record, that record will not be included in the counts for that particular dimension. More detailed race data is not available because denominators are restricted by data available from the census.

Suggested Citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Office of Health Status Monitoring, Vital Statistics; United States Census, (report title and years), Report Created: 2/10/17

Click here to access Race-Ethnicity coding

Click here to access The Hawaii Data Guide

For questions about this report, please contact
The Hawaii Health Data Warehouse

profiles@hhdw.org

(855) 946-5899, ext. 15

Report Source: Hawaii Health Data Warehouse; Data Sources: Hawaii State Department of Health, Office of Health Status Monitoring (OHSM); United States Census

Deaths for the State of Hawaii (Residents Only), Due to Asthma, Among Persons Under 35 Years Old, by 10-Year Aggregate, for the Years 2006-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; MR = Mortality Rate per 100,000 population under 35 years of age; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

State

	Hawaii State								
Aggregate Year	Total # Deaths		Avg. Ann. YPLL						
2006-2015	17	0.9	90						

Deaths for the State of Hawaii (Residents Only), Due to Asthma, Among Persons Under 35 Years Old, by County of Residence, by 10-Year Aggregate, for the Years 2006-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; MR = Mortality Rate per 100,000 population under 35 years of age; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

County of Residence

	Hawaii				Honolulu			Kauai		Maui			
Aggregate Year	Total # Deaths	MR	Avg. Ann. YPLL	Total # Deaths		Avg. Ann. YPLL	Total # Deaths		Avg. Ann. YPLL	Total # Deaths	MR	Avg. Ann. YPLL	
2006-2015	n/r	n/r	n/r	10	0.7	50	0	0	0	n/r	n/r	n/r	

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Asthma, Among Persons Under 35 Years Old, by Gender, by 10-Year Aggregate, for the Years 2006-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; MR = Mortality Rate per 100,000 population under 35 years of age; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Gender

		Female		Male						
Aggregate Year	Total # Deaths		Avg. Ann. YPLL			Avg. Ann. YPLL				
2006-2015	6	0.7	30	11	1.0	50				

Deaths for the State of Hawaii (Residents Only), Due to Asthma, Among Persons Under 35 Years Old, by Census Race-Ethnicity, by 10-Year Aggregate, for the Years 2006-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; MR = Mortality Rate per 100,000 population under 35 years of age; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Census Race-Ethnicity

	White		Native Hawaiian and Other Pacific Islander		Asian		Black or African American		Native Alaskan/ American Indian			Other						
Aggregate Year	Total # Deaths	MR	Avg. Ann. YPLL	Total # Deaths	MR	Avg. Ann. YPLL	Total # Deaths	MR	Avg. Ann. YPLL	Total # Deaths	MR	Avg. Ann. YPLL	Total # Deaths		Avg. Ann. YPLL	Total # Deaths	MR	Avg. Ann. YPLL
2006-2015	n/r	n/r	n/r	12	6.2	60	n/r	n/r	n/r	0	0	0	0	0	0	n/r	n/r	n/r