

Deaths in Hawaii Due to COPD Among Adults Aged 45 Years and Older

Death Counts, Mortality Rates, and Years of Potential Life Lost for Chronic Obstructive Pulmonary Disease (COPD) Among Adults Aged 45 Years and Older for the State of Hawaii (Residents Only), by State, County of Residence, Gender, and Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

For adults aged 45 years and older, this report displays the number of deaths, the mortality rate (MR) per 100,000 population aged 45+ years, and the years of potential life lost (YPLL) where the underlying cause of death is chronic obstructive pulmonary disease (COPD) (ICD-10 codes J40-J44). YPLL is measured to age 75 years. Data are shown by year, in descending order. The data are displayed by selected dimensions and attributes. If a dimension or attribute value is unknown for a particular record, that record will not be included in the counts for that particular dimension. More detailed race data is not available because denominators are restricted by data available from the census.

Suggested Citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Office of Health Status Monitoring, Vital Statistics; United States Census, (report title and years), Report Created: 2/10/17

[Click here to access Race-Ethnicity coding](#)

[Click here to access The Hawaii Data Guide](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899, ext. 15

Deaths for the State of Hawaii (Residents Only), Due to COPD, Among Adults Aged 45 Years and Older, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; MR = Mortality Rate per 100,000 population aged 45+ years; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

State

Aggregate Year	Hawaii State		
	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL
2013-2015	273	46.5	890
2010-2012	273	47.7	860
2007-2009	261	50.7	780
2004-2006	261	53.2	700
2001-2003	236	51.2	710

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to COPD, Among Adults Aged 45 Years and Older, by County of Residence, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; MR = Mortality Rate per 100,000 population aged 45+ years; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

County of Residence

Aggregate Year	Hawaii			Honolulu			Kauai			Maui		
	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL
2013-2015	53	60.1	210	175	44.5	550	14	44.6	30	30	41.9	100
2010-2012	51	59.5	180	173	44.6	530	13	43.2	40	36	53.1	110
2007-2009	45	59.3	130	169	48.1	520	12	44.0	40	34	58.8	100
2004-2006	42	60.0	170	167	49.2	370	15	58.0	40	37	67.5	120
2001-2003	42	65.9	160	152	46.9	420	15	61.3	60	28	55.7	70

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to COPD, Among Adults Aged 45 Years and Older, by Gender, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; MR = Mortality Rate per 100,000 population aged 45+ years; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Gender

Aggregate Year	Female			Male		
	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL
2013-2015	119	38.9	330	153	54.9	560
2010-2012	117	39.3	350	156	57.0	510
2007-2009	118	43.5	320	143	58.8	460
2004-2006	108	42.0	290	153	65.7	410
2001-2003	89	36.7	250	147	67.2	460

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to COPD, Among Adults Aged 45 Years and Older, by Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; MR = Mortality Rate per 100,000 population aged 45+ years; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Census Race-Ethnicity

Aggregate Year	White			Native Hawaiian and Other Pacific Islander			Asian			Black or African American			Native Alaskan/ American Indian			Other		
	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL
2013-2015	104	63.0	310	50	110.7	320	105	36.6	180	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2010-2012	104	63.2	330	57	132.8	290	104	36.9	200	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2007-2009	108	72.0	320	40	104.8	190	102	39.3	240	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2004-2006	103	71.8	290	42	119.1	210	107	42.3	160	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2001-2003	94	71.4	290	36	112.5	200	103	42.3	220	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017