

Deaths in Hawaii Due to Cancer

Death Counts, Age-Adjusted Mortality Rates, and Years of Potential Life Lost for Cancer for the State of Hawaii (Residents Only), by State, County of Residence, Gender, and Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

This report displays the number of deaths, the age-adjusted mortality rate (AAMR) per 100,000 population, and the years of potential life lost (YPLL) where the underlying cause of death is cancer (ICD-10 codes C00-C97). Mortality rates are age-adjusted using the 2000 U.S. Standard Population, and YPLL is measured to age 75 years. Data are shown by year, in descending order. The data are displayed by selected dimensions and attributes. If a dimension or attribute value is unknown for a particular record, that record will not be included in the counts for that particular dimension. More detailed race data is not available because denominators are restricted by data available from the census.

Suggested Citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Office of Health Status Monitoring, Vital Statistics; United States Census, (report title and years), Report Created: 2/10/17

[Click here to access Race-Ethnicity coding](#)

[Click here to access The Hawaii Data Guide](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899, ext. 15

Deaths for the State of Hawaii (Residents Only), Due to Cancer, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

State

Aggregate Year	Hawaii State		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	2,374	133.1	17,460
2010-2012	2,231	135.1	17,740
2007-2009	2,167	142.0	16,840
2004-2006	2,105	148.5	16,980
2001-2003	2,002	151.5	16,350

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Cancer, by County of Residence, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

County of Residence

Aggregate Year	Hawaii			Honolulu			Kauai			Maui		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	364	140.0	2,960	1,605	130.6	11,270	122	127.4	820	282	142.3	2,410
2010-2012	332	143.7	2,930	1,540	133.4	11,880	127	147.0	960	232	132.0	1,970
2007-2009	327	158.2	2,810	1,493	137.7	11,080	120	149.5	880	227	148.0	2,070
2004-2006	296	158.0	2,510	1,469	144.5	11,520	120	163.8	900	220	155.9	2,050
2001-2003	288	169.8	2,430	1,401	147.1	11,170	110	161.8	960	204	156.9	1,790

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Cancer, by Gender, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Gender

Aggregate Year	Female			Male		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	1,088	112.3	8,120	1,286	160.5	9,340
2010-2012	1,016	113.4	8,190	1,215	164.0	9,550
2007-2009	948	112.8	7,410	1,219	180.6	9,430
2004-2006	945	121.3	7,670	1,160	183.6	9,310
2001-2003	880	122.5	7,420	1,122	188.6	8,940

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Cancer, by Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Census Race-Ethnicity

Aggregate Year	White			Native Hawaiian and Other Pacific Islander			Asian			Black or African American			Native Alaskan/American Indian			Other		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	663	136.5	4,690	482	404.8	5,210	1,148	118.1	6,790	23	169.8	250	12	322.6	100	27	14.9	210
2010-2012	583	132.5	4,500	471	445.6	5,760	1,109	119.8	6,790	20	188.0	230	12	414.8	110	31	19.2	290
2007-2009	580	144.3	4,440	439	449.4	5,350	1,087	122.9	6,360	18	125.3	280	9	177.1	110	29	23.2	260
2004-2006	570	155.0	4,370	420	469.3	5,220	1,061	128.7	6,740	15	111.7	280	13	405.9	160	23	21.5	160
2001-2003	538	159.8	4,230	367	464.6	4,570	1,052	134.6	7,080	11	134.1	130	8	390.5	80	26	25.5	250

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 02/10/2017