

Deaths in Hawaii Due to Cirrhosis

Death Counts, Age-Adjusted Mortality Rates, and Years of Potential Life Lost for Cirrhosis for the State of Hawaii (Residents Only), by State, County of Residence, Gender, and Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

This report displays the number of deaths, the age-adjusted mortality rate (AAMR) per 100,000 population, and the years of potential life lost (YPLL) where the underlying cause of death is cirrhosis (ICD-10 codes K70, K73-K74). Mortality rates are age-adjusted using the 2000 U.S. Standard Population, and YPLL is measured to age 75 years. Data are shown by year, in descending order. The data are displayed by selected dimensions and attributes. If a dimension or attribute value is unknown for a particular record, that record will not be included in the counts for that particular dimension. More detailed race data is not available because denominators are restricted by data available from the census.

Suggested Citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Office of Health Status Monitoring, Vital Statistics; United States Census, (report title and years), Report Created: 2/10/17

[Click here to access Race-Ethnicity coding](#)

[Click here to access The Hawaii Data Guide](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899, ext. 15

Deaths for the State of Hawaii (Residents Only), Due to Cirrhosis, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

State

Aggregate Year	Hawaii State		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	120	7.1	1,720
2010-2012	121	7.3	1,730
2007-2009	109	7.5	1,640
2004-2006	87	6.3	1,300
2001-2003	78	6.0	1,090

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Cirrhosis, by County of Residence, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

County of Residence

Aggregate Year	Hawaii			Honolulu			Kauai			Maui		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	26	10.4	410	67	5.8	870	n/r	n/r	n/r	21	11.2	370
2010-2012	26	10.7	400	70	6.3	950	n/r	n/r	n/r	19	9.6	300
2007-2009	18	8.4	250	71	7.1	1,050	7	9.6	120	12	7.0	220
2004-2006	15	7.9	190	52	5.4	770	8	11.9	110	11	7.6	230
2001-2003	16	8.6	260	47	5.0	560	n/r	n/r	n/r	11	8.0	200

**Deaths for the State of Hawaii (Residents Only), Due to Cirrhosis, by
Gender, by 3-Year Aggregates, for the Years 2001-2015**

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Gender

Aggregate Year	Female			Male		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	41	4.6	470	80	9.8	1,250
2010-2012	42	4.8	510	79	10.0	1,220
2007-2009	35	4.6	460	74	10.7	1,180
2004-2006	30	4.1	350	57	8.6	950
2001-2003	28	3.9	320	51	8.1	770

Deaths for the State of Hawaii (Residents Only), Due to Cirrhosis, by Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Census Race-Ethnicity

Aggregate Year	White			Native Hawaiian and Other Pacific Islander			Asian			Black or African American			Native Alaskan/American Indian			Other		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	54	10.9	860	15	12.3	230	41	5.1	470	n/r	n/r	n/r	n/r	n/r	n/r	6	2.5	90
2010-2012	58	12.2	890	23	18.6	350	33	3.9	370	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2007-2009	54	12.6	890	13	12.5	190	37	4.9	450	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2004-2006	38	9.3	660	14	13.8	230	29	3.9	330	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2001-2003	36	9.9	510	8	8.4	160	30	4.1	330	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017