

Deaths in Hawaii Due to Colon Cancer

Death Counts, Age-Adjusted Mortality Rates, and Years of Potential Life Lost for Colon Cancer for the State of Hawaii (Residents Only), by State, County of Residence, Gender, and Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

This report displays the number of deaths, the age-adjusted mortality rate (AAMR) per 100,000 population, and the years of potential life lost (YPLL) where the underlying cause of death is colon cancer (ICD-10 codes C18-C21). Mortality rates are age-adjusted using the 2000 U.S. Standard Population, and YPLL is measured to age 75 years. Data are shown by year, in descending order. The data are displayed by selected dimensions and attributes. If a dimension or attribute value is unknown for a particular record, that record will not be included in the counts for that particular dimension. More detailed race data is not available because denominators are restricted by data available from the census.

Suggested Citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Office of Health Status Monitoring, Vital Statistics; United States Census, (report title and years), Report Created: 2/10/17

[Click here to access Race-Ethnicity coding](#)

[Click here to access The Hawaii Data Guide](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899, ext. 15

Deaths for the State of Hawaii (Residents Only), Due to Colon Cancer, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

State

Aggregate Year	Hawaii State		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	224	12.7	1,950
2010-2012	223	13.5	1,820
2007-2009	212	13.9	1,800
2004-2006	204	14.3	1,610
2001-2003	225	17.0	1,700

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Colon Cancer, by County of Residence, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

County of Residence

Aggregate Year	Hawaii			Honolulu			Kauai			Maui		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	32	12.5	260	153	12.6	1,360	13	13.8	70	27	13.4	260
2010-2012	30	13.8	220	150	13.0	1,230	16	17.5	120	27	15.5	250
2007-2009	32	15.6	260	146	13.4	1,220	13	16.1	140	21	13.5	180
2004-2006	27	14.5	200	143	14.0	1,120	11	14.3	80	23	16.5	210
2001-2003	27	16.0	210	165	17.3	1,250	14	21.2	110	19	14.5	130

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017

**Deaths for the State of Hawaii (Residents Only), Due to Colon Cancer, by
Gender, by 3-Year Aggregates, for the Years 2001-2015**

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Gender

Aggregate Year	Female			Male		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	93	9.6	700	131	16.2	1,260
2010-2012	101	11.1	790	122	16.5	1,020
2007-2009	89	10.5	670	123	18.0	1,120
2004-2006	86	10.6	590	119	18.7	1,020
2001-2003	95	13.0	630	129	21.8	1,070

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Colon Cancer, by Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Census Race-Ethnicity

Aggregate Year	White			Native Hawaiian and Other Pacific Islander			Asian			Black or African American			Native Alaskan/American Indian			Other		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	53	11.1	430	42	34.4	540	121	12.8	900	n/r	n/r	n/r	0	0	0	n/r	n/r	n/r
2010-2012	50	11.4	370	43	40.5	540	122	13.3	830	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2007-2009	51	12.4	410	36	36.3	480	122	14.2	850	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2004-2006	50	13.4	330	30	32.8	420	120	14.6	820	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2001-2003	51	15.1	380	29	36.8	350	141	18.0	940	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017