

Deaths in Hawaii Due to Injuries

Death Counts, Age-Adjusted Mortality Rates, and Years of Potential Life Lost for Injuries for the State of Hawaii (Residents Only), by State, County of Residence, Gender, and Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2012

This report displays the number of deaths, the age-adjusted mortality rate (AAMR) per 100,000 population, and the years of potential life lost (YPLL) where the underlying cause of death is an injury, accidental or intentional (ICD-10 codes U01-U03, V01-Y36, Y85-Y87, Y89). Mortality rates are age-adjusted using the 2000 U.S. Standard Population, and YPLL is measured to age 75 years. Data are shown by year, in descending order. The data are displayed by selected dimensions and attributes. If a dimension or attribute value is unknown for a particular record, that record will not be included in the counts for that particular dimension. More detailed race data is not available because denominators are restricted by data available from the census.

Suggested Citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Office of Health Status Monitoring, Vital Statistics; United States Census, (report title and years), Report Created: 3/31/14

[Click here to access Race-Ethnicity coding](#)

[Click here to access The Hawaii Data Guide](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse
Hawaii State Department of Health**

profiles@hhdw.org

(855) 946-5899, ext. 15

Deaths for the State of Hawaii (Residents Only), Due to Injuries, by 3-Year Aggregates, for the Years 2001-2012

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

State

Aggregate Year	Hawaii State		
	# Deaths	AAMR	YPLL
2010-2012	2,113	47.5	53,450
2007-2009	1,935	46.6	49,790
2004-2006	1,861	46.6	48,260
2001-2003	1,710	45.0	45,520

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 03/31/2014

Deaths for the State of Hawaii (Residents Only), Due to Injuries, by County of Residence, by 3-Year Aggregates, for the Years 2001-2012

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

County of Residence

Aggregate Year	Hawaii			Honolulu			Kauai			Maui		
	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL
2010-2012	345	60.7	9,940	1,351	42.6	32,260	115	53.9	2,960	302	60.3	8,280
2007-2009	369	67.5	10,480	1,198	40.4	28,670	120	59.0	3,530	248	54.4	7,120
2004-2006	326	64.4	9,590	1,219	42.5	29,730	108	54.0	2,690	208	48.6	6,250
2001-2003	310	66.3	8,600	1,136	41.4	29,280	78	41.7	2,200	186	46.2	5,440

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 03/31/2014

Deaths for the State of Hawaii (Residents Only), Due to Injuries, by Gender, by 3-Year Aggregates, for the Years 2001-2012

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Gender

Aggregate Year	Female			Male		
	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL
2010-2012	604	25.5	12,340	1,509	69.9	41,100
2007-2009	554	24.8	11,690	1,381	68.7	38,100
2004-2006	588	27.5	12,510	1,273	66.1	35,740
2001-2003	489	24.3	9,800	1,221	66.0	35,710

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 03/31/2014

Deaths for the State of Hawaii (Residents Only), Due to Injuries, by Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2012

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Census Race-Ethnicity

Aggregate Year	White			Native Hawaiian and Other Pacific Islander			Asian			Black or African American			Native Alaskan/American Indian			Other		
	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL
2010-2012	725	59.7	17,810	558	142.8	19,820	728	33.9	12,470	30	32.3	1,340	15	80.1	400	38	5.2	1,210
2007-2009	686	55.9	17,070	498	144.8	18,520	659	32.3	11,220	32	34.8	1,140	15	72.2	390	38	6.8	1,240
2004-2006	605	52.4	15,750	473	139.1	17,430	707	36.0	12,730	29	38.3	1,080	13	67.2	410	28	6.1	730
2001-2003	552	51.6	14,240	421	131.0	16,260	668	35.3	12,340	30	35.7	1,290	12	86.7	390	23	3.9	860

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 03/31/2014