

Deaths in Hawaii Due to Lung Cancer

Death Counts, Age-Adjusted Mortality Rates, and Years of Potential Life Lost for Lung Cancer for the State of Hawaii (Residents Only), by State, County of Residence, Gender, and Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

This report displays the number of deaths, the age-adjusted mortality rate (AAMR) per 100,000 population, and the years of potential life lost (YPLL) where the underlying cause of death is lung cancer (ICD-10 code C34). Mortality rates are age-adjusted using the 2000 U.S. Standard Population, and YPLL is measured to age 75 years. Data are shown by year, in descending order. The data are displayed by selected dimensions and attributes. If a dimension or attribute value is unknown for a particular record, that record will not be included in the counts for that particular dimension. More detailed race data is not available because denominators are restricted by data available from the census.

Suggested Citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Office of Health Status Monitoring, Vital Statistics; United States Census, (report title and years), Report Created: 2/10/17

[Click here to access Race-Ethnicity coding](#)

[Click here to access The Hawaii Data Guide](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899, ext. 15

Deaths for the State of Hawaii (Residents Only), Due to Lung Cancer, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

State

Aggregate Year	Hawaii State		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	559	31.5	3,410
2010-2012	518	31.4	3,160
2007-2009	538	35.5	3,450
2004-2006	544	38.6	3,740
2001-2003	462	34.9	3,380

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Lung Cancer, by County of Residence, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

County of Residence

Aggregate Year	Hawaii			Honolulu			Kauai			Maui		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	79	30.1	560	391	32.0	2,240	26	26.9	160	64	31.7	450
2010-2012	74	30.9	560	369	32.2	2,160	29	33.4	160	46	25.8	280
2007-2009	77	37.4	590	382	35.3	2,240	27	33.9	200	52	34.8	430
2004-2006	78	41.4	570	374	37.0	2,490	34	47.8	190	58	42.0	480
2001-2003	67	39.0	520	320	33.5	2,240	20	30.3	120	55	42.0	500

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Lung Cancer, by Gender, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Gender

Aggregate Year	Female			Male		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	245	25.3	1,370	314	39.0	2,040
2010-2012	217	24.1	1,290	300	40.8	1,870
2007-2009	210	24.9	1,330	328	49.2	2,120
2004-2006	218	28.1	1,370	326	51.7	2,370
2001-2003	174	24.1	1,220	288	48.1	2,160

Deaths for the State of Hawaii (Residents Only), Due to Lung Cancer, by Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Census Race-Ethnicity

Aggregate Year	White			Native Hawaiian and Other Pacific Islander			Asian			Black or African American			Native Alaskan/American Indian			Other		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	140	28.8	950	127	107.3	1,070	276	28.0	1,270	n/r	n/r	n/r	n/r	n/r	n/r	6	2.9	50
2010-2012	138	31.4	960	107	106.4	830	257	27.7	1,250	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2007-2009	149	37.6	920	119	124.2	1,130	255	28.8	1,280	n/r	n/r	n/r	n/r	n/r	n/r	6	5.2	30
2004-2006	148	40.6	980	118	134.3	1,150	261	31.6	1,470	n/r	n/r	n/r	n/r	n/r	n/r	7	7.2	30
2001-2003	131	38.8	1,010	101	130.0	990	218	27.5	1,260	n/r	n/r	n/r	n/r	n/r	n/r	6	5.3	60

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017