

Deaths in Hawaii Due to Poisoning (All) Among Adults Aged 35-54 Years

Death Counts, Mortality Rates, and Years of Potential Life Lost for Poisoning (All) Among Adults Aged 35-54 Years for the State of Hawaii (Residents Only), by State, County of Residence, Gender, and Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

For adults aged 35-54 years, this report displays the number of deaths, the mortality rate (MR) per 100,000 population, and the years of potential life lost (YPLL) where the underlying cause of death is poisoning, accidental, intentional or of undetermined intent (ICD-10 codes U01.6-U01.7, X40-X49, X60-X69, X85-X90, Y10-Y19, Y35.2). YPLL is measured to age 75 years. Data are shown by year, in descending order. The data are displayed by selected dimensions and attributes. If a dimension or attribute value is unknown for a particular record, that record will not be included in the counts for that particular dimension. More detailed race data is not available because denominators are restricted by data available from the census.

Suggested Citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Office of Health Status Monitoring, Vital Statistics; United States Census, (report title and years), Report Created: 2/10/17

[Click here to access Race-Ethnicity coding](#)

[Click here to access The Hawaii Data Guide](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899, ext. 15

Deaths for the State of Hawaii (Residents Only), Due to Poisoning, Among Adults Aged 35-54 Years, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; MR = Mortality Rate per 100,000 population aged 35-54 years; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

State

Aggregate Year	Hawaii State		
	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL
2013-2015	78	22.0	2,310
2010-2012	96	26.3	2,830
2007-2009	98	28.1	2,800
2004-2006	81	22.6	2,380
2001-2003	69	19.0	2,040

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Poisoning, Among Adults Aged 35-54 Years, by County of Residence, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; MR = Mortality Rate per 100,000 population aged 35-54 years; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

County of Residence

Aggregate Year	Hawaii			Honolulu			Kauai			Maui		
	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL
2013-2015	12	26.8	360	51	20.9	1,530	n/r	n/r	n/r	11	24.8	320
2010-2012	13	26.6	380	63	24.7	1,840	n/r	n/r	n/r	17	38.5	510
2007-2009	17	36.7	500	61	25.1	1,740	6	35.2	180	14	32.3	380
2004-2006	14	30.0	410	50	20.1	1,480	n/r	n/r	n/r	12	27.8	360
2001-2003	12	24.5	330	44	17.6	1,350	n/r	n/r	n/r	9	21.0	250

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Poisoning, Among Adults Aged 35-54 Years, by Gender, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; MR = Mortality Rate per 100,000 population aged 35-54 years; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Gender

Aggregate Year	Female			Male		
	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL
2013-2015	24	13.7	710	54	30.0	1,600
2010-2012	33	18.5	980	62	34.0	1,850
2007-2009	28	16.3	800	70	39.7	2,010
2004-2006	25	14.2	750	56	31.1	1,630
2001-2003	20	10.9	580	49	27.0	1,460

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Poisoning, Among Adults Aged 35-54 Years, by Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; MR = Mortality Rate per 100,000 population aged 35-54 years; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Census Race-Ethnicity

Aggregate Year	White			Native Hawaiian and Other Pacific Islander			Asian			Black or African American			Native Alaskan/American Indian			Other			
	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	
2013-2015	30	32.3	890	22	61.4	640	20	13.8	600	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2010-2012	43	44.7	1,310	24	67.9	710	23	15.0	670	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2007-2009	50	47.5	1,410	26	81.6	770	17	11.3	480	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2004-2006	46	42.5	1,330	18	57.6	540	14	8.8	410	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2001-2003	38	34.8	1,100	13	41.8	410	12	7.8	370	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017