

## Deaths in Hawaii Due to Poisoning (Unintentional/Undetermined)

**Death Counts, Age-Adjusted Mortality Rates, and Years of Potential Life Lost for Poisoning (Unintentional/Undetermined) for the State of Hawaii (Residents Only), by State, County of Residence, Gender, and Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015**

*This report displays the number of deaths, the age-adjusted mortality rate (AAMR) per 100,000 population, and the years of potential life lost (YPLL) where the underlying cause of death is poisoning, unintentional or undetermined intent (ICD-10 codes X40-X49, Y10-Y19). Mortality rates are age-adjusted using the 2000 U.S. Standard Population, and YPLL is measured to age 75 years. Data are shown by year, in descending order. The data are displayed by selected dimensions and attributes. If a dimension or attribute value is unknown for a particular record, that record will not be included in the counts for that particular dimension. More detailed race data is not available because denominators are restricted by data available from the census.*

*Suggested Citation:*

*Hawaii Health Data Warehouse; Hawaii State Department of Health, Office of Health Status Monitoring, Vital Statistics; United States Census, (report title and years), Report Created: 2/10/17*

[Click here to access Race-Ethnicity coding](#)

[Click here to access The Hawaii Data Guide](#)

**For questions about this report, please contact  
The Hawaii Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899, ext. 15**

## Deaths for the State of Hawaii (Residents Only), Due to Poisoning (Unintentional/ Undetermined), by 3-Year Aggregates, for the Years 2001-2015

*Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)*

### **State**

Aggregate Year	Hawaii State		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	139	9.5	3,790
2010-2012	145	10.2	3,950
2007-2009	140	10.7	4,110
2004-2006	106	8.3	3,170
2001-2003	79	6.3	2,280

Report Source: Hawaii Health Data Warehouse;  
Data Sources: Hawaii State Department of Health,  
Office of Health Status Monitoring (OHSM);  
United States Census

Report Date: 02/10/2017

## Deaths for the State of Hawaii (Residents Only), Due to Poisoning (Unintentional/ Undetermined), by County of Residence, by 3-Year Aggregates, for the Years 2001-2015

*Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)*

### County of Residence

Aggregate Year	Hawaii			Honolulu			Kauai			Maui		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	19	9.8	530	97	9.5	2,650	n/r	n/r	n/r	19	10.9	510
2010-2012	19	9.5	480	92	9.4	2,570	n/r	n/r	n/r	29	17.0	780
2007-2009	25	14.5	760	87	9.7	2,570	8	12.9	240	19	12.1	550
2004-2006	19	10.8	570	68	7.6	2,010	6	8.8	160	13	8.9	420
2001-2003	13	8.0	360	54	6.1	1,590	n/r	n/r	n/r	8	5.3	220

## Deaths for the State of Hawaii (Residents Only), Due to Poisoning (Unintentional/ Undetermined), by Gender, by 3-Year Aggregates, for the Years 2001-2015

*Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)*

### Gender

Aggregate Year	Female			Male		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	41	5.5	1,050	98	13.3	2,740
2010-2012	44	6.4	1,190	101	13.9	2,760
2007-2009	38	5.9	1,120	102	15.4	2,990
2004-2006	30	4.7	860	76	11.8	2,300
2001-2003	20	3.1	520	59	9.4	1,760

Report Source: Hawaii Health Data Warehouse;  
Data Sources: Hawaii State Department of Health,  
Office of Health Status Monitoring (OHSM);  
United States Census

Report Date: 02/10/2017

## Deaths for the State of Hawaii (Residents Only), Due to Poisoning (Unintentional/ Undetermined), by Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

*Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)*

### Census Race-Ethnicity

Aggregate Year	White			Native Hawaiian and Other Pacific Islander			Asian			Black or African American			Native Alaskan/ American Indian			Other			
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	
2013-2015	56	13.3	1,450	40	29.2	1,190	33	5.8	910	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2010-2012	72	17.4	1,910	35	26.7	1,030	31	5.3	810	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2007-2009	69	17.2	1,970	35	30.4	1,060	28	5.4	870	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2004-2006	55	14.2	1,670	25	22.5	780	19	3.5	550	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2001-2003	45	11.9	1,260	14	12.9	430	14	2.6	420	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Report Source: Hawaii Health Data Warehouse;  
Data Sources: Hawaii State Department of Health,  
Office of Health Status Monitoring (OHSM);  
United States Census

Report Date: 02/10/2017