

Deaths in Hawaii Due to Poisoning (Unintentional/Undetermined) Among Adults Aged 35-54 Years

Death Counts, Mortality Rates, and Years of Potential Life Lost for Poisoning (Unintentional/Undetermined) Among Adults Aged 35-54 Years for the State of Hawaii (Residents Only), by State, County of Residence, Gender, and Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

For adults aged 35-54 years, this report displays the number of deaths, the mortality rate (MR) per 100,000 population, and the years of potential life lost (YPLL) where the underlying cause of death is poisoning, intentional or of undetermined intent (ICD-10 codes X40-X49, Y10-Y19). YPLL is measured to age 75 years. Data are shown by year, in descending order. The data are displayed by selected dimensions and attributes. If a dimension or attribute value is unknown for a particular record, that record will not be included in the counts for that particular dimension. More detailed race data is not available because denominators are restricted by data available from the census.

Suggested Citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Office of Health Status Monitoring, Vital Statistics; United States Census, (report title and years), Report Created: 2/10/17

[Click here to access Race-Ethnicity coding](#)

[Click here to access The Hawaii Data Guide](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899, ext. 15

Deaths for the State of Hawaii (Residents Only), Due to Poisoning (Unintentional/Undetermined), Among Adults Aged 35-54 Years, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; MR = Mortality Rate per 100,000 population aged 35-54 years; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

State

Aggregate Year	Hawaii State		
	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL
2013-2015	68	19.2	2,000
2010-2012	80	22.1	2,370
2007-2009	89	25.6	2,560
2004-2006	74	20.6	2,170
2001-2003	57	15.7	1,690

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Poisoning (Unintentional/Undetermined), Among Adults Aged 35-54 Years, by County of Residence, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; MR = Mortality Rate per 100,000 population aged 35-54 years; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

County of Residence

Aggregate Year	Hawaii			Honolulu			Kauai			Maui		
	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL
2013-2015	10	21.7	300	45	18.4	1,340	n/r	n/r	n/r	10	22.6	290
2010-2012	10	21.0	300	52	20.7	1,530	n/r	n/r	n/r	15	34.1	460
2007-2009	15	32.5	440	56	23.2	1,610	6	35.2	180	12	27.5	330
2004-2006	13	27.2	370	46	18.5	1,370	n/r	n/r	n/r	10	23.2	300
2001-2003	10	20.3	270	37	14.8	1,140	n/r	n/r	n/r	7	15.6	180

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017

**Deaths for the State of Hawaii (Residents Only), Due to Poisoning (Unintentional/Undetermined),
Among Adults Aged 35-54 Years, by Gender, by 3-Year Aggregates, for the Years 2001-2015**

Note: n/r = Not Reportable, where number of deaths between 1 and 5; MR = Mortality Rate per 100,000 population aged 35-54 years; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Gender

Aggregate Year	Female			Male		
	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL
2013-2015	20	11.3	570	48	26.9	1,430
2010-2012	28	15.3	820	53	28.7	1,560
2007-2009	25	14.6	720	64	36.5	1,840
2004-2006	22	12.1	650	52	29.1	1,520
2001-2003	14	7.8	410	43	23.5	1,270

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Poisoning (Unintentional/Undetermined), Among Adults Aged 35-54 Years, by Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; MR = Mortality Rate per 100,000 population aged 35-54 years; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Census Race-Ethnicity

Aggregate Year	White			Native Hawaiian and Other Pacific Islander			Asian			Black or African American			Native Alaskan/American Indian			Other		
	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL	Avg. Ann. # Deaths	MR	Avg. Ann. YPLL
2013-2015	26	27.3	750	21	59.5	620	17	12.0	520	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2010-2012	34	35.0	1,020	23	63.3	660	20	12.8	570	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2007-2009	45	42.8	1,270	24	76.4	720	15	9.9	420	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2004-2006	40	37.6	1,180	18	56.6	530	12	8.0	370	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2001-2003	31	28.7	920	10	33.2	330	10	6.3	290	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017