

## Deaths in Hawaii Due to Poisoning (All)

**Death Counts, Age-Adjusted Mortality Rates, and Years of Potential Life Lost for Poisoning (All) for the State of Hawaii (Residents Only), by State, County of Residence, Gender, and Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2012**

*This report displays the number of deaths, the age-adjusted mortality rate (AAMR) per 100,000 population, and the years of potential life lost (YPLL) where the underlying cause of death is poisoning, accidental, intentional or of undetermined intent (ICD-10 codes U01.6-U01.7, X40-X49, X60-X69, X85-X90, Y10-Y19, Y35.2). Mortality rates are age-adjusted using the 2000 U.S. Standard Population, and YPLL is measured to age 75 years. Data are shown by year, in descending order. The data are displayed by selected dimensions and attributes. If a dimension or attribute value is unknown for a particular record, that record will not be included in the counts for that particular dimension. More detailed race data is not available because denominators are restricted by data available from the census.*

*Suggested Citation:*

*Hawaii Health Data Warehouse; Hawaii State Department of Health, Office of Health Status Monitoring, Vital Statistics; United States Census, (report title and years), Report Created: 4/2/14*

[Click here to access Race-Ethnicity coding](#)

[Click here to access The Hawaii Data Guide](#)

**For questions about this report, please contact  
The Hawaii Health Data Warehouse  
Hawaii State Department of Health**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899, ext. 15**

## Deaths for the State of Hawaii (Residents Only), Due to Poisoning, by 3-Year Aggregates, for the Years 2001-2012

*Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)*

### **State**

Aggregate Year	Hawaii State		
	# Deaths	AAMR	YPLL
2010-2012	527	12.3	14,430
2007-2009	470	12.0	13,660
2004-2006	368	9.5	10,690
2001-2003	302	8.0	8,660

Report Source: Hawaii Health Data Warehouse;  
Data Sources: Hawaii State Department of Health,  
Office of Health Status Monitoring (OHSM);  
United States Census

Report Date: 04/02/2014

## Deaths for the State of Hawaii (Residents Only), Due to Poisoning, by County of Residence, by 3-Year Aggregates, for the Years 2001-2012

*Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)*

### County of Residence

Aggregate Year	Hawaii			Honolulu			Kauai			Maui		
	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL
2010-2012	67	11.7	1,800	338	11.4	9,430	17	7.6	410	105	20.1	2,790
2007-2009	83	16.2	2,540	291	10.7	8,390	28	14.4	820	68	14.3	1,910
2004-2006	65	12.2	1,850	231	8.6	6,750	20	9.2	510	52	11.8	1,580
2001-2003	52	10.5	1,460	204	7.7	6,000	14	7.2	360	32	7.1	860

Report Source: Hawaii Health Data Warehouse;  
 Data Sources: Hawaii State Department of Health,  
 Office of Health Status Monitoring (OHSM);  
 United States Census

Report Date: 04/02/2014

## Deaths for the State of Hawaii (Residents Only), Due to Poisoning, by Gender, by 3-Year Aggregates, for the Years 2001-2012

*Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)*

### Gender

Aggregate Year	Female			Male		
	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL
2010-2012	173	8.2	4,690	354	16.2	9,750
2007-2009	135	7.0	3,920	335	16.9	9,740
2004-2006	111	5.8	3,200	257	13.2	7,490
2001-2003	87	4.6	2,310	215	11.4	6,360

Report Source: Hawaii Health Data Warehouse;  
 Data Sources: Hawaii State Department of Health,  
 Office of Health Status Monitoring (OHSM);  
 United States Census

Report Date: 04/02/2014

## Deaths for the State of Hawaii (Residents Only), Due to Poisoning, by Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2012

*Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)*

### Census Race-Ethnicity

Aggregate Year	White			Native Hawaiian and Other Pacific Islander			Asian			Black or African American			Native Alaskan/American Indian			Other		
	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL
2010-2012	273	22.2	7,220	117	29.3	3,510	108	6.1	2,870	7	8.3	250	6	30.0	180	8	1.1	210
2007-2009	237	19.5	6,640	109	32.0	3,340	99	6.3	3,000	12	14.2	380	n/r	n/r	n/r	6	1.1	160
2004-2006	199	17.0	5,730	80	23.7	2,470	68	4.2	1,950	6	10.8	150	7	39.7	190	n/r	n/r	n/r
2001-2003	167	14.7	4,640	56	17.6	1,750	59	3.6	1,650	10	14.9	340	n/r	n/r	n/r	n/r	n/r	n/r

Report Source: Hawaii Health Data Warehouse;  
 Data Sources: Hawaii State Department of Health,  
 Office of Health Status Monitoring (OHSM);  
 United States Census

Report Date: 04/02/2014