

Deaths in Hawaii Due to Poisoning (All)

Death Counts, Age-Adjusted Mortality Rates, and Years of Potential Life Lost for Poisoning (All) for the State of Hawaii (Residents Only), by State, County of Residence, Gender, and Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

This report displays the number of deaths, the age-adjusted mortality rate (AAMR) per 100,000 population, and the years of potential life lost (YPLL) where the underlying cause of death is poisoning, accidental, intentional or of undetermined intent (ICD-10 codes U01.6-U01.7, X40-X49, X60-X69, X85-X90, Y10-Y19, Y35.2). Mortality rates are age-adjusted using the 2000 U.S. Standard Population, and YPLL is measured to age 75 years. Data are shown by year, in descending order. The data are displayed by selected dimensions and attributes. If a dimension or attribute value is unknown for a particular record, that record will not be included in the counts for that particular dimension. More detailed race data is not available because denominators are restricted by data available from the census.

Suggested Citation:

*Hawaii Health Data Warehouse; Hawaii State Department of Health, Office of Health Status Monitoring, Vital Statistics;
United States Census, (report title and years), Report Created: 2/10/17*

[Click here to access Race-Ethnicity coding](#)

[Click here to access The Hawaii Data Guide](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899, ext. 15

Deaths for the State of Hawaii (Residents Only), Due to Poisoning, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

State

Aggregate Year	Hawaii State		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	167	11.3	4,490
2010-2012	176	12.3	4,810
2007-2009	157	12.0	4,550
2004-2006	123	9.5	3,560
2001-2003	101	8.0	2,890

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Poisoning, by County of Residence, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

County of Residence

Aggregate Year	Hawaii			Honolulu			Kauai			Maui		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	24	12.0	650	114	11.1	3,100	6	7.9	140	23	12.8	600
2010-2012	22	11.7	600	113	11.4	3,140	6	7.6	140	35	20.1	930
2007-2009	28	16.2	850	97	10.7	2,800	9	14.4	270	23	14.3	640
2004-2006	22	12.2	620	77	8.6	2,250	7	9.2	170	17	11.8	530
2001-2003	17	10.5	490	68	7.7	2,000	n/r	n/r	n/r	11	7.1	290

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Poisoning, by Gender, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Gender

Aggregate Year	Female			Male		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	52	6.9	1,290	115	15.4	3,200
2010-2012	58	8.2	1,560	118	16.3	3,250
2007-2009	45	7.0	1,310	112	16.9	3,250
2004-2006	37	5.8	1,070	86	13.2	2,500
2001-2003	29	4.6	770	72	11.4	2,120

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Poisoning, by Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Census Race-Ethnicity

Aggregate Year	White			Native Hawaiian and Other Pacific Islander			Asian			Black or African American			Native Alaskan/American Indian			Other		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	71	16.5	1,790	43	31.1	1,270	40	7.0	1,090	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2010-2012	91	22.1	2,410	39	29.5	1,170	36	6.2	960	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2007-2009	79	19.5	2,210	36	32.0	1,110	33	6.3	1,000	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2004-2006	66	17.0	1,910	27	23.7	820	23	4.2	650	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2001-2003	56	14.7	1,550	19	17.6	580	20	3.6	550	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017