

Deaths in Hawaii Due to Prostate Cancer

Death Counts, Age-Adjusted Mortality Rates, and Years of Potential Life Lost for Prostate Cancer for the State of Hawaii (Residents Only), by State, County of Residence, and Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

This report displays the number of deaths, the age-adjusted mortality rate (AAMR) per 100,000 males, and the years of potential life lost (YPLL) where the underlying cause of death is prostate cancer (ICD-10 code C61). Mortality rates are age-adjusted using the 2000 U.S. Standard Population, and YPLL is measured to age 75 years. Data are shown by year, in descending order. The data are displayed by selected dimensions and attributes. If a dimension or attribute value is unknown for a particular record, that record will not be included in the counts for that particular dimension. More detailed race data is not available because denominators are restricted by data available from the census.

Suggested Citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Office of Health Status Monitoring, Vital Statistics; United States Census, (report title and years), Report Created: 2/10/17

[Click here to access Race-Ethnicity coding](#)

[Click here to access The Hawaii Data Guide](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899, ext. 15

*Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census*

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Prostate Cancer, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 males; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

State

Aggregate Year	Hawaii State		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	109	13.8	310
2010-2012	98	13.7	280
2007-2009	108	15.9	310
2004-2006	103	16.8	250
2001-2003	108	18.9	180

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Prostate Cancer, by County of Residence, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 males; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

County of Residence

Aggregate Year	Hawaii			Honolulu			Kauai			Maui		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	17	14.4	50	70	12.9	190	7	15.5	10	15	18.5	50
2010-2012	19	19.1	70	64	12.4	160	6	16.8	10	10	13.7	40
2007-2009	14	15.4	40	76	15.5	210	7	18.9	10	12	18.9	40
2004-2006	15	18.3	40	71	16.1	170	n/r	n/r	n/r	12	20.9	30
2001-2003	17	23.5	30	74	17.8	130	7	23.7	10	10	18.6	10

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Prostate Cancer, by Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 males; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Census Race-Ethnicity

Aggregate Year	White			Native Hawaiian and Other Pacific Islander			Asian			Black or African American			Native Alaskan/American Indian			Other			
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	
2013-2015	36	16.9	100	22	47.5	100	46	9.8	80	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2010-2012	33	17.2	110	15	40.6	60	48	10.8	90	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2007-2009	33	18.3	140	20	61.7	80	53	12.6	80	n/r	n/r	n/r	0	0	0	n/r	n/r	n/r	n/r
2004-2006	35	22.3	100	15	52.0	50	50	13.1	80	n/r	n/r	n/r	0	0	0	n/r	n/r	n/r	n/r
2001-2003	36	25.6	70	11	46.3	50	58	15.5	60	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017