

Deaths in Hawaii Due to Stroke

Death Counts, Age-Adjusted Mortality Rates, and Years of Potential Life Lost for Stroke for the State of Hawaii (Residents Only), by State, County of Residence, Gender, and Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

This report displays the number of deaths, the age-adjusted mortality rate (AAMR) per 100,000 population, and the years of potential life lost (YPLL) where the underlying cause of death is stroke (ICD-10 codes I60-I69). Mortality rates are age-adjusted using the 2000 U.S. Standard Population, and YPLL is measured to age 75 years. Data are shown by year, in descending order. The data are displayed by selected dimensions and attributes. If a dimension or attribute value is unknown for a particular record, that record will not be included in the counts for that particular dimension. More detailed race data is not available because denominators are restricted by data available from the census.

Suggested Citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Office of Health Status Monitoring, Vital Statistics; United States Census, (report title and years), Report Created: 2/10/17

[Click here to access Race-Ethnicity coding](#)

[Click here to access The Hawaii Data Guide](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899, ext. 15

Deaths for the State of Hawaii (Residents Only), Due to Stroke, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

State

Aggregate Year	Hawaii State		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	663	34.9	2,760
2010-2012	604	34.4	2,540
2007-2009	639	39.0	2,740
2004-2006	675	45.6	2,690
2001-2003	767	57.9	2,780

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Stroke, by County of Residence, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

County of Residence

Aggregate Year	Hawaii			Honolulu			Kauai			Maui		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	110	43.7	400	463	34.0	1,920	36	38.1	140	54	28.9	300
2010-2012	94	40.6	350	437	34.7	1,840	26	29.0	110	47	27.0	240
2007-2009	93	45.6	460	451	38.0	1,850	39	45.4	120	56	34.9	310
2004-2006	102	54.8	390	487	45.3	1,920	34	44.9	170	52	37.4	210
2001-2003	127	76.3	470	541	56.0	1,760	33	47.7	160	67	53.1	390

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Stroke, by Gender, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Gender

Aggregate Year	Female			Male		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	374	32.8	1,170	289	36.9	1,590
2010-2012	328	31.6	1,110	276	37.9	1,430
2007-2009	336	34.3	1,110	303	44.8	1,630
2004-2006	356	41.2	1,270	319	51.3	1,420
2001-2003	402	52.8	1,180	366	64.3	1,600

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Stroke, by Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Census Race-Ethnicity

Aggregate Year	White			Native Hawaiian and Other Pacific Islander			Asian			Black or African American			Native Alaskan/American Indian			Other		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	136	30.3	390	113	107.1	880	398	34.5	1,340	n/r	n/r	n/r	n/r	n/r	n/r	6	4.1	20
2010-2012	115	27.5	360	95	108.1	700	380	35.3	1,340	n/r	n/r	n/r	n/r	n/r	n/r	7	5.4	50
2007-2009	130	33.6	400	102	114.5	930	394	38.6	1,330	n/r	n/r	n/r	n/r	n/r	n/r	7	6.0	20
2004-2006	129	36.6	350	104	134.4	970	429	45.8	1,290	n/r	n/r	n/r	n/r	n/r	n/r	7	7.4	30
2001-2003	151	47.7	430	99	155.6	740	502	59.5	1,520	n/r	n/r	n/r	n/r	n/r	n/r	8	9.8	20

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017