

Deaths in Hawaii Due to Suffocation

Death Counts, Age-Adjusted Mortality Rates, and Years of Potential Life Lost for Suffocation for the State of Hawaii (Residents Only), by State, County of Residence, Gender, and Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

This report displays the number of deaths, the age-adjusted mortality rate (AAMR) per 100,000 population, and the years of potential life lost (YPLL) where the underlying cause of death is suffocation (ICD-10 codes W75-W84). Mortality rates are age-adjusted using the 2000 U.S. Standard Population, and YPLL is measured to age 75 years. Data are shown by year, in descending order. The data are displayed by selected dimensions and attributes. If a dimension or attribute value is unknown for a particular record, that record will not be included in the counts for that particular dimension. More detailed race data is not available because denominators are restricted by data available from the census.

Suggested Citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Office of Health Status Monitoring, Vital Statistics; United States Census, (report title and years), Report Created: 2/10/17

[Click here to access Race-Ethnicity coding](#)

[Click here to access The Hawaii Data Guide](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899, ext. 15

Deaths for the State of Hawaii (Residents Only), Due to Suffocation, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

State

Aggregate Year	Hawaii State		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	24	1.4	340
2010-2012	26	1.6	380
2007-2009	29	1.9	530
2004-2006	32	2.2	410
2001-2003	30	2.3	480

Report Source: Hawaii Health Data Warehouse;
Data Sources: Hawaii State Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Suffocation, by County of Residence, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

County of Residence

Aggregate Year	Hawaii			Honolulu			Kauai			Maui		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	n/r	n/r	n/r	20	1.6	250	n/r	n/r	n/r	n/r	n/r	n/r
2010-2012	n/r	n/r	n/r	21	1.8	270	n/r	n/r	n/r	n/r	n/r	n/r
2007-2009	n/r	n/r	n/r	26	2.4	460	n/r	n/r	n/r	n/r	n/r	n/r
2004-2006	n/r	n/r	n/r	26	2.5	270	n/r	n/r	n/r	n/r	n/r	n/r
2001-2003	n/r	n/r	n/r	24	2.5	370	n/r	n/r	n/r	n/r	n/r	n/r

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017

Deaths for the State of Hawaii (Residents Only), Due to Suffocation, by Gender, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Gender

Aggregate Year	Female			Male		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	8	0.9	160	16	2.1	190
2010-2012	11	1.2	140	14	2.1	240
2007-2009	7	0.8	60	22	3.3	470
2004-2006	13	1.6	140	19	3.1	270
2001-2003	13	1.9	210	17	2.9	280

Deaths for the State of Hawaii (Residents Only), Due to Suffocation, by Census Race-Ethnicity, by 3-Year Aggregates, for the Years 2001-2015

Note: n/r = Not Reportable, where number of deaths between 1 and 5; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Census Race-Ethnicity

Aggregate Year	White			Native Hawaiian and Other Pacific Islander			Asian			Black or African American			Native Alaskan/American Indian			Other		
	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL	Avg. Ann. # Deaths	AAMR	Avg. Ann. YPLL
2013-2015	n/r	n/r	n/r	n/r	n/r	n/r	14	1.3	70	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
2010-2012	n/r	n/r	n/r	n/r	n/r	n/r	13	1.3	30	n/r	n/r	n/r	0	0	0	n/r	n/r	n/r
2007-2009	7	1.7	80	6	4.8	330	15	1.6	70	n/r	n/r	n/r	n/r	n/r	n/r	0	0	0
2004-2006	6	1.8	50	7	7.2	260	18	2.0	100	0	0	0	0	0	0	n/r	n/r	n/r
2001-2003	7	2.4	130	n/r	n/r	n/r	18	2.4	150	0	0	0	n/r	n/r	n/r	0	0	0

Report Source: Hawaii Health Data Warehouse;
 Data Sources: Hawaii State Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 02/10/2017