

Hawaii Deaths from Unintentional Injuries

Death Counts, Age-Adjusted Mortality Rates, and Years of Potential Life Lost for Unintentional Injuries for the State of Hawaii (Residents Only), by State, County, Gender, and Census Race, by 3-Year Aggregates, for the Years 2000-2011

This report displays the number of deaths, the age-adjusted mortality rate (AAMR) per 100,000 population, and the years of potential life lost (YPLL) where the underlying cause of death is unintentional injury (ICD-10 codes V01-X59, Y85-Y86).

Mortality rates are age-adjusted using the 2000 U.S. Standard Population. The data are provided by state, county, gender, and census race in 3-year aggregates, in descending order. More detailed race data is not available because denominators are restricted by data available from the census. If a dimension value is unknown for a particular record, that record will not be included in the counts for that particular dimension.

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Office of Health Status Monitoring; United States Census, (report title and years), Report Created: 3/21/13

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899, ext. 15

*Report source: Hawaii Health Data Warehouse;
Data sources: State of Hawaii, Department of Health,
Office of Health Status Monitoring (OHSM);
United States Census*

Report Date:03/21/2013

Death Counts, Age-Adjusted Mortality Rates, and Years of Potential Life Lost for Unintentional Injuries for the State of Hawaii (Residents Only), by 3-Year Aggregates, for the Years 2000-2011

Note: n/r = Not Reportable, where number of deaths between 1 and 5; n/a = Not Available; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

State

Aggregate Year	Hawaii State		
	# Deaths	AAMR	YPLL
2009-2011	1,312	29.8	30,230
2006-2008	1,279	30.5	29,180
2003-2005	1,216	30.6	28,860
2000-2002	1,070	28.6	25,500

Report source: Hawaii Health Data Warehouse;
 Data sources: State of Hawaii, Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 03/21/2013

Death Counts, Age-Adjusted Mortality Rates, and Years of Potential Life Lost for Unintentional Injuries for the State of Hawaii (Residents Only), by County, by 3-Year Aggregates, for the Years 2000-2011

Note: n/r = Not Reportable, where number of deaths between 1 and 5; n/a = Not Available; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

County

Aggregate Year	Hawaii			Honolulu			Kauai			Maui		
	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL
2009-2011	200	35.3	5,610	913	28.9	19,260	59	27.1	1,430	140	30.2	3,930
2006-2008	223	41.1	6,130	864	28.7	17,830	75	36.7	1,900	117	26.5	3,310
2003-2005	218	44.2	6,090	835	29.1	18,500	59	30.5	1,590	104	25.7	2,680
2000-2002	199	43.0	5,250	705	26.0	15,530	47	25.9	1,330	119	30.9	3,390

Report source: Hawaii Health Data Warehouse;
 Data sources: State of Hawaii, Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date:03/21/2013

Death Counts, Age-Adjusted Mortality Rates, and Years of Potential Life Lost for Unintentional Injuries for the State of Hawaii (Residents Only), by Gender, by 3-Year Aggregates, for the Years 2000-2011

Note: n/r = Not Reportable, where number of deaths between 1 and 5; n/a = Not Available; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Gender

Aggregate Year	Female			Male		
	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL
2009-2011	369	15.1	6,220	943	44.9	24,020
2006-2008	399	17.0	6,750	880	44.4	22,430
2003-2005	357	16.1	5,390	859	45.2	23,470
2000-2002	330	16.4	5,390	740	41.0	20,110

Report source: Hawaii Health Data Warehouse;
 Data sources: State of Hawaii, Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date: 03/21/2013

Death Counts, Age-Adjusted Mortality Rates, and Years of Potential Life Lost for Unintentional Injuries for the State of Hawaii (Residents Only), by Census Race, by 3-Year Aggregates, for the Years 2000-2011

Note: n/r = Not Reportable, where number of deaths between 1 and 5; n/a = Not Available; AAMR = Age-Adjusted Mortality Rate per 100,000 population; YPLL = Years of Potential Life Lost to age 75 years (rounded to the nearest 10)

Census Race

Aggregate Year	White			Native Hawaiian and Other Pacific Islander			Asian			Black or African American			Native Alaskan/ American Indian			Other		
	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL	# Deaths	AAMR	YPLL
2009-2011	403	33.9	9,980	334	91.7	11,160	521	22.9	7,300	17	16.7	770	n/r	n/r	n/r	27	4.4	810
2006-2008	386	31.7	9,060	317	94.9	11,470	511	23.1	6,640	20	24.3	620	9	45.1	240	31	5.7	1,010
2003-2005	358	32.1	9,090	320	99.0	11,290	489	23.1	6,740	22	24.6	930	9	59.3	290	16	3.5	470
2000-2002	312	30.8	7,920	251	81.9	9,320	465	23.4	6,740	16	16.5	700	10	71.2	330	15	3.3	460

Report source: Hawaii Health Data Warehouse;
 Data sources: State of Hawaii, Department of Health,
 Office of Health Status Monitoring (OHSM);
 United States Census

Report Date:03/21/2013