

Alcohol - drink drive past 30 day, for the State of Hawaii, for 2-Year Aggregates, for the Year(s) - 2012, 2014

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for 2-Year Aggregates, for the Year(s) - 2012, 2014

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Below are the indicators included in this report and the long description for each indicator.

BRFSS Health Indicator	Health Ind Description
Alcohol - drink drive past 30 day	During the past 30 days, how many times have you driven when you've had perhaps too much to drink (Among those who drink)

Suggested citation:

*Hawaii Health Data Warehouse, Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years),
Report Created: 1/12/16*

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

Alcohol - drink drive past 30 day, for the State of Hawaii, for 2-Year Aggregates, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) represent 2-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	None			Once			Twice			Three times or more			Estimated Population (2-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2012, 2014	500,000	95.0	94.2 - 95.8	12,400	2.4	1.8 - 2.9	6,100	1.2	0.8 - 1.5	7,900	1.5	1.0 - 1.9	526,400



Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for 2-Year Aggregates, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) represent 2-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012, 2014

State	None			Once			Twice			Three times or more			Estimated Population (2-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	500,000	95.0	94.2 - 95.8	12,400	2.4	1.8 - 2.9	6,100	1.2	0.8 - 1.5	7,900	1.5	1.0 - 1.9	526,400

County	None			Once			Twice			Three times or more			Estimated Population (2-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	69,800	95.8	94.2 - 97.4	1,200	1.7	0.8 - 2.6	n/r	n/r	n/r	n/r	n/r	n/r	72,900
Honolulu	334,700	94.8	93.8 - 95.9	8,200	2.3	1.6 - 3.1	4,800	1.4	0.9 - 1.9	5,200	1.5	0.9 - 2.1	353,000
Kauai	25,000	94.2	91.6 - 96.9	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	26,600
Maui	61,100	94.8	93.1 - 96.5	2,000	3.1	1.8 - 4.5	n/r	n/r	n/r	n/r	n/r	n/r	64,500

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for 2-Year Aggregates, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) represent 2-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Island	None			Once			Twice			Three times or more			Estimated Population (2-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	69,800	95.8	94.2 - 97.4	1,200	1.7	0.8 - 2.6	n/r	n/r	n/r	n/r	n/r	n/r	72,900
Kauai	25,000	94.2	91.6 - 96.9	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	26,600
Lanai	900	93.7	86.8 - 100.0	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	1,000
Maui	57,600	94.7	93.0 - 96.5	2,000	3.2	1.8 - 4.6	n/r	n/r	n/r	n/r	n/r	n/r	60,800
Molokai	2,600	96.5	92.1 - 100.0	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	2,700
Oahu	334,700	94.8	93.8 - 95.9	8,200	2.3	1.6 - 3.1	4,800	1.4	0.9 - 1.9	5,200	1.5	0.9 - 2.1	353,000

Community	None			Once			Twice			Three times or more			Estimated Population (2-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	31,000	94.3	91.2 - 97.4	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	32,900
Ala Moana	15,700	94.2	89.0 - 99.4	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	16,700
Hanalei/ Kapaa	11,000	90.1	84.7 - 95.4	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	12,200
Hilo	16,800	97.2	95.5 - 98.9	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	17,300
Kaaawa/ Kahaluu/ Kaneohe	25,100	96.9	94.2 - 99.7	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	25,900
Kahului	19,200	95.1	92.5 - 97.7	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	20,100
Kailua/ Waimanalo	28,200	96.4	93.9 - 98.8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	29,200
Kaimuki/ Palolo/ Waikiki	27,100	93.4	89.1 - 97.6	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	29,000
Kona	18,400	98.0	96.1 - 99.9	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	18,800
Lahaina/ Wailuku	18,500	94.0	90.8 - 97.2	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	19,700

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for 2-Year Aggregates, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) represent 2-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	None			Once			Twice			Three times or more			Estimated Population (2-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lanai	900	93.7	86.8 - 100.0	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	1,000
Lihue-Waimea	14,100	97.8	96.2 - 99.3	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	14,400
Manoa/ Upper Makiki	24,800	97.4	95.9 - 98.9	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	25,400
Mililani/ Wahiawa	31,100	96.8	94.3 - 99.3	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	32,100
Molokai	2,600	96.5	82.1 - 100.0	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	2,700
Nanakuli/ Waianae	18,000	89.7	81.8 - 97.7	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	20,100
N.Hawaii	14,000	94.2	90.3 - 98.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	14,900
N.Shore/ Laie	11,300	96.4	82.3 - 100.0	0	0.0	0.0 - 0.0	n/r	n/r	n/r	0	0.0	0.0 - 0.0	11,800
Nuuanu/ Kalihi/ Moanalua	26,100	94.3	91.0 - 97.5	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	27,600
Puna/ Kau	20,600	93.9	90.0 - 97.9	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	22,000
Salt Lake/ Foster Village	14,400	98.4	97.0 - 99.9	n/r	n/r	n/r	n/r	n/r	n/r	0	0.0	0.0 - 0.0	14,600
Upcountry/ Hana	19,900	95.0	91.8 - 98.3	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	21,000
Waialae/ Kahala/ Hawaii Kai	23,000	94.9	91.2 - 98.7	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	24,200
Waipahu/ Kapolei/ Ewa	59,100	93.0	89.9 - 96.1	2,400	3.8	1.7 - 6.0	n/r	n/r	n/r	n/r	n/r	n/r	63,500

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for 2-Year Aggregates, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) represent 2-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

BRFSS Age Group	None			Once			Twice			Three times or more			Estimated Population (2-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	57,500	93.4	90.7 - 96.1	2,200	3.6	1.5 - 5.6	n/r	n/r	n/r	n/r	n/r	n/r	61,600
25-34	105,400	93.2	91.2 - 95.2	3,800	3.4	2.2 - 4.6	n/r	n/r	n/r	n/r	n/r	n/r	113,100
35-44	86,400	94.5	92.2 - 96.8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	91,400
45-54	90,600	95.7	94.3 - 97.2	1,800	1.9	0.9 - 2.9	n/r	n/r	n/r	1,300	1.4	0.6 - 2.1	94,600
55-64	81,700	95.7	94.3 - 97.2	1,200	1.4	0.7 - 2.1	600	0.7	0.3 - 1.1	1,800	2.1	0.9 - 3.3	85,400
65-74	47,800	97.4	95.9 - 98.8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	49,100
75+	26,600	99.0	98.1 - 99.8	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	26,900

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for 2-Year Aggregates, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) represent 2-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

DOH Race-Ethnicity	None			Once			Twice			Three times or more			Estimated Population (2-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	201,200	96.6	95.7 - 97.5	3,300	1.6	1.0 - 2.1	n/r	n/r	n/r	1,800	0.9	0.4 - 1.3	208,300
Native Hawaiian	54,400	90.1	86.5 - 93.7	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	60,400
Chinese	22,600	95.2	92.4 - 98.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	23,700
Filipino	67,700	94.9	92.8 - 96.9	2,200	3.1	1.3 - 5.0	n/r	n/r	n/r	n/r	n/r	n/r	71,400
Japanese	86,900	94.6	92.8 - 96.5	2,400	2.6	1.3 - 4.0	n/r	n/r	n/r	n/r	n/r	n/r	91,900
Black	14,300	95.8	90.7 - 100.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	14,900
Native Alaskan/ American Indian	3,000	95.0	89.1 - 100.0	n/r	n/r	n/r	n/r	n/r	n/r	0	0.0	0.0 - 0.0	3,200
Other Asian	10,600	97.6	94.9 - 100.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	10,800
Other Pacific Islander	7,200	86.2	72.4 - 100.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	8,300
Other	13,700	96.7	94.1 - 99.4	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	14,200

Gender	None			Once			Twice			Three times or more			Estimated Population (2-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	292,300	93.2	92.0 - 94.4	9,500	3.0	2.2 - 3.8	5,400	1.7	1.1 - 2.3	6,400	2.0	1.3 - 2.7	313,600
Female	207,700	97.6	96.8 - 98.4	2,900	1.4	0.7 - 2.0	600	0.3	0.1 - 0.5	n/r	n/r	n/r	212,800

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for 2-Year Aggregates, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) represent 2-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Education Level	None			Once			Twice			Three times or more			Estimated Population (2-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	4,700	92.2	92.5 - 100.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	5,100
Grades 9 thru 11 (Some High School)	28,300	94.7	90.7 - 98.6	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	29,800
Grades 12 or GED (High School Grad)	132,700	93.6	91.7 - 95.5	4,400	3.1	1.7 - 4.6	2,100	1.5	0.8 - 2.3	n/r	n/r	n/r	141,800
College 1 to 3 years (Some College/ Tech)	170,400	94.9	93.5 - 96.2	3,900	2.2	1.4 - 3.0	2,000	1.1	0.5 - 1.8	3,300	1.8	1.0 - 2.6	179,600
College 4 years or more (College Grad)	163,300	96.4	95.5 - 97.3	3,400	2.0	1.4 - 2.6	1,500	0.9	0.4 - 1.4	1,300	0.8	0.3 - 1.2	169,400

Employment Status (Grouped)	None			Once			Twice			Three times or more			Estimated Population (2-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	340,900	94.3	93.3 - 95.3	9,900	2.8	2.0 - 3.5	4,900	1.4	0.9 - 1.8	5,800	1.6	1.0 - 2.2	361,500
Unemployed	30,300	93.3	89.9 - 96.7	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	32,500
Retired/Unable to work	83,500	97.4	96.3 - 98.5	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	85,700
Student/Homemaker	44,400	97.1	95.0 - 99.2	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	45,700

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for 2-Year Aggregates, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) represent 2-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Household Income	None			Once			Twice			Three times or more			Estimated Population (2-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	18,300	93.3	88.8 - 97.7	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	19,700
\$10,000 to \$14,999	14,100	93.5	88.6 - 98.5	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	15,100
\$15,000 to \$19,999	23,800	90.3	85.0 - 95.7	800	3.0	1.3 - 4.7	n/r	n/r	n/r	n/r	n/r	n/r	26,300
\$20,000 to \$24,999	29,400	91.6	86.4 - 96.9	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	32,100
\$25,000 to \$34,999	43,800	94.8	92.6 - 97.0	1,200	2.6	1.2 - 4.0	n/r	n/r	n/r	n/r	n/r	n/r	46,200
\$35,000 to \$49,999	64,200	95.7	94.2 - 97.2	1,500	2.3	1.2 - 3.4	500	0.7	0.3 - 1.1	n/r	n/r	n/r	67,000
\$50,000 to \$74,999	83,600	96.7	95.3 - 98.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	86,400
\$75,000 or more	180,000	95.1	93.9 - 96.4	4,300	2.3	1.5 - 3.1	3,000	1.6	0.8 - 2.4	1,900	1.0	0.5 - 1.5	189,200

Poverty Level	None			Once			Twice			Three times or more			Estimated Population (2-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	37,300	92.3	87.0 - 97.6	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	40,300
131-185%	28,300	96.3	93.8 - 98.8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	29,400
186+%	134,000	96.6	95.5 - 97.7	2,200	1.6	0.9 - 2.3	n/r	n/r	n/r	n/r	n/r	n/r	138,700

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for 2-Year Aggregates, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) represent 2-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Marital Status (Grouped)	None			Once			Twice			Three times or more			Estimated Population (2-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	262,200	96.8	95.9 - 97.7	3,600	1.3	0.8 - 1.9	2,500	0.9	0.5 - 1.4	n/r	n/r	n/r	271,000
Unmarried Couple	17,500	91.4	86.0 - 96.8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	19,200
Widowed	18,700	97.2	95.5 - 99.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	19,200
Other	201,600	92.9	91.5 - 94.3	8,200	3.8	2.6 - 4.9	3,100	1.4	0.8 - 2.0	4,100	1.9	1.2 - 2.6	217,000

Married	None			Once			Twice			Three times or more			Estimated Population (2-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	270,300	96.7	95.8 - 97.6	4,000	1.4	0.9 - 1.9	2,600	0.9	0.5 - 1.4	n/r	n/r	n/r	279,600
No	228,500	93.0	91.7 - 94.4	8,400	3.4	2.4 - 4.4	3,400	1.4	0.8 - 2.0	5,200	2.1	1.4 - 2.8	245,600

Health Care Coverage	None			Once			Twice			Three times or more			Estimated Population (2-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	451,200	95.4	94.6 - 96.1	9,900	2.1	1.6 - 2.6	5,000	1.1	0.7 - 1.4	7,000	1.5	1.0 - 2.0	473,100
No	48,200	91.7	88.0 - 95.5	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	52,500