

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2001-2003	30,400	6.8	5.9 - 7.7	416,700	93.2	92.3 - 94.1	447,200
2002-2004	38,800	8.7	7.3 - 10.0	407,900	91.3	90.0 - 92.7	446,700
2003-2005	46,100	10.1	8.7 - 11.4	412,200	89.9	88.6 - 91.3	458,300
2004-2006	46,800	10.1	8.8 - 11.4	416,700	89.9	88.6 - 91.2	463,600
2005-2007	43,900	9.2	8.3 - 10.1	431,200	90.8	89.9 - 91.7	475,100
2006-2008	41,300	8.7	7.8 - 9.6	435,100	91.3	90.4 - 92.2	476,500
2007-2009	41,800	8.7	7.8 - 9.6	440,900	91.3	90.4 - 92.2	482,700
2008-2010	40,500	8.3	7.4 - 9.2	448,400	91.7	90.8 - 92.6	488,900

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents



Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	40,500	8.3	7.4 - 9.2	448,400	91.7	90.8 - 92.6	488,900

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	6,200	9.1	7.4 - 10.9	61,600	90.9	89.1 - 92.6	67,800
Honolulu	26,700	7.8	6.7 - 9.0	315,100	92.2	91.0 - 93.3	341,900
Kauai	3,000	12.6	9.3 - 15.8	20,900	87.4	84.2 - 90.7	23,900
Maui	4,600	8.3	6.6 - 10.0	50,800	91.7	90.0 - 93.4	55,400

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	6,200	9.1	7.4 - 10.9	61,600	90.9	89.1 - 92.6	67,800
Kauai	3,000	12.6	9.3 - 15.8	20,900	87.4	84.2 - 90.7	23,900
Lanai	200	19.4	11.2 - 27.6	700	80.6	72.4 - 88.8	900
Maui	4,000	7.8	6.0 - 9.6	46,800	92.2	90.4 - 94.0	50,800
Molokai	500	12.3	6.7 - 17.9	3,300	87.7	82.1 - 93.3	3,700
Oahu	26,700	7.8	6.7 - 9.0	315,100	92.2	91.0 - 93.3	341,900

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	2,800	9.2	5.1 - 13.4	27,200	90.8	86.6 - 94.9	30,000
Ala Moana	900	6.2	2.2 - 10.2	13,300	93.8	89.8 - 97.8	14,100

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,200	12.8	8.2 - 17.3	8,500	87.2	82.7 - 91.8	9,700
Hilo	2,400	11.6	7.9 - 15.3	18,000	88.4	84.7 - 92.1	20,400
Kaaawa/ Kahaluu/ Kaneohe	1,500	6.1	3.1 - 9.2	23,400	93.9	90.8 - 96.9	25,000
Kahului	1,200	7.1	4.2 - 9.9	16,100	92.9	90.1 - 95.8	17,400
Kailua/ Waimanalo	2,200	8.9	4.6 - 13.3	22,600	91.1	86.7 - 95.4	24,800
Kaimuki/ Palolo/ Waikiki	1,100	4.3	2.1 - 6.5	24,400	95.7	93.5 - 97.9	25,500
Kona	1,300	8.8	5.8 - 11.8	12,900	91.2	88.2 - 94.2	14,200
Lahaina/ Wailuku	1,700	9.5	5.8 - 13.3	15,700	90.5	86.7 - 94.2	17,400
Lanai	200	19.4	11.2 - 27.6	700	80.6	72.4 - 88.8	900
Lihue-Waimea	1,800	12.4	7.9 - 16.9	12,400	87.6	83.1 - 92.1	14,100
Manoa/ Upper Makiki	1,300	5.3	2.6 - 8.1	22,800	94.7	91.9 - 97.4	24,100
Mililani/ Wahiawa	2,100	5.7	2.8 - 8.6	35,000	94.3	91.4 - 97.2	37,100

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	500	12.3	6.7 - 17.9	3,300	87.7	82.1 - 93.3	3,700
Nanakuli/ Waianae	3,100	19.0	8.6 - 29.4	13,100	81.0	70.6 - 91.4	16,100
N.Hawaii	1,000	7.0	2.6 - 11.4	12,800	93.0	88.6 - 97.4	13,800
N.Shore/ Laie	1,500	12.8	5.6 - 20.0	10,400	87.2	80.0 - 94.4	11,900
Nuuanu/ Kalihi/ Moanalua	2,300	6.9	3.1 - 10.6	30,500	93.1	89.4 - 96.9	32,700
Puna/ Kau	1,600	8.2	5.5 - 10.9	17,800	91.8	89.1 - 94.5	19,400
Salt Lake/ Foster Village	1,800	10.4	5.0 - 15.8	15,200	89.6	84.2 - 95.0	17,000
Upcountry/ Hana	1,100	6.7	4.2 - 9.3	15,000	93.3	90.7 - 95.8	16,100
Waialae/ Kahala/ Hawaii Kai	1,600	6.7	2.8 - 10.7	22,200	93.3	89.3 - 97.2	23,800
Waipahu/ Kapolei/ Ewa	4,600	7.8	4.8 - 10.7	55,100	92.2	89.3 - 95.2	59,800

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	5,900	9.0	5.6 - 12.4	59,500	91.0	87.6 - 94.4	65,400
25-34	9,700	10.7	7.8 - 13.5	81,100	89.3	86.5 - 92.2	90,800
35-44	7,400	8.4	6.4 - 10.4	80,900	91.6	89.6 - 93.6	88,400
45-54	6,500	7.5	5.9 - 9.0	80,700	92.5	91.0 - 94.1	87,200
55-64	5,900	7.9	6.5 - 9.4	68,700	92.1	90.6 - 93.5	74,600
65-74	3,200	7.6	5.9 - 9.4	39,000	92.4	90.6 - 94.1	42,200
75+	1,700	4.4	2.8 - 5.9	36,900	95.6	94.1 - 97.2	38,600

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	14,400	8.8	7.3 - 10.2	150,500	91.2	89.8 - 92.7	164,900
Native Hawaiian	8,100	13.5	10.1 - 17.0	51,600	86.5	83.0 - 89.9	59,700
Chinese	1,100	3.4	1.3 - 5.6	30,900	96.6	94.4 - 98.7	32,000
Filipino	5,200	6.9	4.7 - 9.1	70,000	93.1	90.9 - 95.3	75,100
Japanese	7,500	7.0	5.5 - 8.4	100,200	93.0	91.6 - 94.5	107,700
Black	700	7.8	1.5 - 14.1	8,600	92.2	85.9 - 98.5	9,400
Other Asian	800	6.3	1.5 - 11.1	11,600	93.7	88.9 - 98.5	12,300
Other Pacific Islander	1,700	12.3	3.1 - 21.5	12,300	87.7	78.5 - 96.9	14,000
Other	600	6.0	1.3 - 10.7	9,400	94.0	89.3 - 98.7	10,000

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	200	3.6	0.3 - 6.8	4,400	96.4	93.2 - 99.7	4,500
Grades 9 thru 11 (Some High School)	3,900	18.2	10.9 - 25.6	17,600	81.8	74.4 - 89.1	21,500
Grades 12 or GED (High School Grad)	14,400	9.6	7.8 - 11.4	135,200	90.4	88.6 - 92.2	149,500
College 1 to 3 years (Some College/ Tech)	11,800	8.9	7.3 - 10.6	120,400	91.1	89.4 - 92.7	132,200
College 4 years or more (College Grad)	10,300	5.7	4.6 - 6.7	170,800	94.3	93.3 - 95.4	181,100

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	28,300	8.6	7.4 - 9.7	302,100	91.4	90.3 - 92.6	330,400
Unemployed	3,900	12.1	8.3 - 15.9	28,100	87.9	84.1 - 91.7	32,000
Retired/Unable to work	6,700	6.9	5.4 - 8.4	90,900	93.1	91.6 - 94.6	97,700
Student/Homemaker	1,600	5.6	2.0 - 9.1	27,100	94.4	90.9 - 98.0	28,700

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	600	4.8	1.5 - 8.0	12,000	95.2	92.0 - 98.5	12,600
\$10,000 to \$14,999	1,000	9.8	3.3 - 16.4	9,300	90.2	83.6 - 96.7	10,300
\$15,000 to \$19,999	2,500	11.6	6.5 - 16.7	18,900	88.4	83.3 - 93.5	21,400
\$20,000 to \$24,999	2,300	9.0	4.9 - 13.2	23,300	91.0	86.8 - 95.1	25,600
\$25,000 to \$34,999	3,200	6.6	4.5 - 8.8	44,900	93.4	91.2 - 95.5	48,100
\$35,000 to \$49,999	6,500	9.1	7.0 - 11.2	64,400	90.9	88.8 - 93.0	70,900
\$50,000 to \$74,999	8,900	9.8	7.7 - 12.0	81,600	90.2	88.0 - 92.3	90,600
\$75,000 or more	12,400	7.4	5.9 - 8.9	155,600	92.6	91.1 - 94.1	168,000

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	6,800	7.6	5.4 - 9.7	83,600	92.4	90.3 - 94.6	90,400
131-185%	6,800	10.5	7.5 - 13.4	58,600	89.5	86.6 - 92.5	65,400
186+%	23,700	8.1	7.1 - 9.2	267,900	91.9	90.8 - 92.9	291,700

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	21,300	7.3	6.4 - 8.3	269,300	92.7	91.7 - 93.6	290,600
Unmarried Couple	2,900	17.0	9.3 - 24.8	14,100	83.0	75.2 - 90.7	17,000
Widowed	1,400	12.9	5.2 - 20.5	9,700	87.1	79.5 - 94.8	11,100
Other	14,800	8.7	7.1 - 10.4	155,400	91.3	89.6 - 92.9	170,200

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Married	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	21,500	7.3	6.3 - 8.2	274,500	92.7	91.8 - 93.7	296,100
No	19,000	9.9	8.2 - 11.6	173,300	90.1	88.4 - 91.8	192,300

Health Care Coverage	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	35,900	8.0	7.1 - 8.9	412,100	92.0	91.1 - 92.9	448,000
No	4,500	11.3	7.0 - 15.6	35,200	88.7	84.4 - 93.0	39,700

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	41,800	8.7	7.8 - 9.6	440,900	91.3	90.4 - 92.2	482,700

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	6,100	9.5	7.7 - 11.2	58,800	90.5	88.8 - 92.3	64,900
Honolulu	27,300	8.0	6.9 - 9.2	312,700	92.0	90.8 - 93.1	340,000
Kauai	3,000	12.7	9.5 - 15.9	20,600	87.3	84.1 - 90.5	23,600
Maui	5,300	9.9	8.0 - 11.7	48,900	90.1	88.3 - 92.0	54,200

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	6,100	9.5	7.7 - 11.2	58,800	90.5	88.8 - 92.3	64,900
Kauai	3,000	12.7	9.5 - 15.9	20,600	87.3	84.1 - 90.5	23,600
Lanai	200	16.6	10.0 - 23.2	800	83.4	76.8 - 90.0	1,000
Maui	4,600	9.3	7.3 - 11.3	45,000	90.7	88.7 - 92.7	49,600
Molokai	600	15.6	9.8 - 21.5	3,100	84.4	78.5 - 90.2	3,600
Oahu	27,300	8.0	6.9 - 9.2	312,700	92.0	90.8 - 93.1	340,000

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,900	6.2	3.5 - 8.9	28,400	93.8	91.1 - 96.5	30,200
Ala Moana	900	5.9	2.4 - 9.5	15,000	94.1	90.5 - 97.6	15,900

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,400	14.7	9.7 - 19.7	8,300	85.3	80.3 - 90.3	9,700
Hilo	1,900	9.9	6.6 - 13.2	17,300	90.1	86.8 - 93.4	19,100
Kaaawa/ Kahaluu/ Kaneohe	1,500	6.2	3.1 - 9.3	23,000	93.8	90.7 - 96.9	24,500
Kahului	1,500	8.4	5.4 - 11.4	16,200	91.6	88.6 - 94.6	17,700
Kailua/ Waimanalo	1,700	7.0	3.5 - 10.5	23,000	93.0	89.5 - 96.5	24,700
Kaimuki/ Palolo/ Waikiki	1,700	6.6	2.4 - 10.8	24,500	93.4	89.2 - 97.6	26,200
Kona	1,400	10.7	7.1 - 14.4	11,900	89.3	85.6 - 92.9	13,400
Lahaina/ Wailuku	1,600	10.1	5.8 - 14.4	14,300	89.9	85.6 - 94.2	15,900
Lanai	200	16.6	10.0 - 23.2	800	83.4	76.8 - 90.0	1,000
Lihue-Waimea	1,600	11.3	7.1 - 15.5	12,300	88.7	84.5 - 92.9	13,900
Manoa/ Upper Makiki	1,400	6.2	3.2 - 9.2	20,900	93.8	90.8 - 96.8	22,300
Mililani/ Wahiawa	2,500	6.5	3.5 - 9.5	35,800	93.5	90.5 - 96.5	38,300

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	600	15.6	9.8 - 21.5	3,100	84.4	78.5 - 90.2	3,600
Nanakuli/ Waianae	2,400	17.1	7.2 - 26.9	11,600	82.9	73.1 - 92.8	13,900
N.Hawaii	1,200	8.4	4.1 - 12.7	12,800	91.6	87.3 - 95.9	14,000
N.Shore/ Laie	1,100	11.2	4.4 - 18.1	9,000	88.8	81.9 - 95.6	10,200
Nuuanu/ Kalihi/ Moanalua	3,000	8.9	4.7 - 13.0	31,000	91.1	87.0 - 95.3	34,000
Puna/ Kau	1,700	9.0	6.0 - 11.9	16,800	91.0	88.1 - 94.0	18,500
Salt Lake/ Foster Village	1,500	10.0	5.0 - 15.0	13,800	90.0	85.0 - 95.0	15,400
Upcountry/ Hana	1,500	9.5	6.5 - 12.5	14,400	90.5	87.5 - 93.5	16,000
Waiialae/ Kahala/ Hawaii Kai	1,500	6.1	2.3 - 10.0	22,400	93.9	90.0 - 97.7	23,900
Waipahu/ Kapolei/ Ewa	6,100	10.1	6.6 - 13.6	54,200	89.9	86.4 - 93.4	60,300

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	7,200	10.7	7.1 - 14.4	59,500	89.3	85.6 - 92.9	66,700
25-34	8,700	10.1	7.4 - 12.7	77,600	89.9	87.3 - 92.6	86,300
35-44	7,900	9.0	7.0 - 11.0	79,700	91.0	89.0 - 93.0	87,600
45-54	6,600	7.5	6.0 - 9.1	81,100	92.5	90.9 - 94.0	87,700
55-64	5,900	7.9	6.5 - 9.3	69,100	92.1	90.7 - 93.5	75,000
65-74	3,400	8.4	6.3 - 10.4	37,000	91.6	89.6 - 93.7	40,400
75+	2,100	5.6	3.4 - 7.8	35,300	94.4	92.2 - 96.6	37,400

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	14,500	8.9	7.5 - 10.2	148,400	91.1	89.8 - 92.5	162,900
Native Hawaiian	5,900	9.9	7.3 - 12.6	53,100	90.1	87.4 - 92.7	59,000
Chinese	1,300	4.2	0.7 - 7.7	30,000	95.8	92.3 - 99.3	31,300
Filipino	7,400	9.7	6.8 - 12.6	68,900	90.3	87.4 - 93.2	76,300
Japanese	8,900	8.3	6.6 - 10.0	98,100	91.7	90.0 - 93.4	107,000
Black	400	4.1	0.2 - 8.0	9,200	95.9	92.0 - 99.8	9,600
Native Alaskan/ American Indian	300	7.4	0.0 - 14.7	3,200	92.6	85.3 - 100.0	3,400
Other Asian	800	7.0	2.0 - 12.1	10,400	93.0	87.9 - 98.0	11,200
Other Pacific Islander	1,200	11.5	2.6 - 20.4	9,500	88.5	79.6 - 97.4	10,700
Other	1,300	12.9	5.7 - 20.0	8,500	87.1	80.0 - 94.3	9,800

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	600	11.1	0.3 - 21.9	4,500	88.9	78.1 - 99.7	5,000
Grades 9 thru 11 (Some High School)	3,200	17.3	10.9 - 23.7	15,200	82.7	76.3 - 89.1	18,400
Grades 12 or GED (High School Grad)	16,200	10.5	8.7 - 12.4	137,800	89.5	87.6 - 91.3	153,900
College 1 to 3 years (Some College/ Tech)	12,600	9.4	7.6 - 11.2	121,100	90.6	88.8 - 92.4	133,700
College 4 years or more (College Grad)	9,300	5.4	4.4 - 6.5	162,100	94.6	93.5 - 95.6	171,400

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	30,100	8.9	7.8 - 10.0	307,600	91.1	90.0 - 92.2	337,700
Unemployed	2,900	11.3	7.1 - 15.5	22,500	88.7	84.5 - 92.9	25,400
Retired/Unable to work	7,600	7.8	6.3 - 9.4	89,300	92.2	90.6 - 93.7	96,900
Student/Homemaker	1,300	5.6	2.0 - 9.3	21,200	94.4	90.7 - 98.0	22,400

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,400	13.9	4.9 - 22.9	8,800	86.1	77.1 - 95.1	10,200
\$10,000 to \$14,999	700	7.4	1.9 - 13.0	9,200	92.6	87.0 - 98.1	9,900
\$15,000 to \$19,999	2,000	10.2	5.9 - 14.5	17,500	89.8	85.5 - 94.1	19,500
\$20,000 to \$24,999	2,400	10.3	6.6 - 14.1	21,100	89.7	85.9 - 93.4	23,500
\$25,000 to \$34,999	3,500	6.9	4.8 - 8.9	47,200	93.1	91.1 - 95.2	50,600
\$35,000 to \$49,999	8,100	10.9	8.5 - 13.4	65,700	89.1	86.6 - 91.5	73,800
\$50,000 to \$74,999	8,200	8.8	6.9 - 10.7	85,400	91.2	89.3 - 93.1	93,600
\$75,000 or more	13,400	8.2	6.5 - 9.9	149,300	91.8	90.1 - 93.5	162,700

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	7,400	8.9	6.4 - 11.3	75,800	91.1	88.7 - 93.6	83,200
131-185%	7,500	12.3	8.6 - 16.0	53,400	87.7	84.0 - 91.4	60,900
186+%	24,800	8.3	7.3 - 9.2	274,900	91.7	90.8 - 92.7	299,700

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	21,800	7.5	6.5 - 8.4	270,400	92.5	91.6 - 93.5	292,300
Unmarried Couple	2,200	13.5	7.1 - 20.0	13,800	86.5	80.0 - 92.9	15,900
Widowed	1,100	10.8	4.6 - 16.9	9,000	89.2	83.1 - 95.4	10,100
Other	16,700	10.2	8.3 - 12.1	147,700	89.8	87.9 - 91.7	164,400

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Married	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	22,100	7.5	6.5 - 8.4	274,300	92.5	91.6 - 93.5	296,400
No	19,700	10.6	8.8 - 12.4	165,900	89.4	87.6 - 91.2	185,600

Health Care Coverage	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	37,000	8.3	7.4 - 9.2	406,900	91.7	90.8 - 92.6	444,000
No	4,600	12.4	8.0 - 16.8	32,900	87.6	83.2 - 92.0	37,600

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	41,300	8.7	7.8 - 9.6	435,100	91.3	90.4 - 92.2	476,500

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	5,900	9.5	7.8 - 11.2	56,100	90.5	88.8 - 92.2	62,000
Honolulu	27,100	8.0	6.9 - 9.2	310,600	92.0	90.8 - 93.1	337,700
Kauai	2,600	11.1	8.3 - 13.9	20,900	88.9	86.1 - 91.7	23,500
Maui	5,700	10.7	8.7 - 12.8	47,500	89.3	87.2 - 91.3	53,200

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	5,900	9.5	7.8 - 11.2	56,100	90.5	88.8 - 92.2	62,000
Kauai	2,600	11.1	8.3 - 13.9	20,900	88.9	86.1 - 91.7	23,500
Lanai	200	15.0	9.3 - 20.6	900	85.0	79.4 - 90.7	1,100
Maui	5,000	10.3	8.1 - 12.5	43,600	89.7	87.5 - 91.9	48,600
Molokai	500	15.6	9.8 - 21.3	3,000	84.4	78.7 - 90.2	3,500
Oahu	27,100	8.0	6.9 - 9.2	310,600	92.0	90.8 - 93.1	337,700

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,900	6.1	3.4 - 8.8	29,100	93.9	91.2 - 96.6	31,000
Ala Moana	900	6.1	2.7 - 9.6	14,500	93.9	90.4 - 97.3	15,400

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,300	12.7	8.2 - 17.2	9,100	87.3	82.8 - 91.8	10,400
Hilo	1,900	10.4	7.1 - 13.7	16,100	89.6	86.3 - 92.9	18,000
Kaaawa/ Kahaluu/ Kaneohe	1,400	5.7	2.4 - 8.9	22,700	94.3	91.1 - 97.6	24,000
Kahului	1,700	10.0	6.3 - 13.7	15,200	90.0	86.3 - 93.7	16,900
Kailua/ Waimanalo	2,000	8.7	4.8 - 12.5	20,800	91.3	87.5 - 95.2	22,800
Kaimuki/ Palolo/ Waikiki	1,800	6.4	2.5 - 10.3	26,900	93.6	89.7 - 97.5	28,700
Kona	1,600	12.1	8.3 - 16.0	11,500	87.9	84.0 - 91.7	13,100
Lahaina/ Wailuku	1,600	10.3	6.0 - 14.7	14,200	89.7	85.3 - 94.0	15,800
Lanai	200	15.0	9.3 - 20.6	900	85.0	79.4 - 90.7	1,100
Lihue-Waimea	1,300	9.8	6.3 - 13.3	11,800	90.2	86.7 - 93.7	13,100
Manoa/ Upper Makiki	1,700	7.4	3.7 - 11.1	21,500	92.6	88.9 - 96.3	23,300
Mililani/ Wahiawa	2,400	7.0	3.7 - 10.4	31,900	93.0	89.6 - 96.3	34,300

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	500	15.6	9.8 - 21.3	3,000	84.4	78.7 - 90.2	3,500
Nanakuli/ Waianae	2,400	16.7	7.2 - 26.3	12,200	83.3	73.7 - 92.8	14,600
N.Hawaii	1,000	7.1	3.3 - 10.9	12,500	92.9	89.1 - 96.7	13,400
N.Shore/ Laie	800	7.7	2.5 - 12.9	9,500	92.3	87.1 - 97.5	10,300
Nuuanu/ Kalihi/ Moanalua	3,200	8.9	5.3 - 12.5	32,500	91.1	87.5 - 94.7	35,700
Puna/ Kau	1,500	8.4	5.6 - 11.1	16,000	91.6	88.9 - 94.4	17,400
Salt Lake/ Foster Village	1,400	9.1	4.5 - 13.6	13,600	90.9	86.4 - 95.5	14,900
Upcountry/ Hana	1,700	10.6	7.4 - 13.7	14,200	89.4	86.3 - 92.6	15,900
Waiialae/ Kahala/ Hawaii Kai	900	4.1	0.8 - 7.5	19,900	95.9	92.5 - 99.2	20,800
Waipahu/ Kapolei/ Ewa	6,300	10.3	6.9 - 13.6	55,400	89.7	86.4 - 93.1	61,700

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	6,700	10.0	6.4 - 13.6	60,000	90.0	86.4 - 93.6	66,700
25-34	9,100	10.9	8.1 - 13.6	74,500	89.1	86.4 - 91.9	83,600
35-44	7,300	8.3	6.4 - 10.1	80,600	91.7	89.9 - 93.6	87,800
45-54	7,300	8.3	6.7 - 9.9	80,400	91.7	90.1 - 93.3	87,700
55-64	4,900	6.8	5.5 - 8.0	68,000	93.2	92.0 - 94.5	72,900
65-74	3,600	9.3	7.1 - 11.6	35,200	90.7	88.4 - 92.9	38,800
75+	2,400	6.5	4.1 - 8.9	34,100	93.5	91.1 - 95.9	36,400

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	14,900	9.2	7.8 - 10.5	147,200	90.8	89.5 - 92.2	162,100
Native Hawaiian	4,800	8.0	5.8 - 10.3	54,500	92.0	89.7 - 94.2	59,200
Chinese	1,100	3.7	0.3 - 7.1	28,300	96.3	92.9 - 99.7	29,400
Filipino	7,500	10.0	7.1 - 12.9	66,900	90.0	87.1 - 92.9	74,400
Japanese	8,300	8.3	6.5 - 10.0	92,000	91.7	90.0 - 93.5	100,300
Black	600	6.5	0.7 - 12.2	8,400	93.5	87.8 - 99.3	9,000
Native Alaskan/ American Indian	400	11.5	3.1 - 20.0	2,900	88.5	80.0 - 96.9	3,300
Other Asian	500	3.9	0.8 - 7.0	11,300	96.1	93.0 - 99.2	11,800
Other Pacific Islander	1,800	18.0	7.5 - 28.4	8,300	82.0	71.6 - 92.5	10,100
Mixed Ethnicity	500	11.5	0.5 - 22.6	4,000	88.5	77.4 - 99.5	4,600
Other	1,100	10.1	4.1 - 16.1	9,600	89.9	83.9 - 95.9	10,600

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	900	17.2	5.1 - 29.4	4,100	82.8	70.6 - 94.9	5,000
Grades 9 thru 11 (Some High School)	2,900	15.8	10.0 - 21.5	15,700	84.2	78.5 - 90.0	18,600
Grades 12 or GED (High School Grad)	15,600	10.2	8.4 - 12.0	137,400	89.8	88.0 - 91.6	153,000
College 1 to 3 years (Some College/ Tech)	12,800	9.7	8.0 - 11.5	119,100	90.3	88.5 - 92.0	131,900
College 4 years or more (College Grad)	9,100	5.4	4.4 - 6.5	158,600	94.6	93.5 - 95.6	167,700

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	31,000	9.0	7.9 - 10.1	311,900	91.0	89.9 - 92.1	342,900
Unemployed	2,000	11.2	6.2 - 16.2	16,000	88.8	83.8 - 93.8	18,000
Retired/Unable to work	7,700	7.9	6.4 - 9.5	89,500	92.1	90.5 - 93.6	97,200
Student/Homemaker	600	3.5	0.7 - 6.3	17,400	96.5	93.7 - 99.3	18,100

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,500	15.8	6.3 - 25.4	8,000	84.2	74.6 - 93.7	9,500
\$10,000 to \$14,999	1,000	9.3	3.3 - 15.3	9,900	90.7	84.7 - 96.7	10,900
\$15,000 to \$19,999	1,700	8.7	5.0 - 12.4	17,400	91.3	87.6 - 95.0	19,000
\$20,000 to \$24,999	2,500	9.5	5.9 - 13.1	23,600	90.5	86.9 - 94.1	26,000
\$25,000 to \$34,999	4,200	8.1	5.9 - 10.3	47,600	91.9	89.7 - 94.1	51,800
\$35,000 to \$49,999	7,900	11.2	8.7 - 13.8	62,400	88.8	86.2 - 91.3	70,300
\$50,000 to \$74,999	7,600	8.6	6.7 - 10.5	80,400	91.4	89.5 - 93.3	88,000
\$75,000 or more	12,200	8.0	6.3 - 9.7	140,300	92.0	90.3 - 93.7	152,500

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	7,500	9.3	6.8 - 11.8	73,200	90.7	88.2 - 93.2	80,700
131-185%	7,200	13.0	9.1 - 17.0	48,300	87.0	83.0 - 90.9	55,500
186+%	23,800	8.2	7.2 - 9.1	268,000	91.8	90.9 - 92.8	291,800

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	21,700	7.6	6.6 - 8.5	264,700	92.4	91.5 - 93.4	286,400
Unmarried Couple	1,900	11.4	5.9 - 16.9	14,600	88.6	83.1 - 94.1	16,500
Widowed	1,100	11.4	4.9 - 17.8	8,500	88.6	82.2 - 95.1	9,600
Other	16,700	10.2	8.3 - 12.1	147,200	89.8	87.9 - 91.7	163,900

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Married	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	22,000	7.6	6.7 - 8.5	268,200	92.4	91.5 - 93.3	290,200
No	19,300	10.4	8.6 - 12.1	166,400	89.6	87.9 - 91.4	185,700

Health Care Coverage	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	37,000	8.5	7.6 - 9.4	400,000	91.5	90.6 - 92.4	437,000
No	4,100	10.8	6.8 - 14.7	34,400	89.2	85.3 - 93.2	38,500

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	43,900	9.2	8.3 - 10.1	431,200	90.8	89.9 - 91.7	475,100

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	6,600	11.0	9.1 - 12.9	53,500	89.0	87.1 - 90.9	60,100
Honolulu	29,200	8.6	7.4 - 9.7	310,800	91.4	90.3 - 92.6	340,000
Kauai	2,500	11.1	8.3 - 13.9	20,300	88.9	86.1 - 91.7	22,800
Maui	5,500	10.6	8.5 - 12.6	46,600	89.4	87.4 - 91.5	52,100

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	6,600	11.0	9.1 - 12.9	53,500	89.0	87.1 - 90.9	60,100
Kauai	2,500	11.1	8.3 - 13.9	20,300	88.9	86.1 - 91.7	22,800
Lanai	200	16.7	9.9 - 23.5	1,000	83.3	76.5 - 90.1	1,200
Maui	4,800	10.1	8.0 - 12.3	43,000	89.9	87.7 - 92.0	47,800
Molokai	500	14.7	9.5 - 19.9	2,700	85.3	80.1 - 90.5	3,100
Oahu	29,200	8.6	7.4 - 9.7	310,800	91.4	90.3 - 92.6	340,000

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	2,400	7.1	4.2 - 10.1	31,100	92.9	89.9 - 95.8	33,400
Ala Moana	1,200	7.8	2.3 - 13.2	14,300	92.2	86.8 - 97.7	15,500

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,100	11.1	7.0 - 15.1	8,800	88.9	84.9 - 93.0	9,900
Hilo	1,800	10.9	7.8 - 14.0	15,100	89.1	86.0 - 92.2	17,000
Kaaawa/ Kahaluu/ Kaneohe	1,800	7.4	3.5 - 11.3	22,900	92.6	88.7 - 96.5	24,700
Kahului	1,900	11.7	7.7 - 15.7	14,100	88.3	84.3 - 92.3	16,000
Kailua/ Waimanalo	2,000	9.7	5.3 - 14.1	18,600	90.3	85.9 - 94.7	20,600
Kaimuki/ Palolo/ Waikiki	2,600	8.9	4.7 - 13.1	26,500	91.1	86.9 - 95.3	29,100
Kona	1,900	13.0	8.8 - 17.2	12,600	87.0	82.8 - 91.2	14,400
Lahaina/ Wailuku	1,400	9.1	5.3 - 12.9	14,500	90.9	87.1 - 94.7	15,900
Lanai	200	16.7	9.9 - 23.5	1,000	83.3	76.5 - 90.1	1,200
Lihue-Waimea	1,400	11.1	7.3 - 15.0	11,500	88.9	85.0 - 92.7	12,900
Manoa/ Upper Makiki	1,800	7.4	3.7 - 11.0	22,400	92.6	89.0 - 96.3	24,100
Mililani/ Wahiawa	2,800	8.2	4.9 - 11.4	31,900	91.8	88.6 - 95.1	34,700

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	500	14.7	9.5 - 19.9	2,700	85.3	80.1 - 90.5	3,100
Nanakuli/ Waianae	1,600	11.3	5.0 - 17.6	12,600	88.7	82.4 - 95.0	14,200
N.Hawaii	1,100	8.6	4.6 - 12.6	11,500	91.4	87.4 - 95.4	12,600
N.Shore/ Laie	300	3.7	0.8 - 6.6	9,100	96.3	93.4 - 99.2	9,400
Nuuanu/ Kalihi/ Moanalua	3,800	10.8	6.5 - 15.2	30,900	89.2	84.8 - 93.5	34,600
Puna/ Kau	1,800	11.2	7.3 - 15.2	14,300	88.8	84.8 - 92.7	16,100
Salt Lake/ Foster Village	1,000	6.4	2.2 - 10.6	15,000	93.6	89.4 - 97.8	16,000
Upcountry/ Hana	1,500	9.5	6.1 - 13.0	14,400	90.5	87.0 - 93.9	15,900
Waialae/ Kahala/ Hawaii Kai	1,300	6.4	2.9 - 9.9	18,500	93.6	90.1 - 97.1	19,800
Waipahu/ Kapolei/ Ewa	6,600	10.4	7.1 - 13.6	57,100	89.6	86.4 - 92.9	63,700

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	7,200	10.9	7.4 - 14.4	58,900	89.1	85.6 - 92.6	66,100
25-34	10,300	12.3	9.5 - 15.0	73,500	87.7	85.0 - 90.5	83,800
35-44	6,800	7.6	6.0 - 9.3	82,000	92.4	90.7 - 94.0	88,800
45-54	7,600	8.6	6.9 - 10.4	80,700	91.4	89.6 - 93.1	88,300
55-64	5,700	8.0	6.2 - 9.8	65,700	92.0	90.2 - 93.8	71,400
65-74	3,400	9.0	6.8 - 11.2	34,600	91.0	88.8 - 93.2	38,000
75+	2,800	7.7	5.1 - 10.2	33,300	92.3	89.8 - 94.9	36,100

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	16,000	9.8	8.6 - 11.1	146,900	90.2	88.9 - 91.4	162,900
Native Hawaiian	5,700	10.2	7.6 - 12.9	50,000	89.8	87.1 - 92.4	55,700
Chinese	1,200	4.7	0.7 - 8.7	24,600	95.3	91.3 - 99.3	25,800
Filipino	7,800	10.3	7.2 - 13.3	68,100	89.7	86.7 - 92.8	75,900
Japanese	8,100	8.1	6.3 - 9.9	91,300	91.9	90.1 - 93.7	99,300
Black	600	5.9	0.5 - 11.3	9,400	94.1	88.7 - 99.5	10,000
Native Alaskan/ American Indian	600	18.7	6.1 - 31.3	2,500	81.3	68.7 - 93.9	3,000
Other Asian	500	4.8	0.0 - 9.6	10,300	95.2	90.4 - 100.0	10,800
Other Pacific Islander	1,200	10.2	2.7 - 17.8	10,100	89.8	82.2 - 97.3	11,300
Mixed Ethnicity	500	11.5	0.5 - 22.6	4,000	88.5	77.4 - 99.5	4,600
Other	1,700	12.4	6.6 - 18.2	12,100	87.6	81.8 - 93.4	13,800

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	800	12.0	2.9 - 21.0	6,200	88.0	79.0 - 97.1	7,100
Grades 9 thru 11 (Some High School)	2,400	13.7	8.6 - 18.8	14,900	86.3	81.2 - 91.4	17,300
Grades 12 or GED (High School Grad)	15,600	10.4	8.7 - 12.1	133,900	89.6	87.9 - 91.3	149,400
College 1 to 3 years (Some College/ Tech)	15,200	11.4	9.4 - 13.4	118,000	88.6	86.6 - 90.6	133,200
College 4 years or more (College Grad)	9,900	5.9	4.8 - 7.0	157,700	94.1	93.0 - 95.2	167,600

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	33,900	9.9	8.8 - 11.0	309,500	90.1	89.0 - 91.2	343,400
Unemployed	800	5.3	1.7 - 9.0	13,400	94.7	91.0 - 98.3	14,100
Retired/Unable to work	7,900	8.1	6.6 - 9.6	89,800	91.9	90.4 - 93.4	97,800
Student/Homemaker	1,300	6.6	1.5 - 11.7	18,100	93.4	88.3 - 98.5	19,300

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,600	15.4	6.7 - 24.0	9,000	84.6	76.0 - 93.3	10,700
\$10,000 to \$14,999	1,300	12.4	4.4 - 20.5	9,400	87.6	79.5 - 95.6	10,700
\$15,000 to \$19,999	1,600	7.9	4.5 - 11.2	19,100	92.1	88.8 - 95.5	20,700
\$20,000 to \$24,999	2,600	9.7	6.2 - 13.2	24,500	90.3	86.8 - 93.8	27,100
\$25,000 to \$34,999	4,300	8.2	5.9 - 10.6	47,600	91.8	89.4 - 94.1	51,900
\$35,000 to \$49,999	8,000	11.2	8.6 - 13.8	63,600	88.8	86.2 - 91.4	71,700
\$50,000 to \$74,999	9,100	10.1	8.0 - 12.2	80,900	89.9	87.8 - 92.0	90,000
\$75,000 or more	12,100	8.8	7.1 - 10.4	125,800	91.2	89.6 - 92.9	137,900

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	8,100	10.2	7.5 - 12.9	71,500	89.8	87.1 - 92.5	79,600
131-185%	5,600	11.1	7.5 - 14.7	44,500	88.9	85.3 - 92.5	50,000
186+%	27,000	9.3	8.3 - 10.3	264,000	90.7	89.7 - 91.7	290,900

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	22,800	8.0	7.0 - 9.0	261,000	92.0	91.0 - 93.0	283,800
Unmarried Couple	1,700	10.9	5.4 - 16.4	13,900	89.1	83.6 - 94.6	15,600
Widowed	1,000	9.5	5.2 - 13.8	9,500	90.5	86.2 - 94.8	10,500
Other	18,400	11.1	9.3 - 13.0	146,900	88.9	87.0 - 90.7	165,200

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Married	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	23,300	8.1	7.1 - 9.1	264,700	91.9	90.9 - 92.9	288,000
No	20,600	11.0	9.3 - 12.8	165,900	89.0	87.2 - 90.7	186,500

Health Care Coverage	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	39,300	9.1	8.1 - 10.0	394,700	90.9	90.0 - 91.9	434,000
No	4,600	11.4	8.1 - 14.6	35,600	88.6	85.4 - 91.9	40,100

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	46,800	10.1	8.8 - 11.4	416,700	89.9	88.6 - 91.2	463,600

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	7,500	12.4	9.6 - 15.2	53,000	87.6	84.8 - 90.4	60,500
Honolulu	31,200	9.4	7.7 - 11.1	300,000	90.6	88.9 - 92.3	331,200
Kauai	2,500	11.9	8.1 - 15.6	18,800	88.1	84.4 - 91.9	21,300
Maui	5,600	11.1	8.0 - 14.2	44,900	88.9	85.8 - 92.0	50,500

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	7,500	12.4	9.6 - 15.2	53,000	87.6	84.8 - 90.4	60,500
Kauai	2,500	11.9	8.1 - 15.6	18,800	88.1	84.4 - 91.9	21,300
Lanai	200	16.6	8.7 - 24.4	900	83.4	75.6 - 91.3	1,000
Maui	4,900	10.5	7.3 - 13.8	41,700	89.5	86.2 - 92.7	46,600
Molokai	500	18.6	7.4 - 29.9	2,300	81.4	70.1 - 92.6	2,800
Oahu	31,200	9.4	7.7 - 11.1	300,000	90.6	88.9 - 92.3	331,200

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	2,100	6.6	3.6 - 9.7	30,100	93.4	90.3 - 96.4	32,200
Ala Moana	1,600	10.0	3.5 - 16.4	14,100	90.0	83.6 - 96.5	15,700

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	900	10.0	4.6 - 15.4	8,200	90.0	84.6 - 95.4	9,100
Hilo	2,500	14.5	8.9 - 20.2	14,500	85.5	79.8 - 91.1	17,000
Kaaawa/ Kahaluu/ Kaneohe	2,500	10.4	4.2 - 16.5	21,700	89.6	83.5 - 95.8	24,200
Kahului	1,500	10.2	5.8 - 14.5	13,200	89.8	85.5 - 94.2	14,700
Kailua/ Waimanalo	2,100	11.4	5.4 - 17.4	16,600	88.6	82.6 - 94.6	18,700
Kaimuki/ Palolo/ Waikiki	2,400	8.3	3.2 - 13.4	27,100	91.7	86.6 - 96.8	29,500
Kona	1,800	13.0	7.9 - 18.2	11,800	87.0	81.8 - 92.1	13,500
Lahaina/ Wailuku	1,500	9.2	5.5 - 13.0	14,800	90.8	87.0 - 94.5	16,300
Lanai	200	16.6	8.7 - 24.4	900	83.4	75.6 - 91.3	1,000
Lihue-Waimea	1,600	13.2	8.1 - 18.4	10,600	86.8	81.6 - 91.9	12,200
Manoa/ Upper Makiki	3,500	14.0	7.4 - 20.5	21,800	86.0	79.5 - 92.6	25,400
Mililani/ Wahiawa	4,000	12.6	2.4 - 22.8	27,800	87.4	77.2 - 97.6	31,800

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	500	18.6	7.4 - 29.9	2,300	81.4	70.1 - 92.6	2,800
Nanakuli/ Waianae	1,300	10.8	2.0 - 19.5	10,800	89.2	80.5 - 98.0	12,100
N.Hawaii	1,100	8.4	3.4 - 13.4	11,500	91.6	86.6 - 96.6	12,500
N.Shore/ Laie	100	0.9	0.0 - 2.3	8,900	99.1	97.7 - 100.0	9,000
Nuuanu/ Kalihi/ Moanalua	3,100	9.0	4.4 - 13.6	31,500	91.0	86.4 - 95.6	34,600
Puna/ Kau	2,200	12.7	6.9 - 18.5	15,300	87.3	81.5 - 93.1	17,500
Salt Lake/ Foster Village	2,500	13.3	4.6 - 21.9	16,100	86.7	78.1 - 95.4	18,500
Upcountry/ Hana	1,900	12.3	4.5 - 20.0	13,700	87.7	80.0 - 95.5	15,600
Waiialae/ Kahala/ Hawaii Kai	1,500	7.6	2.8 - 12.3	17,800	92.4	87.7 - 97.2	19,300
Waipahu/ Kapolei/ Ewa	4,500	7.4	4.8 - 10.0	55,800	92.6	90.0 - 95.2	60,300

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	10,400	16.7	10.3 - 23.1	51,800	83.3	76.9 - 89.7	62,200
25-34	9,500	11.2	8.2 - 14.2	75,500	88.8	85.8 - 91.8	85,000
35-44	6,900	7.8	5.6 - 10.0	81,700	92.2	90.0 - 94.4	88,500
45-54	8,200	9.5	7.1 - 11.8	78,400	90.5	88.2 - 92.9	86,600
55-64	6,500	9.9	7.1 - 12.7	59,200	90.1	87.3 - 92.9	65,700
65-74	3,400	9.0	5.5 - 12.6	34,000	91.0	87.4 - 94.5	37,400
75+	2,000	5.6	3.3 - 8.0	33,100	94.4	92.0 - 96.7	35,000

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	18,200	11.3	9.4 - 13.2	143,100	88.7	86.8 - 90.6	161,300
Native Hawaiian	7,200	13.6	9.4 - 17.8	45,600	86.4	82.2 - 90.6	52,800
Chinese	700	3.0	1.0 - 4.9	24,500	97.0	95.1 - 99.0	25,300
Filipino	5,600	7.9	5.1 - 10.7	65,300	92.1	89.3 - 94.9	70,900
Japanese	6,800	7.4	5.2 - 9.6	84,500	92.6	90.4 - 94.8	91,200
Black	1,200	13.8	3.3 - 24.3	7,200	86.2	75.7 - 96.7	8,400
Other Asian	800	6.8	0.0 - 13.8	11,400	93.2	86.2 - 100.0	12,200
Other Pacific Islander	3,000	21.9	0.3 - 43.4	10,600	78.1	56.6 - 99.7	13,500
Mixed Ethnicity	500	11.5	0.5 - 22.6	4,000	88.5	77.4 - 99.5	4,600
Other	1,600	11.7	4.8 - 18.5	11,800	88.3	81.5 - 95.2	13,400

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	400	6.3	0.3 - 12.3	5,800	93.7	87.7 - 99.7	6,200
Grades 9 thru 11 (Some High School)	3,000	16.4	7.4 - 25.3	15,100	83.6	74.7 - 92.6	18,000
Grades 12 or GED (High School Grad)	14,200	10.4	8.4 - 12.4	122,400	89.6	87.6 - 91.6	136,600
College 1 to 3 years (Some College/ Tech)	17,300	12.6	9.3 - 15.8	120,300	87.4	84.2 - 90.7	137,500
College 4 years or more (College Grad)	12,000	7.3	5.7 - 8.9	152,700	92.7	91.1 - 94.3	164,700

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	37,200	11.0	9.4 - 12.6	301,000	89.0	87.4 - 90.6	338,200
Unemployed	1,000	8.1	1.3 - 14.9	11,700	91.9	85.1 - 98.7	12,700
Retired/Unable to work	6,900	7.4	5.5 - 9.4	86,000	92.6	90.6 - 94.5	92,900
Student/Homemaker	1,700	9.0	1.3 - 16.7	17,200	91.0	83.3 - 98.7	18,800

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,000	10.9	5.1 - 16.7	8,500	89.1	83.3 - 94.9	9,600
\$10,000 to \$14,999	1,800	18.1	7.6 - 28.6	8,200	81.9	71.4 - 92.4	10,000
\$15,000 to \$19,999	1,700	8.1	2.1 - 14.1	19,400	91.9	85.9 - 97.9	21,100
\$20,000 to \$24,999	1,900	6.5	3.6 - 9.4	27,300	93.5	90.6 - 96.4	29,200
\$25,000 to \$34,999	5,600	11.0	7.2 - 14.8	45,200	89.0	85.2 - 92.8	50,700
\$35,000 to \$49,999	7,400	10.3	7.5 - 13.0	64,500	89.7	87.0 - 92.5	71,800
\$50,000 to \$74,999	11,500	11.4	7.5 - 15.3	90,100	88.6	84.7 - 92.5	101,600
\$75,000 or more	13,300	10.5	8.2 - 12.8	113,600	89.5	87.2 - 91.8	126,900

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	6,800	9.5	6.2 - 12.8	64,400	90.5	87.2 - 93.8	71,100
131-185%	5,400	10.6	4.0 - 17.2	45,700	89.4	82.8 - 96.0	51,200
186+%	32,100	10.7	9.3 - 12.2	266,500	89.3	87.8 - 90.7	298,600

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	22,400	8.3	7.0 - 9.6	248,200	91.7	90.4 - 93.0	270,600
Unmarried Couple	1,900	13.7	5.7 - 21.7	12,100	86.3	78.3 - 94.3	14,000
Widowed	800	6.8	2.8 - 10.7	10,800	93.2	89.3 - 97.2	11,600
Other	21,700	13.0	10.2 - 15.8	145,600	87.0	84.2 - 89.8	167,300

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Married	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	22,700	8.3	7.0 - 9.6	252,100	91.7	90.4 - 93.0	274,800
No	24,100	12.8	10.2 - 15.4	163,700	87.2	84.6 - 89.8	187,800

Health Care Coverage	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	41,300	9.9	8.5 - 11.3	376,500	90.1	88.7 - 91.5	417,800
No	5,000	11.3	7.7 - 14.9	39,200	88.7	85.1 - 92.3	44,200

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	46,100	10.1	8.7 - 11.4	412,200	89.9	88.6 - 91.3	458,300

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	7,200	12.0	9.1 - 14.8	52,700	88.0	85.2 - 90.9	59,800
Honolulu	32,000	9.7	8.0 - 11.5	296,700	90.3	88.5 - 92.0	328,700
Kauai	2,400	11.8	7.9 - 15.7	18,200	88.2	84.3 - 92.1	20,600
Maui	4,500	9.1	6.0 - 12.3	44,700	90.9	87.7 - 94.0	49,200

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	7,200	12.0	9.1 - 14.8	52,700	88.0	85.2 - 90.9	59,800
Kauai	2,400	11.8	7.9 - 15.7	18,200	88.2	84.3 - 92.1	20,600
Lanai	100	10.8	3.6 - 18.1	1,000	89.2	81.9 - 96.4	1,200
Maui	3,900	8.6	5.3 - 12.0	41,400	91.4	88.0 - 94.7	45,300
Molokai	500	16.4	4.6 - 28.3	2,300	83.6	71.7 - 95.4	2,700
Oahu	32,000	9.7	8.0 - 11.5	296,700	90.3	88.5 - 92.0	328,700

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,900	6.6	3.3 - 9.8	27,700	93.4	90.2 - 96.7	29,600
Ala Moana	1,700	10.6	4.1 - 17.2	14,100	89.4	82.8 - 95.9	15,800

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,100	12.4	6.3 - 18.4	7,500	87.6	81.6 - 93.7	8,500
Hilo	2,600	15.3	9.3 - 21.3	14,400	84.7	78.7 - 90.7	17,000
Kaaawa/ Kahaluu/ Kaneohe	2,400	10.7	4.0 - 17.4	19,800	89.3	82.6 - 96.0	22,200
Kahului	1,000	6.9	3.5 - 10.4	14,000	93.1	89.6 - 96.5	15,000
Kailua/ Waimanalo	2,000	10.1	4.3 - 15.9	17,500	89.9	84.1 - 95.7	19,500
Kaimuki/ Palolo/ Waikiki	2,800	8.9	3.9 - 13.9	28,400	91.1	86.1 - 96.1	31,200
Kona	1,600	11.6	6.6 - 16.6	12,300	88.4	83.4 - 93.4	13,900
Lahaina/ Wailuku	1,300	8.7	4.3 - 13.0	14,200	91.3	87.0 - 95.7	15,600
Lanai	100	10.8	3.6 - 18.1	1,000	89.2	81.9 - 96.4	1,200
Lihue-Waimea	1,400	11.4	6.3 - 16.5	10,700	88.6	83.5 - 93.7	12,100
Manoa/ Upper Makiki	4,000	14.8	8.1 - 21.6	23,000	85.2	78.4 - 91.9	27,000
Mililani/ Wahiawa	4,100	12.7	2.5 - 22.9	28,000	87.3	77.1 - 97.5	32,100

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	500	16.4	4.6 - 28.3	2,300	83.6	71.7 - 95.4	2,700
Nanakuli/ Waianae	1,800	13.9	4.0 - 23.8	10,900	86.1	76.2 - 96.0	12,600
N.Hawaii	1,100	8.8	3.6 - 14.0	11,300	91.2	86.0 - 96.4	12,400
N.Shore/ Laie	700	8.1	0.2 - 16.0	8,300	91.9	84.0 - 99.8	9,000
Nuuanu/ Kalihi/ Moanalua	2,400	6.9	2.6 - 11.2	32,900	93.1	88.8 - 97.4	35,400
Puna/ Kau	1,900	11.2	5.2 - 17.3	14,600	88.8	82.7 - 94.8	16,500
Salt Lake/ Foster Village	2,700	13.0	4.9 - 21.1	18,400	87.0	78.9 - 95.1	21,100
Upcountry/ Hana	1,500	10.3	2.0 - 18.7	13,200	89.7	81.3 - 98.0	14,700
Waialae/ Kahala/ Hawaii Kai	1,700	8.9	3.6 - 14.2	17,500	91.1	85.8 - 96.4	19,200
Waipahu/ Kapolei/ Ewa	3,800	7.1	4.2 - 9.9	50,200	92.9	90.1 - 95.8	54,000

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	11,400	18.8	12.1 - 25.4	49,400	81.2	74.6 - 87.9	60,800
25-34	8,600	10.1	7.2 - 13.0	76,700	89.9	87.0 - 92.8	85,300
35-44	7,300	8.2	5.9 - 10.5	82,000	91.8	89.5 - 94.1	89,200
45-54	7,300	8.4	6.0 - 10.7	79,600	91.6	89.3 - 94.0	86,900
55-64	7,200	11.7	8.3 - 15.0	54,800	88.3	85.0 - 91.7	62,100
65-74	2,700	7.1	3.6 - 10.6	34,800	92.9	89.4 - 96.4	37,500
75+	1,600	4.6	2.2 - 7.1	32,700	95.4	92.9 - 97.8	34,300

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	18,500	10.9	9.0 - 12.8	150,800	89.1	87.2 - 91.0	169,300
Native Hawaiian	7,400	15.8	10.9 - 20.7	39,300	84.2	79.3 - 89.1	46,700
Chinese	1,600	4.5	1.7 - 7.4	32,800	95.5	92.6 - 98.3	34,400
Filipino	4,700	7.1	4.2 - 9.9	62,200	92.9	90.1 - 95.8	66,900
Japanese	6,600	7.5	5.1 - 9.9	80,600	92.5	90.1 - 94.9	87,200
Black	1,000	12.2	2.1 - 22.3	7,100	87.8	77.7 - 97.9	8,100
Other Asian	800	8.3	0.0 - 16.8	9,300	91.7	83.2 - 100.0	10,200
Other Pacific Islander	2,600	21.6	0.0 - 45.9	9,300	78.4	54.1 - 100.0	11,900
Other	2,000	14.7	7.1 - 22.4	11,300	85.3	77.6 - 92.9	13,300

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	400	6.0	0.0 - 13.2	6,200	94.0	86.8 - 100.0	6,600
Grades 9 thru 11 (Some High School)	3,000	16.3	7.3 - 25.4	15,300	83.7	74.6 - 92.7	18,300
Grades 12 or GED (High School Grad)	14,400	10.8	8.7 - 12.9	119,500	89.2	87.1 - 91.3	134,000
College 1 to 3 years (Some College/ Tech)	17,000	12.6	9.2 - 15.9	118,600	87.4	84.1 - 90.8	135,700
College 4 years or more (College Grad)	11,200	6.9	5.3 - 8.5	151,900	93.1	91.5 - 94.7	163,100

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	36,500	10.9	9.2 - 12.7	296,600	89.1	87.3 - 90.8	333,100
Unemployed	1,400	10.3	3.0 - 17.6	11,800	89.7	82.4 - 97.0	13,100
Retired/Unable to work	6,400	6.9	4.7 - 9.0	86,200	93.1	91.0 - 95.3	92,600
Student/Homemaker	1,900	10.2	2.3 - 18.1	16,700	89.8	81.9 - 97.7	18,600

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,200	10.4	4.9 - 15.9	10,700	89.6	84.1 - 95.1	12,000
\$10,000 to \$14,999	1,800	12.8	4.9 - 20.7	12,400	87.2	79.3 - 95.1	14,300
\$15,000 to \$19,999	2,900	13.0	5.8 - 20.2	19,700	87.0	79.8 - 94.2	22,600
\$20,000 to \$24,999	2,400	8.3	4.5 - 12.1	26,100	91.7	87.9 - 95.5	28,400
\$25,000 to \$34,999	4,900	10.1	6.2 - 14.0	44,000	89.9	86.0 - 93.8	48,900
\$35,000 to \$49,999	8,000	10.5	7.7 - 13.3	68,100	89.5	86.7 - 92.3	76,100
\$50,000 to \$74,999	10,600	10.6	6.7 - 14.6	88,600	89.4	85.4 - 93.3	99,200
\$75,000 or more	11,500	10.5	7.9 - 13.1	98,300	89.5	86.9 - 92.1	109,700

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	8,300	11.5	7.9 - 15.2	64,000	88.5	84.8 - 92.1	72,400
131-185%	4,600	9.3	2.4 - 16.3	44,500	90.7	83.7 - 97.6	49,100
186+%	30,400	10.5	9.0 - 12.0	259,300	89.5	88.0 - 91.0	289,800

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	20,100	7.6	6.2 - 9.0	244,400	92.4	91.0 - 93.8	264,500
Unmarried Couple	1,800	17.1	6.5 - 27.7	8,900	82.9	72.3 - 93.5	10,700
Widowed	700	5.0	1.8 - 8.1	13,700	95.0	91.9 - 98.2	14,400
Other	23,400	13.9	11.0 - 16.8	145,200	86.1	83.2 - 89.0	168,600

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Married	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	20,600	7.6	6.3 - 9.0	248,900	92.4	91.0 - 93.7	269,500
No	25,500	13.6	10.9 - 16.2	162,600	86.4	83.8 - 89.1	188,000

Health Care Coverage	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	40,800	9.9	8.4 - 11.3	372,500	90.1	88.7 - 91.6	413,300
No	4,700	10.8	7.1 - 14.5	38,900	89.2	85.5 - 92.9	43,600

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	38,800	8.7	7.3 - 10.0	407,900	91.3	90.0 - 92.7	446,700

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	6,200	10.8	7.9 - 13.6	51,600	89.2	86.4 - 92.1	57,900
Honolulu	25,900	8.1	6.3 - 9.8	295,300	91.9	90.2 - 93.7	321,300
Kauai	2,300	11.6	7.7 - 15.5	17,700	88.4	84.5 - 92.3	20,100
Maui	4,400	9.1	6.0 - 12.3	43,200	90.9	87.7 - 94.0	47,600

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	6,200	10.8	7.9 - 13.6	51,600	89.2	86.4 - 92.1	57,900
Kauai	2,300	11.6	7.7 - 15.5	17,700	88.4	84.5 - 92.3	20,100
Lanai	100	4.5	0.7 - 8.2	1,400	95.5	91.8 - 99.3	1,400
Maui	3,900	9.0	5.6 - 12.4	39,200	91.0	87.6 - 94.4	43,000
Molokai	400	13.6	3.0 - 24.1	2,700	86.4	75.9 - 97.0	3,100
Oahu	25,900	8.1	6.3 - 9.8	295,300	91.9	90.2 - 93.7	321,300

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	800	2.9	0.6 - 5.2	27,800	97.1	94.8 - 99.4	28,600
Ala Moana	1,400	8.8	3.6 - 13.9	14,400	91.2	86.1 - 96.4	15,800

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,100	13.1	6.6 - 19.7	7,200	86.9	80.3 - 93.4	8,300
Hilo	2,300	13.7	7.8 - 19.7	14,600	86.3	80.3 - 92.2	17,000
Kaaawa/ Kahaluu/ Kaneohe	1,900	9.1	2.3 - 15.9	18,600	90.9	84.1 - 97.7	20,500
Kahului	800	5.4	2.4 - 8.4	13,800	94.6	91.6 - 97.6	14,600
Kailua/ Waimanalo	1,500	7.1	2.2 - 12.0	19,400	92.9	88.0 - 97.8	20,900
Kaimuki/ Palolo/ Waikiki	2,500	8.2	3.2 - 13.2	27,600	91.8	86.8 - 96.8	30,000
Kona	1,500	10.6	6.0 - 15.2	12,500	89.4	84.8 - 94.0	14,000
Lahaina/ Wailuku	1,500	10.5	5.5 - 15.5	13,000	89.5	84.5 - 94.5	14,500
Lanai	100	4.5	0.7 - 8.2	1,400	95.5	91.8 - 99.3	1,400
Lihue-Waimea	1,200	10.6	5.7 - 15.4	10,500	89.4	84.6 - 94.3	11,800
Manoa/ Upper Makiki	4,400	15.1	8.4 - 21.8	24,900	84.9	78.2 - 91.6	29,400
Mililani/ Wahiawa	3,000	9.9	0.0 - 20.6	27,500	90.1	79.4 - 100.0	30,600

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	400	13.6	3.0 - 24.1	2,700	86.4	75.9 - 97.0	3,100
Nanakuli/ Waianae	1,800	14.8	4.8 - 24.9	10,500	85.2	75.1 - 95.2	12,300
N.Hawaii	1,100	8.9	3.4 - 14.4	10,800	91.1	85.6 - 96.6	11,800
N.Shore/ Laie	800	8.6	0.7 - 16.5	8,800	91.4	83.5 - 99.3	9,700
Nuuanu/ Kalihi/ Moanalua	1,900	5.5	1.8 - 9.1	32,600	94.5	90.9 - 98.2	34,500
Puna/ Kau	1,400	9.0	3.1 - 15.0	13,700	91.0	85.0 - 96.9	15,100
Salt Lake/ Foster Village	2,800	12.8	4.7 - 20.8	18,800	87.2	79.2 - 95.3	21,600
Upcountry/ Hana	1,600	11.1	2.6 - 19.6	12,400	88.9	80.4 - 97.4	14,000
Waiialae/ Kahala/ Hawaii Kai	1,000	5.1	0.9 - 9.4	19,000	94.9	90.6 - 99.1	20,100
Waipahu/ Kapolei/ Ewa	2,100	4.5	2.2 - 6.8	45,300	95.5	93.2 - 97.8	47,400

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	8,900	15.1	8.5 - 21.7	50,200	84.9	78.3 - 91.5	59,100
25-34	6,900	8.2	5.4 - 11.0	77,500	91.8	89.0 - 94.6	84,400
35-44	7,200	8.1	5.8 - 10.4	81,700	91.9	89.6 - 94.2	88,900
45-54	6,500	7.5	5.3 - 9.7	79,400	92.5	90.3 - 94.7	85,900
55-64	6,400	11.2	7.7 - 14.8	50,700	88.8	85.2 - 92.3	57,200
65-74	2,100	5.7	2.2 - 9.2	34,100	94.3	90.8 - 97.8	36,200
75+	900	2.7	0.5 - 4.9	32,500	97.3	95.1 - 99.5	33,400

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	16,200	9.8	7.9 - 11.8	149,000	90.2	88.2 - 92.1	165,200
Native Hawaiian	6,500	13.4	8.7 - 18.1	42,000	86.6	81.9 - 91.3	48,500
Chinese	1,600	4.5	1.8 - 7.2	34,300	95.5	92.8 - 98.2	36,000
Filipino	3,100	4.7	2.7 - 6.8	61,400	95.3	93.2 - 97.3	64,500
Japanese	5,400	6.6	4.3 - 8.9	77,000	93.4	91.1 - 95.7	82,400
Black	700	8.7	0.0 - 18.2	7,200	91.3	81.8 - 100.0	7,900
Other Asian	600	5.8	0.0 - 12.9	9,800	94.2	87.1 - 100.0	10,500
Other Pacific Islander	2,800	25.3	0.0 - 50.9	8,200	74.7	49.1 - 100.0	11,000
Other	1,200	11.5	3.3 - 19.7	9,500	88.5	80.3 - 96.7	10,700

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	400	7.2	0.0 - 15.9	5,100	92.8	84.1 - 100.0	5,500
Grades 9 thru 11 (Some High School)	2,600	15.3	5.9 - 24.8	14,600	84.7	75.2 - 94.1	17,200
Grades 12 or GED (High School Grad)	12,000	8.4	6.6 - 10.2	131,500	91.6	89.8 - 93.4	143,600
College 1 to 3 years (Some College/ Tech)	14,400	11.1	7.7 - 14.5	115,100	88.9	85.5 - 92.3	129,600
College 4 years or more (College Grad)	9,300	6.2	4.5 - 7.9	141,000	93.8	92.1 - 95.5	150,300

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	30,700	9.5	7.8 - 11.2	293,100	90.5	88.8 - 92.2	323,800
Unemployed	1,700	9.1	3.8 - 14.5	17,200	90.9	85.5 - 96.2	18,900
Retired/Unable to work	5,300	6.1	3.8 - 8.5	81,300	93.9	91.5 - 96.2	86,600
Student/Homemaker	1,100	6.6	0.0 - 13.9	15,600	93.4	86.1 - 100.0	16,700

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,200	10.3	4.9 - 15.7	10,200	89.7	84.3 - 95.1	11,400
\$10,000 to \$14,999	1,400	9.2	3.0 - 15.4	14,200	90.8	84.6 - 97.0	15,600
\$15,000 to \$19,999	3,400	15.1	7.3 - 22.8	19,300	84.9	77.2 - 92.7	22,700
\$20,000 to \$24,999	1,900	6.9	3.2 - 10.7	24,900	93.1	89.3 - 96.8	26,700
\$25,000 to \$34,999	4,600	10.2	6.0 - 14.3	40,300	89.8	85.7 - 94.0	44,900
\$35,000 to \$49,999	7,000	9.5	6.8 - 12.2	66,600	90.5	87.8 - 93.2	73,600
\$50,000 to \$74,999	7,500	8.6	4.3 - 12.9	79,700	91.4	87.1 - 95.7	87,200
\$75,000 or more	8,600	9.3	6.4 - 12.2	83,600	90.7	87.8 - 93.6	92,200

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	7,800	11.3	7.6 - 15.0	60,800	88.7	85.0 - 92.4	68,500
131-185%	4,100	8.8	1.5 - 16.1	42,200	91.2	83.9 - 98.5	46,200
186+%	23,800	9.2	7.6 - 10.7	235,900	90.8	89.3 - 92.4	259,700

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	15,800	6.1	4.8 - 7.4	242,200	93.9	92.6 - 95.2	258,000
Unmarried Couple	1,600	15.7	5.5 - 25.9	8,800	84.3	74.1 - 94.5	10,500
Widowed	600	3.8	1.0 - 6.6	14,300	96.2	93.4 - 99.0	14,900
Other	20,800	12.7	9.8 - 15.6	142,600	87.3	84.4 - 90.2	163,400

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Married	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	16,300	6.2	4.9 - 7.5	246,300	93.8	92.5 - 95.1	262,600
No	22,500	12.3	9.6 - 15.0	161,000	87.7	85.0 - 90.4	183,500

Health Care Coverage	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	34,600	8.6	7.2 - 10.1	365,500	91.4	89.9 - 92.8	400,100
No	3,700	8.1	4.9 - 11.2	41,700	91.9	88.8 - 95.1	45,400

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	30,400	6.8	5.9 - 7.7	416,700	93.2	92.3 - 94.1	447,200

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	4,400	8.1	6.5 - 9.8	50,000	91.9	90.2 - 93.5	54,500
Honolulu	20,100	6.2	5.1 - 7.3	304,400	93.8	92.7 - 94.9	324,500
Kauai	2,000	9.8	7.1 - 12.5	18,300	90.2	87.5 - 92.9	20,300
Maui	3,900	8.1	6.1 - 10.0	44,000	91.9	90.0 - 93.9	47,900

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	4,400	8.1	6.5 - 9.8	50,000	91.9	90.2 - 93.5	54,500
Kauai	2,000	9.8	7.1 - 12.5	18,300	90.2	87.5 - 92.9	20,300
Lanai	100	6.8	1.9 - 11.6	1,500	93.2	88.4 - 98.1	1,600
Maui	3,600	8.2	6.1 - 10.3	39,900	91.8	89.7 - 93.9	43,500
Molokai	200	6.6	2.3 - 10.9	2,600	93.4	89.1 - 97.7	2,800
Oahu	20,100	6.2	5.1 - 7.3	304,400	93.8	92.7 - 94.9	324,500

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,400	4.7	1.6 - 7.9	27,500	95.3	92.1 - 98.4	28,900
Ala Moana	900	6.6	2.8 - 10.4	13,400	93.4	89.6 - 97.2	14,300

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	900	10.6	6.0 - 15.1	7,800	89.4	84.9 - 94.0	8,700
Hilo	1,500	9.5	5.9 - 13.1	14,700	90.5	86.9 - 94.1	16,300
Kaaawa/ Kahaluu/ Kaneohe	1,100	5.6	1.4 - 9.8	18,600	94.4	90.2 - 98.6	19,700
Kahului	900	5.3	2.8 - 7.9	15,300	94.7	92.1 - 97.2	16,200
Kailua/ Waimanalo	1,500	6.7	3.1 - 10.3	21,100	93.3	89.7 - 96.9	22,600
Kaimuki/ Palolo/ Waikiki	1,700	5.1	2.9 - 7.4	31,600	94.9	92.6 - 97.1	33,300
Kona	1,300	8.1	5.1 - 11.2	14,700	91.9	88.8 - 94.9	16,000
Lahaina/ Wailuku	1,600	11.5	6.9 - 16.0	12,400	88.5	84.0 - 93.1	14,000
Lanai	100	6.8	1.9 - 11.6	1,500	93.2	88.4 - 98.1	1,600
Lihue-Waimea	1,100	9.2	5.9 - 12.5	10,500	90.8	87.5 - 94.1	11,600
Manoa/ Upper Makiki	2,600	8.8	3.9 - 13.7	27,300	91.2	86.3 - 96.1	29,900
Mililani/ Wahiawa	1,300	4.3	0.9 - 7.6	28,200	95.7	92.4 - 99.1	29,400

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	200	6.6	2.3 - 10.9	2,600	93.4	89.1 - 97.7	2,800
Nanakuli/ Waianae	2,100	16.1	6.6 - 25.7	10,900	83.9	74.3 - 93.4	13,000
N.Hawaii	800	7.1	3.6 - 10.5	10,000	92.9	89.5 - 96.4	10,800
N.Shore/ Laie	1,100	9.4	2.3 - 16.4	10,700	90.6	83.6 - 97.7	11,900
Nuuanu/ Kalihi/ Moanalua	1,600	4.5	1.8 - 7.1	33,100	95.5	92.9 - 98.2	34,600
Puna/ Kau	800	7.3	4.2 - 10.3	10,600	92.7	89.7 - 95.8	11,400
Salt Lake/ Foster Village	1,200	5.3	0.7 - 9.9	20,600	94.7	90.1 - 99.3	21,700
Upcountry/ Hana	1,100	8.3	4.6 - 12.0	12,200	91.7	88.0 - 95.4	13,300
Waialae/ Kahala/ Hawaii Kai	900	4.6	0.9 - 8.3	19,100	95.4	91.7 - 99.1	20,100
Waipahu/ Kapolei/ Ewa	2,800	6.2	3.1 - 9.3	42,300	93.8	90.7 - 96.9	45,100

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	4,900	8.2	5.1 - 11.3	54,600	91.8	88.7 - 94.9	59,500
25-34	6,200	7.3	5.3 - 9.3	78,200	92.7	90.7 - 94.7	84,400
35-44	7,500	8.1	6.0 - 10.3	84,300	91.9	89.7 - 94.0	91,800
45-54	4,400	5.3	4.0 - 6.6	79,300	94.7	93.4 - 96.0	83,700
55-64	5,300	9.4	6.4 - 12.3	51,700	90.6	87.7 - 93.6	57,000
65-74	1,400	3.8	2.1 - 5.5	35,600	96.2	94.5 - 97.9	37,000
75+	500	1.7	0.1 - 3.3	31,400	98.3	96.7 - 99.9	32,000

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	12,800	7.7	6.3 - 9.2	152,400	92.3	90.8 - 93.7	165,100
Native Hawaiian	4,600	9.3	6.2 - 12.4	45,000	90.7	87.6 - 93.8	49,600
Chinese	1,600	4.3	1.7 - 6.9	35,900	95.7	93.1 - 98.3	37,500
Filipino	3,000	4.7	2.6 - 6.9	60,600	95.3	93.1 - 97.4	63,600
Japanese	5,700	6.8	4.9 - 8.7	78,800	93.2	91.3 - 95.1	84,500
Black	100	1.4	0.0 - 3.0	9,000	98.6	97.0 - 100.0	9,100
Other Asian	400	3.4	0.0 - 6.9	10,800	96.6	93.1 - 100.0	11,200
Other Pacific Islander	500	6.5	0.0 - 13.4	7,300	93.5	86.6 - 100.0	7,800
Other	1,400	9.9	2.9 - 16.9	12,800	90.1	83.1 - 97.1	14,200

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	500	7.8	0.2 - 15.4	6,100	92.2	84.6 - 99.8	6,700
Grades 9 thru 11 (Some High School)	1,100	6.9	2.6 - 11.1	15,500	93.1	88.9 - 97.4	16,600
Grades 12 or GED (High School Grad)	12,200	7.9	6.4 - 9.5	141,900	92.1	90.5 - 93.6	154,100
College 1 to 3 years (Some College/ Tech)	10,100	8.2	6.3 - 10.1	113,000	91.8	89.9 - 93.7	123,000
College 4 years or more (College Grad)	6,500	4.5	3.3 - 5.7	139,300	95.5	94.3 - 96.7	145,800

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	22,900	7.1	6.1 - 8.2	297,600	92.9	91.8 - 93.9	320,500
Unemployed	2,200	10.9	5.4 - 16.4	18,200	89.1	83.6 - 94.6	20,400
Retired/Unable to work	4,500	5.0	3.3 - 6.8	83,800	95.0	93.2 - 96.7	88,300
Student/Homemaker	900	4.8	1.4 - 8.2	16,900	95.2	91.8 - 98.6	17,700

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,100	7.4	3.3 - 11.6	13,500	92.6	88.4 - 96.7	14,600
\$10,000 to \$14,999	1,000	5.6	2.1 - 9.1	16,400	94.4	90.9 - 97.9	17,400
\$15,000 to \$19,999	3,200	14.9	8.2 - 21.5	18,200	85.1	78.5 - 91.8	21,400
\$20,000 to \$24,999	1,800	6.6	3.2 - 10.0	25,600	93.4	90.0 - 96.8	27,400
\$25,000 to \$34,999	2,900	6.7	4.2 - 9.1	40,000	93.3	90.9 - 95.8	42,900
\$35,000 to \$49,999	5,500	7.8	5.7 - 9.9	64,200	92.2	90.1 - 94.3	69,700
\$50,000 to \$74,999	3,400	5.1	3.6 - 6.6	62,500	94.9	93.4 - 96.4	65,900
\$75,000 or more	4,900	6.2	4.3 - 8.0	73,700	93.8	92.0 - 95.7	78,500

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	6,100	8.7	5.9 - 11.4	63,600	91.3	88.6 - 94.1	69,600
131-185%	2,900	6.5	4.0 - 9.1	41,100	93.5	90.9 - 96.0	43,900
186+%	14,700	6.5	5.5 - 7.6	209,500	93.5	92.4 - 94.5	224,200

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	12,200	4.7	3.9 - 5.6	246,800	95.3	94.4 - 96.1	259,000
Unmarried Couple	1,000	11.7	2.7 - 20.7	7,300	88.3	79.3 - 97.3	8,300
Widowed	500	3.5	0.7 - 6.3	13,200	96.5	93.7 - 99.3	13,700
Other	16,800	10.1	8.3 - 11.9	149,500	89.9	88.1 - 91.7	166,300

Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Married	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	12,900	4.9	4.0 - 5.8	251,000	95.1	94.2 - 96.0	263,900
No	17,500	9.6	7.9 - 11.2	165,600	90.4	88.8 - 92.1	183,100

Health Care Coverage	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	26,600	6.6	5.7 - 7.5	377,000	93.4	92.5 - 94.3	403,600
No	3,800	8.8	5.5 - 12.1	39,000	91.2	87.9 - 94.5	42,700