

**Alcohol - heavy alcohol consumption in men, for the State of Hawaii, for the Aggregated Year(s) - 2011-2013, 2012-2014**

**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Due to the addition of cell phones to the survey and changes in the weighting methodology, results from 2011 and forward cannot be trended with data from prior years. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Below are the indicators included in this report and the long description for each indicator.*

<b>BRFSS Health Indicator</b>	<b>Health Ind Description</b>
Alcohol - heavy alcohol consumption in men	Heavy alcohol consumption in men (Men having >2 drinks per day)

*Suggested citation:*

*Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years), Report Created: 1/13/16*

*For documentation on other terms and coding in this report, please go to the following links:*

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact  
The Hawaii Health Data Warehouse**


[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**

## Alcohol - heavy alcohol consumption in men, for the State of Hawaii, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2011-2013	48,100	9.4	8.5 - 10.2	466,000	90.6	89.8 - 91.5	514,100
2012-2014	48,800	9.4	8.6 - 10.2	471,900	90.6	89.8 - 91.4	520,700



**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2012-2014**

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Totals</b>	48,800	9.4	8.6 - 10.2	471,900	90.6	89.8 - 91.4	520,700

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Hawaii</b>	7,700	11.1	9.1 - 13.0	61,900	88.9	87.0 - 90.9	69,600
<b>Honolulu</b>	30,300	8.5	7.4 - 9.5	327,700	91.5	90.5 - 92.6	358,000
<b>Kauai</b>	3,100	12.7	9.9 - 15.5	21,600	87.3	84.5 - 90.1	24,800
<b>Maui</b>	6,600	11.4	9.3 - 13.5	51,400	88.6	86.5 - 90.7	58,000

**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2012-2014**

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	7,700	11.1	9.1 - 13.0	61,900	88.9	87.0 - 90.9	69,600
Kauai	3,100	12.7	9.9 - 15.5	21,600	87.3	84.5 - 90.1	24,800
Lanai	n/r	n/r	n/r	900	87.6	75.7 - 99.5	1,000
Maui	6,100	11.3	9.1 - 13.5	48,000	88.7	86.5 - 90.9	54,100
Molokai	n/r	n/r	n/r	2,600	87.5	78.6 - 96.3	2,900
Oahu	30,300	8.5	7.4 - 9.5	327,700	91.5	90.5 - 92.6	358,000

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	3,300	10.3	6.6 - 14.0	29,200	89.7	86.0 - 93.4	32,600
Ala Moana	1,600	8.8	4.3 - 13.3	16,000	91.2	86.7 - 95.7	17,600

**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2012-2014**

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,600	15.5	10.9 - 20.1	8,800	84.5	79.9 - 89.1	10,400
Hilo	1,600	8.6	6.0 - 11.2	17,100	91.4	88.8 - 94.0	18,700
Kaaawa/ Kahaluu/ Kaneohe	1,900	7.6	4.2 - 11.1	22,500	92.4	88.9 - 95.8	24,300
Kahului	2,000	11.4	7.0 - 15.9	15,300	88.6	84.1 - 93.0	17,300
Kailua/ Waimanalo	3,200	12.3	7.5 - 17.1	22,600	87.7	82.9 - 92.5	25,800
Kaimuki/ Palolo/ Waikiki	2,400	8.4	5.4 - 11.5	26,400	91.6	88.5 - 94.6	28,800
Kona	1,900	11.6	7.9 - 15.4	14,200	88.4	84.6 - 92.1	16,100
Lahaina/ Wailuku	2,100	11.2	8.1 - 14.3	16,900	88.8	85.7 - 91.9	19,000
Lanai	n/r	n/r	n/r	900	87.6	75.7 - 99.5	1,000
Lihue-Waimea	1,500	10.6	7.2 - 14.1	12,800	89.4	85.9 - 92.8	14,300
Manoa/ Upper Makiki	1,800	7.6	4.6 - 10.6	22,300	92.4	89.4 - 95.4	24,100
Mililani/ Wahiawa	2,000	5.4	3.0 - 7.8	34,800	94.6	92.2 - 97.0	36,700

**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2012-2014**

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	n/r	n/r	n/r	2,600	87.5	78.6 - 96.3	2,900
Nanakuli/ Waianae	2,100	11.7	5.2 - 18.1	15,700	88.3	81.9 - 94.8	17,800
N.Hawaii	2,000	16.4	10.1 - 22.7	10,200	83.6	77.3 - 89.9	12,200
N.Shore/ Laie	n/r	n/r	n/r	11,300	88.9	81.9 - 95.8	12,700
Nuuanu/ Kalihi/ Moanalua	2,700	8.2	4.8 - 11.6	30,500	91.8	88.4 - 95.2	33,200
Puna/ Kau	2,200	9.8	6.5 - 13.0	20,300	90.2	87.0 - 93.5	22,500
Salt Lake/ Foster Village	n/r	n/r	n/r	15,500	96.3	93.7 - 99.0	16,100
Upcountry/ Hana	2,000	11.3	7.5 - 15.1	15,700	88.7	84.9 - 92.5	17,700
Waialae/ Kahala/ Hawaii Kai	1,600	7.2	4.0 - 10.4	20,600	92.8	89.6 - 96.0	22,200
Waipahu/ Kapolei/ Ewa	5,700	8.6	6.1 - 11.2	60,400	91.4	88.8 - 93.9	66,100

**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2012-2014**

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	5,700	8.6	6.0 - 11.3	60,300	91.4	88.7 - 94.0	66,000
25-34	10,700	11.2	9.1 - 13.2	84,700	88.8	86.8 - 90.9	95,400
35-44	8,600	10.1	7.9 - 12.2	76,800	89.9	87.8 - 92.1	85,300
45-54	8,400	9.5	7.5 - 11.6	79,900	90.5	88.4 - 92.5	88,400
55-64	9,600	10.9	9.1 - 12.8	78,000	89.1	87.2 - 90.9	87,500
65-74	3,700	6.7	5.1 - 8.2	52,000	93.3	91.8 - 94.9	55,700
75+	1,800	4.6	2.8 - 6.3	36,800	95.4	93.7 - 97.2	38,600

**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2012-2014**

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	18,500	10.4	9.1 - 11.7	159,500	89.6	88.3 - 90.9	178,000
Native Hawaiian	7,800	13.6	10.6 - 16.5	49,600	86.4	83.5 - 89.4	57,400
Chinese	n/r	n/r	n/r	30,500	96.5	94.4 - 98.6	31,600
Filipino	5,800	7.5	5.5 - 9.4	72,200	92.5	90.6 - 94.5	78,000
Japanese	7,900	7.9	6.1 - 9.6	93,100	92.1	90.4 - 93.9	101,000
Black	n/r	n/r	n/r	11,600	94.2	89.6 - 98.9	12,400
Native Alaskan/ American Indian	n/r	n/r	n/r	1,900	72.8	55.5 - 90.2	2,600
Other Asian	1,100	8.3	3.9 - 12.7	12,000	91.7	87.3 - 96.1	13,100
Other Pacific Islander	1,700	14.9	6.9 - 22.9	9,500	85.1	77.1 - 93.1	11,100
Other	2,000	12.7	6.8 - 18.6	13,600	87.3	81.4 - 93.2	15,600



**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2012-2014**

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	7,300	95.5	91.7 - 99.3	7,700
Grades 9 thru 11 (Some High School)	6,800	17.2	12.0 - 22.4	32,800	82.8	77.6 - 88.0	39,700
Grades 12 or GED (High School Grad)	17,300	10.5	9.0 - 11.9	148,200	89.5	88.1 - 91.0	165,600
College 1 to 3 years (Some College/ Tech)	15,300	9.0	7.7 - 10.4	153,900	91.0	89.6 - 92.3	169,100
College 4 years or more (College Grad)	8,900	6.5	5.5 - 7.4	128,900	93.5	92.6 - 94.5	137,800

**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2012-2014**

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	35,000	10.1	9.0 - 11.1	312,100	89.9	88.9 - 91.0	347,200
<b>Unemployed</b>	4,900	14.3	9.9 - 18.7	29,100	85.7	81.3 - 90.1	34,000
<b>Retired/Unable to work</b>	7,700	6.9	5.7 - 8.2	103,700	93.1	91.8 - 94.3	111,400
<b>Student/Homemaker</b>	1,100	4.0	1.8 - 6.1	26,400	96.0	93.9 - 98.2	27,400

**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2012-2014**

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	2,300	9.5	6.3 - 12.8	21,800	90.5	87.2 - 93.7	24,100
\$10,000 to \$14,999	n/r	n/r	n/r	14,800	90.3	84.6 - 96.1	16,400
\$15,000 to \$19,999	3,500	11.7	8.2 - 15.2	26,500	88.3	84.8 - 91.8	30,000
\$20,000 to \$24,999	3,800	10.5	7.5 - 13.6	32,500	89.5	86.4 - 92.5	36,300
\$25,000 to \$34,999	5,500	10.5	7.6 - 13.4	46,800	89.5	86.6 - 92.4	52,300
\$35,000 to \$49,999	6,200	9.1	7.0 - 11.1	62,200	90.9	88.9 - 93.0	68,400
\$50,000 to \$74,999	7,600	9.3	7.4 - 11.3	73,400	90.7	88.7 - 92.6	81,000
\$75,000 or more	15,600	9.3	7.8 - 10.7	152,200	90.7	89.3 - 92.2	167,800

**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2012-2014**

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	5,200	10.4	6.9 - 13.9	44,300	89.6	86.1 - 93.1	49,400
<b>131-185%</b>	2,000	7.3	3.9 - 10.8	25,500	92.7	89.2 - 96.1	27,600
<b>186+%</b>	11,600	8.5	7.1 - 9.9	124,600	91.5	90.1 - 92.9	136,200

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	21,000	7.9	6.9 - 9.0	243,800	92.1	91.0 - 93.1	264,800
<b>Unmarried Couple</b>	2,300	12.9	7.7 - 18.0	15,600	87.1	82.0 - 92.3	17,900
<b>Widowed</b>	1,200	8.0	4.6 - 11.3	14,200	92.0	88.7 - 95.4	15,400
<b>Other</b>	24,300	10.9	9.6 - 12.3	198,300	89.1	87.7 - 90.4	222,500

**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2012-2014**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	21,600	8.0	6.9 - 9.0	250,100	92.0	91.0 - 93.1	271,700
<b>No</b>	27,000	10.9	9.6 - 12.2	220,800	89.1	87.8 - 90.4	247,800

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	39,600	8.5	7.7 - 9.3	428,000	91.5	90.7 - 92.3	467,500
<b>No</b>	9,000	17.5	14.1 - 20.9	42,700	82.5	79.1 - 85.9	51,700

**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2011-2013**

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Totals</b>	48,100	9.4	8.5 - 10.2	466,000	90.6	89.8 - 91.5	514,100

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Hawaii</b>	7,400	10.7	8.8 - 12.6	62,300	89.3	87.4 - 91.2	69,700
<b>Honolulu</b>	31,100	8.7	7.7 - 9.8	325,100	91.3	90.2 - 92.3	356,200
<b>Kauai</b>	2,700	11.1	8.3 - 14.0	21,500	88.9	86.0 - 91.7	24,200
<b>Maui</b>	6,200	10.9	8.9 - 12.9	50,600	89.1	87.1 - 91.1	56,800

**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2011-2013**

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	7,400	10.7	8.8 - 12.6	62,300	89.3	87.4 - 91.2	69,700
Kauai	2,700	11.1	8.3 - 14.0	21,500	88.9	86.0 - 91.7	24,200
Lanai	n/r	n/r	n/r	1,100	86.2	76.8 - 95.6	1,200
Maui	5,600	10.9	8.7 - 13.0	46,200	89.1	87.0 - 91.3	51,900
Molokai	400	11.1	4.9 - 17.3	3,300	88.9	82.7 - 95.1	3,700
Oahu	31,100	8.7	7.7 - 9.8	325,100	91.3	90.2 - 92.3	356,200

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	4,100	13.5	8.8 - 18.1	26,100	86.5	81.9 - 91.2	30,200
Ala Moana	2,300	12.4	7.0 - 17.8	15,900	87.6	82.2 - 93.0	18,100

**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2011-2013**

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,300	12.0	8.1 - 15.9	9,500	88.0	84.1 - 91.9	10,700
Hilo	2,100	10.8	7.6 - 14.1	17,300	89.2	85.9 - 92.4	19,300
Kaaawa/ Kahaluu/ Kaneohe	1,600	6.6	3.6 - 9.5	23,400	93.4	90.5 - 96.4	25,100
Kahului	1,400	8.3	5.1 - 11.6	15,700	91.7	88.4 - 94.9	17,200
Kailua/ Waimanalo	3,400	12.2	7.4 - 17.0	24,300	87.8	83.0 - 92.6	27,700
Kaimuki/ Palolo/ Waikiki	3,000	9.6	6.2 - 12.9	28,100	90.4	87.1 - 93.8	31,100
Kona	1,800	11.3	7.4 - 15.2	14,000	88.7	84.8 - 92.6	15,700
Lahaina/ Wailuku	2,200	12.7	9.0 - 16.4	14,800	87.3	83.6 - 91.0	17,000
Lanai	n/r	n/r	n/r	1,100	86.2	76.8 - 95.6	1,200
Lihue-Waimea	1,400	10.4	6.4 - 14.5	12,100	89.6	85.5 - 93.6	13,500
Manoa/ Upper Makiki	1,900	8.0	4.9 - 11.0	21,600	92.0	89.0 - 95.1	23,500
Mililani/ Wahiawa	1,800	5.1	2.7 - 7.4	34,300	94.9	92.6 - 97.3	36,100



**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2011-2013**

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	400	11.1	4.9 - 17.3	3,300	88.9	82.7 - 95.1	3,700
Nanakuli/ Waianae	n/r	n/r	n/r	13,800	88.2	80.7 - 95.8	15,700
N.Hawaii	2,000	15.3	9.5 - 21.2	11,200	84.7	78.8 - 90.5	13,300
N.Shore/ Laie	n/r	n/r	n/r	11,600	91.4	85.5 - 97.2	12,700
Nuuanu/ Kalihi/ Moanalua	1,900	5.8	3.0 - 8.6	30,500	94.2	91.4 - 97.0	32,400
Puna/ Kau	1,500	7.2	4.5 - 9.8	19,800	92.8	90.2 - 95.5	21,400
Salt Lake/ Foster Village	900	5.6	2.4 - 8.8	15,700	94.4	91.2 - 97.6	16,600
Upcountry/ Hana	2,000	11.5	7.6 - 15.5	15,700	88.5	84.5 - 92.4	17,800
Waialae/ Kahala/ Hawaii Kai	1,200	6.2	3.4 - 9.0	18,400	93.8	91.0 - 96.6	19,600
Waipahu/ Kapolei/ Ewa	6,100	9.0	6.3 - 11.7	61,500	91.0	88.3 - 93.7	67,500

**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2011-2013**

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	5,400	8.1	5.4 - 10.8	61,100	91.9	89.2 - 94.6	66,500
25-34	11,800	12.2	10.0 - 14.5	84,500	87.8	85.5 - 90.0	96,300
35-44	9,100	10.6	8.3 - 12.8	77,100	89.4	87.2 - 91.7	86,200
45-54	8,000	9.1	7.2 - 10.9	80,800	90.9	89.1 - 92.8	88,900
55-64	8,300	9.8	8.0 - 11.6	76,000	90.2	88.4 - 92.0	84,300
65-74	3,300	6.4	4.8 - 8.0	47,700	93.6	92.0 - 95.2	51,000
75+	2,100	5.3	3.2 - 7.5	36,500	94.7	92.5 - 96.8	38,500

**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2011-2013**

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	17,400	9.7	8.5 - 11.0	161,400	90.3	89.0 - 91.5	178,800
Native Hawaiian	8,300	14.9	11.7 - 18.1	47,100	85.1	81.9 - 88.3	55,300
Chinese	1,300	4.0	1.7 - 6.3	31,100	96.0	93.7 - 98.3	32,400
Filipino	6,300	8.0	5.7 - 10.3	72,700	92.0	89.7 - 94.3	79,000
Japanese	7,800	7.7	6.0 - 9.4	93,300	92.3	90.6 - 94.0	101,100
Black	n/r	n/r	n/r	9,500	96.1	93.1 - 99.1	9,900
Native Alaskan/ American Indian	n/r	n/r	n/r	1,800	77.4	58.8 - 96.0	2,300
Other Asian	900	6.9	3.2 - 10.5	11,900	93.1	89.5 - 96.8	12,800
Other Pacific Islander	1,900	14.8	7.3 - 22.3	11,000	85.2	77.7 - 92.7	12,900
Other	2,400	14.3	7.7 - 20.9	14,600	85.7	79.1 - 92.3	17,000

**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2011-2013**

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	7,200	96.3	92.8 - 99.7	7,500
Grades 9 thru 11 (Some High School)	5,400	13.2	8.5 - 17.8	35,600	86.8	82.2 - 91.5	41,000
Grades 12 or GED (High School Grad)	17,700	10.8	9.2 - 12.4	146,000	89.2	87.6 - 90.8	163,800
College 1 to 3 years (Some College/ Tech)	15,400	9.3	7.9 - 10.7	150,400	90.7	89.3 - 92.1	165,800
College 4 years or more (College Grad)	9,200	6.8	5.8 - 7.8	126,500	93.2	92.2 - 94.2	135,700

**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2011-2013**

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	34,900	10.4	9.3 - 11.5	299,800	89.6	88.5 - 90.7	334,700
<b>Unemployed</b>	4,900	12.8	8.8 - 16.9	33,400	87.2	83.1 - 91.2	38,300
<b>Retired/Unable to work</b>	7,500	6.7	5.5 - 8.0	103,600	93.3	92.0 - 94.5	111,000
<b>Student/Homemaker</b>	n/r	n/r	n/r	28,800	97.3	95.6 - 99.1	29,500

**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2011-2013**

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,900	9.1	5.7 - 12.5	18,800	90.9	87.5 - 94.3	20,700
\$10,000 to \$14,999	n/r	n/r	n/r	14,200	91.5	85.5 - 97.5	15,500
\$15,000 to \$19,999	3,000	11.0	7.2 - 14.8	24,300	89.0	85.2 - 92.8	27,300
\$20,000 to \$24,999	3,900	11.1	7.8 - 14.4	31,600	88.9	85.6 - 92.2	35,600
\$25,000 to \$34,999	5,500	10.8	7.6 - 13.9	45,300	89.2	86.1 - 92.4	50,700
\$35,000 to \$49,999	5,700	8.1	6.4 - 9.8	64,700	91.9	90.2 - 93.6	70,400
\$50,000 to \$74,999	8,700	10.4	8.4 - 12.4	74,900	89.6	87.6 - 91.6	83,600
\$75,000 or more	15,600	9.3	7.8 - 10.8	152,300	90.7	89.2 - 92.2	167,900

**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2011-2013**

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	6,500	10.5	7.3 - 13.7	55,700	89.5	86.3 - 92.7	62,300
131-185%	2,100	5.4	3.1 - 7.8	36,100	94.6	92.2 - 96.9	38,200
186+%	15,400	8.3	7.0 - 9.5	170,900	91.7	90.5 - 93.0	186,300

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	19,500	7.7	6.7 - 8.7	233,100	92.3	91.3 - 93.3	252,600
Unmarried Couple	3,300	14.9	9.5 - 20.4	19,000	85.1	79.6 - 90.5	22,400
Widowed	1,200	7.2	4.0 - 10.4	15,000	92.8	89.6 - 96.0	16,100
Other	24,100	10.8	9.4 - 12.2	198,900	89.2	87.8 - 90.6	223,000

**Alcohol - heavy alcohol consumption in men by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2011-2013**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	20,300	7.8	6.8 - 8.9	238,700	92.2	91.1 - 93.2	259,000
<b>No</b>	27,700	10.9	9.6 - 12.2	226,800	89.1	87.8 - 90.4	254,500

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	40,600	8.8	8.0 - 9.7	418,400	91.2	90.3 - 92.0	459,000
<b>No</b>	7,400	13.8	10.7 - 16.8	46,700	86.2	83.2 - 89.3	54,100