

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2002	400,700	93.7	92.3 - 95.1	12,100	2.8	1.9 - 3.8	8,900	2.1	1.3 - 2.9	6,000	1.4	0.6 - 2.2	427,700
2004	453,500	95.2	93.1 - 97.2	10,900	2.3	0.8 - 3.8	7,800	1.6	0.3 - 3.0	4,200	0.9	0.3 - 1.5	476,500
2006	447,100	93.2	91.8 - 94.5	18,300	3.8	2.9 - 4.7	8,000	1.7	0.9 - 2.4	6,600	1.4	0.6 - 2.1	480,000
2008	460,300	95.4	94.3 - 96.5	12,800	2.6	1.8 - 3.5	4,800	1.0	0.6 - 1.4	4,700	1.0	0.4 - 1.6	482,600
2010	463,600	96.0	95.0 - 97.1	10,300	2.1	1.4 - 2.9	4,200	0.9	0.4 - 1.3	4,600	0.9	0.3 - 1.6	482,700

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents



Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

State	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	463,600	96.0	95.0 - 97.1	10,300	2.1	1.4 - 2.9	4,200	0.9	0.4 - 1.3	4,600	0.9	0.3 - 1.6	482,700

County	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	66,800	97.5	95.5 - 99.5	1,400	2.0	0.1 - 3.9	300	0.5	0.0 - 1.1	<50	0.1	0.0 - 0.2	68,500
Honolulu	316,700	96.2	94.8 - 97.6	6,100	1.8	0.9 - 2.8	2,500	0.8	0.2 - 1.3	3,900	1.2	0.3 - 2.1	329,200
Kauai	25,200	92.0	87.5 - 96.5	1,100	4.0	0.5 - 7.6	900	3.3	0.5 - 6.2	200	0.6	0.0 - 1.3	27,400
Maui	54,900	95.3	92.8 - 97.9	1,800	3.1	1.0 - 5.2	500	0.9	0.0 - 2.2	400	0.7	0.0 - 1.5	57,600

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Island	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	66,800	97.5	95.5 - 99.5	1,400	2.0	0.1 - 3.9	300	0.5	0.0 - 1.1	<50	0.1	0.0 - 0.2	68,500
Kauai	25,200	92.0	87.5 - 96.5	1,100	4.0	0.5 - 7.6	900	3.3	0.5 - 6.2	200	0.6	0.0 - 1.3	27,400
Lanai	800	89.2	77.3 - 100.0	<50	4.8	0.0 - 11.5	0	0.0	--	100	6.0	0.0 - 16.3	800
Maui	51,000	95.6	92.9 - 98.3	1,700	3.2	0.9 - 5.4	400	0.7	0.0 - 2.1	300	0.5	0.0 - 1.2	53,400
Molokai	3,100	92.5	84.6 - 100.0	<50	0.7	0.0 - 1.7	100	3.9	0.0 - 9.7	100	2.9	0.0 - 8.5	3,400
Oahu	316,700	96.2	94.8 - 97.6	6,100	1.8	0.9 - 2.8	2,500	0.8	0.2 - 1.3	3,900	1.2	0.3 - 2.1	329,200

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	33,900	97.9	95.2 - 100.0	400	1.3	0.0 - 3.7	0	0.0	--	300	0.8	0.0 - 1.9	34,600
Hanalei/ Kapaa	11,400	87.0	78.4 - 95.6	900	7.1	0.1 - 14.2	700	5.5	0.0 - 11.0	100	0.4	0.0 - 1.3	13,100
Hilo	18,400	93.8	87.8 - 99.9	900	4.6	0.0 - 10.3	300	1.3	0.0 - 3.6	<50	0.2	0.0 - 0.7	19,600
Kaaawa/ Kahaluu/ Kaneohe	21,600	95.3	89.3 - 100.0	500	2.3	0.0 - 6.8	0	0.0	--	500	2.4	0.0 - 6.5	22,600
Kahului	16,300	95.5	90.4 - 100.0	300	2.0	0.0 - 4.8	400	2.2	0.0 - 6.6	<50	0.3	0.0 - 0.9	17,100
Kailua/ Waimanalo	28,200	92.5	85.1 - 99.8	700	2.4	0.0 - 5.7	300	1.1	0.0 - 2.6	1,200	4.1	0.0 - 10.7	30,500
Kaimuki/ Palolo/ Waikiki	29,700	96.6	91.3 - 100.0	1,000	3.4	0.0 - 8.7	0	0.0	--	0	0.0	--	30,800
Kona	15,000	97.6	93.5 - 100.0	400	2.4	0.0 - 6.5	0	0.0	--	0	0.0	--	15,300
Lahaina/ Wailuku	16,500	97.0	93.9 - 100.0	300	1.8	0.0 - 3.8	0	0.0	--	200	1.2	0.0 - 3.5	17,000

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lanai	800	89.2	77.3 - 100.0	<50	4.8	0.0 - 11.5	0	0.0	--	100	6.0	0.0 - 16.3	800
Lihue-Waimea	13,800	96.6	94.1 - 99.0	200	1.2	0.0 - 2.7	200	1.4	0.0 - 2.9	100	0.8	0.0 - 1.9	14,300
Manoa/ Upper Makiki	25,100	97.6	94.2 - 100.0	600	2.4	0.0 - 5.8	0	0.0	--	0	0.0	--	25,700
Mililani/ Wahiawa	36,700	98.6	96.4 - 100.0	100	0.3	0.0 - 0.8	0	0.0	--	400	1.1	0.0 - 3.3	37,200
Molokai	3,100	92.5	84.6 - 100.0	<50	0.7	0.0 - 1.7	100	3.9	0.0 - 9.7	100	2.9	0.0 - 8.5	3,400
N.Hawaii	13,300	100.0	100.0 - 100.0	0	0.0	--	0	0.0	--	0	0.0	--	13,300
Nuuanu/ Kalihi/ Moanalua	21,200	93.9	88.8 - 99.0	600	2.7	0.0 - 6.0	200	0.9	0.0 - 2.7	600	2.4	0.0 - 5.8	22,600
Puna/ Kau	20,200	99.3	98.5 - 100.0	100	0.5	0.0 - 1.1	<50	0.2	0.0 - 0.7	0	0.0	--	20,300
Salt Lake/ Foster Village	15,900	96.2	89.1 - 100.0	0	0.0	--	0	0.0	--	600	3.8	0.0 - 10.9	16,500

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Upcountry/ Hana	18,300	94.5	89.2 - 99.9	1,100	5.5	0.1 - 10.8	0	0.0	--	0	0.0	--	19,300
Waialae/ Kahala/ Hawaii Kai	21,400	93.1	87.0 - 99.1	1,200	5.2	0.0 - 10.6	400	1.8	0.0 - 4.5	0	0.0	--	23,000
Waipahu/ Kapolei/ Ewa	51,500	97.9	96.0 - 99.9	400	0.7	0.0 - 1.5	700	1.4	0.0 - 3.1	0	0.0	--	52,600

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

BRFSS Age Group	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	51,800	97.9	95.7 - 100.0	100	0.3	0.0 - 0.8	500	0.9	0.0 - 2.1	500	0.9	0.0 - 2.7	52,900
25-34	102,000	93.3	89.8 - 96.7	4,000	3.7	1.2 - 6.1	900	0.8	0.0 - 1.8	2,400	2.2	0.0 - 4.5	109,300
35-44	86,400	96.8	94.8 - 98.8	1,700	1.9	0.3 - 3.6	500	0.6	0.0 - 1.2	600	0.7	0.0 - 1.6	89,200
45-54	88,600	95.3	93.2 - 97.5	2,900	3.2	1.3 - 5.0	1,000	1.1	0.1 - 2.0	400	0.4	0.0 - 1.0	93,000
55-64	68,700	97.1	95.2 - 99.0	900	1.3	0.4 - 2.1	1,100	1.5	0.0 - 3.3	100	0.1	0.0 - 0.3	70,700
65-74	36,100	96.4	94.3 - 98.5	600	1.6	0.2 - 2.9	300	0.8	0.0 - 1.6	500	1.3	0.0 - 2.7	37,400
75+	27,900	99.8	99.3 - 100.0	0	0.0	--	0	0.0	--	100	0.2	0.0 - 0.7	28,000

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

DOH Race-Ethnicity	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	186,100	96.0	94.5 - 97.5	5,000	2.6	1.3 - 3.8	1,300	0.6	0.2 - 1.1	1,500	0.8	0.1 - 1.5	193,800
Native Hawaiian	58,900	92.0	87.6 - 96.4	2,500	3.9	1.3 - 6.6	1,300	2.0	0.2 - 3.7	1,300	2.1	0.0 - 5.4	64,000
Chinese	19,600	98.7	96.6 - 100.0	300	1.3	0.0 - 3.4	0	0.0	--	0	0.0	--	19,800
Filipino	55,500	96.2	92.9 - 99.5	500	0.8	0.0 - 2.0	800	1.3	0.0 - 3.4	900	1.6	0.0 - 3.9	57,700
Japanese	97,400	96.8	94.6 - 99.0	1,700	1.6	0.0 - 3.6	900	0.9	0.0 - 1.8	700	0.7	0.0 - 1.3	100,600
Other	11,400	97.6	94.9 - 100.0	100	1.2	0.0 - 3.5	<50	0.2	0.0 - 0.6	100	1.0	0.0 - 2.4	11,600

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Gender	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	266,200	94.2	92.5 - 95.9	8,300	3.0	1.8 - 4.1	3,700	1.3	0.6 - 2.0	4,400	1.5	0.5 - 2.6	282,600
Female	197,400	98.7	97.9 - 99.4	2,000	1.0	0.3 - 1.7	500	0.2	0.0 - 0.5	200	0.1	0.0 - 0.3	200,100

Education Level	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	14,400	99.1	97.8 - 100.0	100	0.5	0.0 - 1.4	0	0.0	--	100	0.4	0.0 - 1.3	14,500
Grades 12 or GED (High School Grad)	110,900	95.2	92.7 - 97.8	2,500	2.1	0.7 - 3.6	900	0.7	0.0 - 1.5	2,200	1.9	0.0 - 3.9	116,500
College 1 to 3 years (Some College/ Tech)	135,000	95.9	93.9 - 97.9	3,700	2.6	1.0 - 4.3	900	0.7	0.0 - 1.5	1,200	0.8	0.0 - 1.6	140,800
College 4 years or more (College Grad)	201,600	96.6	95.2 - 97.9	3,700	1.7	0.8 - 2.7	2,400	1.2	0.5 - 1.8	1,100	0.5	0.0 - 1.2	208,800

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Employment Status (Grouped)	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	309,800	94.8	93.3 - 96.3	9,700	3.0	1.9 - 4.1	3,700	1.1	0.5 - 1.8	3,600	1.1	0.3 - 1.9	326,800
Unemployed	34,100	99.4	98.5 - 100.0	0	0.0	--	200	0.6	0.0 - 1.5	0	0.0	--	34,300
Retired/Unable to work	69,700	98.6	97.8 - 99.4	600	0.8	0.2 - 1.5	<50	0.1	0.0 - 0.2	300	0.5	0.0 - 0.9	70,700
Student/Homemaker	50,100	98.3	96.1 - 100.0	0	0.0	--	300	0.5	0.0 - 1.5	600	1.3	0.0 - 3.2	51,000

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Household Income	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	12,400	99.5	98.4 - 100.0	100	0.5	0.0 - 1.6	0	0.0	--	0	0.0	--	12,400
\$10,000 to \$14,999	8,000	99.1	97.2 - 100.0	100	0.9	0.0 - 2.8	0	0.0	--	0	0.0	--	8,100
\$15,000 to \$19,999	21,200	94.6	85.8 - 100.0	0	0.0	--	100	0.6	0.0 - 1.7	1,100	4.8	0.0 - 13.6	22,400
\$20,000 to \$24,999	26,800	96.6	93.4 - 99.8	400	1.6	0.0 - 3.8	300	1.0	0.0 - 2.5	200	0.9	0.0 - 2.6	27,800
\$25,000 to \$34,999	40,400	95.8	92.5 - 99.0	1,100	2.7	0.4 - 5.1	0	0.0	--	600	1.5	0.0 - 3.8	42,200
\$35,000 to \$49,999	59,900	93.9	90.5 - 97.4	1,900	3.0	0.6 - 5.4	1,000	1.5	0.0 - 3.1	1,000	1.5	0.0 - 3.6	63,700
\$50,000 to \$74,999	79,300	95.8	93.6 - 98.1	2,000	2.4	0.5 - 4.2	500	0.6	0.0 - 1.3	900	1.1	0.0 - 2.3	82,700
\$75,000 or more	183,500	96.1	94.5 - 97.8	4,700	2.5	1.1 - 3.9	2,100	1.1	0.2 - 1.9	600	0.3	0.0 - 0.8	190,900

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Poverty Level	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	84,500	96.8	94.2 - 99.5	1,100	1.2	0.1 - 2.3	300	0.4	0.0 - 1.0	1,300	1.5	0.0 - 3.9	87,300
131-185%	58,100	93.7	90.0 - 97.4	2,200	3.5	0.8 - 6.2	200	0.3	0.0 - 0.8	1,500	2.4	0.0 - 5.1	62,000
186+%	288,700	96.0	94.7 - 97.2	7,100	2.3	1.3 - 3.4	3,400	1.1	0.5 - 1.8	1,700	0.6	0.1 - 1.0	300,900

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Marital Status (Grouped)	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	276,900	96.7	95.6 - 97.8	6,500	2.3	1.3 - 3.2	1,600	0.6	0.1 - 1.1	1,300	0.4	0.1 - 0.8	286,300
Unmarried Couple	20,400	98.0	94.1 - 100.0	0	0.0	--	400	2.0	0.0 - 5.9	0	0.0	--	20,800
Widowed	15,400	99.0	97.6 - 100.0	0	0.0	--	100	0.6	0.0 - 1.7	100	0.4	0.0 - 1.2	15,600
Other	150,900	94.3	91.9 - 96.7	3,800	2.4	0.9 - 3.9	2,100	1.3	0.5 - 2.1	3,200	2.0	0.3 - 3.7	160,000

Married	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	281,600	96.6	95.4 - 97.7	7,000	2.4	1.5 - 3.4	1,700	0.6	0.1 - 1.1	1,300	0.4	0.1 - 0.8	291,700
No	181,500	95.3	93.2 - 97.3	3,300	1.7	0.5 - 2.9	2,500	1.3	0.5 - 2.1	3,300	1.7	0.3 - 3.2	190,500

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Health Care Coverage	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	432,900	96.1	95.0 - 97.2	9,900	2.2	1.4 - 3.0	3,600	0.8	0.4 - 1.2	4,100	0.9	0.3 - 1.5	450,500
No	29,900	95.1	90.6 - 99.6	400	1.3	0.0 - 3.3	700	2.1	0.0 - 4.9	500	1.5	0.0 - 4.5	31,500

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

State	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	460,300	95.4	94.3 - 96.5	12,800	2.6	1.8 - 3.5	4,800	1.0	0.6 - 1.4	4,700	1.0	0.4 - 1.6	482,600

County	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	64,500	95.1	93.1 - 97.2	2,000	2.9	1.2 - 4.6	800	1.2	0.2 - 2.2	500	0.8	0.1 - 1.5	67,800
Honolulu	318,200	95.8	94.3 - 97.3	8,100	2.4	1.3 - 3.5	2,200	0.7	0.2 - 1.1	3,700	1.1	0.3 - 2.0	332,200
Kauai	24,000	91.7	86.8 - 96.5	1,200	4.4	0.8 - 8.1	900	3.4	0.1 - 6.8	100	0.5	0.0 - 1.2	26,200
Maui	53,600	94.9	92.8 - 97.1	1,600	2.8	1.3 - 4.3	900	1.6	0.1 - 3.1	400	0.7	0.1 - 1.3	56,500

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Island	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	64,500	95.1	93.1 - 97.2	2,000	2.9	1.2 - 4.6	800	1.2	0.2 - 2.2	500	0.8	0.1 - 1.5	67,800
Kauai	24,000	91.7	86.8 - 96.5	1,200	4.4	0.8 - 8.1	900	3.4	0.1 - 6.8	100	0.5	0.0 - 1.2	26,200
Lanai	900	91.6	83.3 - 99.9	<50	4.7	0.0 - 11.2	0	0.0	--	<50	3.7	0.0 - 9.1	1,000
Maui	49,200	95.1	92.7 - 97.4	1,400	2.7	1.1 - 4.4	800	1.6	0.0 - 3.2	300	0.6	0.0 - 1.2	51,800
Molokai	3,500	94.0	89.4 - 98.6	100	3.3	0.3 - 6.4	100	1.5	0.0 - 4.2	<50	1.1	0.0 - 3.4	3,800
Oahu	318,200	95.8	94.3 - 97.3	8,100	2.4	1.3 - 3.5	2,200	0.7	0.2 - 1.1	3,700	1.1	0.3 - 2.0	332,200

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	26,200	93.8	87.9 - 99.8	1,700	6.2	0.2 - 12.1	0	0.0	--	0	0.0	--	27,900
Ala Moana	13,100	100.0	100.0 - 100.0	0	0.0	--	0	0.0	--	0	0.0	--	13,100
Hanalei/ Kapaa	9,300	85.3	75.3 - 95.3	900	8.4	0.3 - 16.4	600	5.3	0.0 - 12.1	100	1.1	0.0 - 2.8	10,900
Hilo	18,500	96.7	94.1 - 99.4	100	0.6	0.0 - 1.7	400	2.0	0.0 - 4.2	100	0.7	0.0 - 1.6	19,200
Kaaawa/ Kahaluu/ Kaneohe	17,700	93.6	86.2 - 100.0	900	4.6	0.0 - 11.6	200	1.2	0.0 - 3.5	100	0.7	0.0 - 2.0	18,900
Kahului	15,200	95.6	91.0 - 100.0	200	1.4	0.0 - 3.0	400	2.6	0.0 - 6.9	100	0.4	0.0 - 1.1	15,900
Kailua/ Waimanalo	31,800	98.2	96.2 - 100.0	500	1.4	0.0 - 3.1	100	0.4	0.0 - 1.3	0	0.0	--	32,400
Kaimuki/ Palolo/ Waikiki	26,800	96.6	93.9 - 99.4	300	1.0	0.0 - 2.4	300	1.2	0.0 - 2.9	300	1.1	0.0 - 2.9	27,700
Kona	14,400	93.2	88.4 - 97.9	500	3.0	0.2 - 5.7	400	2.6	0.0 - 6.0	200	1.3	0.0 - 3.3	15,400

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	15,600	93.6	89.0 - 98.3	900	5.3	0.9 - 9.7	100	0.3	0.0 - 1.0	100	0.7	0.0 - 2.1	16,700
Lanai	900	91.6	83.3 - 99.9	<50	4.7	0.0 - 11.2	0	0.0	--	<50	3.7	0.0 - 9.1	1,000
Lihue-Waimea	14,700	96.2	92.9 - 99.6	200	1.6	0.0 - 3.5	300	2.1	0.0 - 5.0	0	0.0	--	15,300
Manoa/ Upper Makiki	20,500	97.3	94.6 - 99.9	200	1.1	0.0 - 2.6	0	0.0	--	400	1.7	0.0 - 3.9	21,000
Mililani/ Wahiawa	33,200	96.6	93.6 - 99.7	600	1.7	0.0 - 3.7	600	1.6	0.0 - 4.0	0	0.0	--	34,300
Molokai	3,500	94.0	89.4 - 98.6	100	3.3	0.3 - 6.4	100	1.5	0.0 - 4.2	<50	1.1	0.0 - 3.4	3,800
N.Hawaii	14,900	98.7	97.3 - 100.0	200	1.3	0.0 - 2.7	0	0.0	--	0	0.0	--	15,100
Nuuanu/ Kalihi/ Moanalua	30,200	96.8	92.6 - 100.0	0	0.0	--	100	0.3	0.0 - 1.0	900	2.9	0.0 - 7.0	31,300
Puna/ Kau	16,700	92.2	86.5 - 97.9	1,200	6.5	1.1 - 12.0	<50	0.2	0.0 - 0.5	200	1.1	0.0 - 2.9	18,100

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Salt Lake/ Foster Village	16,300	92.4	81.9 - 100.0	900	5.1	0.0 - 14.6	0	0.0	--	400	2.5	0.0 - 7.4	17,700
Upcountry/ Hana	18,300	95.9	92.8 - 99.0	300	1.6	0.0 - 3.2	300	1.8	0.0 - 4.3	100	0.7	0.0 - 1.7	19,100
Waialae/ Kahala/ Hawaii Kai	25,900	97.3	93.5 - 100.0	400	1.6	0.0 - 4.7	0	0.0	--	300	1.1	0.0 - 3.3	26,700
Waipahu/ Kapolei/ Ewa	47,500	93.9	88.7 - 99.2	1,100	2.2	0.0 - 5.0	800	1.6	0.0 - 3.5	1,100	2.2	0.0 - 6.5	50,600

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

BRFSS Age Group	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	55,200	89.9	84.0 - 95.9	3,800	6.1	1.6 - 10.7	700	1.1	0.0 - 2.7	1,700	2.8	0.0 - 6.6	61,400
25-34	90,100	95.9	93.7 - 98.2	1,900	2.0	0.3 - 3.8	1,500	1.6	0.3 - 2.9	400	0.5	0.0 - 1.0	94,000
35-44	90,100	94.4	92.1 - 96.8	3,000	3.2	1.2 - 5.1	1,500	1.6	0.5 - 2.6	800	0.9	0.0 - 1.7	95,400
45-54	92,300	96.8	95.4 - 98.2	1,800	1.8	0.9 - 2.8	600	0.7	0.0 - 1.4	600	0.7	0.0 - 1.4	95,300
55-64	71,900	96.3	94.0 - 98.6	1,600	2.2	0.5 - 3.9	400	0.5	0.0 - 1.2	700	1.0	0.0 - 2.5	74,600
65-74	35,600	97.7	96.2 - 99.1	600	1.7	0.4 - 2.9	0	0.0	--	200	0.7	0.1 - 1.3	36,400
75+	24,500	98.8	97.5 - 100.0	100	0.4	0.0 - 1.1	100	0.4	0.0 - 1.3	100	0.4	0.0 - 1.1	24,800

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

DOH Race-Ethnicity	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	191,800	96.3	95.1 - 97.5	4,100	2.1	1.1 - 3.1	2,500	1.3	0.6 - 2.0	700	0.4	0.1 - 0.6	199,100
Native Hawaiian	68,000	95.9	93.0 - 98.8	1,900	2.7	0.0 - 5.5	300	0.5	0.0 - 0.9	600	0.9	0.0 - 1.8	70,900
Chinese	22,700	96.6	92.8 - 100.0	200	1.1	0.0 - 3.1	200	1.1	0.0 - 3.1	300	1.3	0.0 - 3.7	23,500
Filipino	51,900	92.2	87.0 - 97.5	1,900	3.3	0.4 - 6.3	700	1.2	0.0 - 2.8	1,800	3.2	0.0 - 7.5	56,300
Japanese	83,900	94.8	92.2 - 97.4	2,800	3.2	1.0 - 5.4	1,000	1.1	0.0 - 2.3	800	0.9	0.0 - 1.8	88,600
Other Asian	11,600	93.3	84.3 - 100.0	400	3.1	0.0 - 9.1	0	0.0	--	400	3.6	0.0 - 10.5	12,400
Other	10,100	99.8	99.5 - 100.0	<50	0.2	0.0 - 0.5	0	0.0	--	0	0.0	--	10,200

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Gender	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	267,400	93.6	91.8 - 95.3	10,400	3.6	2.3 - 5.0	4,300	1.5	0.9 - 2.2	3,700	1.3	0.3 - 2.3	285,800
Female	192,900	98.0	97.2 - 98.8	2,400	1.2	0.6 - 1.8	500	0.2	0.0 - 0.6	1,000	0.5	0.1 - 0.9	196,800

Education Level	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	12,900	89.4	81.0 - 97.7	600	4.0	0.0 - 8.5	300	2.4	0.0 - 5.8	600	4.3	0.0 - 10.6	14,400
Grades 12 or GED (High School Grad)	123,600	94.2	91.6 - 96.8	3,700	2.8	1.2 - 4.4	1,500	1.2	0.3 - 2.0	2,500	1.9	0.0 - 3.8	131,200
College 1 to 3 years (Some College/ Tech)	131,700	95.0	92.9 - 97.1	4,700	3.4	1.5 - 5.3	1,600	1.2	0.3 - 2.1	600	0.4	0.1 - 0.8	138,600
College 4 years or more (College Grad)	191,300	96.9	95.6 - 98.2	3,800	1.9	0.8 - 3.1	1,300	0.7	0.1 - 1.2	1,000	0.5	0.1 - 1.0	197,500

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Employment Status (Grouped)	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	323,100	94.9	93.5 - 96.3	9,000	2.6	1.7 - 3.6	4,300	1.3	0.7 - 1.8	4,100	1.2	0.4 - 2.0	340,500
Unemployed	23,400	97.3	94.7 - 99.9	300	1.1	0.0 - 2.8	0	0.0	--	400	1.6	0.0 - 3.5	24,000
Retired/Unable to work	77,000	97.2	95.3 - 99.2	1,800	2.3	0.4 - 4.2	100	0.2	0.0 - 0.4	200	0.3	0.0 - 0.6	79,200
Student/Homemaker	36,400	94.6	89.5 - 99.8	1,700	4.5	0.0 - 9.4	300	0.9	0.0 - 2.6	0	0.0	--	38,400

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Household Income	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	7,400	100.0	100.0 - 100.0	0	0.0	--	0	0.0	--	0	0.0	--	7,400
\$10,000 to \$14,999	7,500	98.9	96.6 - 100.0	100	1.1	0.0 - 3.4	0	0.0	--	0	0.0	--	7,600
\$15,000 to \$19,999	13,300	98.7	96.6 - 100.0	200	1.3	0.0 - 3.4	0	0.0	--	0	0.0	--	13,500
\$20,000 to \$24,999	23,100	93.1	85.9 - 100.0	1,400	5.5	0.0 - 12.5	200	0.8	0.0 - 2.4	100	0.6	0.0 - 1.4	24,800
\$25,000 to \$34,999	39,100	92.7	87.9 - 97.4	2,100	5.1	0.6 - 9.5	400	1.0	0.0 - 2.1	500	1.3	0.0 - 2.7	42,100
\$35,000 to \$49,999	63,800	95.8	93.5 - 98.1	1,100	1.6	0.6 - 2.6	900	1.4	0.0 - 2.9	800	1.2	0.0 - 2.7	66,500
\$50,000 to \$74,999	93,000	96.2	94.1 - 98.4	1,700	1.8	0.4 - 3.2	1,100	1.1	0.0 - 2.2	800	0.9	0.0 - 2.0	96,600
\$75,000 or more	183,800	95.3	93.5 - 97.1	4,500	2.3	1.1 - 3.5	2,200	1.2	0.5 - 1.8	2,400	1.2	0.0 - 2.5	192,900

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Poverty Level	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	70,000	96.0	92.8 - 99.1	2,400	3.3	0.2 - 6.4	200	0.3	0.0 - 0.8	300	0.5	0.0 - 1.0	73,000
131-185%	51,300	96.1	93.3 - 99.0	600	1.2	0.0 - 2.5	900	1.7	0.0 - 3.6	500	1.0	0.0 - 2.7	53,400
186+%	309,700	95.2	93.9 - 96.6	8,000	2.5	1.5 - 3.4	3,700	1.1	0.6 - 1.7	3,800	1.2	0.3 - 2.0	325,200

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Marital Status (Grouped)	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	281,400	96.8	95.7 - 97.9	5,300	1.8	1.0 - 2.7	2,400	0.8	0.3 - 1.3	1,500	0.5	0.0 - 1.0	290,600
Unmarried Couple	16,500	93.1	87.3 - 98.9	900	5.0	0.4 - 9.6	300	1.9	0.0 - 5.6	<50	0.0	0.0 - 0.1	17,800
Widowed	13,900	97.4	94.5 - 100.0	200	1.4	0.0 - 3.7	100	1.0	0.0 - 2.5	<50	0.3	0.0 - 0.8	14,300
Other	148,500	92.8	90.3 - 95.4	6,400	4.0	2.0 - 6.0	1,900	1.2	0.4 - 2.0	3,100	2.0	0.4 - 3.5	160,000

Married	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	287,100	96.9	95.8 - 97.9	5,400	1.8	1.0 - 2.6	2,400	0.8	0.3 - 1.3	1,500	0.5	0.0 - 1.0	296,400
No	172,400	93.0	90.7 - 95.3	7,400	4.0	2.2 - 5.8	2,400	1.3	0.5 - 2.0	3,200	1.7	0.3 - 3.1	185,400

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Health Care Coverage	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	431,400	95.4	94.3 - 96.5	11,600	2.6	1.7 - 3.4	4,800	1.1	0.6 - 1.5	4,400	1.0	0.3 - 1.6	452,200
No	28,100	95.0	90.5 - 99.5	1,200	4.2	0.0 - 8.5	0	0.0	--	300	0.9	0.0 - 2.0	29,500

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

State	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	447,100	93.2	91.8 - 94.5	18,300	3.8	2.9 - 4.7	8,000	1.7	0.9 - 2.4	6,600	1.4	0.6 - 2.1	480,000

County	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	58,600	95.2	93.0 - 97.3	2,100	3.3	1.5 - 5.2	700	1.2	0.1 - 2.3	200	0.3	0.0 - 0.6	61,600
Honolulu	316,100	93.1	91.3 - 94.9	11,700	3.4	2.3 - 4.6	6,300	1.9	0.8 - 2.9	5,500	1.6	0.6 - 2.6	339,600
Kauai	22,400	90.3	84.2 - 96.4	1,700	6.8	0.9 - 12.7	400	1.7	0.0 - 3.6	300	1.1	0.0 - 2.4	24,800
Maui	50,100	92.8	90.0 - 95.6	2,800	5.3	2.7 - 7.8	500	0.9	0.3 - 1.6	600	1.0	0.0 - 2.1	54,000

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Island	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	58,600	95.2	93.0 - 97.3	2,100	3.3	1.5 - 5.2	700	1.2	0.1 - 2.3	200	0.3	0.0 - 0.6	61,600
Kauai	22,400	90.3	84.2 - 96.4	1,700	6.8	0.9 - 12.7	400	1.7	0.0 - 3.6	300	1.1	0.0 - 2.4	24,800
Lanai	900	89.6	81.9 - 97.4	100	5.3	0.0 - 11.1	<50	4.6	0.0 - 10.0	<50	0.4	0.0 - 1.2	1,000
Maui	46,500	93.3	90.3 - 96.2	2,700	5.3	2.6 - 8.1	300	0.7	0.1 - 1.3	400	0.7	0.0 - 1.8	49,800
Molokai	2,700	85.9	77.5 - 94.2	100	4.1	0.0 - 8.3	100	4.0	0.0 - 9.8	200	6.0	0.9 - 11.2	3,100
Oahu	316,100	93.1	91.3 - 94.9	11,700	3.4	2.3 - 4.6	6,300	1.9	0.8 - 2.9	5,500	1.6	0.6 - 2.6	339,600

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	26,600	91.3	84.6 - 97.9	1,000	3.5	0.1 - 7.0	300	1.0	0.0 - 2.4	1,200	4.3	0.0 - 10.0	29,200
Ala Moana	12,700	89.4	80.9 - 97.8	1,200	8.8	0.9 - 16.6	300	1.9	0.0 - 5.5	0	0.0	--	14,200
Hanalei/ Kapaa	9,900	87.6	77.9 - 97.3	1,000	9.3	0.0 - 18.6	300	2.6	0.0 - 6.2	100	0.5	0.0 - 1.6	11,300
Hilo	15,200	97.0	94.4 - 99.6	300	1.8	0.0 - 4.1	200	1.1	0.0 - 2.5	0	0.0	--	15,600
Kaaawa/ Kahaluu/ Kaneohe	22,200	83.3	73.7 - 93.0	1,500	5.5	0.4 - 10.7	2,400	9.0	1.1 - 16.8	600	2.2	0.0 - 6.3	26,600
Kahului	13,800	91.2	84.7 - 97.6	1,200	8.0	1.6 - 14.4	100	0.9	0.0 - 2.1	0	0.0	--	15,200
Kailua/ Waimanalo	26,700	96.4	91.9 - 100.0	1,000	3.6	0.0 - 8.1	0	0.0	--	0	0.0	--	27,700
Kaimuki/ Palolo/ Waikiki	30,600	95.9	92.8 - 99.0	500	1.6	0.0 - 3.7	600	1.9	0.0 - 4.0	200	0.7	0.0 - 1.6	31,900
Kona	16,500	95.1	90.9 - 99.3	500	3.1	0.2 - 6.0	300	1.6	0.0 - 4.6	<50	0.3	0.0 - 0.8	17,400

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	14,600	93.9	89.0 - 98.8	800	5.4	0.6 - 10.2	100	0.5	0.0 - 1.4	<50	0.2	0.0 - 0.7	15,600
Lanai	900	89.6	81.9 - 97.4	100	5.3	0.0 - 11.1	<50	4.6	0.0 - 10.0	<50	0.4	0.0 - 1.2	1,000
Lihue-Waimea	12,500	92.6	84.8 - 100.0	600	4.8	0.0 - 12.3	100	1.0	0.0 - 2.5	200	1.7	0.0 - 3.9	13,500
Manoa/ Upper Makiki	19,800	91.7	83.6 - 99.8	700	3.3	0.3 - 6.3	1,000	4.5	0.0 - 12.3	100	0.5	0.0 - 1.3	21,600
Mililani/ Wahiawa	32,100	90.9	84.7 - 97.1	1,400	4.1	0.9 - 7.2	1,400	4.0	0.0 - 9.4	400	1.0	0.0 - 2.5	35,300
Molokai	2,700	85.9	77.5 - 94.2	100	4.1	0.0 - 8.3	100	4.0	0.0 - 9.8	200	6.0	0.9 - 11.2	3,100
N.Hawaii	11,800	92.8	86.8 - 98.8	700	5.5	0.0 - 11.1	200	1.7	0.0 - 4.2	0	0.0	--	12,700
Nuuanu/ Kalihi/ Moanalua	26,200	93.5	87.0 - 100.0	1,200	4.4	0.0 - 9.9	0	0.0	--	600	2.0	0.0 - 6.0	28,000
Puna/ Kau	15,100	95.3	90.9 - 99.7	500	3.4	0.0 - 7.6	100	0.5	0.0 - 1.3	100	0.8	0.0 - 2.0	15,900

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Salt Lake/ Foster Village	18,200	95.5	87.1 - 100.0	0	0.0	--	0	0.0	--	900	4.5	0.0 - 12.9	19,100
Upcountry/ Hana	18,000	94.4	90.2 - 98.5	600	3.2	0.1 - 6.3	100	0.7	0.0 - 1.6	300	1.8	0.0 - 4.5	19,100
Waialae/ Kahala/ Hawaii Kai	23,400	95.8	91.3 - 100.0	900	3.8	0.0 - 8.3	0	0.0	--	100	0.4	0.0 - 1.1	24,400
Waipahu/ Kapolei/ Ewa	57,900	94.8	91.1 - 98.5	1,400	2.3	0.0 - 4.6	400	0.6	0.0 - 1.4	1,400	2.3	0.0 - 5.1	61,100

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

BRFSS Age Group	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	55,000	87.4	81.8 - 93.0	4,700	7.5	3.4 - 11.7	2,600	4.2	0.6 - 7.8	600	0.9	0.0 - 2.7	62,900
25-34	91,200	91.6	88.2 - 95.0	4,500	4.5	2.3 - 6.7	2,700	2.7	0.2 - 5.2	1,200	1.2	0.2 - 2.1	99,500
35-44	84,200	94.3	91.5 - 97.2	2,900	3.2	1.1 - 5.4	600	0.6	0.0 - 1.3	1,600	1.8	0.0 - 3.6	89,200
45-54	89,900	92.8	89.9 - 95.8	3,600	3.7	1.8 - 5.6	1,400	1.5	0.4 - 2.5	1,900	2.0	0.0 - 4.1	96,800
55-64	64,900	94.6	91.7 - 97.5	2,100	3.0	1.5 - 4.6	500	0.7	0.0 - 1.4	1,200	1.7	0.0 - 4.1	68,600
65-74	30,600	97.5	95.8 - 99.3	500	1.4	0.0 - 2.9	200	0.5	0.0 - 1.1	200	0.5	0.0 - 1.3	31,400
75+	27,700	99.7	99.2 - 100.0	100	0.3	0.0 - 0.8	0	0.0	--	0	0.0	--	27,800

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

DOH Race-Ethnicity	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	194,300	95.6	94.0 - 97.1	5,800	2.8	1.7 - 4.0	2,600	1.3	0.3 - 2.2	700	0.3	0.1 - 0.6	203,300
Native Hawaiian	47,900	88.8	83.9 - 93.7	4,800	8.9	4.5 - 13.4	900	1.7	0.0 - 3.9	300	0.6	0.0 - 1.2	54,000
Chinese	18,800	95.6	91.1 - 100.0	800	4.3	0.0 - 8.8	<50	0.1	0.0 - 0.2	0	0.0	--	19,700
Filipino	56,900	91.8	87.5 - 96.1	2,500	4.0	1.2 - 6.8	800	1.3	0.0 - 2.5	1,800	3.0	0.0 - 6.2	62,000
Japanese	76,200	91.0	87.1 - 94.8	3,200	3.9	1.8 - 6.0	2,400	2.9	0.2 - 5.6	1,900	2.3	0.1 - 4.4	83,800
Other Asian	10,300	85.1	71.5 - 98.7	900	7.6	0.0 - 16.2	700	6.2	0.0 - 17.7	100	1.2	0.0 - 3.5	12,100
Mixed Ethnicity	11,700	94.9	86.0 - 100.0	100	0.5	0.0 - 1.3	0	0.0	--	600	4.7	0.0 - 13.5	12,300
Other	10,800	97.6	93.9 - 100.0	100	0.6	0.0 - 1.8	200	1.8	0.0 - 5.2	0	0.0	--	11,100

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Gender	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	257,700	90.6	88.5 - 92.7	14,700	5.2	3.7 - 6.6	5,500	2.0	0.9 - 3.0	6,300	2.2	1.0 - 3.4	284,300
Female	189,500	96.8	95.5 - 98.1	3,500	1.8	1.0 - 2.6	2,400	1.2	0.2 - 2.3	300	0.1	0.0 - 0.3	195,700

Education Level	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	14,600	95.1	89.9 - 100.0	700	4.3	0.0 - 9.4	100	0.6	0.0 - 1.7	0	0.0	--	15,400
Grades 12 or GED (High School Grad)	111,400	91.8	88.7 - 94.9	4,800	3.9	2.0 - 5.8	1,700	1.4	0.5 - 2.3	3,500	2.9	0.6 - 5.3	121,300
College 1 to 3 years (Some College/ Tech)	132,000	92.7	90.2 - 95.2	7,100	4.9	2.9 - 7.0	1,400	1.0	0.0 - 1.9	2,000	1.4	0.2 - 2.6	142,400
College 4 years or more (College Grad)	184,900	94.1	92.1 - 96.1	5,800	2.9	1.8 - 4.1	4,900	2.5	0.9 - 4.1	1,000	0.5	0.1 - 0.9	196,600

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Employment Status (Grouped)	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	325,100	92.0	90.3 - 93.7	15,700	4.4	3.3 - 5.6	6,500	1.8	0.9 - 2.8	6,100	1.7	0.8 - 2.7	353,400
Unemployed	12,600	92.1	83.8 - 100.0	900	6.6	0.0 - 14.6	0	0.0	--	200	1.3	0.0 - 3.8	13,600
Retired/Unable to work	72,500	97.4	95.9 - 98.8	1,200	1.6	0.4 - 2.8	500	0.6	0.0 - 1.4	300	0.4	0.0 - 0.9	74,500
Student/Homemaker	36,500	96.1	91.6 - 100.0	500	1.3	0.0 - 3.6	1,000	2.6	0.0 - 6.5	0	0.0	--	37,900

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Household Income	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	7,300	92.9	84.7 - 100.0	0	0.0	--	200	2.0	0.0 - 5.9	400	5.1	0.0 - 12.3	7,800
\$10,000 to \$14,999	8,000	92.0	79.7 - 100.0	0	0.0	--	100	1.5	0.0 - 3.6	600	6.6	0.0 - 18.8	8,600
\$15,000 to \$19,999	15,200	95.2	90.8 - 99.6	600	3.8	0.0 - 8.0	100	0.3	0.0 - 1.0	100	0.6	0.0 - 1.8	16,000
\$20,000 to \$24,999	22,400	93.0	87.3 - 98.7	1,500	6.4	0.7 - 12.1	<50	0.2	0.0 - 0.5	100	0.4	0.0 - 1.2	24,100
\$25,000 to \$34,999	44,100	91.9	86.8 - 97.1	2,000	4.2	0.9 - 7.5	100	0.3	0.0 - 0.8	1,700	3.6	0.0 - 7.7	47,900
\$35,000 to \$49,999	59,900	92.8	89.8 - 95.9	3,800	5.8	3.0 - 8.7	300	0.5	0.1 - 0.9	500	0.8	0.0 - 1.7	64,500
\$50,000 to \$74,999	79,300	93.9	91.2 - 96.6	3,300	3.9	1.6 - 6.2	1,300	1.6	0.4 - 2.8	500	0.6	0.0 - 1.3	84,500
\$75,000 or more	149,000	94.9	93.0 - 96.9	4,300	2.7	1.4 - 4.1	3,200	2.1	0.6 - 3.6	400	0.3	0.0 - 0.5	157,000

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Poverty Level	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	59,000	92.4	87.9 - 96.9	2,000	3.2	0.4 - 5.9	300	0.5	0.0 - 1.1	2,500	3.9	0.3 - 7.5	63,900
131-185%	50,100	95.3	92.1 - 98.5	2,000	3.9	0.8 - 6.9	200	0.4	0.0 - 0.8	200	0.5	0.0 - 1.2	52,500
186+%	276,100	93.9	92.5 - 95.3	11,500	3.9	2.8 - 5.0	4,900	1.7	0.8 - 2.6	1,600	0.5	0.2 - 0.9	294,000

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Marital Status (Grouped)	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	273,100	95.7	94.3 - 97.1	6,700	2.3	1.5 - 3.2	2,200	0.8	0.2 - 1.3	3,400	1.2	0.3 - 2.1	285,500
Unmarried Couple	18,400	92.2	85.0 - 99.4	1,500	7.5	0.3 - 14.7	100	0.3	0.0 - 0.9	0	0.0	--	19,900
Widowed	14,400	98.1	96.1 - 100.0	200	1.7	0.0 - 3.7	0	0.0	--	<50	0.2	0.0 - 0.5	14,700
Other	141,200	88.3	85.2 - 91.4	9,800	6.1	4.0 - 8.3	5,700	3.6	1.5 - 5.6	3,100	2.0	0.6 - 3.3	159,900

Married	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	277,800	95.7	94.4 - 97.1	6,700	2.3	1.5 - 3.2	2,200	0.8	0.2 - 1.3	3,400	1.2	0.3 - 2.1	290,200
No	169,000	89.2	86.5 - 92.0	11,500	6.1	4.1 - 8.0	5,700	3.0	1.3 - 4.7	3,100	1.7	0.5 - 2.8	189,500

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Health Care Coverage	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	408,300	93.2	91.8 - 94.7	16,600	3.8	2.8 - 4.8	7,400	1.7	0.9 - 2.5	5,600	1.3	0.5 - 2.0	438,000
No	38,600	92.5	88.0 - 96.9	1,700	4.0	0.8 - 7.1	500	1.3	0.0 - 2.7	900	2.2	0.0 - 5.1	41,800

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

State	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	453,500	95.2	93.1 - 97.2	10,900	2.3	0.8 - 3.8	7,800	1.6	0.3 - 3.0	4,200	0.9	0.3 - 1.5	476,500

County	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	67,500	95.5	92.4 - 98.6	1,700	2.4	0.5 - 4.3	1,100	1.5	0.0 - 3.8	400	0.6	0.0 - 1.6	70,600
Honolulu	312,100	95.5	92.8 - 98.1	8,400	2.6	0.5 - 4.6	3,500	1.1	0.0 - 2.5	3,000	0.9	0.1 - 1.7	326,900
Kauai	21,400	95.2	90.9 - 99.5	500	2.1	0.0 - 4.2	400	2.0	0.0 - 5.4	200	0.8	0.0 - 2.3	22,500
Maui	52,500	93.0	86.4 - 99.7	400	0.8	0.0 - 1.8	2,800	5.0	0.0 - 11.5	700	1.2	0.0 - 2.9	56,400

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Island	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	67,500	95.5	92.4 - 98.6	1,700	2.4	0.5 - 4.3	1,100	1.5	0.0 - 3.8	400	0.6	0.0 - 1.6	70,600
Kauai	21,400	95.2	90.9 - 99.5	500	2.1	0.0 - 4.2	400	2.0	0.0 - 5.4	200	0.8	0.0 - 2.3	22,500
Maui	48,800	93.2	86.1 - 100.0	400	0.8	0.0 - 1.9	2,700	5.2	0.0 - 12.1	500	0.9	0.0 - 2.6	52,300
Oahu	312,100	95.5	92.8 - 98.1	8,400	2.6	0.5 - 4.6	3,500	1.1	0.0 - 2.5	3,000	0.9	0.1 - 1.7	326,900

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	8,900	93.9	85.6 - 100.0	200	1.9	0.0 - 4.7	400	4.2	0.0 - 12.1	0	0.0	--	9,500
Hilo	17,700	97.4	93.2 - 100.0	500	2.6	0.0 - 6.8	0	0.0	--	0	0.0	--	18,200
Kona	15,300	95.4	89.9 - 100.0	500	2.8	0.0 - 7.2	300	1.8	0.0 - 5.2	0	0.0	--	16,000
Lahaina/ Wailuku	17,500	97.5	94.0 - 100.0	400	2.2	0.0 - 5.6	100	0.3	0.0 - 1.0	0	0.0	--	17,900
Lihue-Waimea	12,500	96.1	91.9 - 100.0	300	2.1	0.0 - 5.4	<50	0.4	0.0 - 1.1	200	1.4	0.0 - 4.0	13,000
N.Hawaii	11,500	86.5	73.7 - 99.2	600	4.7	0.0 - 10.2	800	5.9	0.0 - 16.9	400	2.9	0.0 - 8.6	13,300
Puna/ Kau	23,000	99.4	98.2 - 100.0	100	0.6	0.0 - 1.8	0	0.0	--	0	0.0	--	23,100
Upcountry/ Hana	17,800	88.7	72.2 - 100.0	0	0.0	--	1,800	9.0	0.0 - 25.4	500	2.3	0.0 - 6.7	20,100

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

BRFSS Age Group	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	57,400	93.5	86.9 - 100.0	100	0.1	0.0 - 0.2	3,500	5.7	0.0 - 12.1	500	0.7	0.0 - 2.2	61,400
25-34	89,200	92.2	86.2 - 98.2	5,200	5.3	0.0 - 11.1	600	0.6	0.0 - 1.9	1,800	1.9	0.1 - 3.6	96,800
35-44	97,800	95.1	90.2 - 99.9	1,100	1.1	0.0 - 2.2	3,000	2.9	0.0 - 7.4	900	0.9	0.0 - 2.7	102,900
45-54	91,400	96.1	92.5 - 99.7	3,200	3.4	0.0 - 7.0	300	0.3	0.0 - 1.0	200	0.2	0.0 - 0.5	95,100
55-64	59,300	96.1	92.9 - 99.4	1,100	1.8	0.0 - 4.2	400	0.7	0.0 - 1.8	900	1.4	0.0 - 3.4	61,700
65-74	28,900	99.1	97.3 - 100.0	300	0.9	0.0 - 2.7	0	0.0	--	0	0.0	--	29,200
75+	25,000	100.0	100.0 - 100.0	0	0.0	--	0	0.0	--	0	0.0	--	25,000

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

DOH Race-Ethnicity	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	187,400	97.1	95.6 - 98.5	2,300	1.2	0.4 - 2.0	300	0.1	0.0 - 0.4	3,100	1.6	0.4 - 2.8	193,100
Native Hawaiian	55,000	89.9	80.2 - 99.5	1,200	1.9	0.0 - 5.1	5,000	8.2	0.0 - 17.5	0	0.0	--	61,200
Filipino	50,100	91.5	81.7 - 100.0	3,700	6.7	0.0 - 16.3	1,000	1.8	0.0 - 4.4	0	0.0	--	54,700
Japanese	80,800	95.5	91.5 - 99.5	3,100	3.7	0.0 - 7.6	700	0.8	0.0 - 1.9	0	0.0	--	84,600

Gender	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	270,900	94.1	91.4 - 96.8	5,500	1.9	0.6 - 3.2	7,500	2.6	0.4 - 4.8	4,000	1.4	0.4 - 2.4	287,900
Female	182,600	96.8	93.8 - 99.9	5,400	2.9	0.0 - 5.9	300	0.2	0.0 - 0.4	200	0.1	0.0 - 0.3	188,500

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Education Level	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 12 or GED (High School Grad)	118,100	93.7	88.0 - 99.4	3,000	2.4	0.0 - 6.6	3,900	3.1	0.0 - 7.0	1,000	0.8	0.0 - 1.9	126,000
College 1 to 3 years (Some College/ Tech)	150,600	96.4	94.4 - 98.4	2,100	1.4	0.2 - 2.5	1,300	0.8	0.0 - 1.7	2,200	1.4	0.0 - 2.8	156,200
College 4 years or more (College Grad)	172,300	96.5	94.3 - 98.7	4,400	2.5	0.5 - 4.4	800	0.4	0.0 - 1.1	1,000	0.6	0.0 - 1.4	178,500

Employment Status (Grouped)	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	330,900	94.9	92.6 - 97.1	10,900	3.1	1.2 - 5.1	3,300	1.0	0.2 - 1.7	3,600	1.0	0.2 - 1.9	348,800
Retired/Unable to work	68,800	99.7	99.1 - 100.0	0	0.0	--	0	0.0	--	200	0.3	0.0 - 0.9	69,000
Student/Homemaker	41,000	94.9	86.8 - 100.0	0	0.0	--	1,800	4.2	0.0 - 12.2	400	0.9	0.0 - 2.7	43,200

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Household Income	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
\$20,000 to \$24,999	28,800	88.5	74.9 - 100.0	400	1.2	0.0 - 3.2	2,700	8.4	0.0 - 21.8	600	1.9	0.0 - 4.9	32,600
\$25,000 to \$34,999	49,600	89.4	79.6 - 99.3	4,400	7.9	0.0 - 17.5	1,300	2.3	0.0 - 5.5	200	0.4	0.0 - 1.1	55,500
\$35,000 to \$49,999	68,700	95.8	92.2 - 99.4	800	1.2	0.0 - 2.7	200	0.3	0.0 - 0.7	2,000	2.7	0.0 - 6.0	71,700
\$50,000 to \$74,999	150,300	97.9	96.7 - 99.1	1,500	1.0	0.2 - 1.8	1,200	0.8	0.0 - 1.6	500	0.3	0.0 - 0.8	153,600
\$75,000 or more	126,800	97.4	94.8 - 100.0	2,400	1.8	0.0 - 4.2	600	0.5	0.0 - 1.4	400	0.3	0.0 - 0.9	130,200

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Poverty Level	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	54,700	83.8	72.3 - 95.3	4,800	7.4	0.0 - 16.0	5,000	7.6	0.0 - 16.4	700	1.1	0.0 - 2.8	65,200
131-185%	48,900	99.3	98.5 - 100.0	200	0.3	0.0 - 0.8	0	0.0	--	200	0.4	0.0 - 1.1	49,200
186+%	349,900	96.7	95.3 - 98.1	5,900	1.6	0.6 - 2.7	2,800	0.8	0.2 - 1.3	3,300	0.9	0.2 - 1.7	362,000

Marital Status (Grouped)	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	264,000	97.8	96.2 - 99.3	3,600	1.3	0.1 - 2.6	1,100	0.4	0.0 - 0.9	1,300	0.5	0.0 - 1.2	270,000
Widowed	16,400	100.0	100.0 - 100.0	0	0.0	--	0	0.0	--	0	0.0	--	16,400
Other	157,800	90.3	85.5 - 95.2	7,200	4.1	0.7 - 7.6	6,700	3.8	0.4 - 7.3	2,900	1.7	0.4 - 2.9	174,700

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Married	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	267,300	97.8	96.3 - 99.3	3,600	1.3	0.1 - 2.6	1,100	0.4	0.0 - 0.9	1,300	0.5	0.0 - 1.2	273,300
No	185,000	91.6	87.4 - 95.8	7,300	3.6	0.7 - 6.6	6,700	3.3	0.3 - 6.3	2,900	1.4	0.4 - 2.5	202,000

Health Care Coverage	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	404,500	96.4	94.9 - 97.9	7,100	1.7	0.7 - 2.7	4,200	1.0	0.0 - 2.0	3,800	0.9	0.2 - 1.6	419,600
No	45,400	85.1	72.6 - 97.6	3,900	7.2	0.0 - 17.4	3,600	6.8	0.0 - 15.4	500	0.9	0.0 - 2.5	53,300

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

State	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	400,700	93.7	92.3 - 95.1	12,100	2.8	1.9 - 3.8	8,900	2.1	1.3 - 2.9	6,000	1.4	0.6 - 2.2	427,700

County	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	50,300	90.7	87.5 - 94.0	2,300	4.1	1.9 - 6.2	1,600	2.8	1.1 - 4.5	1,300	2.4	0.4 - 4.4	55,500
Honolulu	285,800	94.7	92.8 - 96.5	8,100	2.7	1.4 - 4.0	5,200	1.7	0.7 - 2.7	2,800	0.9	0.0 - 1.9	301,800
Kauai	19,800	94.4	90.6 - 98.2	200	1.1	0.0 - 2.8	700	3.3	0.4 - 6.1	300	1.3	0.0 - 3.2	20,900
Maui	44,800	90.6	87.3 - 93.9	1,600	3.2	1.6 - 4.9	1,500	3.0	1.1 - 4.9	1,600	3.2	0.8 - 5.5	49,500

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Island	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	50,300	90.7	87.5 - 94.0	2,300	4.1	1.9 - 6.2	1,600	2.8	1.1 - 4.5	1,300	2.4	0.4 - 4.4	55,500
Kauai	19,800	94.4	90.6 - 98.2	200	1.1	0.0 - 2.8	700	3.3	0.4 - 6.1	300	1.3	0.0 - 3.2	20,900
Maui	41,300	90.8	87.3 - 94.3	1,300	2.9	1.2 - 4.5	1,300	3.0	0.9 - 5.0	1,500	3.3	0.8 - 5.9	45,500
Molokai	2,300	84.8	72.0 - 97.6	200	9.1	0.0 - 20.4	100	5.3	0.0 - 12.6	<50	0.8	0.0 - 2.3	2,700
Oahu	285,800	94.7	92.8 - 96.5	8,100	2.7	1.4 - 4.0	5,200	1.7	0.7 - 2.7	2,800	0.9	0.0 - 1.9	301,800

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	25,200	99.0	97.6 - 100.0	200	1.0	0.0 - 2.4	0	0.0	--	0	0.0	--	25,400

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	16,500	100.0	100.0 - 100.0	0	0.0	--	0	0.0	--	0	0.0	--	16,500
Hanalei/ Kapaa	8,800	92.4	85.7 - 99.1	200	1.8	0.0 - 5.3	500	5.0	0.0 - 10.7	100	0.8	0.0 - 2.2	9,500
Hilo	14,300	86.3	79.0 - 93.6	1,000	5.9	1.0 - 10.7	800	4.7	0.2 - 9.2	500	3.2	0.0 - 7.3	16,600
Kaaawa/ Kahaluu/ Kaneohe	16,600	90.7	80.3 - 100.0	1,700	9.3	0.0 - 19.7	0	0.0	--	0	0.0	--	18,300
Kahului	14,000	92.6	87.2 - 98.0	200	1.6	0.0 - 3.5	500	3.0	0.0 - 7.3	400	2.9	0.0 - 5.8	15,100
Kailua/ Waimanalo	25,100	95.5	90.2 - 100.0	500	1.8	0.0 - 5.2	700	2.8	0.0 - 6.8	0	0.0	--	26,300
Kaimuki/ Palolo/ Waikiki	30,500	95.9	92.6 - 99.2	900	2.7	0.0 - 5.7	300	0.9	0.0 - 2.1	200	0.5	0.0 - 1.5	31,800
Kona	15,800	93.6	89.2 - 97.9	500	3.2	0.0 - 6.6	400	2.6	0.0 - 5.4	100	0.6	0.0 - 1.5	16,800
Lahaina/ Wailuku	12,800	89.0	81.9 - 96.1	600	4.4	0.4 - 8.4	300	2.2	0.0 - 4.6	600	4.3	0.0 - 10.2	14,400

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lihue-Waimea	11,000	96.0	92.1 - 100.0	100	0.5	0.0 - 1.4	200	1.8	0.0 - 4.0	200	1.7	0.0 - 4.9	11,400
Manoa/ Upper Makiki	25,300	91.9	82.7 - 100.0	300	1.1	0.0 - 2.9	200	0.8	0.0 - 2.4	1,700	6.2	0.0 - 15.2	27,500
Mililani/ Wahiawa	27,900	93.5	86.5 - 100.0	400	1.5	0.0 - 4.4	1,500	5.0	0.0 - 11.5	0	0.0	--	29,800
Molokai	2,300	84.8	72.0 - 97.6	200	9.1	0.0 - 20.4	100	5.3	0.0 - 12.6	<50	0.8	0.0 - 2.3	2,700
N.Hawaii	10,300	92.3	86.3 - 98.3	600	5.8	0.2 - 11.4	200	1.9	0.0 - 4.1	0	0.0	--	11,200
Nuuanu/ Kalihi/ Moanalua	24,300	93.2	87.1 - 99.4	900	3.6	0.0 - 8.8	600	2.2	0.0 - 5.2	300	1.0	0.0 - 2.9	26,100
Puna/ Kau	10,000	91.4	83.4 - 99.5	100	0.8	0.0 - 2.1	100	1.3	0.0 - 3.7	700	6.5	0.0 - 14.2	10,900
Salt Lake/ Foster Village	19,800	94.4	85.0 - 100.0	1,100	5.0	0.0 - 14.5	100	0.5	0.0 - 1.6	0	0.0	--	20,900
Upcountry/ Hana	14,600	90.7	85.0 - 96.5	400	2.7	0.3 - 5.1	600	3.6	0.1 - 7.1	500	2.9	0.0 - 7.1	16,000

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waialae/ Kahala/ Hawaii Kai	24,900	98.5	96.4 - 100.0	400	1.5	0.0 - 3.6	0	0.0	--	0	0.0	--	25,300
Waipahu/ Kapolei/ Ewa	33,400	95.6	91.3 - 99.9	700	2.0	0.0 - 4.7	900	2.5	0.0 - 5.9	0	0.0	--	35,000

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

BRFSS Age Group	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	53,000	85.1	79.2 - 91.1	4,600	7.3	2.9 - 11.7	3,800	6.0	1.9 - 10.2	900	1.5	0.0 - 3.2	62,300
25-34	86,100	92.5	89.2 - 95.8	4,100	4.4	1.5 - 7.3	1,500	1.6	0.5 - 2.8	1,400	1.5	0.2 - 2.7	93,100
35-44	89,600	96.0	94.0 - 97.9	1,400	1.5	0.4 - 2.5	700	0.8	0.2 - 1.4	1,700	1.8	0.2 - 3.3	93,400
45-54	84,400	96.0	94.1 - 97.9	1,600	1.8	0.6 - 3.0	1,600	1.9	0.5 - 3.3	300	0.3	0.0 - 0.8	87,900
55-64	44,800	93.6	87.9 - 99.4	500	1.0	0.0 - 1.9	1,000	2.0	0.0 - 4.6	1,600	3.4	0.0 - 8.6	47,800
65-74	25,900	98.4	96.6 - 100.0	100	0.3	0.0 - 0.8	200	0.9	0.0 - 2.6	100	0.4	0.0 - 0.9	26,300
75+	15,700	100.0	100.0 - 100.0	0	0.0	--	0	0.0	--	0	0.0	--	15,700

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

DOH Race-Ethnicity	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	176,000	94.2	92.4 - 96.1	5,900	3.1	1.6 - 4.7	3,400	1.8	0.9 - 2.7	1,500	0.8	0.2 - 1.5	186,800
Native Hawaiian	45,900	86.5	80.2 - 92.9	2,900	5.4	1.4 - 9.4	2,100	4.0	1.4 - 6.5	2,200	4.1	0.0 - 9.0	53,000
Chinese	25,500	96.1	92.4 - 99.9	400	1.6	0.0 - 4.3	300	1.2	0.0 - 3.1	300	1.0	0.0 - 2.8	26,500
Filipino	48,500	94.8	90.8 - 98.8	1,500	2.8	0.0 - 6.1	500	0.9	0.0 - 2.8	700	1.4	0.0 - 3.0	51,200
Japanese	67,400	96.6	93.8 - 99.3	500	0.7	0.0 - 1.5	900	1.3	0.0 - 3.3	1,000	1.4	0.0 - 3.2	69,800
Other	11,600	97.8	94.5 - 100.0	200	1.6	0.0 - 4.6	100	0.7	0.0 - 2.0	0	0.0	--	11,900

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Gender	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	243,600	92.0	89.8 - 94.1	9,000	3.4	2.0 - 4.8	7,500	2.8	1.6 - 4.0	4,900	1.8	0.7 - 3.0	264,900
Female	157,100	96.5	95.0 - 98.0	3,200	1.9	0.8 - 3.1	1,400	0.9	0.2 - 1.6	1,100	0.7	0.0 - 1.4	162,800

Education Level	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	5,700	87.3	74.3 - 100.0	400	5.6	0.0 - 13.3	500	7.1	0.0 - 18.2	0	0.0	--	6,500
Grades 12 or GED (High School Grad)	127,600	90.6	87.8 - 93.4	5,900	4.2	2.1 - 6.2	4,500	3.2	1.6 - 4.9	2,900	2.0	0.8 - 3.3	140,900
College 1 to 3 years (Some College/ Tech)	122,000	94.0	91.3 - 96.7	4,500	3.5	1.3 - 5.6	2,100	1.6	0.2 - 3.1	1,100	0.9	0.0 - 1.7	129,800
College 4 years or more (College Grad)	140,700	96.6	94.5 - 98.7	1,400	0.9	0.3 - 1.6	1,800	1.2	0.3 - 2.2	1,800	1.3	0.0 - 3.0	145,700

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Employment Status (Grouped)	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	295,200	94.1	92.6 - 95.7	9,400	3.0	1.8 - 4.2	5,200	1.7	0.9 - 2.5	3,800	1.2	0.6 - 1.9	313,600
Unemployed	18,000	86.7	79.1 - 94.3	400	1.7	0.0 - 3.8	1,800	8.6	2.4 - 14.7	600	3.0	0.0 - 7.1	20,700
Retired/Unable to work	51,800	96.6	92.0 - 100.0	100	0.2	0.0 - 0.4	300	0.5	0.0 - 1.3	1,400	2.7	0.0 - 7.3	53,600
Student/Homemaker	35,600	89.8	83.5 - 96.1	2,300	5.9	1.3 - 10.4	1,600	4.0	0.0 - 8.7	100	0.3	0.0 - 1.0	39,700

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Household Income	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	11,200	93.0	87.4 - 98.7	300	2.8	0.0 - 6.2	300	2.8	0.0 - 6.7	200	1.3	0.0 - 3.9	12,000
\$10,000 to \$14,999	13,100	96.1	92.9 - 99.4	100	1.0	0.0 - 3.0	300	2.1	0.0 - 4.4	100	0.7	0.0 - 1.9	13,600
\$15,000 to \$19,999	17,700	87.2	73.4 - 100.0	1,300	6.5	0.0 - 15.2	0	0.0	--	1,300	6.3	0.0 - 18.1	20,300
\$20,000 to \$24,999	15,500	95.3	91.5 - 99.1	500	3.2	0.0 - 6.5	200	1.4	0.0 - 3.3	<50	0.1	0.0 - 0.4	16,300
\$25,000 to \$34,999	35,000	91.6	85.4 - 97.8	1,700	4.3	0.0 - 9.7	800	2.1	0.0 - 4.6	800	2.0	0.0 - 4.4	38,300
\$35,000 to \$49,999	61,100	95.5	92.9 - 98.0	1,200	1.9	0.3 - 3.4	400	0.6	0.0 - 1.3	1,400	2.1	0.2 - 4.0	64,000
\$50,000 to \$74,999	65,600	98.4	97.2 - 99.7	800	1.1	0.0 - 2.2	200	0.3	0.0 - 0.8	100	0.2	0.0 - 0.5	66,700
\$75,000 or more	73,700	96.1	93.4 - 98.7	800	1.0	0.1 - 2.0	1,700	2.2	0.0 - 4.4	600	0.8	0.0 - 1.8	76,700

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Poverty Level	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	50,000	91.3	85.5 - 97.1	1,900	3.4	0.0 - 6.9	1,100	2.0	0.0 - 4.0	1,800	3.2	0.0 - 7.8	54,700
131-185%	30,400	96.8	94.3 - 99.2	700	2.3	0.1 - 4.4	300	1.0	0.0 - 2.1	0	0.0	--	31,400
186+%	212,600	95.9	94.3 - 97.5	4,100	1.8	0.7 - 3.0	2,400	1.1	0.3 - 1.9	2,600	1.2	0.4 - 1.9	221,700

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Marital Status (Grouped)	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	231,600	96.8	95.7 - 98.0	3,000	1.2	0.6 - 1.8	3,200	1.3	0.5 - 2.2	1,400	0.6	0.1 - 1.1	239,200
Unmarried Couple	14,700	89.3	80.5 - 98.0	1,400	8.7	0.1 - 17.2	300	2.1	0.0 - 4.1	0	0.0	--	16,400
Widowed	11,700	99.0	97.7 - 100.0	100	0.8	0.0 - 1.9	0	0.0	--	<50	0.3	0.0 - 0.7	11,900
Other	142,700	89.1	85.8 - 92.3	7,600	4.8	2.5 - 7.0	5,400	3.4	1.7 - 5.0	4,500	2.8	0.9 - 4.7	160,200

Married	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	236,500	96.8	95.6 - 97.9	3,000	1.2	0.6 - 1.8	3,300	1.3	0.5 - 2.2	1,600	0.7	0.1 - 1.2	244,400
No	164,100	89.6	86.7 - 92.5	9,100	5.0	2.9 - 7.1	5,600	3.1	1.6 - 4.5	4,300	2.4	0.7 - 4.0	183,200

Alcohol - drink drive past 30 day by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2002, 2004, 2006, 2008, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Health Care Coverage	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	363,100	95.0	93.7 - 96.4	9,300	2.4	1.5 - 3.4	5,600	1.5	0.8 - 2.1	4,100	1.1	0.3 - 1.8	382,100
No	37,300	82.4	75.5 - 89.3	2,800	6.2	1.4 - 10.9	3,300	7.2	2.4 - 11.9	1,900	4.2	1.1 - 7.4	45,300