

Alcohol - drink drive past 30 day, for the State of Hawaii, for the Year(s) - 2012, 2014

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

The trend analysis report shows the values for the selected health variable in table and graph form. Due to the addition of cell phones to the survey and changes in the weighting methodology, results from 2011 and forward cannot be trended with data from prior years. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Below are the indicators included in this report and the long description for each indicator.

BRFSS Health Indicator	Health Ind Desc
Alcohol - drink drive past 30 day	During the past 30 days, how many times have you driven when you've had perhaps too much to drink (Among those who drink)

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years), Report Created: 1/7/16

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

Alcohol - drink drive past 30 day, for the State of Hawaii, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2012	498,600	94.1	92.8 - 95.4	15,200	2.9	2.0 - 3.8	6,000	1.1	0.6 - 1.7	9,900	1.9	1.1 - 2.6	529,800
2014	501,400	95.9	95.0 - 96.8	9,600	1.8	1.3 - 2.4	6,100	1.2	0.7 - 1.7	5,800	1.1	0.6 - 1.6	523,000



Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

State	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	501,400	95.9	95.0 - 96.8	9,600	1.8	1.3 - 2.4	6,100	1.2	0.7 - 1.7	5,800	1.1	0.6 - 1.6	523,000

County	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	68,200	96.9	95.4 - 98.4	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	70,400
Honolulu	331,100	95.6	94.4 - 96.9	6,600	1.9	1.1 - 2.7	4,800	1.4	0.7 - 2.1	n/r	n/r	n/r	346,200
Kauai	24,200	95.0	92.3 - 97.7	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	25,400
Maui	64,200	95.7	93.8 - 97.5	1,400	2.1	0.9 - 3.3	n/r	n/r	n/r	n/r	n/r	n/r	67,100

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Island	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	68,200	96.9	95.4 - 98.4	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	70,400
Kauai	24,200	95.0	92.3 - 97.7	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	25,400
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	800
Maui	60,400	95.8	93.9 - 97.7	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	63,100
Molokai	3,100	94.1	86.6 - 100.0	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	3,300
Oahu	331,100	95.6	94.4 - 96.9	6,600	1.9	1.1 - 2.7	4,800	1.4	0.7 - 2.1	n/r	n/r	n/r	346,200

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	27,400	95.7	91.6 - 99.8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	28,700
Ala Moana	17,100	94.5	88.1 - 100.0	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	18,100

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	10,400	92.5	87.4 - 97.5	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	11,300
Hilo	15,500	97.4	94.6 - 100.0	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	15,900
Kaaawa/ Kahaluu/ Kaneohe	26,300	98.5	96.4 - 100.0	n/r	n/r	n/r	0	0.0	0.0 - 0.0	0	0.0	0.0 - 0.0	26,800
Kahului	20,300	94.3	90.3 - 98.3	n/r	n/r	n/r	<50	n/r	n/r	n/r	n/r	n/r	21,600
Kailua/ Waimanalo	26,100	96.3	92.1 - 100.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	27,100
Kaimuki/ Palolo/ Waikiki	24,200	90.4	83.1 - 97.7	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	26,700
Kona	17,800	97.0	93.3 - 100.0	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	18,400
Lahaina/ Wailuku	18,300	95.2	92.0 - 98.4	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	19,200
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	800
Lihue-Waimea	13,700	97.0	94.6 - 99.5	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	14,100
Manoa/ Upper Makiki	23,100	98.0	95.9 - 100.0	n/r	n/r	n/r	n/r	n/r	n/r	0	0.0	0.0 - 0.0	23,600

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	31,200	98.4	96.4 - 100.0	n/r	n/r	n/r	n/r	n/r	n/r	0	0.0	0.0 - 0.0	31,700
Molokai	3,100	94.1	86.6 - 100.0	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	3,300
Nanakuli/ Waianae	18,000	92.5	86.2 - 98.8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	19,500
N.Hawaii	14,200	98.8	97.3 - 100.0	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	14,400
N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	9,700
Nuuanu/ Kalihi/ Moanalua	29,300	94.6	89.7 - 99.5	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	31,000
Puna/ Kau	20,700	95.3	92.2 - 98.4	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	21,700
Salt Lake/ Foster Village	12,800	98.5	96.4 - 100.0	n/r	n/r	n/r	n/r	n/r	n/r	0	0.0	0.0 - 0.0	13,000
Upcountry/ Hana	21,800	97.7	95.1 - 100.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	22,300
Waialae/ Kahala/ Hawaii Kai	23,200	95.0	89.3 - 100.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	24,400
Waipahu/ Kapolei/ Ewa	62,900	95.4	92.6 - 98.2	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	65,900

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

BRFSS Age Group	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	55,400	94.9	91.7 - 98.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	58,400
25-34	109,300	94.5	92.1 - 96.9	3,500	3.1	1.4 - 4.7	n/r	n/r	n/r	n/r	n/r	n/r	115,700
35-44	88,800	97.6	96.2 - 99.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	91,000
45-54	86,400	97.0	95.0 - 99.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	89,000
55-64	80,400	94.9	92.9 - 97.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	84,600
65-74	49,800	96.1	93.5 - 98.7	n/r	n/r	n/r	n/r	n/r	n/r	<50	n/r	n/r	51,800
75+	26,600	98.8	97.4 - 100.0	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	27,000

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

DOH Race-Ethnicity	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	204,800	97.4	96.3 - 98.5	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	210,200
Native Hawaiian	56,500	92.3	88.8 - 95.7	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	61,200
Chinese	22,600	95.5	91.8 - 99.2	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	23,700
Filipino	67,300	95.0	92.4 - 97.6	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	70,800
Japanese	82,300	95.5	93.0 - 98.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	86,100
Black	16,500	96.2	88.8 - 100.0	0	0.0	0.0 - 0.0	0	0.0	0.0 - 0.0	n/r	n/r	n/r	17,200
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,400
Other Asian	11,000	99.3	98.0 - 100.0	0	0.0	0.0 - 0.0	n/r	n/r	n/r	0	0.0	0.0 - 0.0	11,100
Other Pacific Islander	7,200	92.8	85.6 - 99.9	n/r	n/r	n/r	n/r	n/r	n/r	0	0.0	0.0 - 0.0	7,700
Other	11,500	97.3	93.6 - 100.0	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	11,900

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Gender	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	292,100	94.2	92.8 - 95.6	7,600	2.5	1.6 - 3.4	5,600	1.8	1.0 - 2.6	4,700	1.5	0.8 - 2.3	310,000
Female	209,300	98.3	97.5 - 99.1	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	212,900

Education Level	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,700
Grades 9 thru 11 (Some High School)	27,700	97.6	94.9 - 100.0	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	28,300
Grades 12 or GED (High School Grad)	131,200	95.2	93.5 - 97.0	3,000	2.2	1.1 - 3.3	n/r	n/r	n/r	n/r	n/r	n/r	137,700
College 1 to 3 years (Some College/ Tech)	170,300	95.4	93.6 - 97.2	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	178,500
College 4 years or more (College Grad)	167,200	96.7	95.5 - 97.9	2,500	1.4	0.7 - 2.2	n/r	n/r	n/r	n/r	n/r	n/r	172,900

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Employment Status (Grouped)	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	351,900	95.5	94.4 - 96.6	7,200	1.9	1.2 - 2.7	5,300	1.4	0.7 - 2.1	4,100	1.1	0.5 - 1.7	368,500
Unemployed	26,900	95.2	91.0 - 99.4	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	28,200
Retired/Unable to work	80,400	96.6	94.7 - 98.4	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	83,300
Student/Homemaker	40,800	98.1	95.7 - 100.0	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	41,600

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Household Income	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	17,900	93.9	87.7 - 100.0	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	19,100
\$10,000 to \$14,999	13,400	95.3	91.1 - 99.6	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	14,100
\$15,000 to \$19,999	23,900	92.2	87.4 - 97.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	25,900
\$20,000 to \$24,999	33,500	96.6	94.0 - 99.2	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	34,700
\$25,000 to \$34,999	40,100	94.1	90.0 - 98.2	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	42,600
\$35,000 to \$49,999	60,700	96.8	95.1 - 98.6	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	62,700
\$50,000 to \$74,999	88,900	96.9	95.1 - 98.8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	91,700
\$75,000 or more	180,300	95.6	94.0 - 97.2	3,900	2.1	0.9 - 3.2	n/r	n/r	n/r	n/r	n/r	n/r	188,600

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Poverty Level	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	21,800	97.7	95.2 - 100.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	22,300
131-185%	18,000	96.3	93.0 - 99.5	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	18,700
186+%	84,500	96.7	95.2 - 98.3	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	87,300

Marital Status (Grouped)	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	273,400	97.2	96.1 - 98.2	3,600	1.3	0.6 - 2.0	n/r	n/r	n/r	n/r	n/r	n/r	281,400
Unmarried Couple	13,800	95.6	92.0 - 99.1	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	14,400
Widowed	16,900	96.8	93.9 - 99.8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	17,500
Other	197,300	94.1	92.4 - 95.8	5,500	2.6	1.6 - 3.7	n/r	n/r	n/r	3,500	1.7	0.7 - 2.7	209,600

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Married	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	283,700	97.2	96.1 - 98.2	3,900	1.3	0.6 - 2.0	n/r	n/r	n/r	n/r	n/r	n/r	291,900
No	216,500	94.2	92.6 - 95.8	5,800	2.5	1.6 - 3.5	3,500	1.5	0.6 - 2.4	4,000	1.8	0.8 - 2.7	229,800

Health Care Coverage	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	460,800	96.0	95.0 - 96.9	8,900	1.9	1.2 - 2.5	5,600	1.2	0.6 - 1.7	5,000	1.0	0.5 - 1.5	480,200
No	39,900	95.5	92.8 - 98.3	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	41,800

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

State	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	498,600	94.1	92.8 - 95.4	15,200	2.9	2.0 - 3.8	6,000	1.1	0.6 - 1.7	9,900	1.9	1.1 - 2.6	529,800

County	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	71,400	94.8	92.1 - 97.5	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	75,300
Honolulu	338,300	94.0	92.4 - 95.7	9,900	2.8	1.6 - 3.9	4,800	1.3	0.6 - 2.0	6,700	1.9	0.9 - 2.9	359,800
Kauai	25,900	93.5	89.1 - 98.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	27,700
Maui	58,100	93.8	91.0 - 96.7	2,600	4.3	1.8 - 6.7	n/r	n/r	n/r	n/r	n/r	n/r	61,900

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Island	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	71,400	94.8	92.1 - 97.5	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	75,300
Kauai	25,900	93.5	89.1 - 98.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	27,700
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,200
Maui	54,700	93.6	90.6 - 96.6	2,600	4.4	1.8 - 7.0	n/r	n/r	n/r	n/r	n/r	n/r	58,500
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,200
Oahu	338,300	94.0	92.4 - 95.7	9,900	2.8	1.6 - 3.9	4,800	1.3	0.6 - 2.0	6,700	1.9	0.9 - 2.9	359,800

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	34,600	93.2	88.7 - 97.6	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	37,100
Ala Moana	14,200	93.8	85.3 - 100.0	n/r	n/r	n/r	n/r	n/r	n/r	0	0.0	0.0 - 0.0	15,200

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	11,500	88.0	79.0 - 97.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	13,100
Hilo	18,100	97.1	94.9 - 99.2	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	18,600
Kaaawa/ Kahaluu/ Kaneohe	23,800	95.3	90.1 - 100.0	n/r	n/r	n/r	<50	n/r	n/r	n/r	n/r	n/r	25,000
Kahului	18,000	96.1	92.8 - 99.4	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	18,700
Kailua/ Waimanalo	30,200	96.4	93.5 - 99.2	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	31,300
Kaimuki/ Palolo/ Waikiki	29,900	95.9	91.2 - 100.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	31,200
Kona	19,000	99.1	98.0 - 100.0	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	19,100
Lahaina/ Wailuku	18,700	92.9	87.5 - 98.3	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	20,200
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,200
Lihue-Waimea	14,400	98.5	96.7 - 100.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	14,700
Manoa/ Upper Makiki	26,400	96.8	94.7 - 99.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	27,200

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Community	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	30,900	95.3	90.8 - 99.7	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	32,500
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,200
Nanakuli/ Waianae	18,100	87.2	73.1 - 100.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	20,700
N.Hawaii	13,800	89.8	82.7 - 97.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	15,400
N.Shore/ Laie	13,300	96.7	92.1 - 100.0	0	0.0	0.0 - 0.0	n/r	n/r	n/r	0	0.0	0.0 - 0.0	13,800
Nuuanu/ Kalihi/ Moanalua	22,800	93.9	90.1 - 97.7	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	24,300
Puna/ Kau	20,600	92.6	85.5 - 99.8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	22,200
Salt Lake/ Foster Village	16,000	98.3	96.4 - 100.0	n/r	n/r	n/r	n/r	n/r	n/r	0	0.0	0.0 - 0.0	16,300
Upcountry/ Hana	18,000	92.0	85.8 - 98.2	n/r	n/r	n/r	n/r	n/r	n/r	<50	n/r	n/r	19,600
Waialae/ Kahala/ Hawaii Kai	22,800	94.8	90.0 - 99.7	n/r	n/r	n/r	0	0.0	0.0 - 0.0	<50	n/r	n/r	24,000
Waipahu/ Kapolei/ Ewa	55,300	90.4	84.8 - 96.1	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	61,200

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

BRFSS Age Group	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	59,600	92.0	87.7 - 96.3	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	64,800
25-34	101,500	91.9	88.6 - 95.2	4,100	3.7	2.0 - 5.5	n/r	n/r	n/r	n/r	n/r	n/r	110,500
35-44	84,000	91.4	87.2 - 95.6	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	91,800
45-54	94,900	94.6	92.5 - 96.8	2,200	2.2	1.0 - 3.4	n/r	n/r	n/r	n/r	n/r	n/r	100,200
55-64	83,100	96.5	94.6 - 98.5	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	86,100
65-74	45,900	98.8	97.7 - 99.8	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	46,500
75+	26,500	99.1	98.1 - 100.0	<50	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	26,800

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

DOH Race-Ethnicity	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	197,700	95.8	94.4 - 97.2	4,800	2.3	1.3 - 3.3	n/r	n/r	n/r	n/r	n/r	n/r	206,300
Native Hawaiian	52,300	87.9	81.6 - 94.1	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	59,600
Chinese	22,500	94.9	90.7 - 99.2	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	23,700
Filipino	68,200	94.7	91.6 - 97.9	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	72,000
Japanese	91,600	93.8	91.1 - 96.6	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	97,600
Black	12,100	95.4	88.6 - 100.0	n/r	n/r	n/r	n/r	n/r	n/r	0	0.0	0.0 - 0.0	12,600
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,000
Other Asian	10,100	95.7	90.6 - 100.0	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	10,600
Other Pacific Islander	7,200	80.6	56.6 - 100.0	n/r	n/r	n/r	<50	n/r	n/r	n/r	n/r	n/r	8,900
Other	15,900	96.3	92.6 - 100.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	16,500

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Gender	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	292,500	92.2	90.3 - 94.1	11,400	3.6	2.3 - 4.9	5,300	1.7	0.8 - 2.5	8,100	2.5	1.4 - 3.7	317,200
Female	206,100	97.0	95.6 - 98.3	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	212,600

Education Level	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	5,500
Grades 9 thru 11 (Some High School)	28,800	92.0	85.0 - 99.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	31,400
Grades 12 or GED (High School Grad)	134,300	92.1	88.8 - 95.3	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	145,900
College 1 to 3 years (Some College/ Tech)	170,400	94.3	92.4 - 96.2	4,400	2.4	1.3 - 3.5	n/r	n/r	n/r	n/r	n/r	n/r	180,700
College 4 years or more (College Grad)	159,400	96.1	94.8 - 97.4	4,200	2.5	1.5 - 3.6	n/r	n/r	n/r	n/r	n/r	n/r	165,800

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Employment Status (Grouped)	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	329,900	93.0	91.3 - 94.7	12,700	3.6	2.3 - 4.9	4,500	1.3	0.6 - 1.9	7,500	2.1	1.1 - 3.1	354,500
Unemployed	33,800	91.8	86.7 - 97.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	36,800
Retired/Unable to work	86,500	98.1	96.9 - 99.4	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	88,100
Student/Homemaker	47,900	96.2	92.9 - 99.5	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	49,800

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Household Income	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	18,800	92.7	86.4 - 99.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	20,200
\$10,000 to \$14,999	14,800	92.0	83.6 - 100.0	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	16,100
\$15,000 to \$19,999	23,700	88.6	79.2 - 98.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	26,700
\$20,000 to \$24,999	25,300	85.8	75.4 - 96.2	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	29,500
\$25,000 to \$34,999	47,500	95.4	93.3 - 97.5	1,300	2.6	1.1 - 4.0	n/r	n/r	n/r	n/r	n/r	n/r	49,800
\$35,000 to \$49,999	67,700	94.7	92.3 - 97.1	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	71,400
\$50,000 to \$74,999	78,200	96.4	94.4 - 98.4	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	81,200
\$75,000 or more	179,800	94.7	92.8 - 96.5	4,700	2.5	1.4 - 3.6	n/r	n/r	n/r	n/r	n/r	n/r	189,900

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Poverty Level	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	52,800	90.3	83.1 - 97.5	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	58,400
131-185%	38,700	96.3	93.0 - 99.6	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	40,200
186+%	183,500	96.5	95.0 - 97.9	3,300	1.8	0.8 - 2.7	n/r	n/r	n/r	n/r	n/r	n/r	190,200

Marital Status (Grouped)	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	251,000	96.3	94.8 - 97.8	3,600	1.4	0.7 - 2.1	n/r	n/r	n/r	n/r	n/r	n/r	260,600
Unmarried Couple	21,200	88.8	80.5 - 97.1	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	23,900
Widowed	20,500	97.6	95.4 - 99.7	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	21,000
Other	205,900	91.8	89.5 - 94.0	10,800	4.8	2.9 - 6.7	2,900	1.3	0.6 - 2.0	4,800	2.1	1.1 - 3.1	224,400

Alcohol - drink drive past 30 day, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Married	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	256,900	96.2	94.7 - 97.6	4,100	1.5	0.8 - 2.3	n/r	n/r	n/r	n/r	n/r	n/r	267,200
No	240,500	92.0	89.9 - 94.0	11,100	4.2	2.6 - 5.9	3,400	1.3	0.5 - 2.1	6,400	2.5	1.4 - 3.5	261,400

Health Care Coverage	None			Once			Twice			Three times or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	441,600	94.8	93.6 - 96.0	11,000	2.4	1.6 - 3.1	4,400	0.9	0.5 - 1.4	9,000	1.9	1.1 - 2.8	465,900
No	56,400	89.2	83.3 - 95.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	63,200