

Alcohol - heavy alcohol consumption in men, for the State of Hawaii, for the Year(s) - 2011, 2012, 2013, 2014

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

The trend analysis report shows the values for the selected health variable in table and graph form. Due to the addition of cell phones to the survey and changes in the weighting methodology, results from 2011 and forward cannot be trended with data from prior years. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Below are the indicators included in this report and the long description for each indicator.

BRFSS Health Indicator	Health Ind Desc
Alcohol - heavy alcohol consumption in men	Heavy alcohol consumption in men (Men having >2 drinks per day)

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years), Report Created: 1/7/16

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

Alcohol - heavy alcohol consumption in men, for the State of Hawaii, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Yes			No			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2011	46,300	9.3	7.8 - 10.8	450,800	90.7	89.2 - 92.2	497,000
2012	47,700	9.2	7.8 - 10.6	472,800	90.8	89.4 - 92.2	520,500
2013	50,300	9.6	8.2 - 11.0	474,600	90.4	89.0 - 91.8	524,900
2014	48,300	9.4	8.0 - 10.7	468,300	90.6	89.3 - 92.0	516,600



Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	48,300	9.4	8.0 - 10.7	468,300	90.6	89.3 - 92.0	516,600

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	7,200	10.4	7.4 - 13.5	61,900	89.6	86.5 - 92.6	69,100
Honolulu	27,200	7.8	6.1 - 9.5	321,500	92.2	90.5 - 93.9	348,700
Kauai	3,200	13.0	8.4 - 17.6	21,600	87.0	82.4 - 91.6	24,900
Maui	9,100	15.3	10.8 - 19.7	50,400	84.7	80.3 - 89.2	59,500

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	7,200	10.4	7.4 - 13.5	61,900	89.6	86.5 - 92.6	69,100
Kauai	3,200	13.0	8.4 - 17.6	21,600	87.0	82.4 - 91.6	24,900
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	1,100
Maui	8,400	15.0	10.5 - 19.6	47,500	85.0	80.4 - 89.5	55,900
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	2,500
Oahu	27,200	7.8	6.1 - 9.5	321,500	92.2	90.5 - 93.9	348,700

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	n/r	n/r	n/r	33,200	95.5	91.7 - 99.3	34,800
Ala Moana	n/r	n/r	n/r	13,700	95.7	91.3 - 100.0	14,300

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,800	18.3	9.4 - 27.2	7,900	81.7	72.8 - 90.6	9,700
Hilo	n/r	n/r	n/r	16,300	95.3	92.1 - 98.4	17,100
Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	21,500	91.7	85.2 - 98.2	23,400
Kahului	3,500	19.1	8.9 - 29.3	15,000	80.9	70.7 - 91.1	18,600
Kailua/ Waimanalo	n/r	n/r	n/r	20,700	90.4	84.3 - 96.6	22,900
Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	24,200	94.6	91.1 - 98.1	25,600
Kona	1,800	11.8	5.7 - 18.0	13,800	88.2	82.0 - 94.3	15,600
Lahaina/ Wailuku	2,600	12.5	6.8 - 18.3	18,200	87.5	81.7 - 93.2	20,800
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	1,100
Lihue-Waimea	1,500	9.6	4.9 - 14.2	13,700	90.4	85.8 - 95.1	15,200
Manoa/ Upper Makiki	n/r	n/r	n/r	20,700	90.2	83.1 - 97.3	23,000

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	n/r	n/r	n/r	31,500	97.2	94.4 - 99.9	32,400
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	2,500
Nanakuli/ Waianae	n/r	n/r	n/r	16,200	90.3	83.6 - 97.0	17,900
N.Hawaii	n/r	n/r	n/r	10,600	88.3	80.4 - 96.2	12,000
N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	12,200
Nuuanu/ Kalihi/ Moanalua	5,300	13.9	6.0 - 21.9	32,500	86.1	78.1 - 94.0	37,800
Puna/ Kau	3,200	13.0	6.9 - 19.0	21,300	87.0	81.0 - 93.1	24,400
Salt Lake/ Foster Village	n/r	n/r	n/r	14,100	97.6	93.0 - 100.0	14,400
Upcountry/ Hana	2,200	13.6	6.8 - 20.3	14,300	86.4	79.7 - 93.2	16,600
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	24,200	91.6	85.7 - 97.5	26,400
Waipahu/ Kapolei/ Ewa	5,200	8.2	3.9 - 12.4	58,400	91.8	87.6 - 96.1	63,600

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	5,800	9.2	4.6 - 13.8	57,400	90.8	86.2 - 95.4	63,300
25-34	9,400	9.7	6.6 - 12.9	87,400	90.3	87.1 - 93.4	96,800
35-44	8,800	10.5	6.5 - 14.6	74,500	89.5	85.4 - 93.5	83,300
45-54	8,000	9.6	6.0 - 13.2	75,800	90.4	86.8 - 94.0	83,800
55-64	9,900	11.4	8.5 - 14.4	76,700	88.6	85.6 - 91.5	86,600
65-74	4,300	7.4	4.7 - 10.1	53,400	92.6	89.9 - 95.3	57,700
75+	n/r	n/r	n/r	37,800	96.0	93.4 - 98.6	39,400

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	19,500	11.1	8.6 - 13.6	156,400	88.9	86.4 - 91.4	175,900
Native Hawaiian	6,600	11.8	8.1 - 15.4	49,700	88.2	84.6 - 91.9	56,300
Chinese	n/r	n/r	n/r	28,700	96.2	91.6 - 100.0	29,800
Filipino	6,300	8.4	4.8 - 12.0	69,100	91.6	88.0 - 95.2	75,400
Japanese	7,000	7.2	4.1 - 10.4	89,900	92.8	89.6 - 95.9	96,900
Black	n/r	n/r	n/r	16,900	92.5	84.0 - 100.0	18,300
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	2,900
Other Asian	n/r	n/r	n/r	13,300	88.7	79.7 - 97.7	15,000
Other Pacific Islander	n/r	n/r	n/r	7,400	92.5	83.9 - 100.0	8,000
Other	n/r	n/r	n/r	12,000	87.4	78.7 - 96.1	13,800

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	8,300
Grades 9 thru 11 (Some High School)	7,900	22.3	12.2 - 32.4	27,500	77.7	67.6 - 87.8	35,400
Grades 12 or GED (High School Grad)	16,900	10.3	7.8 - 12.7	147,600	89.7	87.3 - 92.2	164,400
College 1 to 3 years (Some College/ Tech)	13,900	8.2	6.1 - 10.3	156,100	91.8	89.7 - 93.9	170,000
College 4 years or more (College Grad)	9,400	6.8	5.1 - 8.6	127,700	93.2	91.4 - 94.9	137,100

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	35,200	9.9	8.2 - 11.7	319,400	90.1	88.3 - 91.8	354,500
Unemployed	4,000	14.0	7.0 - 20.9	24,900	86.0	79.1 - 93.0	28,900
Retired/Unable to work	7,400	6.9	4.9 - 9.0	98,800	93.1	91.0 - 95.1	106,200
Student/Homemaker	n/r	n/r	n/r	24,700	93.7	88.8 - 98.5	26,400

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,000	10.0	4.7 - 15.2	26,900	90.0	84.8 - 95.3	29,900
\$10,000 to \$14,999	1,600	10.1	4.2 - 16.0	14,600	89.9	84.0 - 95.8	16,300
\$15,000 to \$19,999	4,000	12.5	6.3 - 18.8	27,900	87.5	81.2 - 93.7	31,800
\$20,000 to \$24,999	4,100	10.8	4.9 - 16.6	33,900	89.2	83.4 - 95.1	38,000
\$25,000 to \$34,999	4,100	8.7	4.1 - 13.3	42,900	91.3	86.7 - 95.9	47,000
\$35,000 to \$49,999	6,500	10.0	5.5 - 14.5	58,500	90.0	85.5 - 94.5	65,000
\$50,000 to \$74,999	7,500	9.1	6.0 - 12.3	74,500	90.9	87.7 - 94.0	82,000
\$75,000 or more	14,200	8.8	6.5 - 11.0	147,800	91.2	89.0 - 93.5	162,000

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	2,900	9.7	4.2 - 15.2	26,800	90.3	84.8 - 95.8	29,600
131-185%	n/r	n/r	n/r	13,900	87.4	77.5 - 97.2	15,900
186+%	7,300	9.4	6.5 - 12.3	70,700	90.6	87.7 - 93.5	78,000

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	21,500	8.0	6.3 - 9.7	247,000	92.0	90.3 - 93.7	268,500
Unmarried Couple	n/r	n/r	n/r	13,500	97.4	94.6 - 100.0	13,900
Widowed	n/r	n/r	n/r	11,900	88.8	82.0 - 95.6	13,400
Other	24,900	11.3	8.9 - 13.6	195,900	88.7	86.4 - 91.1	220,800

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	22,000	7.9	6.3 - 9.6	255,000	92.1	90.4 - 93.7	277,000
No	26,300	11.0	8.8 - 13.2	211,800	89.0	86.8 - 91.2	238,000

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	38,900	8.3	7.0 - 9.7	428,400	91.7	90.3 - 93.0	467,300
No	9,000	19.0	12.7 - 25.3	38,400	81.0	74.7 - 87.3	47,400

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	50,300	9.6	8.2 - 11.0	474,600	90.4	89.0 - 91.8	524,900

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	6,300	8.8	5.9 - 11.8	65,400	91.2	88.2 - 94.1	71,700
Honolulu	34,500	9.5	7.6 - 11.4	328,100	90.5	88.6 - 92.4	362,600
Kauai	3,300	13.6	9.2 - 18.0	21,000	86.4	82.0 - 90.8	24,400
Maui	5,200	9.2	6.2 - 12.2	51,200	90.8	87.8 - 93.8	56,400

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	6,300	8.8	5.9 - 11.8	65,400	91.2	88.2 - 94.1	71,700
Kauai	3,300	13.6	9.2 - 18.0	21,000	86.4	82.0 - 90.8	24,400
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	700
Maui	4,800	8.9	5.9 - 12.0	48,600	91.1	88.0 - 94.1	53,400
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	2,400
Oahu	34,500	9.5	7.6 - 11.4	328,100	90.5	88.6 - 92.4	362,600

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	n/r	n/r	n/r	25,500	87.4	79.6 - 95.2	29,200
Ala Moana	n/r	n/r	n/r	16,500	86.5	77.4 - 95.7	19,100

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,800	17.5	10.1 - 24.9	8,600	82.5	75.1 - 89.9	10,500
Hilo	1,700	8.3	4.2 - 12.5	18,300	91.7	87.5 - 95.8	20,000
Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	23,800	92.7	86.5 - 98.9	25,700
Kahului	n/r	n/r	n/r	15,200	92.8	88.3 - 97.3	16,400
Kailua/ Waimanalo	4,000	14.0	5.8 - 22.1	24,400	86.0	77.9 - 94.2	28,400
Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	27,000	91.3	85.6 - 97.0	29,600
Kona	n/r	n/r	n/r	15,500	92.6	87.9 - 97.4	16,800
Lahaina/ Wailuku	2,100	11.8	6.4 - 17.3	15,800	88.2	82.7 - 93.6	18,000
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	700
Lihue-Waimea	1,500	10.7	5.3 - 16.0	12,400	89.3	84.0 - 94.7	13,900
Manoa/ Upper Makiki	n/r	n/r	n/r	21,500	96.1	93.3 - 98.9	22,400

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	n/r	n/r	n/r	33,600	92.3	87.0 - 97.5	36,500
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	2,400
Nanakuli/ Waianae	n/r	n/r	n/r	13,900	90.2	82.4 - 97.9	15,400
N.Hawaii	n/r	n/r	n/r	11,000	82.3	71.2 - 93.4	13,300
N.Shore/ Laie	n/r	n/r	n/r	12,700	91.1	79.6 - 100.0	13,900
Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	29,800	94.8	91.6 - 98.0	31,500
Puna/ Kau	n/r	n/r	n/r	20,600	95.0	91.5 - 98.6	21,600
Salt Lake/ Foster Village	n/r	n/r	n/r	17,700	95.6	90.6 - 100.0	18,500
Upcountry/ Hana	n/r	n/r	n/r	17,600	92.3	86.5 - 98.0	19,000
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	18,100	92.3	85.9 - 98.8	19,600
Waipahu/ Kapolei/ Ewa	9,500	13.0	7.6 - 18.3	63,500	87.0	81.7 - 92.4	72,900

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	4,800	7.1	3.6 - 10.7	63,000	92.9	89.3 - 96.4	67,900
25-34	12,400	12.9	8.9 - 16.9	84,000	87.1	83.1 - 91.1	96,400
35-44	9,400	11.0	7.1 - 14.9	76,200	89.0	85.1 - 92.9	85,600
45-54	9,800	10.9	7.0 - 14.7	80,000	89.1	85.3 - 93.0	89,700
55-64	9,300	10.4	7.0 - 13.8	80,000	89.6	86.2 - 93.0	89,300
65-74	3,300	6.0	3.3 - 8.8	51,200	94.0	91.2 - 96.7	54,500
75+	n/r	n/r	n/r	37,800	96.8	94.6 - 99.1	39,000

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	18,700	10.2	7.9 - 12.5	164,600	89.8	87.5 - 92.1	183,300
Native Hawaiian	7,000	12.6	8.2 - 17.1	48,700	87.4	82.9 - 91.8	55,700
Chinese	n/r	n/r	n/r	30,600	96.9	93.9 - 99.9	31,600
Filipino	7,000	8.8	4.8 - 12.8	73,100	91.2	87.2 - 95.2	80,200
Japanese	8,900	8.9	5.5 - 12.2	91,300	91.1	87.8 - 94.5	100,200
Black	n/r	n/r	n/r	n/r	n/r	n/r	8,600
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	2,100
Other Asian	n/r	n/r	n/r	9,400	91.2	84.1 - 98.3	10,300
Other Pacific Islander	n/r	n/r	n/r	12,300	76.8	62.1 - 91.5	16,000
Other	n/r	n/r	n/r	16,600	93.2	87.2 - 99.1	17,800

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	8,100
Grades 9 thru 11 (Some High School)	5,700	14.6	6.9 - 22.3	33,300	85.4	77.7 - 93.1	39,000
Grades 12 or GED (High School Grad)	17,000	10.2	7.6 - 12.8	150,100	89.8	87.2 - 92.4	167,100
College 1 to 3 years (Some College/ Tech)	17,900	10.5	7.9 - 13.2	152,000	89.5	86.8 - 92.1	169,900
College 4 years or more (College Grad)	9,500	6.8	4.9 - 8.7	130,500	93.2	91.3 - 95.1	140,000

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	39,400	11.3	9.4 - 13.2	309,700	88.7	86.8 - 90.6	349,100
Unemployed	3,900	11.8	5.3 - 18.2	29,200	88.2	81.8 - 94.7	33,100
Retired/Unable to work	6,300	5.6	3.7 - 7.5	107,300	94.4	92.5 - 96.3	113,700
Student/Homemaker	n/r	n/r	n/r	27,600	97.7	95.3 - 100.0	28,300

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	19,000	94.9	91.2 - 98.6	20,000
\$10,000 to \$14,999	n/r	n/r	n/r	16,800	96.4	92.7 - 100.0	17,400
\$15,000 to \$19,999	2,900	9.7	5.0 - 14.5	26,900	90.3	85.5 - 95.0	29,800
\$20,000 to \$24,999	4,200	12.4	6.5 - 18.4	29,500	87.6	81.6 - 93.5	33,700
\$25,000 to \$34,999	5,900	10.5	5.8 - 15.2	50,400	89.5	84.8 - 94.2	56,300
\$35,000 to \$49,999	6,100	8.5	5.3 - 11.6	65,600	91.5	88.4 - 94.7	71,600
\$50,000 to \$74,999	8,700	10.8	7.0 - 14.6	72,000	89.2	85.4 - 93.0	80,800
\$75,000 or more	19,100	11.2	8.2 - 14.2	151,100	88.8	85.8 - 91.8	170,200

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	n/r	n/r	n/r	45,900	92.4	87.9 - 96.9	49,700
131-185%	n/r	n/r	n/r	29,400	91.9	85.3 - 98.4	32,000
186+%	12,500	8.6	6.1 - 11.1	132,800	91.4	88.9 - 93.9	145,300

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	23,400	8.4	6.5 - 10.3	256,000	91.6	89.7 - 93.5	279,400
Unmarried Couple	4,000	21.8	10.5 - 33.1	14,400	78.2	66.9 - 89.5	18,400
Widowed	n/r	n/r	n/r	13,700	90.4	83.4 - 97.5	15,200
Other	21,400	10.1	7.9 - 12.4	190,500	89.9	87.6 - 92.1	211,900

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	24,200	8.5	6.6 - 10.3	262,100	91.5	89.7 - 93.4	286,300
No	26,100	11.0	8.8 - 13.2	211,400	89.0	86.8 - 91.2	237,500

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	42,300	8.9	7.4 - 10.3	433,700	91.1	89.7 - 92.6	476,000
No	8,100	17.1	11.2 - 23.0	39,200	82.9	77.0 - 88.8	47,200

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	47,700	9.2	7.8 - 10.6	472,800	90.8	89.4 - 92.2	520,500

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	9,500	14.0	10.0 - 18.0	58,300	86.0	82.0 - 90.0	67,800
Honolulu	29,100	8.0	6.3 - 9.8	333,500	92.0	90.2 - 93.7	362,600
Kauai	2,900	11.5	6.2 - 16.9	22,200	88.5	83.1 - 93.8	25,100
Maui	5,500	9.5	6.5 - 12.5	52,500	90.5	87.5 - 93.5	58,000

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	9,500	14.0	10.0 - 18.0	58,300	86.0	82.0 - 90.0	67,800
Kauai	2,900	11.5	6.2 - 16.9	22,200	88.5	83.1 - 93.8	25,100
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	1,200
Maui	5,100	9.7	6.5 - 13.0	47,700	90.3	87.0 - 93.5	52,900
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	3,900
Oahu	29,100	8.0	6.3 - 9.8	333,500	92.0	90.2 - 93.7	362,600

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	4,800	14.2	7.0 - 21.4	28,900	85.8	78.6 - 93.0	33,700
Ala Moana	n/r	n/r	n/r	17,800	92.4	85.1 - 99.7	19,300

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	n/r	n/r	n/r	9,800	88.7	81.2 - 96.3	11,100
Hilo	2,300	12.3	6.6 - 17.9	16,700	87.7	82.1 - 93.4	19,100
Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	22,200	92.6	87.6 - 97.6	23,900
Kahului	n/r	n/r	n/r	15,700	92.8	88.2 - 97.4	16,900
Kailua/ Waimanalo	n/r	n/r	n/r	22,600	87.0	77.3 - 96.8	26,000
Kaimuki/ Palolo/ Waikiki	3,300	10.7	4.8 - 16.5	27,900	89.3	83.5 - 95.2	31,300
Kona	2,500	15.9	7.7 - 24.2	13,400	84.1	75.8 - 92.3	16,000
Lahaina/ Wailuku	1,600	9.0	4.5 - 13.5	16,700	91.0	86.5 - 95.5	18,300
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	1,200
Lihue-Waimea	n/r	n/r	n/r	12,400	88.3	80.7 - 95.8	14,000
Manoa/ Upper Makiki	2,400	8.8	4.1 - 13.5	24,600	91.2	86.5 - 95.9	27,000

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	n/r	n/r	n/r	39,200	94.6	90.9 - 98.4	41,400
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	3,900
Nanakuli/ Waianae	n/r	n/r	n/r	17,100	85.1	70.4 - 99.8	20,100
N.Hawaii	n/r	n/r	n/r	9,100	80.0	67.2 - 92.8	11,400
N.Shore/ Laie	n/r	n/r	n/r	10,700	88.6	77.7 - 99.6	12,100
Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	29,000	95.9	93.3 - 98.4	30,200
Puna/ Kau	2,300	10.9	4.5 - 17.3	19,100	89.1	82.7 - 95.5	21,400
Salt Lake/ Foster Village	n/r	n/r	n/r	14,800	95.9	92.1 - 99.8	15,400
Upcountry/ Hana	2,300	13.0	5.8 - 20.1	15,300	87.0	79.9 - 94.2	17,600
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	19,400	94.7	91.2 - 98.2	20,500
Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	59,300	96.0	93.2 - 98.8	61,700

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	6,500	9.6	4.2 - 15.1	60,400	90.4	84.9 - 95.8	66,900
25-34	10,100	10.9	7.5 - 14.4	82,800	89.1	85.6 - 92.5	92,900
35-44	7,600	8.7	5.4 - 12.0	79,500	91.3	88.0 - 94.6	87,100
45-54	7,500	8.2	5.2 - 11.2	84,100	91.8	88.8 - 94.8	91,600
55-64	9,500	11.0	7.7 - 14.3	77,100	89.0	85.7 - 92.3	86,600
65-74	3,600	6.5	3.9 - 9.1	51,300	93.5	90.9 - 96.1	54,900
75+	n/r	n/r	n/r	34,900	93.3	89.3 - 97.2	37,500

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	17,400	9.9	7.8 - 12.1	157,500	90.1	87.9 - 92.2	174,900
Native Hawaiian	9,700	16.1	9.6 - 22.6	50,600	83.9	77.4 - 90.4	60,200
Chinese	n/r	n/r	n/r	32,300	96.4	93.1 - 99.7	33,500
Filipino	4,100	5.2	3.0 - 7.5	74,200	94.8	92.5 - 97.0	78,300
Japanese	7,900	7.4	4.7 - 10.1	98,000	92.6	89.9 - 95.3	105,900
Black	n/r	n/r	n/r	9,600	93.8	87.1 - 100.0	10,200
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	2,900
Other Asian	n/r	n/r	n/r	13,200	95.3	89.8 - 100.0	13,900
Other Pacific Islander	n/r	n/r	n/r	8,700	93.1	87.3 - 98.9	9,400
Other	n/r	n/r	n/r	12,300	80.4	66.5 - 94.3	15,300

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	6,500
Grades 9 thru 11 (Some High School)	6,900	15.4	6.3 - 24.5	37,600	84.6	75.5 - 93.7	44,500
Grades 12 or GED (High School Grad)	18,100	10.9	8.4 - 13.5	147,100	89.1	86.5 - 91.6	165,200
College 1 to 3 years (Some College/ Tech)	14,000	8.4	6.2 - 10.5	153,600	91.6	89.5 - 93.8	167,600
College 4 years or more (College Grad)	7,800	5.7	4.4 - 7.1	128,500	94.3	92.9 - 95.6	136,400

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	30,400	9.0	7.3 - 10.7	307,400	91.0	89.3 - 92.7	337,800
Unemployed	6,600	16.7	8.2 - 25.1	33,200	83.3	74.9 - 91.8	39,900
Retired/Unable to work	9,500	8.3	5.9 - 10.7	104,900	91.7	89.3 - 94.1	114,400
Student/Homemaker	n/r	n/r	n/r	26,800	96.6	93.1 - 100.0	27,700

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	2,900	12.9	5.8 - 20.0	19,500	87.1	80.0 - 94.2	22,400
\$10,000 to \$14,999	n/r	n/r	n/r	12,900	83.9	67.8 - 100.0	15,300
\$15,000 to \$19,999	3,600	12.8	5.8 - 19.7	24,700	87.2	80.3 - 94.2	28,300
\$20,000 to \$24,999	3,200	8.6	4.6 - 12.5	34,000	91.4	87.5 - 95.4	37,200
\$25,000 to \$34,999	6,500	12.2	6.6 - 17.7	47,000	87.8	82.3 - 93.4	53,500
\$35,000 to \$49,999	6,000	8.8	5.8 - 11.8	62,700	91.2	88.2 - 94.2	68,700
\$50,000 to \$74,999	6,400	8.0	4.9 - 11.2	73,700	92.0	88.8 - 95.1	80,200
\$75,000 or more	13,500	7.9	5.7 - 10.0	157,800	92.1	90.0 - 94.3	171,300

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	8,800	12.8	6.5 - 19.1	60,100	87.2	80.9 - 93.5	68,900
131-185%	n/r	n/r	n/r	33,300	95.9	93.1 - 98.7	34,700
186+%	14,900	8.0	5.9 - 10.2	170,400	92.0	89.8 - 94.1	185,300

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	17,900	7.3	5.5 - 9.0	228,500	92.7	91.0 - 94.5	246,400
Unmarried Couple	n/r	n/r	n/r	19,000	88.2	80.5 - 95.8	21,600
Widowed	n/r	n/r	n/r	16,900	95.9	92.8 - 99.0	17,600
Other	26,500	11.3	8.9 - 13.6	208,400	88.7	86.4 - 91.1	234,900

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	18,700	7.4	5.7 - 9.2	233,200	92.6	90.8 - 94.3	251,900
No	28,600	10.7	8.5 - 12.8	239,300	89.3	87.2 - 91.5	267,900

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	37,600	8.2	6.8 - 9.6	421,700	91.8	90.4 - 93.2	459,300
No	10,000	16.6	11.0 - 22.2	50,500	83.4	77.8 - 89.0	60,500

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	46,300	9.3	7.8 - 10.8	450,800	90.7	89.2 - 92.2	497,000

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	6,500	9.3	6.4 - 12.1	63,200	90.7	87.9 - 93.6	69,700
Honolulu	29,600	8.6	6.7 - 10.5	313,800	91.4	89.5 - 93.3	343,400
Kauai	n/r	n/r	n/r	21,400	91.9	87.1 - 96.7	23,300
Maui	7,900	14.2	10.0 - 18.3	48,000	85.8	81.7 - 90.0	55,900

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	6,500	9.3	6.4 - 12.1	63,200	90.7	87.9 - 93.6	69,700
Kauai	n/r	n/r	n/r	21,400	91.9	87.1 - 96.7	23,300
Lanai	n/r	n/r	n/r	1,600	92.3	85.7 - 98.9	1,700
Maui	7,000	14.1	9.5 - 18.7	42,400	85.9	81.3 - 90.5	49,400
Molokai	n/r	n/r	n/r	4,000	83.1	72.8 - 93.5	4,800
Oahu	29,600	8.6	6.7 - 10.5	313,800	91.4	89.5 - 93.3	343,400

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	n/r	n/r	n/r	23,900	86.5	77.2 - 95.8	27,700
Ala Moana	n/r	n/r	n/r	13,300	83.0	71.6 - 94.4	16,100

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	n/r	n/r	n/r	9,900	92.5	88.0 - 97.0	10,700
Hilo	2,300	12.0	5.1 - 18.9	16,700	88.0	81.1 - 94.9	19,000
Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	24,300	94.9	91.3 - 98.5	25,600
Kahului	n/r	n/r	n/r	16,300	89.6	82.6 - 96.6	18,200
Kailua/ Waimanalo	n/r	n/r	n/r	26,000	90.1	83.1 - 97.1	28,800
Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	29,400	90.7	85.0 - 96.4	32,400
Kona	n/r	n/r	n/r	13,000	89.3	82.6 - 95.9	14,500
Lahaina/ Wailuku	2,700	18.5	9.2 - 27.9	11,900	81.5	72.1 - 90.8	14,600
Lanai	n/r	n/r	n/r	1,600	92.3	85.7 - 98.9	1,700
Lihue-Waimea	n/r	n/r	n/r	11,500	91.4	83.3 - 99.4	12,600
Manoa/ Upper Makiki	n/r	n/r	n/r	18,600	88.8	81.5 - 96.1	21,000

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	n/r	n/r	n/r	30,000	98.5	96.4 - 100.0	30,500
Molokai	n/r	n/r	n/r	4,000	83.1	72.8 - 93.5	4,800
Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	11,500
N.Hawaii	1,500	9.7	4.0 - 15.4	13,600	90.3	84.6 - 96.0	15,100
N.Shore/ Laie	n/r	n/r	n/r	11,300	94.5	88.5 - 100.0	12,000
Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	32,700	92.2	85.6 - 98.9	35,400
Puna/ Kau	1,200	5.6	2.4 - 8.7	19,900	94.4	91.3 - 97.6	21,100
Salt Lake/ Foster Village	n/r	n/r	n/r	14,600	91.5	84.2 - 98.8	16,000
Upcountry/ Hana	2,400	14.4	6.6 - 22.1	14,200	85.6	77.9 - 93.4	16,600
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	17,600	94.4	90.2 - 98.5	18,600
Waipahu/ Kapolei/ Ewa	6,300	9.3	4.5 - 14.1	61,600	90.7	85.9 - 95.5	67,900

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	n/r	n/r	n/r	59,800	92.5	87.8 - 97.2	64,700
25-34	12,800	12.8	8.5 - 17.1	86,800	87.2	82.9 - 91.5	99,600
35-44	10,400	12.1	7.8 - 16.4	75,500	87.9	83.6 - 92.2	85,900
45-54	6,900	8.1	5.3 - 10.8	78,400	91.9	89.2 - 94.7	85,300
55-64	6,000	7.8	5.7 - 9.9	71,000	92.2	90.1 - 94.3	77,000
65-74	2,900	6.7	3.8 - 9.6	40,700	93.3	90.4 - 96.2	43,700
75+	n/r	n/r	n/r	36,600	93.8	89.3 - 98.3	39,100

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	16,200	9.1	6.9 - 11.2	162,200	90.9	88.8 - 93.1	178,400
Native Hawaiian	8,000	16.1	11.0 - 21.2	42,000	83.9	78.8 - 89.0	50,000
Chinese	n/r	n/r	n/r	30,500	94.7	89.3 - 100.0	32,200
Filipino	7,800	9.9	4.9 - 15.0	70,800	90.1	85.0 - 95.1	78,600
Japanese	6,600	6.8	4.2 - 9.3	90,700	93.2	90.7 - 95.8	97,200
Black	n/r	n/r	n/r	n/r	n/r	n/r	10,900
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	2,100
Other Asian	n/r	n/r	n/r	13,000	92.4	85.9 - 98.9	14,000
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	13,300
Other	n/r	n/r	n/r	15,000	82.7	70.3 - 95.2	18,100

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	7,800
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	35,800	90.8	84.1 - 97.4	39,400
Grades 12 or GED (High School Grad)	18,000	11.3	8.2 - 14.4	141,000	88.7	85.6 - 91.8	159,000
College 1 to 3 years (Some College/ Tech)	14,300	8.9	6.4 - 11.5	145,700	91.1	88.5 - 93.6	160,000
College 4 years or more (College Grad)	10,300	7.9	5.9 - 9.9	120,500	92.1	90.1 - 94.1	130,800

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	34,700	11.0	8.9 - 13.0	282,400	89.0	87.0 - 91.1	317,100
Unemployed	4,200	10.0	4.3 - 15.7	37,800	90.0	84.3 - 95.7	42,000
Retired/Unable to work	6,600	6.2	4.1 - 8.4	98,500	93.8	91.6 - 95.9	105,100
Student/Homemaker	n/r	n/r	n/r	31,900	97.6	94.7 - 100.0	32,700

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	17,900	91.2	85.0 - 97.3	19,700
\$10,000 to \$14,999	n/r	n/r	n/r	12,900	93.8	88.5 - 99.2	13,700
\$15,000 to \$19,999	n/r	n/r	n/r	21,300	89.5	81.2 - 97.7	23,800
\$20,000 to \$24,999	4,500	12.4	5.6 - 19.3	31,400	87.6	80.7 - 94.4	35,900
\$25,000 to \$34,999	n/r	n/r	n/r	38,400	90.6	84.4 - 96.8	42,400
\$35,000 to \$49,999	4,900	7.0	4.3 - 9.7	65,900	93.0	90.3 - 95.7	70,800
\$50,000 to \$74,999	10,900	12.1	8.6 - 15.7	79,000	87.9	84.3 - 91.4	89,900
\$75,000 or more	14,300	8.8	6.2 - 11.5	147,800	91.2	88.5 - 93.8	162,200

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	7,000	10.3	5.3 - 15.4	61,100	89.7	84.6 - 94.7	68,100
131-185%	n/r	n/r	n/r	45,600	95.4	92.6 - 98.2	47,800
186+%	18,800	8.2	6.4 - 10.1	209,400	91.8	89.9 - 93.6	228,300

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	17,000	7.3	5.7 - 9.0	214,900	92.7	91.0 - 94.3	231,900
Unmarried Couple	n/r	n/r	n/r	23,700	87.3	78.3 - 96.3	27,200
Widowed	n/r	n/r	n/r	14,300	91.7	85.6 - 97.7	15,600
Other	24,500	11.0	8.5 - 13.6	197,800	89.0	86.4 - 91.5	222,300

Alcohol - heavy alcohol consumption in men, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	18,000	7.5	5.9 - 9.2	220,700	92.5	90.8 - 94.1	238,700
No	28,300	11.0	8.6 - 13.4	229,800	89.0	86.6 - 91.4	258,100

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	41,900	9.5	7.9 - 11.1	399,900	90.5	88.9 - 92.1	441,800
No	4,200	7.8	3.8 - 11.7	50,400	92.2	88.3 - 96.2	54,600