

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Yes			No			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2001	15,000	3.4	2.4 - 4.4	423,100	96.6	95.6 - 97.6	438,100
2002	17,800	3.9	3.1 - 4.8	433,300	96.1	95.2 - 96.9	451,000
2003	21,300	4.6	3.7 - 5.6	440,600	95.4	94.4 - 96.3	462,000
2004	22,700	4.9	3.5 - 6.3	440,700	95.1	93.7 - 96.5	463,400
2005	22,500	4.6	3.8 - 5.5	462,300	95.4	94.5 - 96.2	484,800
2006	26,000	5.4	4.4 - 6.4	458,400	94.6	93.6 - 95.6	484,400
2007	28,300	5.7	4.7 - 6.8	466,600	94.3	93.2 - 95.3	494,900
2008	27,600	5.5	4.5 - 6.6	472,400	94.5	93.4 - 95.5	500,100
2009	26,200	5.3	4.3 - 6.3	470,500	94.7	93.7 - 95.7	496,700
2010	22,700	4.5	3.6 - 5.4	479,000	95.5	94.6 - 96.4	501,800

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents



Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	22,700	4.5	3.6 - 5.4	479,000	95.5	94.6 - 96.4	501,800

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	4,400	6.2	4.4 - 8.1	65,300	93.8	91.9 - 95.6	69,700
Honolulu	14,000	4.0	2.8 - 5.2	338,500	96.0	94.8 - 97.2	352,500
Kauai	1,300	5.2	2.9 - 7.5	23,200	94.8	92.5 - 97.1	24,500
Maui	3,100	5.6	4.0 - 7.3	52,000	94.4	92.7 - 96.0	55,100

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	4,400	6.2	4.4 - 8.1	65,300	93.8	91.9 - 95.6	69,700
Kauai	1,300	5.2	2.9 - 7.5	23,200	94.8	92.5 - 97.1	24,500
Lanai	<50	5.8	0.0 - 11.8	500	94.2	88.2 - 100.0	600
Maui	2,700	5.3	3.5 - 7.0	48,300	94.7	93.0 - 96.5	51,000
Molokai	400	10.8	5.1 - 16.4	3,100	89.2	83.6 - 94.9	3,500
Oahu	14,000	4.0	2.8 - 5.2	338,500	96.0	94.8 - 97.2	352,500

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,200	3.2	0.6 - 5.9	36,300	96.8	94.1 - 99.4	37,500

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	100	1.3	0.0 - 3.2	11,400	98.7	96.8 - 100.0	11,500
Hanalei/ Kapaa	800	7.7	3.9 - 11.6	9,800	92.3	88.4 - 96.1	10,700
Hilo	800	4.0	1.3 - 6.6	20,100	96.0	93.4 - 98.7	20,900
Kaaawa/ Kahaluu/ Kaneohe	1,000	3.5	0.5 - 6.5	27,900	96.5	93.5 - 99.5	29,000
Kahului	700	4.3	1.9 - 6.7	16,600	95.7	93.3 - 98.1	17,300
Kailua/ Waimanalo	400	1.3	0.0 - 2.7	25,900	98.7	97.3 - 100.0	26,200
Kaimuki/ Palolo/ Waikiki	1,000	3.3	0.4 - 6.1	29,900	96.7	93.9 - 99.6	30,900
Kona	1,200	8.9	4.8 - 13.0	12,500	91.1	87.0 - 95.2	13,700
Lahaina/ Wailuku	1,000	6.2	2.7 - 9.6	14,500	93.8	90.4 - 97.3	15,500
Lanai	<50	5.8	0.0 - 11.8	500	94.2	88.2 - 100.0	600

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lihue-Waimea	500	3.3	0.6 - 6.0	13,400	96.7	94.0 - 99.4	13,800
Manoa/ Upper Makiki	1,800	6.6	0.8 - 12.5	25,000	93.4	87.5 - 99.2	26,800
Mililani/ Wahiawa	2,900	8.2	1.4 - 14.9	32,500	91.8	85.1 - 98.6	35,400
Molokai	400	10.8	5.1 - 16.4	3,100	89.2	83.6 - 94.9	3,500
Nanakuli/ Waianae	900	5.8	0.0 - 12.6	14,500	94.2	87.4 - 100.0	15,400
N.Hawaii	1,300	10.7	4.7 - 16.6	11,100	89.3	83.4 - 95.3	12,400
Nuuanu/ Kalihi/ Moanalua	1,300	3.8	0.0 - 7.9	34,300	96.2	92.1 - 100.0	35,700
Puna/ Kau	1,000	4.4	1.2 - 7.5	21,600	95.6	92.5 - 98.8	22,600
Salt Lake/ Foster Village	0	0.0	--	18,400	100.0	100.0 - 100.0	18,400
Upcountry/ Hana	1,000	5.5	2.2 - 8.7	17,200	94.5	91.3 - 97.8	18,200

Report Source: The Hawaii Health Data Warehouse;
Data Source: State of Hawaii, Department of Health,
Behavioral Risk Factor Surveillance System (BRFSS)

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waialae/ Kahala/ Hawaii Kai	1,400	7.6	1.8 - 13.3	17,100	92.4	86.7 - 98.2	18,500
Waipahu/ Kapolei/ Ewa	1,200	2.1	0.1 - 4.1	55,000	97.9	95.9 - 99.9	56,200

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	1,900	3.4	0.2 - 6.6	53,100	96.6	93.4 - 99.8	54,900
25-34	4,800	5.7	2.2 - 9.3	78,600	94.3	90.7 - 97.8	83,300
35-44	2,700	3.2	1.6 - 4.9	81,800	96.8	95.1 - 98.4	84,500
45-54	6,500	7.2	4.9 - 9.4	83,800	92.8	90.6 - 95.1	90,200
55-64	3,700	4.9	3.4 - 6.3	73,000	95.1	93.7 - 96.6	76,700
65-74	2,000	4.0	2.5 - 5.5	48,200	96.0	94.5 - 97.5	50,200
75+	1,100	1.8	0.7 - 2.9	58,800	98.2	97.1 - 99.3	59,800

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	12,200	8.4	6.6 - 10.2	132,600	91.6	89.8 - 93.4	144,800
Native Hawaiian	2,900	4.3	2.4 - 6.2	65,200	95.7	93.8 - 97.6	68,100
Chinese	400	1.4	0.0 - 2.9	28,500	98.6	97.1 - 100.0	28,900
Filipino	600	0.6	0.0 - 1.7	84,700	99.4	98.3 - 100.0	85,200
Japanese	4,200	3.3	1.2 - 5.4	123,400	96.7	94.6 - 98.8	127,600
Other Asian	1,200	9.0	0.0 - 19.7	12,600	91.0	80.3 - 100.0	13,800
Other Pacific Islander	200	1.2	0.0 - 3.7	14,400	98.8	96.3 - 100.0	14,600
Other	100	1.4	0.0 - 3.8	9,600	98.6	96.2 - 100.0	9,700

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	<50	0.1	0.0 - 0.2	7,500	99.9	99.8 - 100.0	7,500
Grades 9 thru 11 (Some High School)	400	2.8	0.0 - 5.5	15,800	97.2	94.5 - 100.0	16,200
Grades 12 or GED (High School Grad)	5,000	3.6	2.1 - 5.1	133,200	96.4	94.9 - 97.9	138,200
College 1 to 3 years (Some College/ Tech)	8,500	5.5	3.8 - 7.2	145,100	94.5	92.8 - 96.2	153,600
College 4 years or more (College Grad)	8,800	4.8	3.1 - 6.4	176,800	95.2	93.6 - 96.9	185,700

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	15,100	5.5	4.2 - 6.9	257,500	94.5	93.1 - 95.8	272,500
Unemployed	1,100	3.8	1.1 - 6.5	28,000	96.2	93.5 - 98.9	29,100
Retired/Unable to work	2,700	2.4	1.6 - 3.2	111,300	97.6	96.8 - 98.4	114,000
Student/Homemaker	3,800	4.5	1.6 - 7.3	82,100	95.5	92.7 - 98.4	85,900

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	600	2.4	0.0 - 5.0	23,500	97.6	95.0 - 100.0	24,100
\$10,000 to \$14,999	500	3.0	0.2 - 5.8	15,100	97.0	94.2 - 99.8	15,500
\$15,000 to \$19,999	1,300	4.4	1.1 - 7.7	28,500	95.6	92.3 - 98.9	29,800
\$20,000 to \$24,999	2,000	5.8	1.8 - 9.8	32,700	94.2	90.2 - 98.2	34,700
\$25,000 to \$34,999	2,000	3.9	1.6 - 6.2	48,500	96.1	93.8 - 98.4	50,500
\$35,000 to \$49,999	3,400	5.0	2.7 - 7.3	65,100	95.0	92.7 - 97.3	68,600
\$50,000 to \$74,999	3,200	4.3	2.6 - 6.0	70,200	95.7	94.0 - 97.4	73,400
\$75,000 or more	8,300	5.5	3.5 - 7.5	142,500	94.5	92.5 - 96.5	150,800

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	4,200	3.4	1.9 - 5.0	116,900	96.6	95.0 - 98.1	121,100
131-185%	2,600	3.6	1.8 - 5.4	69,800	96.4	94.6 - 98.2	72,400
186+%	14,500	5.7	4.3 - 7.1	239,300	94.3	92.9 - 95.7	253,800

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	11,900	4.1	3.1 - 5.0	279,200	95.9	95.0 - 96.9	291,100
Unmarried Couple	900	5.9	1.0 - 10.8	14,600	94.1	89.2 - 99.0	15,500
Widowed	1,100	2.5	1.4 - 3.6	44,200	97.5	96.4 - 98.6	45,300
Other	8,800	5.9	3.6 - 8.2	141,000	94.1	91.8 - 96.4	149,800

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	12,300	4.2	3.2 - 5.1	283,600	95.8	94.9 - 96.8	295,900
No	10,400	5.1	3.4 - 6.8	194,500	94.9	93.2 - 96.6	204,800

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	21,300	4.5	3.6 - 5.4	454,700	95.5	94.6 - 96.4	475,900
No	1,500	5.9	0.5 - 11.2	23,600	94.1	88.8 - 99.5	25,100

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	26,200	5.3	4.3 - 6.3	470,500	94.7	93.7 - 95.7	496,700

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	5,700	8.4	6.0 - 10.9	62,100	91.6	89.1 - 94.0	67,800
Honolulu	14,200	4.0	2.8 - 5.3	336,400	96.0	94.7 - 97.2	350,500
Kauai	2,000	8.3	4.0 - 12.7	22,400	91.7	87.3 - 96.0	24,400
Maui	4,200	7.9	5.6 - 10.1	49,700	92.1	89.9 - 94.4	54,000

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	5,700	8.4	6.0 - 10.9	62,100	91.6	89.1 - 94.0	67,800
Kauai	2,000	8.3	4.0 - 12.7	22,400	91.7	87.3 - 96.0	24,400
Lanai	<50	2.2	0.0 - 4.9	700	97.8	95.1 - 100.0	800
Maui	3,800	7.7	5.3 - 10.2	44,900	92.3	89.8 - 94.7	48,600
Molokai	500	10.3	3.6 - 17.0	4,100	89.7	83.0 - 96.4	4,600
Oahu	14,200	4.0	2.8 - 5.3	336,400	96.0	94.7 - 97.2	350,500

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	600	2.4	0.0 - 5.5	25,700	97.6	94.5 - 100.0	26,300

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	1,000	8.9	0.9 - 16.9	10,200	91.1	83.1 - 99.1	11,200
Hanalei/ Kapaa	1,200	11.3	3.0 - 19.6	9,600	88.7	80.4 - 97.0	10,800
Hilo	2,000	10.2	5.4 - 14.9	17,700	89.8	85.1 - 94.6	19,800
Kaaawa/ Kahaluu/ Kaneohe	900	4.3	1.1 - 7.6	20,600	95.7	92.4 - 98.9	21,500
Kahului	1,700	9.5	4.7 - 14.3	15,900	90.5	85.7 - 95.3	17,500
Kailua/ Waimanalo	1,500	6.2	2.1 - 10.3	23,200	93.8	89.7 - 97.9	24,700
Kaimuki/ Palolo/ Waikiki	1,600	4.9	1.2 - 8.7	31,600	95.1	91.3 - 98.8	33,300
Kona	1,300	8.3	4.3 - 12.3	14,300	91.7	87.7 - 95.7	15,500
Lahaina/ Wailuku	1,100	7.3	3.8 - 10.8	13,600	92.7	89.2 - 96.2	14,700
Lanai	<50	2.2	0.0 - 4.9	700	97.8	95.1 - 100.0	800

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lihue-Waimea	800	6.0	1.9 - 10.1	12,800	94.0	89.9 - 98.1	13,600
Manoa/ Upper Makiki	900	4.1	0.7 - 7.5	21,200	95.9	92.5 - 99.3	22,100
Mililani/ Wahiawa	1,000	2.4	0.0 - 4.9	39,400	97.6	95.1 - 100.0	40,400
Molokai	500	10.3	3.6 - 17.0	4,100	89.7	83.0 - 96.4	4,600
Nanakuli/ Waianae	1,400	8.0	0.0 - 20.0	16,300	92.0	80.0 - 100.0	17,700
N.Hawaii	800	5.9	2.2 - 9.6	12,500	94.1	90.4 - 97.8	13,300
Nuuanu/ Kalihi/ Moanalua	200	0.5	0.0 - 1.2	42,500	99.5	98.8 - 100.0	42,700
Puna/ Kau	1,600	8.5	2.8 - 14.2	17,500	91.5	85.8 - 97.2	19,100
Salt Lake/ Foster Village	800	3.8	0.0 - 8.5	19,200	96.2	91.5 - 100.0	20,000
Upcountry/ Hana	1,000	6.2	2.3 - 10.2	15,400	93.8	89.8 - 97.7	16,400

Report Source: The Hawaii Health Data Warehouse;
Data Source: State of Hawaii, Department of Health,
Behavioral Risk Factor Surveillance System (BRFSS)

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waialae/ Kahala/ Hawaii Kai	1,400	5.1	1.4 - 8.7	25,400	94.9	91.3 - 98.6	26,800
Waipahu/ Kapolei/ Ewa	2,300	4.1	0.0 - 8.5	54,000	95.9	91.5 - 100.0	56,300

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	5,300	9.9	4.2 - 15.6	48,200	90.1	84.4 - 95.8	53,500
25-34	5,200	6.2	2.8 - 9.7	78,500	93.8	90.3 - 97.2	83,700
35-44	2,800	3.3	1.8 - 4.8	83,200	96.7	95.2 - 98.2	86,000
45-54	5,200	5.8	4.1 - 7.5	84,900	94.2	92.5 - 95.9	90,200
55-64	4,100	5.5	3.8 - 7.2	70,800	94.5	92.8 - 96.2	74,900
65-74	2,400	4.9	2.8 - 7.0	46,300	95.1	93.0 - 97.2	48,700
75+	1,100	1.8	0.8 - 2.9	56,000	98.2	97.1 - 99.2	57,000

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	14,200	9.3	7.5 - 11.2	138,000	90.7	88.8 - 92.5	152,200
Native Hawaiian	5,100	7.6	2.7 - 12.6	62,000	92.4	87.4 - 97.3	67,100
Chinese	600	2.0	0.0 - 4.0	29,200	98.0	96.0 - 100.0	29,800
Filipino	900	1.2	0.2 - 2.1	80,200	98.8	97.9 - 99.8	81,100
Japanese	2,900	2.5	1.3 - 3.7	115,500	97.5	96.3 - 98.7	118,500
Other Asian	800	6.6	0.6 - 12.5	10,900	93.4	87.5 - 99.4	11,600
Other Pacific Islander	300	1.7	0.0 - 4.3	17,100	98.3	95.7 - 100.0	17,400
Other	800	7.9	0.1 - 15.8	9,500	92.1	84.2 - 99.9	10,300

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	0	0.0	--	7,500	100.0	100.0 - 100.0	7,500
Grades 9 thru 11 (Some High School)	1,300	6.8	0.9 - 12.8	17,900	93.2	87.2 - 99.1	19,200
Grades 12 or GED (High School Grad)	6,000	4.7	2.9 - 6.4	123,100	95.3	93.6 - 97.1	129,100
College 1 to 3 years (Some College/ Tech)	9,200	5.9	3.6 - 8.2	145,100	94.1	91.8 - 96.4	154,300
College 4 years or more (College Grad)	9,700	5.2	4.0 - 6.5	176,700	94.8	93.5 - 96.0	186,300

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	16,600	5.8	4.4 - 7.3	268,300	94.2	92.7 - 95.6	284,800
Unemployed	900	3.1	0.8 - 5.4	27,100	96.9	94.6 - 99.2	28,000
Retired/Unable to work	3,900	3.4	2.2 - 4.7	108,200	96.6	95.3 - 97.8	112,100
Student/Homemaker	4,900	6.8	3.5 - 10.1	66,700	93.2	89.9 - 96.5	71,600

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,300	7.7	1.9 - 13.5	15,000	92.3	86.5 - 98.1	16,300
\$10,000 to \$14,999	500	3.0	0.0 - 6.9	16,400	97.0	93.1 - 100.0	16,900
\$15,000 to \$19,999	900	3.3	0.2 - 6.4	25,000	96.7	93.6 - 99.8	25,900
\$20,000 to \$24,999	1,900	5.3	1.5 - 9.1	33,500	94.7	90.9 - 98.5	35,300
\$25,000 to \$34,999	3,200	6.3	2.6 - 9.9	47,200	93.7	90.1 - 97.4	50,400
\$35,000 to \$49,999	2,700	3.4	1.9 - 4.9	75,800	96.6	95.1 - 98.1	78,500
\$50,000 to \$74,999	5,900	7.4	3.4 - 11.3	73,900	92.6	88.7 - 96.6	79,700
\$75,000 or more	8,800	6.3	4.7 - 7.9	130,600	93.7	92.1 - 95.3	139,500

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	5,500	4.7	2.6 - 6.9	110,200	95.3	93.1 - 97.4	115,700
131-185%	5,200	6.8	2.7 - 10.9	71,500	93.2	89.1 - 97.3	76,700
186+%	14,300	5.7	4.6 - 6.8	235,700	94.3	93.2 - 95.4	250,000

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	12,100	4.3	3.4 - 5.3	267,100	95.7	94.7 - 96.6	279,200
Unmarried Couple	2,500	16.2	3.6 - 28.7	13,100	83.8	71.3 - 96.4	15,600
Widowed	1,300	2.7	1.4 - 4.0	48,000	97.3	96.0 - 98.6	49,400
Other	10,200	6.7	4.3 - 9.0	142,300	93.3	91.0 - 95.7	152,500

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	12,600	4.4	3.5 - 5.4	272,200	95.6	94.6 - 96.5	284,800
No	13,600	6.4	4.5 - 8.4	197,400	93.6	91.6 - 95.5	211,000

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	23,800	5.1	4.1 - 6.1	442,800	94.9	93.9 - 95.9	466,600
No	2,300	8.1	0.7 - 15.6	26,300	91.9	84.4 - 99.3	28,700

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	27,600	5.5	4.5 - 6.6	472,400	94.5	93.4 - 95.5	500,100

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	5,900	8.6	5.9 - 11.3	62,500	91.4	88.7 - 94.1	68,400
Honolulu	16,900	4.8	3.5 - 6.1	336,000	95.2	93.9 - 96.5	352,900
Kauai	1,100	4.6	2.4 - 6.9	23,200	95.4	93.1 - 97.6	24,300
Maui	3,700	6.8	4.5 - 9.1	50,800	93.2	90.9 - 95.5	54,500

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	5,900	8.6	5.9 - 11.3	62,500	91.4	88.7 - 94.1	68,400
Kauai	1,100	4.6	2.4 - 6.9	23,200	95.4	93.1 - 97.6	24,300
Lanai	<50	2.5	0.0 - 5.8	1,000	97.5	94.2 - 100.0	1,000
Maui	3,200	6.5	4.0 - 9.0	46,300	93.5	91.0 - 96.0	49,500
Molokai	500	11.7	5.5 - 18.0	3,500	88.3	82.0 - 94.5	4,000
Oahu	16,900	4.8	3.5 - 6.1	336,000	95.2	93.9 - 96.5	352,900

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	800	2.4	0.0 - 5.7	33,300	97.6	94.3 - 100.0	34,100

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	400	2.5	0.0 - 5.2	14,500	97.5	94.8 - 100.0	14,900
Hanalei/ Kapaa	500	5.2	1.3 - 9.0	8,400	94.8	91.0 - 98.7	8,900
Hilo	1,500	6.7	2.6 - 10.8	20,400	93.3	89.2 - 97.4	21,900
Kaaawa/ Kahaluu/ Kaneohe	500	2.0	0.0 - 4.2	24,700	98.0	95.8 - 100.0	25,200
Kahului	600	4.0	1.4 - 6.5	14,600	96.0	93.5 - 98.6	15,300
Kailua/ Waimanalo	1,000	4.1	1.0 - 7.3	22,800	95.9	92.7 - 99.0	23,800
Kaimuki/ Palolo/ Waikiki	1,600	5.7	2.0 - 9.4	26,700	94.3	90.6 - 98.0	28,400
Kona	1,100	6.8	3.1 - 10.4	14,500	93.2	89.6 - 96.9	15,500
Lahaina/ Wailuku	1,300	7.9	3.2 - 12.6	15,700	92.1	87.4 - 96.8	17,000
Lanai	<50	2.5	0.0 - 5.8	1,000	97.5	94.2 - 100.0	1,000

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lihue-Waimea	700	4.3	1.5 - 7.1	14,800	95.7	92.9 - 98.5	15,400
Manoa/ Upper Makiki	2,000	8.3	3.7 - 12.9	22,400	91.7	87.1 - 96.3	24,500
Mililani/ Wahiawa	3,800	10.0	3.7 - 16.3	34,500	90.0	83.7 - 96.3	38,300
Molokai	500	11.7	5.5 - 18.0	3,500	88.3	82.0 - 94.5	4,000
Nanakuli/ Waianae	2,100	9.9	0.6 - 19.1	19,000	90.1	80.9 - 99.4	21,000
N.Hawaii	2,200	15.8	6.5 - 25.0	11,500	84.2	75.0 - 93.5	13,700
Nuuanu/ Kalihi/ Moanalua	200	0.9	0.0 - 2.1	26,800	99.1	97.9 - 100.0	27,000
Puna/ Kau	1,200	7.0	3.1 - 10.9	16,100	93.0	89.1 - 96.9	17,300
Salt Lake/ Foster Village	200	0.9	0.0 - 2.7	18,600	99.1	97.3 - 100.0	18,700
Upcountry/ Hana	1,300	7.4	2.6 - 12.2	15,900	92.6	87.8 - 97.4	17,200

Report Source: The Hawaii Health Data Warehouse;
Data Source: State of Hawaii, Department of Health,
Behavioral Risk Factor Surveillance System (BRFSS)

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waialae/ Kahala/ Hawaii Kai	1,900	9.3	1.7 - 16.8	19,000	90.7	83.2 - 98.3	21,000
Waipahu/ Kapolei/ Ewa	1,400	2.2	0.7 - 3.7	62,200	97.8	96.3 - 99.3	63,600

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	4,200	7.8	2.5 - 13.0	50,300	92.2	87.0 - 97.5	54,600
25-34	6,400	7.4	3.9 - 10.9	80,100	92.6	89.1 - 96.1	86,500
35-44	4,700	5.3	3.3 - 7.3	83,400	94.7	92.7 - 96.7	88,100
45-54	5,300	6.1	4.3 - 7.9	82,100	93.9	92.1 - 95.7	87,500
55-64	4,300	5.6	3.9 - 7.3	71,600	94.4	92.7 - 96.1	75,800
65-74	2,400	4.9	2.5 - 7.3	45,600	95.1	92.7 - 97.5	47,900
75+	400	0.7	0.0 - 1.4	55,100	99.3	98.6 - 100.0	55,500

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	10,500	6.8	5.4 - 8.2	144,600	93.2	91.8 - 94.6	155,000
Native Hawaiian	5,300	7.4	3.7 - 11.1	65,600	92.6	88.9 - 96.3	70,900
Chinese	700	2.5	0.2 - 4.8	28,700	97.5	95.2 - 99.8	29,400
Filipino	3,500	4.7	1.8 - 7.5	71,100	95.3	92.5 - 98.2	74,500
Japanese	3,800	3.1	1.5 - 4.8	118,100	96.9	95.2 - 98.5	122,000
Other Asian	600	5.4	0.0 - 11.8	10,800	94.6	88.2 - 100.0	11,400
Other Pacific Islander	1,800	12.8	0.0 - 26.7	12,400	87.2	73.3 - 100.0	14,200
Other	500	3.7	0.1 - 7.3	12,200	96.3	92.7 - 99.9	12,700

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	200	3.0	0.0 - 8.9	6,000	97.0	91.1 - 100.0	6,200
Grades 9 thru 11 (Some High School)	800	4.7	0.3 - 9.2	17,000	95.3	90.8 - 99.7	17,900
Grades 12 or GED (High School Grad)	8,600	6.0	3.6 - 8.3	135,700	94.0	91.7 - 96.4	144,300
College 1 to 3 years (Some College/ Tech)	8,300	5.7	3.8 - 7.5	138,500	94.3	92.5 - 96.2	146,800
College 4 years or more (College Grad)	9,600	5.2	3.8 - 6.7	174,100	94.8	93.3 - 96.2	183,700

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	17,700	6.3	4.8 - 7.8	264,500	93.7	92.2 - 95.2	282,200
Unemployed	2,500	11.2	3.6 - 18.7	19,600	88.8	81.3 - 96.4	22,100
Retired/Unable to work	4,300	3.5	2.4 - 4.7	116,300	96.5	95.3 - 97.6	120,600
Student/Homemaker	3,200	4.3	1.6 - 7.0	71,200	95.7	93.0 - 98.4	74,400

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	600	3.9	0.3 - 7.5	14,400	96.1	92.5 - 99.7	14,900
\$10,000 to \$14,999	1,000	8.9	1.1 - 16.7	10,400	91.1	83.3 - 98.9	11,400
\$15,000 to \$19,999	1,100	4.5	0.5 - 8.5	22,700	95.5	91.5 - 99.5	23,800
\$20,000 to \$24,999	1,900	6.2	1.7 - 10.6	29,500	93.8	89.4 - 98.3	31,400
\$25,000 to \$34,999	2,100	3.9	0.6 - 7.1	52,300	96.1	92.9 - 99.4	54,400
\$35,000 to \$49,999	4,100	5.4	3.0 - 7.8	72,400	94.6	92.2 - 97.0	76,500
\$50,000 to \$74,999	4,100	4.5	2.3 - 6.7	86,500	95.5	93.3 - 97.7	90,600
\$75,000 or more	10,400	7.3	5.3 - 9.2	132,500	92.7	90.8 - 94.7	142,900

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	6,200	6.1	3.4 - 8.8	94,800	93.9	91.2 - 96.6	101,000
131-185%	900	1.5	0.0 - 3.1	58,500	98.5	96.9 - 100.0	59,400
186+%	18,200	6.4	5.1 - 7.7	267,000	93.6	92.3 - 94.9	285,100

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	12,000	4.1	3.1 - 5.0	280,700	95.9	95.0 - 96.9	292,700
Unmarried Couple	1,300	12.4	4.4 - 20.4	9,200	87.6	79.6 - 95.6	10,500
Widowed	700	1.6	0.6 - 2.7	45,300	98.4	97.3 - 99.4	46,000
Other	13,600	9.0	6.3 - 11.8	137,300	91.0	88.2 - 93.7	150,800

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	12,400	4.1	3.2 - 5.1	287,600	95.9	94.9 - 96.8	300,000
No	15,200	7.7	5.5 - 9.8	183,000	92.3	90.2 - 94.5	198,200

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	25,200	5.3	4.3 - 6.4	447,600	94.7	93.6 - 95.7	472,800
No	2,400	8.9	2.8 - 15.1	24,300	91.1	84.9 - 97.2	26,600

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	28,300	5.7	4.7 - 6.8	466,600	94.3	93.2 - 95.3	494,900

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	4,300	6.6	4.7 - 8.5	60,900	93.4	91.5 - 95.3	65,100
Honolulu	19,300	5.5	4.1 - 6.8	333,500	94.5	93.2 - 95.9	352,800
Kauai	1,200	5.0	2.1 - 7.8	22,200	95.0	92.2 - 97.9	23,300
Maui	3,600	6.7	4.9 - 8.6	50,000	93.3	91.4 - 95.1	53,600

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	4,300	6.6	4.7 - 8.5	60,900	93.4	91.5 - 95.3	65,100
Kauai	1,200	5.0	2.1 - 7.8	22,200	95.0	92.2 - 97.9	23,300
Lanai	100	8.6	2.6 - 14.6	700	91.4	85.4 - 97.4	800
Maui	3,100	6.5	4.4 - 8.5	45,200	93.5	91.5 - 95.6	48,300
Molokai	400	9.3	4.2 - 14.3	4,100	90.7	85.7 - 95.8	4,500
Oahu	19,300	5.5	4.1 - 6.8	333,500	94.5	93.2 - 95.9	352,800

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	100	0.2	0.0 - 0.5	36,000	99.8	99.5 - 100.0	36,100

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	400	2.6	0.0 - 6.8	13,800	97.4	93.2 - 100.0	14,100
Hanalei/ Kapaa	400	3.8	1.4 - 6.1	9,600	96.2	93.9 - 98.6	9,900
Hilo	900	4.9	1.6 - 8.1	17,800	95.1	91.9 - 98.4	18,700
Kaaawa/ Kahaluu/ Kaneohe	1,400	5.4	0.7 - 10.0	24,800	94.6	90.0 - 99.3	26,200
Kahului	1,100	7.7	3.8 - 11.5	13,600	92.3	88.5 - 96.2	14,800
Kailua/ Waimanalo	1,900	6.3	2.2 - 10.4	27,800	93.7	89.6 - 97.8	29,700
Kaimuki/ Palolo/ Waikiki	1,500	5.2	1.7 - 8.6	26,900	94.8	91.4 - 98.3	28,400
Kona	1,000	7.5	2.6 - 12.4	12,600	92.5	87.6 - 97.4	13,700
Lahaina/ Wailuku	1,100	6.6	3.2 - 10.0	15,200	93.4	90.0 - 96.8	16,300
Lanai	100	8.6	2.6 - 14.6	700	91.4	85.4 - 97.4	800

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lihue-Waimea	800	5.9	1.3 - 10.5	12,600	94.1	89.5 - 98.7	13,400
Manoa/ Upper Makiki	2,100	9.5	4.1 - 15.0	20,000	90.5	85.0 - 95.9	22,100
Mililani/ Wahiawa	1,300	3.8	0.2 - 7.3	33,200	96.2	92.7 - 99.8	34,500
Molokai	400	9.3	4.2 - 14.3	4,100	90.7	85.7 - 95.8	4,500
Nanakuli/ Waianae	1,300	6.6	0.0 - 14.9	17,800	93.4	85.1 - 100.0	19,100
N.Hawaii	1,300	8.9	4.6 - 13.2	13,400	91.1	86.8 - 95.4	14,700
N.Shore/ Laie	1,300	10.6	0.0 - 21.2	11,000	89.4	78.8 - 100.0	12,400
Nuuanu/ Kalihi/ Moanalua	1,000	3.2	0.2 - 6.1	31,800	96.8	93.9 - 99.8	32,800
Puna/ Kau	1,000	5.8	2.9 - 8.6	17,000	94.2	91.4 - 97.1	18,000
Salt Lake/ Foster Village	1,100	6.8	0.0 - 15.8	14,600	93.2	84.2 - 100.0	15,700

Report Source: The Hawaii Health Data Warehouse;
Data Source: State of Hawaii, Department of Health,
Behavioral Risk Factor Surveillance System (BRFSS)

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Upcountry/ Hana	900	5.3	2.0 - 8.7	16,400	94.7	91.3 - 98.0	17,300
Waialae/ Kahala/ Hawaii Kai	900	4.8	0.0 - 12.0	18,000	95.2	88.0 - 100.0	18,900
Waipahu/ Kapolei/ Ewa	5,100	8.1	3.9 - 12.4	57,800	91.9	87.6 - 96.1	62,900

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	5,000	8.9	3.8 - 14.0	51,400	91.1	86.0 - 96.2	56,400
25-34	4,500	5.9	3.2 - 8.6	71,000	94.1	91.4 - 96.8	75,500
35-44	5,300	6.2	3.4 - 9.0	80,000	93.8	91.0 - 96.6	85,300
45-54	4,300	4.5	3.0 - 6.1	89,600	95.5	93.9 - 97.0	93,900
55-64	5,100	6.6	4.4 - 8.8	72,700	93.4	91.2 - 95.6	77,900
65-74	900	1.9	0.9 - 2.9	43,900	98.1	97.1 - 99.1	44,800
75+	3,300	5.6	2.4 - 8.7	56,400	94.4	91.3 - 97.6	59,700

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	13,100	8.7	6.9 - 10.5	137,600	91.3	89.5 - 93.1	150,700
Native Hawaiian	8,000	10.8	6.8 - 14.9	65,800	89.2	85.1 - 93.2	73,800
Chinese	0	0.0	--	28,400	100.0	100.0 - 100.0	28,400
Filipino	1,500	1.7	0.0 - 3.4	88,000	98.3	96.6 - 100.0	89,500
Japanese	3,700	3.4	1.4 - 5.4	105,100	96.6	94.6 - 98.6	108,800
Other Asian	400	2.9	0.0 - 6.8	12,500	97.1	93.2 - 100.0	12,900
Other	100	1.0	0.0 - 2.8	10,200	99.0	97.2 - 100.0	10,300

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	0	0.0	--	9,300	100.0	100.0 - 100.0	9,300
Grades 9 thru 11 (Some High School)	1,100	5.2	0.0 - 10.7	19,600	94.8	89.3 - 100.0	20,600
Grades 12 or GED (High School Grad)	9,200	6.5	4.3 - 8.6	133,300	93.5	91.4 - 95.7	142,500
College 1 to 3 years (Some College/ Tech)	10,200	6.7	4.5 - 8.9	140,900	93.3	91.1 - 95.5	151,100
College 4 years or more (College Grad)	7,900	4.6	3.4 - 5.9	162,600	95.4	94.1 - 96.6	170,500

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	18,000	6.4	4.9 - 7.8	264,100	93.6	92.2 - 95.1	282,100
Unemployed	1,300	10.0	3.1 - 16.9	11,400	90.0	83.1 - 96.9	12,600
Retired/Unable to work	6,100	4.8	3.1 - 6.6	120,000	95.2	93.4 - 96.9	126,100
Student/Homemaker	3,000	4.1	1.2 - 6.9	70,800	95.9	93.1 - 98.8	73,800

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	800	4.3	0.0 - 9.8	17,000	95.7	90.2 - 100.0	17,700
\$10,000 to \$14,999	600	3.2	0.0 - 6.7	18,100	96.8	93.3 - 100.0	18,700
\$15,000 to \$19,999	1,000	4.1	1.1 - 7.1	22,900	95.9	92.9 - 98.9	23,900
\$20,000 to \$24,999	3,000	8.8	3.8 - 13.8	31,400	91.2	86.2 - 96.2	34,400
\$25,000 to \$34,999	1,500	2.7	0.9 - 4.6	53,000	97.3	95.4 - 99.1	54,500
\$35,000 to \$49,999	5,900	7.0	4.1 - 10.0	78,400	93.0	90.0 - 95.9	84,300
\$50,000 to \$74,999	4,100	5.3	2.9 - 7.7	73,700	94.7	92.3 - 97.1	77,800
\$75,000 or more	8,700	6.4	4.5 - 8.3	128,600	93.6	91.7 - 95.5	137,300

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	5,800	5.2	2.8 - 7.7	104,300	94.8	92.3 - 97.2	110,000
131-185%	3,500	5.9	2.8 - 9.0	55,900	94.1	91.0 - 97.2	59,400
186+%	16,300	5.9	4.6 - 7.1	262,900	94.1	92.9 - 95.4	279,200

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	13,100	4.5	3.4 - 5.7	275,500	95.5	94.3 - 96.6	288,600
Unmarried Couple	1,500	12.4	3.3 - 21.6	10,700	87.6	78.4 - 96.7	12,200
Widowed	1,300	2.8	1.1 - 4.4	46,100	97.2	95.6 - 98.9	47,400
Other	12,400	8.5	5.9 - 11.0	134,300	91.5	89.0 - 94.1	146,700

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	13,300	4.5	3.4 - 5.6	280,700	95.5	94.4 - 96.6	294,000
No	15,000	7.5	5.5 - 9.5	185,100	92.5	90.5 - 94.5	200,100

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	27,100	5.7	4.7 - 6.8	444,900	94.3	93.2 - 95.3	472,000
No	1,300	5.6	0.9 - 10.2	21,600	94.4	89.8 - 99.1	22,900

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	26,000	5.4	4.4 - 6.4	458,400	94.6	93.6 - 95.6	484,400

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	4,100	6.7	4.7 - 8.7	57,100	93.3	91.3 - 95.3	61,200
Honolulu	16,800	4.8	3.6 - 6.1	331,000	95.2	93.9 - 96.4	347,800
Kauai	1,200	5.3	3.1 - 7.4	22,300	94.7	92.6 - 96.9	23,500
Maui	3,800	7.4	5.0 - 9.8	48,000	92.6	90.2 - 95.0	51,800

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	4,100	6.7	4.7 - 8.7	57,100	93.3	91.3 - 95.3	61,200
Kauai	1,200	5.3	3.1 - 7.4	22,300	94.7	92.6 - 96.9	23,500
Lanai	100	6.0	1.1 - 11.0	1,000	94.0	89.0 - 98.9	1,100
Maui	3,500	7.4	4.8 - 10.1	43,900	92.6	89.9 - 95.2	47,500
Molokai	200	7.4	1.4 - 13.4	3,000	92.6	86.6 - 98.6	3,300
Oahu	16,800	4.8	3.6 - 6.1	331,000	95.2	93.9 - 96.4	347,800

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	2,400	7.6	2.3 - 12.9	29,100	92.4	87.1 - 97.7	31,500

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	100	0.4	0.0 - 1.3	17,500	99.6	98.7 - 100.0	17,600
Hanalei/ Kapaa	600	6.7	3.1 - 10.3	9,000	93.3	89.7 - 96.9	9,600
Hilo	1,300	7.0	2.8 - 11.2	16,700	93.0	88.8 - 97.2	17,900
Kaaawa/ Kahaluu/ Kaneohe	2,700	12.1	3.3 - 20.9	19,400	87.9	79.1 - 96.7	22,100
Kahului	1,500	8.9	3.1 - 14.6	15,000	91.1	85.4 - 96.9	16,400
Kailua/ Waimanalo	2,500	9.0	2.6 - 15.3	25,600	91.0	84.7 - 97.4	28,200
Kaimuki/ Palolo/ Waikiki	1,700	6.4	2.5 - 10.3	25,000	93.6	89.7 - 97.5	26,700
Kona	1,300	8.8	4.5 - 13.1	13,800	91.2	86.9 - 95.5	15,200
Lahaina/ Wailuku	1,200	7.0	3.3 - 10.8	15,300	93.0	89.2 - 96.7	16,500
Lanai	100	6.0	1.1 - 11.0	1,000	94.0	89.0 - 98.9	1,100

Report Source: The Hawaii Health Data Warehouse;
Data Source: State of Hawaii, Department of Health,
Behavioral Risk Factor Surveillance System (BRFSS)

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lihue-Waimea	600	4.2	1.5 - 7.0	13,300	95.8	93.0 - 98.5	13,900
Manoa/ Upper Makiki	300	1.6	0.0 - 3.1	21,900	98.4	96.9 - 100.0	22,200
Mililani/ Wahiawa	1,400	3.9	0.9 - 6.8	33,800	96.1	93.2 - 99.1	35,200
Molokai	200	7.4	1.4 - 13.4	3,000	92.6	86.6 - 98.6	3,300
Nanakuli/ Waianae	700	4.5	0.0 - 9.3	15,500	95.5	90.7 - 100.0	16,200
N.Hawaii	700	5.5	1.9 - 9.0	12,600	94.5	91.0 - 98.1	13,300
N.Shore/ Laie	500	4.1	0.0 - 8.7	12,200	95.9	91.3 - 100.0	12,800
Nuuanu/ Kalihi/ Moanalua	1,200	3.2	0.0 - 7.8	37,000	96.8	92.2 - 100.0	38,300
Puna/ Kau	800	5.3	1.5 - 9.1	14,000	94.7	90.9 - 98.5	14,800
Salt Lake/ Foster Village	500	2.5	0.0 - 5.4	18,600	97.5	94.6 - 100.0	19,000

Report Source: The Hawaii Health Data Warehouse;
Data Source: State of Hawaii, Department of Health,
Behavioral Risk Factor Surveillance System (BRFSS)

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Upcountry/ Hana	900	6.3	2.8 - 9.8	13,700	93.7	90.2 - 97.2	14,600
Waialae/ Kahala/ Hawaii Kai	700	3.0	0.0 - 6.7	22,200	97.0	93.3 - 100.0	22,900
Waipahu/ Kapolei/ Ewa	2,100	3.8	1.5 - 6.1	53,100	96.2	93.9 - 98.5	55,200

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	5,000	9.1	3.9 - 14.4	50,000	90.9	85.6 - 96.1	55,100
25-34	4,800	6.3	3.4 - 9.2	71,100	93.7	90.8 - 96.6	75,900
35-44	4,000	4.7	2.9 - 6.5	82,200	95.3	93.5 - 97.1	86,200
45-54	4,800	5.4	3.6 - 7.1	83,900	94.6	92.9 - 96.4	88,700
55-64	3,600	4.9	2.8 - 7.0	69,700	95.1	93.0 - 97.2	73,300
65-74	1,900	4.3	2.1 - 6.5	42,900	95.7	93.5 - 97.9	44,800
75+	1,600	2.9	1.2 - 4.6	54,800	97.1	95.4 - 98.8	56,400

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	12,700	8.2	6.4 - 9.9	142,700	91.8	90.1 - 93.6	155,400
Native Hawaiian	3,900	6.1	3.1 - 9.1	59,700	93.9	90.9 - 96.9	63,600
Chinese	100	0.3	0.0 - 0.8	21,000	99.7	99.2 - 100.0	21,100
Filipino	1,300	1.7	0.6 - 2.9	72,400	98.3	97.1 - 99.4	73,700
Japanese	4,400	4.0	2.0 - 5.9	106,400	96.0	94.1 - 98.0	110,800
Other Asian	200	1.6	0.0 - 4.0	13,500	98.4	96.0 - 100.0	13,700
Other Pacific Islander	1,900	12.8	0.0 - 27.2	12,900	87.2	72.8 - 100.0	14,800
Mixed Ethnicity	400	3.8	0.0 - 8.4	10,000	96.2	91.6 - 100.0	10,400
Other	1,000	10.2	2.5 - 17.9	8,500	89.8	82.1 - 97.5	9,500

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	100	0.9	0.0 - 2.7	9,900	99.1	97.3 - 100.0	10,000
Grades 9 thru 11 (Some High School)	1,700	7.7	0.1 - 15.3	20,400	92.3	84.7 - 99.9	22,100
Grades 12 or GED (High School Grad)	5,800	4.3	2.6 - 6.0	129,200	95.7	94.0 - 97.4	135,000
College 1 to 3 years (Some College/ Tech)	9,300	6.3	4.3 - 8.4	137,000	93.7	91.6 - 95.7	146,200
College 4 years or more (College Grad)	9,100	5.4	4.0 - 6.8	161,500	94.6	93.2 - 96.0	170,600

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	17,700	6.5	5.1 - 8.0	252,800	93.5	92.0 - 94.9	270,500
Unemployed	100	0.8	0.0 - 2.0	18,900	99.2	98.0 - 100.0	19,100
Retired/Unable to work	4,100	3.3	2.2 - 4.4	119,900	96.7	95.6 - 97.8	124,100
Student/Homemaker	4,100	5.7	2.6 - 8.9	66,600	94.3	91.1 - 97.4	70,700

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	2,100	12.0	0.0 - 24.2	15,300	88.0	75.8 - 100.0	17,400
\$10,000 to \$14,999	600	3.8	0.9 - 6.6	14,900	96.2	93.4 - 99.1	15,500
\$15,000 to \$19,999	1,500	6.5	2.4 - 10.5	21,100	93.5	89.5 - 97.6	22,600
\$20,000 to \$24,999	1,200	3.5	1.2 - 5.8	33,800	96.5	94.2 - 98.8	35,100
\$25,000 to \$34,999	2,100	4.0	2.1 - 5.9	51,300	96.0	94.1 - 97.9	53,400
\$35,000 to \$49,999	3,900	5.5	3.3 - 7.8	65,900	94.5	92.2 - 96.7	69,800
\$50,000 to \$74,999	3,400	4.6	2.2 - 7.0	71,300	95.4	93.0 - 97.8	74,800
\$75,000 or more	7,400	7.4	4.9 - 9.8	93,400	92.6	90.2 - 95.1	100,900

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	4,700	4.9	2.2 - 7.6	90,800	95.1	92.4 - 97.8	95,500
131-185%	3,200	5.4	2.4 - 8.3	56,600	94.6	91.7 - 97.6	59,900
186+%	14,300	6.1	4.8 - 7.5	219,700	93.9	92.5 - 95.2	234,000

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	13,100	4.6	3.4 - 5.8	273,700	95.4	94.2 - 96.6	286,700
Unmarried Couple	1,000	7.7	0.6 - 14.8	11,700	92.3	85.2 - 99.4	12,700
Widowed	2,100	4.6	2.4 - 6.7	43,700	95.4	93.3 - 97.6	45,700
Other	9,900	7.1	4.9 - 9.2	129,300	92.9	90.8 - 95.1	139,200

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	13,600	4.6	3.5 - 5.8	280,000	95.4	94.2 - 96.5	293,600
No	12,400	6.5	4.8 - 8.2	177,400	93.5	91.8 - 95.2	189,800

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	22,700	5.1	4.1 - 6.0	426,900	94.9	94.0 - 95.9	449,600
No	3,300	10.0	3.9 - 16.1	29,400	90.0	83.9 - 96.1	32,700

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	22,500	4.6	3.8 - 5.5	462,300	95.4	94.5 - 96.2	484,800

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,500	5.9	3.6 - 8.1	56,200	94.1	91.9 - 96.4	59,700
Honolulu	14,300	4.1	3.1 - 5.1	335,500	95.9	94.9 - 96.9	349,800
Kauai	1,400	5.9	2.4 - 9.4	21,900	94.1	90.6 - 97.6	23,200
Maui	3,300	6.4	4.0 - 8.8	48,700	93.6	91.2 - 96.0	52,100

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,500	5.9	3.6 - 8.1	56,200	94.1	91.9 - 96.4	59,700
Kauai	1,400	5.9	2.4 - 9.4	21,900	94.1	90.6 - 97.6	23,200
Lanai	<50	2.9	0.0 - 6.4	1,200	97.1	93.6 - 100.0	1,200
Maui	3,100	6.5	4.0 - 9.0	45,200	93.5	91.0 - 96.0	48,300
Molokai	200	6.7	1.9 - 11.5	2,400	93.3	88.5 - 98.1	2,500
Oahu	14,300	4.1	3.1 - 5.1	335,500	95.9	94.9 - 96.9	349,800

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,000	2.8	0.0 - 6.0	34,100	97.2	94.0 - 100.0	35,100

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	1,200	7.9	1.8 - 14.0	14,300	92.1	86.0 - 98.2	15,600
Hanalei/ Kapaa	700	7.1	1.0 - 13.2	9,100	92.9	86.8 - 99.0	9,800
Hilo	700	3.8	0.5 - 7.1	17,600	96.2	92.9 - 99.5	18,300
Kaaawa/ Kahaluu/ Kaneohe	1,200	4.7	1.1 - 8.2	25,300	95.3	91.8 - 98.9	26,500
Kahului	1,400	7.6	3.0 - 12.2	16,600	92.4	87.8 - 97.0	18,000
Kailua/ Waimanalo	1,800	6.5	2.4 - 10.6	26,100	93.5	89.4 - 97.6	27,900
Kaimuki/ Palolo/ Waikiki	2,100	6.3	2.1 - 10.5	31,500	93.7	89.5 - 97.9	33,600
Kona	1,000	7.7	4.2 - 11.2	12,300	92.3	88.8 - 95.8	13,300
Lahaina/ Wailuku	1,000	7.3	2.9 - 11.7	13,300	92.7	88.3 - 97.1	14,300
Lanai	<50	2.9	0.0 - 6.4	1,200	97.1	93.6 - 100.0	1,200

Report Source: The Hawaii Health Data Warehouse;
Data Source: State of Hawaii, Department of Health,
Behavioral Risk Factor Surveillance System (BRFSS)

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lihue-Waimea	700	5.0	0.9 - 9.1	12,700	95.0	90.9 - 99.1	13,400
Manoa/ Upper Makiki	600	3.1	0.0 - 6.9	17,700	96.9	93.1 - 100.0	18,300
Mililani/ Wahiawa	500	1.4	0.0 - 2.7	35,500	98.6	97.3 - 100.0	36,000
Molokai	200	6.7	1.9 - 11.5	2,400	93.3	88.5 - 98.1	2,500
Nanakuli/ Waianae	500	2.3	0.0 - 5.4	20,300	97.7	94.6 - 100.0	20,800
N.Hawaii	700	5.9	2.9 - 9.0	11,800	94.1	91.0 - 97.1	12,600
N.Shore/ Laie	1,400	11.7	3.0 - 20.4	10,500	88.3	79.6 - 97.0	11,900
Nuuanu/ Kalihi/ Moanalua	600	1.6	0.0 - 3.4	34,700	98.4	96.6 - 100.0	35,200
Puna/ Kau	1,000	6.7	0.0 - 13.4	14,500	93.3	86.6 - 100.0	15,600
Salt Lake/ Foster Village	300	2.0	0.0 - 5.0	13,200	98.0	95.0 - 100.0	13,500

Report Source: The Hawaii Health Data Warehouse;
Data Source: State of Hawaii, Department of Health,
Behavioral Risk Factor Surveillance System (BRFSS)

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Upcountry/ Hana	700	4.6	0.5 - 8.6	15,300	95.4	91.4 - 99.5	16,100
Waialae/ Kahala/ Hawaii Kai	1,200	5.5	1.7 - 9.3	20,200	94.5	90.7 - 98.3	21,400
Waipahu/ Kapolei/ Ewa	1,900	3.6	0.5 - 6.6	52,100	96.4	93.4 - 99.5	54,000

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	4,300	8.0	4.1 - 11.8	49,500	92.0	88.2 - 95.9	53,800
25-34	4,000	5.1	2.6 - 7.6	75,200	94.9	92.4 - 97.4	79,200
35-44	2,800	3.1	1.8 - 4.5	87,000	96.9	95.5 - 98.2	89,900
45-54	5,200	5.7	3.7 - 7.6	86,000	94.3	92.4 - 96.3	91,100
55-64	2,900	4.1	2.3 - 6.0	68,400	95.9	94.0 - 97.7	71,300
65-74	1,900	4.2	1.9 - 6.5	44,800	95.8	93.5 - 98.1	46,700
75+	900	1.9	0.5 - 3.2	49,500	98.1	96.8 - 99.5	50,500

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	12,800	8.6	6.7 - 10.4	136,400	91.4	89.6 - 93.3	149,100
Native Hawaiian	3,500	5.5	2.6 - 8.4	59,700	94.5	91.6 - 97.4	63,200
Chinese	200	0.6	0.0 - 1.4	28,700	99.4	98.6 - 100.0	28,800
Filipino	1,300	1.5	0.4 - 2.7	82,500	98.5	97.3 - 99.6	83,800
Japanese	3,700	3.4	1.7 - 5.0	105,400	96.6	95.0 - 98.3	109,000
Other Asian	0	0.0	--	10,400	100.0	100.0 - 100.0	10,400
Other Pacific Islander	400	2.8	0.0 - 7.3	13,100	97.2	92.7 - 100.0	13,500
Other	300	1.7	0.0 - 3.7	14,700	98.3	96.3 - 100.0	15,000

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	0	0.0	--	10,900	100.0	100.0 - 100.0	10,900
Grades 9 thru 11 (Some High School)	1,000	4.5	0.5 - 8.4	21,000	95.5	91.6 - 99.5	22,000
Grades 12 or GED (High School Grad)	6,800	4.9	3.3 - 6.4	132,400	95.1	93.6 - 96.7	139,200
College 1 to 3 years (Some College/ Tech)	7,000	4.9	3.1 - 6.7	136,600	95.1	93.3 - 96.9	143,600
College 4 years or more (College Grad)	7,300	4.4	3.1 - 5.6	160,400	95.6	94.4 - 96.9	167,700

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	13,200	4.8	3.6 - 5.9	264,200	95.2	94.1 - 96.4	277,400
Unemployed	900	8.3	1.0 - 15.5	10,000	91.7	84.5 - 99.0	10,900
Retired/Unable to work	3,600	2.9	1.8 - 4.1	119,700	97.1	95.9 - 98.2	123,300
Student/Homemaker	4,400	6.1	3.5 - 8.7	66,900	93.9	91.3 - 96.5	71,300

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	600	4.4	0.0 - 8.7	13,800	95.6	91.3 - 100.0	14,400
\$10,000 to \$14,999	500	3.1	0.1 - 6.1	16,500	96.9	93.9 - 99.9	17,000
\$15,000 to \$19,999	1,100	3.7	1.0 - 6.5	27,400	96.3	93.5 - 99.0	28,500
\$20,000 to \$24,999	1,700	4.8	1.8 - 7.8	33,000	95.2	92.2 - 98.2	34,700
\$25,000 to \$34,999	1,400	2.7	1.0 - 4.5	50,300	97.3	95.5 - 99.0	51,700
\$35,000 to \$49,999	5,100	6.5	3.9 - 9.0	73,300	93.5	91.0 - 96.1	78,400
\$50,000 to \$74,999	3,100	3.8	2.1 - 5.5	77,900	96.2	94.5 - 97.9	81,000
\$75,000 or more	6,000	6.0	3.8 - 8.2	93,800	94.0	91.8 - 96.2	99,800

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	3,800	4.1	2.2 - 5.9	90,200	95.9	94.1 - 97.8	94,000
131-185%	1,200	2.4	0.5 - 4.3	49,300	97.6	95.7 - 99.5	50,500
186+%	14,400	5.5	4.3 - 6.7	246,700	94.5	93.3 - 95.7	261,000

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	10,500	3.6	2.7 - 4.5	283,100	96.4	95.5 - 97.3	293,600
Unmarried Couple	2,600	20.3	8.7 - 32.0	10,300	79.7	68.0 - 91.3	12,900
Widowed	900	2.0	0.8 - 3.3	42,800	98.0	96.7 - 99.2	43,700
Other	8,500	6.3	4.4 - 8.2	126,100	93.7	91.8 - 95.6	134,600

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	11,200	3.7	2.8 - 4.7	288,500	96.3	95.3 - 97.2	299,700
No	10,900	5.9	4.3 - 7.5	173,000	94.1	92.5 - 95.7	183,900

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	20,500	4.6	3.7 - 5.4	428,500	95.4	94.6 - 96.3	449,000
No	2,000	5.6	1.9 - 9.4	33,200	94.4	90.6 - 98.1	35,100

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	22,700	4.9	3.5 - 6.3	440,700	95.1	93.7 - 96.5	463,400

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,500	5.4	2.9 - 7.8	62,200	94.6	92.2 - 97.1	65,700
Honolulu	13,200	4.0	2.3 - 5.8	313,900	96.0	94.2 - 97.7	327,100
Kauai	1,200	5.3	2.2 - 8.5	20,600	94.7	91.5 - 97.8	21,800
Maui	4,800	9.8	5.4 - 14.3	43,900	90.2	85.7 - 94.6	48,700

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,500	5.4	2.9 - 7.8	62,200	94.6	92.2 - 97.1	65,700
Kauai	1,200	5.3	2.2 - 8.5	20,600	94.7	91.5 - 97.8	21,800
Maui	4,700	10.4	5.6 - 15.2	40,400	89.6	84.8 - 94.4	45,100
Oahu	13,200	4.0	2.3 - 5.8	313,900	96.0	94.2 - 97.7	327,100

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	500	5.3	0.3 - 10.3	8,400	94.7	89.7 - 99.7	8,900
Hilo	1,200	7.3	1.5 - 13.0	15,200	92.7	87.0 - 98.5	16,400
Kahului	900	4.9	0.8 - 9.1	17,200	95.1	90.9 - 99.2	18,100

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Kaimuki/ Palolo/ Waikiki	900	2.7	0.0 - 6.5	31,400	97.3	93.5 - 100.0	32,200
Kona	1,000	6.5	0.4 - 12.5	14,000	93.5	87.5 - 99.6	14,900
Lihue-Waimea	700	5.4	1.4 - 9.4	12,200	94.6	90.6 - 98.6	12,900
Mililani/ Wahiawa	1,100	3.9	0.0 - 8.6	27,900	96.1	91.4 - 100.0	29,000
N.Hawaii	400	3.5	0.0 - 7.1	9,800	96.5	92.9 - 100.0	10,100
Puna/ Kau	1,000	4.2	0.7 - 7.8	23,300	95.8	92.2 - 99.3	24,300
Upcountry/ Hana	1,900	13.6	4.9 - 22.3	12,400	86.4	77.7 - 95.1	14,400
Waipahu/ Kapolei/ Ewa	2,800	5.0	0.0 - 10.3	53,400	95.0	89.7 - 100.0	56,200

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	2,200	4.3	0.0 - 8.9	48,400	95.7	91.1 - 100.0	50,500
25-34	3,300	4.1	0.8 - 7.5	77,400	95.9	92.5 - 99.2	80,700
35-44	5,100	5.6	2.3 - 8.9	85,200	94.4	91.1 - 97.7	90,200
45-54	5,300	6.3	2.2 - 10.5	78,900	93.7	89.5 - 97.8	84,300
55-64	4,600	7.2	3.5 - 11.0	58,400	92.8	89.0 - 96.5	62,900
65-74	1,600	3.4	0.3 - 6.5	44,300	96.6	93.5 - 99.7	45,900
75+	700	1.6	0.0 - 3.2	42,300	98.4	96.8 - 100.0	43,000

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	11,600	8.3	5.6 - 11.0	128,000	91.7	89.0 - 94.4	139,600
Native Hawaiian	5,800	8.2	3.1 - 13.3	64,200	91.8	86.7 - 96.9	70,000
Chinese	400	1.4	0.0 - 4.2	25,900	98.6	95.8 - 100.0	26,300
Filipino	1,500	1.9	0.0 - 4.2	77,600	98.1	95.8 - 100.0	79,100
Japanese	3,200	3.0	0.0 - 5.9	104,300	97.0	94.1 - 100.0	107,500

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 12 or GED (High School Grad)	7,100	4.6	2.3 - 6.8	148,200	95.4	93.2 - 97.7	155,200
College 1 to 3 years (Some College/ Tech)	5,800	4.1	2.3 - 5.9	136,800	95.9	94.1 - 97.7	142,700
College 4 years or more (College Grad)	8,500	5.8	2.8 - 8.9	136,700	94.2	91.1 - 97.2	145,200

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	12,200	4.8	2.9 - 6.6	243,000	95.2	93.4 - 97.1	255,200
Retired/Unable to work	4,100	3.6	1.5 - 5.6	109,600	96.4	94.4 - 98.5	113,700
Student/Homemaker	5,400	6.4	2.2 - 10.7	78,300	93.6	89.3 - 97.8	83,700

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
\$10,000 to \$14,999	800	4.6	0.0 - 11.0	16,100	95.4	89.0 - 100.0	16,900
\$15,000 to \$19,999	1,500	5.9	0.0 - 13.6	24,200	94.1	86.4 - 100.0	25,700
\$20,000 to \$24,999	1,600	4.3	0.5 - 8.0	34,700	95.7	92.0 - 99.5	36,300
\$25,000 to \$34,999	500	0.9	0.0 - 1.8	61,700	99.1	98.2 - 100.0	62,300
\$35,000 to \$49,999	2,800	4.6	1.4 - 7.7	57,900	95.4	92.3 - 98.6	60,700
\$50,000 to \$74,999	9,700	6.1	3.2 - 9.0	148,100	93.9	91.0 - 96.8	157,700
\$75,000 or more	5,200	5.4	2.3 - 8.6	90,000	94.6	91.4 - 97.7	95,200

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	3,700	4.0	1.1 - 6.8	89,200	96.0	93.2 - 98.9	92,900
131-185%	600	1.0	0.0 - 2.2	58,800	99.0	97.8 - 100.0	59,400
186+%	18,500	5.9	4.1 - 7.8	292,600	94.1	92.2 - 95.9	311,100

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	9,600	3.4	2.0 - 4.9	270,200	96.6	95.1 - 98.0	279,800
Widowed	1,900	4.5	1.3 - 7.8	40,100	95.5	92.2 - 98.7	42,000
Other	8,800	6.9	3.6 - 10.2	119,200	93.1	89.8 - 96.4	128,000

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	9,700	3.4	2.0 - 4.8	275,100	96.6	95.2 - 98.0	284,800
No	13,100	7.4	4.5 - 10.2	163,800	92.6	89.8 - 95.5	176,900

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	19,400	4.5	3.2 - 5.9	407,700	95.5	94.1 - 96.8	427,100
No	3,300	9.7	2.0 - 17.4	31,000	90.3	82.6 - 98.0	34,300

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	21,300	4.6	3.7 - 5.6	440,600	95.4	94.4 - 96.3	462,000

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,800	4.9	2.9 - 6.9	55,100	95.1	93.1 - 97.1	58,000
Honolulu	14,200	4.3	3.1 - 5.4	319,500	95.7	94.6 - 96.9	333,700
Kauai	900	4.2	1.2 - 7.1	20,400	95.8	92.9 - 98.8	21,300
Maui	3,400	7.0	4.1 - 9.9	45,600	93.0	90.1 - 95.9	49,000

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,800	4.9	2.9 - 6.9	55,100	95.1	93.1 - 97.1	58,000
Kauai	900	4.2	1.2 - 7.1	20,400	95.8	92.9 - 98.8	21,300
Maui	3,200	7.2	4.1 - 10.3	41,300	92.8	89.7 - 95.9	44,500
Oahu	14,200	4.3	3.1 - 5.4	319,500	95.7	94.6 - 96.9	333,700

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	800	2.9	0.0 - 7.0	26,800	97.1	93.0 - 100.0	27,600
Ala Moana	0	0.0	--	15,400	100.0	100.0 - 100.0	15,400
Hanalei/ Kapaa	200	2.6	0.0 - 5.3	8,200	97.4	94.7 - 100.0	8,400

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hilo	1,000	5.7	1.4 - 10.0	16,700	94.3	90.0 - 98.6	17,700
Kaaawa/ Kahaluu/ Kaneohe	1,800	6.9	1.2 - 12.5	24,300	93.1	87.5 - 98.8	26,100
Kahului	1,100	7.0	2.1 - 11.9	14,600	93.0	88.1 - 97.9	15,700
Kailua/ Waimanalo	1,300	4.4	0.3 - 8.4	27,600	95.6	91.6 - 99.7	28,900
Kaimuki/ Palolo/ Waikiki	1,700	5.5	1.1 - 9.8	28,900	94.5	90.2 - 98.9	30,600
Kona	1,200	7.9	3.3 - 12.5	14,100	92.1	87.5 - 96.7	15,300
Lahaina/ Wailuku	1,100	7.9	1.3 - 14.5	13,100	92.1	85.5 - 98.7	14,300
Lihue-Waimea	700	5.2	0.7 - 9.7	12,200	94.8	90.3 - 99.3	12,900
Manoa/ Upper Makiki	2,000	8.1	2.3 - 13.8	22,600	91.9	86.2 - 97.7	24,500
Mililani/ Wahiawa	1,000	2.8	0.1 - 5.6	35,500	97.2	94.4 - 99.9	36,600

Report Source: The Hawaii Health Data Warehouse;
Data Source: State of Hawaii, Department of Health,
Behavioral Risk Factor Surveillance System (BRFSS)

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nanakuli/ Waianae	1,600	10.9	1.5 - 20.4	12,900	89.1	79.6 - 98.5	14,400
N.Hawaii	600	4.8	1.0 - 8.6	11,200	95.2	91.4 - 99.0	11,700
N.Shore/ Laie	300	2.0	0.0 - 4.7	13,400	98.0	95.3 - 100.0	13,600
Nuuanu/ Kalihi/ Moanalua	0	0.0	--	33,800	100.0	100.0 - 100.0	33,800
Puna/ Kau	<50	0.3	0.0 - 1.0	13,200	99.7	99.0 - 100.0	13,200
Salt Lake/ Foster Village	800	4.2	0.0 - 8.9	19,100	95.8	91.1 - 100.0	19,900
Upcountry/ Hana	1,000	6.7	2.0 - 11.4	13,600	93.3	88.6 - 98.0	14,600
Waialae/ Kahala/ Hawaii Kai	1,900	11.9	3.8 - 20.1	14,400	88.1	79.9 - 96.2	16,300
Waipahu/ Kapolei/ Ewa	1,000	2.2	0.0 - 4.5	44,900	97.8	95.5 - 100.0	45,900

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	2,200	4.2	1.1 - 7.2	50,500	95.8	92.8 - 98.9	52,700
25-34	5,100	6.5	3.6 - 9.4	73,200	93.5	90.6 - 96.4	78,300
35-44	4,400	4.9	2.5 - 7.2	85,500	95.1	92.8 - 97.5	89,900
45-54	5,000	5.9	3.4 - 8.3	80,400	94.1	91.7 - 96.6	85,400
55-64	3,200	5.1	2.9 - 7.3	59,300	94.9	92.7 - 97.1	62,500
65-74	1,000	2.1	0.4 - 3.9	45,500	97.9	96.1 - 99.6	46,500
75+	400	0.9	0.0 - 1.9	44,400	99.1	98.1 - 100.0	44,800

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	12,500	7.8	5.9 - 9.7	147,600	92.2	90.3 - 94.1	160,100
Native Hawaiian	3,100	7.1	2.7 - 11.5	40,800	92.9	88.5 - 97.3	44,000
Chinese	1,500	2.6	0.4 - 4.8	56,400	97.4	95.2 - 99.6	57,900
Filipino	1,400	1.9	0.2 - 3.5	74,000	98.1	96.5 - 99.8	75,400
Japanese	1,800	2.1	0.6 - 3.5	86,600	97.9	96.5 - 99.4	88,400
Other	800	6.8	0.0 - 14.5	11,500	93.2	85.5 - 100.0	12,400

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	0	0.0	--	6,000	100.0	100.0 - 100.0	6,000
Grades 9 thru 11 (Some High School)	100	0.8	0.0 - 2.4	15,600	99.2	97.6 - 100.0	15,700
Grades 12 or GED (High School Grad)	5,100	3.8	2.2 - 5.4	128,800	96.2	94.6 - 97.8	133,900
College 1 to 3 years (Some College/ Tech)	7,400	5.1	3.2 - 7.0	136,700	94.9	93.0 - 96.8	144,100
College 4 years or more (College Grad)	8,700	5.4	3.8 - 7.1	152,300	94.6	92.9 - 96.2	161,100

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	15,000	5.6	4.2 - 7.0	251,700	94.4	93.0 - 95.8	266,700
Unemployed	900	7.1	0.2 - 14.0	12,200	92.9	86.0 - 99.8	13,200
Retired/Unable to work	2,400	2.3	1.2 - 3.4	104,200	97.7	96.6 - 98.8	106,700
Student/Homemaker	3,000	4.0	1.5 - 6.4	72,300	96.0	93.6 - 98.5	75,300

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,200	3.7	0.0 - 7.4	30,700	96.3	92.6 - 100.0	31,900
\$10,000 to \$14,999	700	2.5	0.0 - 5.7	26,600	97.5	94.3 - 100.0	27,300
\$15,000 to \$19,999	200	0.9	0.0 - 1.8	25,500	99.1	98.2 - 100.0	25,800
\$20,000 to \$24,999	2,100	7.6	3.3 - 11.8	25,900	92.4	88.2 - 96.7	28,000
\$25,000 to \$34,999	1,700	4.3	1.4 - 7.2	37,100	95.7	92.8 - 98.6	38,700
\$35,000 to \$49,999	2,300	3.5	1.4 - 5.5	64,000	96.5	94.5 - 98.6	66,300
\$50,000 to \$74,999	3,700	5.8	3.0 - 8.5	60,100	94.2	91.5 - 97.0	63,800
\$75,000 or more	5,500	7.7	4.5 - 11.0	66,000	92.3	89.0 - 95.5	71,500

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	2,900	2.6	1.1 - 4.2	105,800	97.4	95.8 - 98.9	108,600
131-185%	2,100	5.8	2.1 - 9.4	33,800	94.2	90.6 - 97.9	35,900
186+%	12,400	6.0	4.4 - 7.5	196,400	94.0	92.5 - 95.6	208,800

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	9,900	3.7	2.6 - 4.8	256,800	96.3	95.2 - 97.4	266,700
Widowed	800	1.6	0.3 - 3.0	49,400	98.4	97.0 - 99.7	50,200
Other	9,300	6.9	4.6 - 9.1	126,700	93.1	90.9 - 95.4	136,000

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	9,900	3.7	2.6 - 4.7	262,200	96.3	95.3 - 97.4	272,100
No	11,400	6.0	4.2 - 7.8	178,000	94.0	92.2 - 95.8	189,400

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	19,500	4.5	3.5 - 5.5	413,200	95.5	94.5 - 96.5	432,800
No	1,800	6.2	2.2 - 10.2	27,100	93.8	89.8 - 97.8	28,900

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	17,800	3.9	3.1 - 4.8	433,300	96.1	95.2 - 96.9	451,000

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,500	4.6	2.8 - 6.3	52,600	95.4	93.7 - 97.2	55,100
Honolulu	10,400	3.2	2.2 - 4.2	316,200	96.8	95.8 - 97.8	326,600
Kauai	1,300	6.1	2.5 - 9.7	20,000	93.9	90.3 - 97.5	21,300
Maui	3,500	7.4	4.7 - 10.0	44,400	92.6	90.0 - 95.3	48,000

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,500	4.6	2.8 - 6.3	52,600	95.4	93.7 - 97.2	55,100
Kauai	1,300	6.1	2.5 - 9.7	20,000	93.9	90.3 - 97.5	21,300
Lanai	<50	1.1	0.0 - 3.2	1,600	98.9	96.8 - 100.0	1,600
Maui	3,300	7.8	4.9 - 10.7	39,200	92.2	89.3 - 95.1	42,500
Molokai	200	5.3	0.0 - 13.1	3,600	94.7	86.9 - 100.0	3,800
Oahu	10,400	3.2	2.2 - 4.2	316,200	96.8	95.8 - 97.8	326,600

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	900	2.7	0.0 - 5.6	32,000	97.3	94.4 - 100.0	32,900

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	300	1.8	0.0 - 4.2	16,400	98.2	95.8 - 100.0	16,700
Hanalei/ Kapaa	800	8.7	2.1 - 15.2	8,600	91.3	84.8 - 97.9	9,400
Hilo	700	3.8	0.3 - 7.4	17,100	96.2	92.6 - 99.7	17,700
Kaaawa/ Kahaluu/ Kaneohe	700	3.6	0.0 - 7.4	18,200	96.4	92.6 - 100.0	18,800
Kahului	700	5.4	2.0 - 8.9	13,000	94.6	91.1 - 98.0	13,800
Kailua/ Waimanalo	800	3.5	0.0 - 6.9	22,000	96.5	93.1 - 100.0	22,800
Kaimuki/ Palolo/ Waikiki	2,000	5.0	1.5 - 8.4	37,800	95.0	91.6 - 98.5	39,700
Kona	800	6.2	2.6 - 9.7	12,500	93.8	90.3 - 97.4	13,300
Lahaina/ Wailuku	1,000	7.1	2.5 - 11.8	13,000	92.9	88.2 - 97.5	14,000
Lanai	<50	1.1	0.0 - 3.2	1,600	98.9	96.8 - 100.0	1,600

Report Source: The Hawaii Health Data Warehouse;
Data Source: State of Hawaii, Department of Health,
Behavioral Risk Factor Surveillance System (BRFSS)

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lihue-Waimea	500	4.0	0.3 - 7.8	11,400	96.0	92.2 - 99.7	11,900
Manoa/ Upper Makiki	1,700	6.4	0.4 - 12.4	24,100	93.6	87.6 - 99.6	25,700
Mililani/ Wahiawa	200	0.7	0.0 - 1.6	31,000	99.3	98.4 - 100.0	31,200
Molokai	200	5.3	0.0 - 13.1	3,600	94.7	86.9 - 100.0	3,800
Nanakuli/ Waianae	400	2.8	0.0 - 6.8	14,700	97.2	93.2 - 100.0	15,100
N.Hawaii	400	3.4	0.6 - 6.2	12,000	96.6	93.8 - 99.4	12,400
Nuuanu/ Kalihi/ Moanalua	0	0.0	--	34,200	100.0	100.0 - 100.0	34,200
Puna/ Kau	600	5.1	1.1 - 9.1	11,000	94.9	90.9 - 98.9	11,600
Salt Lake/ Foster Village	1,200	7.2	1.2 - 13.3	15,100	92.8	86.7 - 98.8	16,300
Upcountry/ Hana	1,600	10.7	4.3 - 17.0	13,100	89.3	83.0 - 95.7	14,700

Report Source: The Hawaii Health Data Warehouse;
Data Source: State of Hawaii, Department of Health,
Behavioral Risk Factor Surveillance System (BRFSS)

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waialae/ Kahala/ Hawaii Kai	900	3.9	0.0 - 8.5	21,800	96.1	91.5 - 100.0	22,700
Waipahu/ Kapolei/ Ewa	400	1.0	0.0 - 2.6	41,800	99.0	97.4 - 100.0	42,200

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	4,100	7.7	3.8 - 11.7	48,700	92.3	88.3 - 96.2	52,800
25-34	2,100	2.6	1.0 - 4.2	76,700	97.4	95.8 - 99.0	78,700
35-44	3,800	4.2	2.2 - 6.2	86,600	95.8	93.8 - 97.8	90,400
45-54	4,300	5.1	3.2 - 7.0	79,700	94.9	93.0 - 96.8	83,900
55-64	1,700	3.0	1.1 - 4.9	55,300	97.0	95.1 - 98.9	57,000
65-74	1,300	2.9	0.9 - 4.9	43,400	97.1	95.1 - 99.1	44,700
75+	500	1.2	0.2 - 2.2	40,600	98.8	97.8 - 99.8	41,100

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	8,700	5.9	4.4 - 7.4	138,800	94.1	92.6 - 95.6	147,500
Native Hawaiian	1,600	2.9	1.2 - 4.7	53,100	97.1	95.3 - 98.8	54,700
Chinese	800	2.4	0.0 - 5.0	34,400	97.6	95.0 - 100.0	35,200
Filipino	1,600	2.2	0.3 - 4.1	70,900	97.8	95.9 - 99.7	72,400
Japanese	2,600	2.7	0.8 - 4.5	96,000	97.3	95.5 - 99.2	98,700
Other Asian	900	8.9	0.0 - 17.9	9,500	91.1	82.1 - 100.0	10,500
Other	1,300	9.3	1.5 - 17.1	12,300	90.7	82.9 - 98.5	13,600

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	0	0.0	--	12,600	100.0	100.0 - 100.0	12,600
Grades 9 thru 11 (Some High School)	800	4.0	0.1 - 8.0	18,800	96.0	92.0 - 99.9	19,600
Grades 12 or GED (High School Grad)	5,600	3.8	2.4 - 5.3	139,000	96.2	94.7 - 97.6	144,500
College 1 to 3 years (Some College/ Tech)	6,900	4.9	3.2 - 6.7	134,300	95.1	93.3 - 96.8	141,200
College 4 years or more (College Grad)	4,500	3.4	2.1 - 4.6	128,600	96.6	95.4 - 97.9	133,100

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	10,700	4.1	3.0 - 5.1	252,200	95.9	94.9 - 97.0	263,000
Unemployed	500	3.6	0.0 - 7.3	14,700	96.4	92.7 - 100.0	15,200
Retired/Unable to work	2,500	2.7	1.4 - 4.0	89,900	97.3	96.0 - 98.6	92,400
Student/Homemaker	4,000	5.0	2.3 - 7.7	76,100	95.0	92.3 - 97.7	80,100

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,100	4.8	1.2 - 8.4	22,100	95.2	91.6 - 98.8	23,200
\$10,000 to \$14,999	300	1.3	0.0 - 2.8	20,600	98.7	97.2 - 100.0	20,800
\$15,000 to \$19,999	600	3.4	0.4 - 6.5	17,900	96.6	93.5 - 99.6	18,500
\$20,000 to \$24,999	300	1.4	0.0 - 3.6	20,900	98.6	96.4 - 100.0	21,200
\$25,000 to \$34,999	2,400	6.1	2.7 - 9.5	37,100	93.9	90.5 - 97.3	39,500
\$35,000 to \$49,999	3,100	5.4	2.9 - 8.0	54,100	94.6	92.0 - 97.1	57,200
\$50,000 to \$74,999	2,200	3.6	1.2 - 6.0	59,100	96.4	94.0 - 98.8	61,300
\$75,000 or more	2,800	4.8	2.5 - 7.1	55,300	95.2	92.9 - 97.5	58,000

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	2,600	3.3	1.6 - 5.0	75,200	96.7	95.0 - 98.4	77,700
131-185%	800	2.3	0.0 - 4.8	35,500	97.7	95.2 - 100.0	36,400
186+%	9,500	5.1	3.7 - 6.5	176,200	94.9	93.5 - 96.3	185,700

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	7,200	2.7	1.9 - 3.6	255,900	97.3	96.4 - 98.1	263,200
Unmarried Couple	600	6.6	0.0 - 14.3	8,700	93.4	85.7 - 100.0	9,300
Widowed	600	1.5	0.5 - 2.5	40,400	98.5	97.5 - 99.5	41,100
Other	9,300	6.8	4.8 - 8.8	128,200	93.2	91.2 - 95.2	137,500

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	7,600	2.8	1.9 - 3.7	262,300	97.2	96.3 - 98.1	269,900
No	10,200	5.6	4.1 - 7.2	170,100	94.4	92.8 - 95.9	180,300

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	15,800	3.8	2.9 - 4.7	401,000	96.2	95.3 - 97.1	416,800
No	2,000	5.8	2.6 - 9.1	31,700	94.2	90.9 - 97.4	33,700

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	15,000	3.4	2.4 - 4.4	423,100	96.6	95.6 - 97.6	438,100

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,600	4.9	2.8 - 7.0	50,200	95.1	93.0 - 97.2	52,800
Honolulu	10,000	3.2	1.9 - 4.4	307,200	96.8	95.6 - 98.1	317,200
Kauai	800	4.0	1.7 - 6.3	20,200	96.0	93.7 - 98.3	21,100
Maui	1,600	3.4	1.9 - 4.9	45,500	96.6	95.1 - 98.1	47,100

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,600	4.9	2.8 - 7.0	50,200	95.1	93.0 - 97.2	52,800
Kauai	800	4.0	1.7 - 6.3	20,200	96.0	93.7 - 98.3	21,100
Maui	1,500	3.4	1.8 - 5.0	41,700	96.6	95.0 - 98.2	43,100
Oahu	10,000	3.2	1.9 - 4.4	307,200	96.8	95.6 - 98.1	317,200

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	900	2.7	0.0 - 5.8	32,900	97.3	94.2 - 100.0	33,800
Ala Moana	0	0.0	--	14,600	100.0	100.0 - 100.0	14,600
Hanalei/ Kapaa	400	4.5	0.9 - 8.0	7,900	95.5	92.0 - 99.1	8,300

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hilo	1,000	6.4	1.2 - 11.5	14,600	93.6	88.5 - 98.8	15,600
Kaaawa/ Kahaluu/ Kaneohe	600	3.1	0.0 - 6.9	19,500	96.9	93.1 - 100.0	20,200
Kahului	700	4.4	1.2 - 7.7	14,300	95.6	92.3 - 98.8	15,000
Kailua/ Waimanalo	2,400	8.7	0.5 - 16.9	25,600	91.3	83.1 - 99.5	28,100
Kaimuki/ Palolo/ Waikiki	1,600	5.0	0.1 - 9.9	31,300	95.0	90.1 - 99.9	32,900
Kona	1,000	7.6	2.7 - 12.6	11,600	92.4	87.4 - 97.3	12,500
Lahaina/ Wailuku	400	2.9	0.3 - 5.5	14,000	97.1	94.5 - 99.7	14,400
Lihue-Waimea	500	3.7	0.7 - 6.6	12,300	96.3	93.4 - 99.3	12,800
Manoa/ Upper Makiki	1,000	3.8	0.2 - 7.4	26,600	96.2	92.6 - 99.8	27,700
Mililani/ Wahiawa	600	2.1	0.0 - 4.5	28,400	97.9	95.5 - 100.0	29,000

Report Source: The Hawaii Health Data Warehouse;
Data Source: State of Hawaii, Department of Health,
Behavioral Risk Factor Surveillance System (BRFSS)

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
N.Hawaii	400	2.6	0.1 - 5.1	13,500	97.4	94.9 - 99.9	13,900
Nuuanu/ Kalihi/ Moanalua	200	0.6	0.0 - 1.8	29,200	99.4	98.2 - 100.0	29,300
Puna/ Kau	300	2.4	0.1 - 4.7	10,500	97.6	95.3 - 99.9	10,700
Salt Lake/ Foster Village	0	0.0	--	15,100	100.0	100.0 - 100.0	15,100
Upcountry/ Hana	400	2.7	0.3 - 5.1	13,300	97.3	94.9 - 99.7	13,700
Waialae/ Kahala/ Hawaii Kai	0	0.0	--	17,800	100.0	100.0 - 100.0	17,800
Waipahu/ Kapolei/ Ewa	900	2.1	0.0 - 4.3	42,200	97.9	95.7 - 100.0	43,100

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	3,500	7.2	1.7 - 12.6	45,100	92.8	87.4 - 98.3	48,600
25-34	3,300	4.2	1.9 - 6.5	74,300	95.8	93.5 - 98.1	77,600
35-44	2,500	2.8	1.4 - 4.2	85,100	97.2	95.8 - 98.6	87,600
45-54	2,500	3.1	1.5 - 4.7	76,700	96.9	95.3 - 98.5	79,200
55-64	2,600	4.3	0.8 - 7.8	58,800	95.7	92.2 - 99.2	61,400
65-74	600	1.2	0.0 - 2.7	47,200	98.8	97.3 - 100.0	47,800
75+	100	0.3	0.0 - 0.8	32,700	99.7	99.2 - 100.0	32,800

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	8,400	5.8	3.6 - 8.1	136,200	94.2	91.9 - 96.4	144,600
Native Hawaiian	1,800	3.1	1.3 - 4.8	56,600	96.9	95.2 - 98.7	58,400
Chinese	300	1.2	0.0 - 3.4	25,600	98.8	96.6 - 100.0	25,900
Filipino	700	1.0	0.0 - 2.1	63,300	99.0	97.9 - 100.0	64,000
Japanese	2,100	2.2	0.2 - 4.1	95,200	97.8	95.9 - 99.8	97,300
Other	700	5.6	0.0 - 14.8	11,600	94.4	85.2 - 100.0	12,200

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	200	1.7	0.0 - 5.1	9,000	98.3	94.9 - 100.0	9,200
Grades 9 thru 11 (Some High School)	400	1.7	0.0 - 4.1	21,100	98.3	95.9 - 100.0	21,500
Grades 12 or GED (High School Grad)	5,700	4.3	2.0 - 6.5	128,600	95.7	93.5 - 98.0	134,300
College 1 to 3 years (Some College/ Tech)	5,000	3.5	1.8 - 5.1	138,700	96.5	94.9 - 98.2	143,700
College 4 years or more (College Grad)	3,800	2.9	1.4 - 4.4	124,700	97.1	95.6 - 98.6	128,500

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	8,500	3.2	2.1 - 4.3	255,400	96.8	95.7 - 97.9	263,900
Unemployed	700	7.2	0.0 - 14.6	9,000	92.8	85.4 - 100.0	9,800
Retired/Unable to work	2,200	2.3	0.6 - 3.9	94,900	97.7	96.1 - 99.4	97,100
Student/Homemaker	3,600	5.3	1.3 - 9.4	63,400	94.7	90.6 - 98.7	67,000

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,000	4.9	0.3 - 9.6	19,100	95.1	90.4 - 99.7	20,000
\$10,000 to \$14,999	100	0.4	0.0 - 1.1	27,100	99.6	98.9 - 100.0	27,300
\$15,000 to \$19,999	200	0.9	0.0 - 2.0	21,100	99.1	98.0 - 100.0	21,300
\$20,000 to \$24,999	1,200	4.9	0.0 - 10.0	23,600	95.1	90.0 - 100.0	24,800
\$25,000 to \$34,999	2,800	7.1	2.8 - 11.4	36,700	92.9	88.6 - 97.2	39,500
\$35,000 to \$49,999	2,300	3.5	0.6 - 6.3	64,300	96.5	93.7 - 99.4	66,600
\$50,000 to \$74,999	2,700	4.3	0.8 - 7.9	59,300	95.7	92.1 - 99.2	62,000
\$75,000 or more	1,600	3.3	0.7 - 5.9	46,600	96.7	94.1 - 99.3	48,200

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	1,500	2.1	0.6 - 3.5	72,700	97.9	96.5 - 99.4	74,200
131-185%	3,400	6.1	1.4 - 10.9	51,300	93.9	89.1 - 98.6	54,700
186+%	7,000	3.9	2.4 - 5.4	173,800	96.1	94.6 - 97.6	180,800

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	6,700	2.7	1.6 - 3.8	242,400	97.3	96.2 - 98.4	249,100
Widowed	100	0.4	0.0 - 0.8	37,500	99.6	99.2 - 100.0	37,600
Other	7,000	4.8	3.0 - 6.7	138,500	95.2	93.3 - 97.0	145,500

Alcohol - heavy alcohol consumption in women by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	7,100	2.7	1.6 - 3.8	254,300	97.3	96.2 - 98.4	261,400
No	7,900	4.5	2.6 - 6.4	167,600	95.5	93.6 - 97.4	175,600

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	12,400	3.0	2.1 - 3.9	401,400	97.0	96.1 - 97.9	413,900
No	2,600	10.7	1.5 - 19.8	21,600	89.3	80.2 - 98.5	24,200